

年 報

平成 23 年度
検査データ統計



公益財団法人 大分県地域成人病検診協会

大分県地域成人病検診センター

総合判定結果（コース別健診、市民健診）

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計								
異常なし	男	1,521	(5.9%)	103	871	735	315	232	101	77	19
	女	3,946	(9.0%)	207	954	845	826	543	419	132	20
	計	6,399	(7.5%)	310	1,825	1,580	1,141	775	520	209	39
放置可	男	3,197	(7.7%)	98	826	987	566	318	218	144	40
	女	7,184	(16.4%)	85	1,609	1,797	1,507	954	865	321	46
	計	10,381	(12.2%)	183	2,435	2,784	2,073	1,272	1,083	465	86
要経過観察	男	17,534	(42.2%)	169	1,773	3,696	4,056	3,392	2,561	1,525	362
	女	16,266	(37.1%)	101	1,086	2,282	3,342	3,492	3,735	1,845	383
	計	33,800	(39.6%)	270	2,859	5,978	7,398	6,884	6,296	3,370	745
要精密検査	男	5,779	(13.9%)	43	205	901	1,482	1,437	1,020	539	152
	女	5,225	(11.9%)	19	186	608	1,322	1,354	1,082	504	150
	計	11,004	(12.9%)	62	391	1,509	2,804	2,791	2,102	1,043	302
要治療	男	1,472	(3.5%)	1	41	234	352	337	310	152	45
	女	1,066	(2.4%)	1	12	43	121	283	390	167	49
	計	2,538	(3.0%)	2	53	277	473	620	700	319	94
治療中	男	11,091	(26.7%)	2	39	305	1,236	2,826	3,338	2,578	767
	女	10,110	(23.1%)	2	30	116	535	1,585	3,599	3,221	1,022
	計	21,201	(24.8%)	4	69	421	1,771	4,411	6,937	5,799	1,789
合計	男	41,526		416	3,755	6,858	8,007	8,542	7,548	5,015	1,385
	女	43,797		415	3,877	5,691	7,653	8,211	10,090	6,190	1,670
	計	85,323		831	7,632	12,549	15,660	16,753	17,638	11,205	3,055

胸部検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	21,331 (88.8%)	194	2,463	4,705	5,620	5,452	2,674	223
	女	17,851 (93.2%)	165	2,998	3,918	4,765	4,282	1,570	153
	計	39,182 (90.8%)	359	5,461	8,623	10,385	9,734	4,244	376
放置可	男	1,817 (7.6%)	2	36	163	426	706	430	54
	女	808 (4.2%)	0	35	65	182	320	180	26
	計	2,625 (6.1%)	2	71	228	608	1,026	610	80
要経過観察	男	407 (1.7%)	0	3	25	72	160	114	33
	女	163 (0.9%)	0	2	14	25	56	55	11
	計	570 (1.3%)	0	5	39	97	216	169	44
要精密検査	男	454 (1.9%)	0	12	58	92	152	121	19
	女	322 (1.7%)	1	14	35	84	113	67	8
	計	776 (1.8%)	1	26	93	176	265	188	27
要治療	男	1 (0.0%)	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	1	0	0	0	0
治療中	男	14 (0.1%)	0	0	1	3	7	1	2
	女	5 (0.0%)	0	0	0	2	1	1	1
	計	19 (0.0%)	0	0	1	5	8	2	3
合計	男	24,024	196	2,514	4,953	6,213	6,477	3,340	331
	女	19,149	166	3,049	4,032	5,058	4,772	1,873	199
	計	43,173	362	5,563	8,985	11,271	11,249	5,213	530

喀痰細胞診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
B2 (C l a s s II (悪性所見なし))	男	307 (84.1%)	0	0	20	145	133	8	1
	女	24 (100.0%)	0	0	3	12	8	1	0
	計	331 (85.1%)	0	0	23	157	141	9	1
検診者総数	男	365	0	0	21	168	165	10	1
	女	24	0	0	3	12	8	1	0
	計	389	0	0	24	180	173	11	1

胸部ヘリカルCT検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
線状陰影	男	72 (5.5%)	0	1	1	14	43	11	2
	女	18 (7.3%)	0	1	0	3	6	7	1
	計	90 (5.8%)	0	2	1	17	49	18	3
帯状陰影	男	21 (1.6%)	0	0	1	4	9	3	4
	女	8 (3.2%)	0	0	1	3	2	2	0
	計	29 (1.9%)	0	0	2	7	11	5	4
微細斑点状陰影	男	2 (0.2%)	0	0	0	0	1	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.1%)	0	0	0	0	1	0	1
結節陰影	男	185 (14.0%)	0	0	9	49	81	36	10
	女	39 (15.8%)	0	0	1	12	10	14	2
	計	224 (14.3%)	0	0	10	61	91	50	12
円形陰影	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
浸潤陰影	男	27 (2.0%)	0	0	4	3	13	6	1
	女	7 (2.8%)	0	0	0	0	3	2	2
	計	34 (2.2%)	0	0	4	3	16	8	3
網目状陰影	男	5 (0.4%)	0	0	0	0	2	3	0
	女	1 (0.4%)	0	0	0	0	0	1	0
	計	6 (0.4%)	0	0	0	0	2	4	0
石灰化陰影	男	20 (1.5%)	0	0	0	2	5	11	2
	女	6 (2.4%)	0	0	0	1	3	1	1
	計	26 (1.7%)	0	0	0	3	8	12	3
空洞陰影	男	1 (0.1%)	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	1	0	0	0	0
嚢胞陰影	男	173 (13.1%)	0	0	15	52	73	28	5
	女	1 (0.4%)	0	0	0	1	0	0	0
	計	174 (11.1%)	0	0	15	53	73	28	5
気腫性変化	男	62 (4.7%)	0	0	3	6	38	13	2
	女	1 (0.4%)	0	0	0	0	0	0	1
	計	63 (4.0%)	0	0	3	6	38	13	3
すりガラス状陰影	男	21 (1.6%)	0	0	2	3	9	4	3
	女	3 (1.2%)	0	0	0	1	1	1	0
	計	24 (1.5%)	0	0	2	4	10	5	3
粒状陰影	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
胸膜肥厚	男	41 (3.1%)	0	0	0	13	13	14	1
	女	12 (4.9%)	0	0	0	2	4	4	2
	計	53 (3.4%)	0	0	0	15	17	18	3
胸膜癒着	男	21 (1.6%)	0	0	0	4	11	5	1
	女	6 (2.4%)	0	0	0	3	2	1	0
	計	27 (1.7%)	0	0	0	7	13	6	1
陳旧性肺結核の疑い	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
肺気腫	男	25 (1.9%)	0	0	0	1	13	8	3
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	25 (1.6%)	0	0	0	1	13	8	3
縦隔腫瘍の疑い	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
その他の所見	男	87 (6.6%)	0	0	3	28	31	17	8
	女	6 (2.4%)	0	0	0	3	2	1	0
	計	93 (5.9%)	0	0	3	31	33	18	8
検診者総数	男	1,318	0	2	91	387	588	213	37
	女	247	0	1	16	79	84	54	13
	計	1,565	0	3	107	466	672	267	50

胸部X線単純検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女									男	女							
肺門陰影拡大	男	43 (0.2%)	0	1	7	9	16	10	0	横隔膜高位	男	77 (0.3%)	0	0	11	13	32	17	4
	女	23 (0.1%)	0	2	2	2	9	6	2		女	26 (0.1%)	0	2	7	3	12	2	0
	計	66 (0.2%)	0	3	9	11	25	16	2		計	103 (0.2%)	0	2	18	16	44	19	4
肺紋理増強	男	3 (0.0%)	0	0	1	0	2	0	0	横隔膜低位	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0		女	1 (0.0%)	0	0	1	0	0	0	0
	計	3 (0.0%)	0	0	1	0	2	0	0		計	1 (0.0%)	0	0	1	0	0	0	0
線状陰影	男	178 (0.7%)	0	4	19	35	66	49	5	肋骨異常	男	40 (0.2%)	0	2	2	12	13	10	1
	女	64 (0.3%)	0	3	2	13	33	12	1		女	6 (0.0%)	0	0	1	1	1	2	1
	計	242 (0.6%)	0	7	21	48	99	61	6		計	46 (0.1%)	0	2	3	13	14	12	2
帯状陰影	男	47 (0.2%)	0	1	4	10	15	14	3	胸椎異常	男	57 (0.2%)	1	7	12	11	15	6	5
	女	24 (0.1%)	0	1	0	2	8	12	1		女	69 (0.4%)	0	16	18	21	9	5	0
	計	71 (0.2%)	0	2	4	12	23	26	4		計	126 (0.3%)	1	23	30	32	24	11	5
索状陰影	男	5 (0.0%)	0	0	0	2	1	2	0	鎖骨異常	男	1 (0.0%)	0	0	0	1	0	0	0
	女	3 (0.0%)	0	0	0	0	2	1	0		女	1 (0.0%)	0	0	0	0	1	0	0
	計	8 (0.0%)	0	0	0	2	3	3	0		計	2 (0.0%)	0	0	0	1	1	0	0
微細斑点状陰影	男	21 (0.1%)	0	0	1	3	4	11	2	漏斗胸	男	5 (0.0%)	0	0	1	2	2	0	0
	女	13 (0.1%)	0	0	0	0	8	5	0		女	9 (0.0%)	0	3	1	4	1	0	0
	計	34 (0.1%)	0	0	1	3	12	16	2		計	14 (0.0%)	0	3	2	6	3	0	0
粒状陰影	男	9 (0.0%)	0	0	1	1	3	4	0	手術後	男	30 (0.1%)	0	4	10	2	7	6	1
	女	1 (0.0%)	0	0	0	1	0	0	0		女	9 (0.0%)	0	1	2	2	3	1	0
	計	10 (0.0%)	0	0	1	2	3	4	0		計	39 (0.1%)	0	5	12	4	10	7	1
結節陰影	男	381 (1.6%)	0	10	38	84	122	105	22	陈旧性肺結核の疑い	男	4 (0.0%)	0	0	0	0	1	3	0
	女	288 (1.5%)	0	8	34	79	99	60	8		女	4 (0.0%)	0	0	0	0	2	2	0
	計	669 (1.5%)	0	18	72	163	221	165	30		計	8 (0.0%)	0	0	0	0	3	5	0
円形陰影	男	6 (0.0%)	0	1	0	2	1	2	0	肺気腫の疑い	男	26 (0.1%)	0	0	0	3	9	11	3
	女	9 (0.0%)	0	0	3	1	2	2	1		女	4 (0.0%)	0	0	0	0	2	2	0
	計	15 (0.0%)	0	1	3	3	3	4	1		計	30 (0.1%)	0	0	0	3	11	13	3
塊状陰影	男	42 (0.2%)	0	0	5	12	17	8	0	慢性気管支炎の疑い	男	21 (0.1%)	0	0	2	4	10	5	0
	女	27 (0.1%)	0	0	1	7	11	5	3		女	5 (0.0%)	0	0	0	0	2	2	1
	計	69 (0.2%)	0	0	6	19	28	13	3		計	26 (0.1%)	0	0	2	4	12	7	1
浸潤陰影	男	149 (0.6%)	0	4	20	20	62	39	4	気管支拡張症の疑い	男	7 (0.0%)	0	0	0	3	2	2	0
	女	93 (0.5%)	1	4	3	23	34	27	1		女	8 (0.0%)	0	0	1	2	1	3	1
	計	242 (0.6%)	1	8	23	43	96	66	5		計	15 (0.0%)	0	0	1	5	3	5	1
網目状陰影	男	2 (0.0%)	0	0	0	0	2	0	0	間質性肺炎の疑い	男	24 (0.1%)	0	0	0	3	7	11	3
	女	0 (0.0%)	0	0	0	0	0	0	0		女	3 (0.0%)	0	0	0	0	0	1	2
	計	2 (0.0%)	0	0	0	0	2	0	0		計	27 (0.1%)	0	0	0	3	7	12	5
石灰化陰影	男	113 (0.5%)	0	0	7	12	40	46	8	塵肺の疑い	男	2 (0.0%)	0	0	0	0	0	2	0
	女	86 (0.4%)	0	4	3	10	28	38	3		女	0 (0.0%)	0	0	0	0	0	0	0
	計	199 (0.5%)	0	4	10	22	68	84	11		計	2 (0.0%)	0	0	0	0	0	2	0
空洞陰影	男	2 (0.0%)	0	0	1	1	0	0	0	その他の所見	男	95 (0.4%)	1	3	14	12	24	34	7
	女	2 (0.0%)	0	0	0	1	0	1	0		女	32 (0.2%)	0	2	3	9	10	8	0
	計	4 (0.0%)	0	0	1	2	0	1	0		計	127 (0.3%)	1	5	17	21	34	42	7
嚢胞陰影	男	119 (0.5%)	0	2	6	33	58	17	3	心陰影拡大	男	98 (0.4%)	0	5	16	21	29	18	9
	女	9 (0.0%)	0	0	2	1	2	4	0		女	54 (0.3%)	0	0	4	9	20	17	4
	計	128 (0.3%)	0	2	8	34	60	21	3		計	152 (0.4%)	0	5	20	30	49	35	13
気胸様陰影	男	1 (0.0%)	0	0	0	0	1	0	0	右胸心	男	2 (0.0%)	0	0	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0		女	1 (0.0%)	0	0	0	1	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0		計	3 (0.0%)	0	0	0	2	1	0	0
無気肺陰影	男	11 (0.0%)	0	0	0	3	4	2	2	右大動脈弓	男	18 (0.1%)	0	1	4	2	10	1	0
	女	3 (0.0%)	0	0	0	0	3	0	0		女	7 (0.0%)	0	0	0	3	1	3	0
	計	14 (0.0%)	0	0	0	3	7	2	2		計	25 (0.1%)	0	1	4	5	11	4	0
気腫様陰影	男	8 (0.0%)	0	0	0	0	3	3	2	大動脈蛇行・拡張・縮小	男	41 (0.2%)	0	0	0	4	21	13	3
	女	2 (0.0%)	0	0	0	1	1	0	0		女	14 (0.1%)	0	0	0	0	4	5	5
	計	10 (0.0%)	0	0	0	1	4	3	2		計	55 (0.1%)	0	0	0	4	25	18	8
胸膜肥厚	男	488 (2.0%)	0	6	39	110	186	135	12	石灰沈着	男	1 (0.0%)	0	0	0	0	0	1	0
	女	282 (1.5%)	0	4	19	65	131	57	6		女	1 (0.0%)	0	0	0	0	1	0	0
	計	770 (1.8%)	0	10	58	175	317	192	18		計	2 (0.0%)	0	0	0	0	1	1	0
胸膜癒着	男	256 (1.1%)	0	4	15	55	87	82	13	手術後	男	12 (0.0%)	0	0	1	5	3	3	0
	女	114 (0.6%)	0	0	8	22	59	20	5		女	9 (0.0%)	0	2	1	3	1	1	1
	計	370 (0.9%)	0	4	23	77	146	102	18		計	21 (0.0%)	0	2	2	8	4	4	1
胸水陰影	男	2 (0.0%)	0	0	0	2	0	0	0	その他の所見	男	4 (0.0%)	0	0	0	2	0	1	1
	女	2 (0.0%)	0	0	1	0	1	0	0		女	2 (0.0%)	0	0	0	0	0	1	1
	計	4 (0.0%)	0	0	1	2	1	0	0		計	6 (0.0%)	0	0	0	2	0	2	2
上葉縮小	男	4 (0.0%)	0	0	0	2	1	1	0	検診者総数	男	24,024	196	2,514	4,953	6,213	6,477	3,340	331
	女	6 (0.0%)	0	0	0	2	3	1	0		女	19,149	166	3,049	4,032	5,058	4,772	1,873	199
	計	10 (0.0%)	0	0	0	4	4	2	0		計	43,173	362	5,563	8,985	11,271	11,249	5,213	530

上部消化管検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	14,305 (86.6%)	10	603	2944	4539	4166	1861
	女	8,333 (88.5%)	2	215	1634	2799	2592	985	106
	計	22,638 (87.3%)	12	818	4578	7338	6758	2846	288
放置可	男	871 (5.3%)	0	2	94	247	351	157	20
	女	394 (4.2%)	0	1	50	140	149	48	6
	計	1,265 (4.9%)	0	3	144	387	500	205	26
要経過観察	男	607 (3.7%)	0	4	67	145	261	116	14
	女	340 (3.6%)	1	4	36	119	120	49	11
	計	947 (3.7%)	1	8	103	264	381	165	25
要精密検査	男	662 (4.0%)	0	3	68	170	246	155	20
	女	325 (3.5%)	0	6	45	118	105	44	7
	計	987 (3.8%)	0	9	113	288	351	199	27
要治療	男	22 (0.1%)	0	0	3	4	10	4	1
	女	5 (0.1%)	0	0	0	1	4	0	0
	計	27 (0.1%)	0	0	3	5	14	4	1
治療中	男	56 (0.3%)	0	1	2	7	19	23	4
	女	15 (0.2%)	0	0	0	2	10	1	2
	計	71 (0.3%)	0	1	2	9	29	24	6
合計	男	16,523	10	613	3178	5112	5053	2316	241
	女	9,412	3	226	1765	3179	2980	1127	132
	計	25,935	13	839	4943	8291	8033	3443	373

胃内視鏡検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	食道裂孔ヘルニア	男	182 (21.1%)	0	0	15	60	75	27
	女	21 (5.8%)	0	0	5	7	6	3	0
	計	203 (16.6%)	0	0	20	67	81	30	5
逆流性食道炎	男	147 (17.0%)	0	0	17	44	70	14	2
	女	18 (5.0%)	0	0	1	6	8	2	1
	計	165 (13.5%)	0	0	18	50	78	16	3
粘膜下腫瘍	男	2 (0.2%)	0	0	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	1	1	0	0
ポリープ	男	6 (0.7%)	0	0	1	2	3	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	6 (0.5%)	0	0	1	2	3	0	0
その他の所見	男	39 (4.5%)	0	0	2	6	24	6	1
	女	18 (5.0%)	0	0	2	9	7	0	0
	計	57 (4.7%)	0	0	4	15	31	6	1
慢性胃炎	男	485 (56.2%)	0	1	47	118	240	72	7
	女	188 (52.2%)	0	0	14	63	84	25	2
	計	673 (55.0%)	0	1	61	181	324	97	9
萎縮性胃炎	男	50 (5.8%)	0	0	2	9	27	8	4
	女	16 (4.4%)	0	0	0	5	7	1	3
	計	66 (5.4%)	0	0	2	14	34	9	7
びらん性胃炎	男	32 (3.7%)	0	0	4	4	16	7	1
	女	11 (3.1%)	0	0	2	1	8	0	0
	計	43 (3.5%)	0	0	6	5	24	7	1
タコイボびらん	男	5 (0.6%)	0	0	0	3	1	1	0
	女	3 (0.8%)	0	0	0	1	1	1	0
	計	8 (0.7%)	0	0	0	4	2	2	0
胃潰瘍	男	9 (1.0%)	0	0	0	1	6	2	0
	女	1 (0.3%)	0	0	0	1	0	0	0
	計	10 (0.8%)	0	0	0	2	6	2	0
胃潰瘍瘢痕	男	16 (1.9%)	0	0	0	2	11	1	2
	女	2 (0.6%)	0	0	0	1	1	0	0
	計	18 (1.5%)	0	0	0	3	12	1	2
ポリープ	男	128 (14.8%)	0	0	13	44	52	17	2
	女	88 (24.4%)	0	0	13	37	32	6	0
	計	216 (17.7%)	0	0	26	81	84	23	2
粘膜下腫瘍	男	11 (1.3%)	0	0	0	1	8	2	0
	女	6 (1.7%)	0	0	2	1	2	1	0
	計	17 (1.4%)	0	0	2	2	10	3	0
その他の所見	男	108 (12.5%)	0	1	14	27	50	13	3
	女	30 (8.3%)	0	0	2	6	14	8	0
	計	138 (11.3%)	0	1	16	33	64	21	3
十二指腸潰瘍	男	8 (0.9%)	0	0	0	0	5	3	0
	女	2 (0.6%)	0	0	0	0	1	1	0
	計	10 (0.8%)	0	0	0	0	6	4	0
十二指腸潰瘍瘢痕	男	50 (5.8%)	0	0	7	7	21	13	2
	女	11 (3.1%)	0	0	2	2	5	2	0
	計	61 (5.0%)	0	0	9	9	26	15	2
慢性十二指腸炎	男	31 (3.6%)	0	0	6	8	14	3	0
	女	1 (0.3%)	0	0	0	0	1	0	0
	計	32 (2.6%)	0	0	6	8	15	3	0
ポリープ	男	18 (2.1%)	0	0	0	4	12	2	0
	女	1 (0.3%)	0	0	0	0	1	0	0
	計	19 (1.6%)	0	0	0	4	13	2	0
憩室	男	1 (0.1%)	0	0	0	0	0	1	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	2 (0.2%)	0	0	0	0	0	2	0
その他の所見	男	60 (7.0%)	0	0	4	19	29	6	2
	女	14 (3.9%)	0	0	3	3	5	3	0
	計	74 (6.1%)	0	0	7	22	34	9	2
検診者総数	男	863	0	2	109	247	386	105	14
	女	360	0	1	55	126	138	35	5
	計	1,223	0	3	164	373	524	140	19

胃部×線検査所見

所見		総数								所見		総数									
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上				
食道部										胃部											
拡張	男	1	(0.0%)	0	0	0	0	0	1	0	胃下垂	男	0	(0.0%)	0	0	0	0	0	0	
	女	0	(0.0%)	0	0	0	0	0	0	0		女	9	(0.1%)	0	0	3	4	0	1	1
	計	1	(0.0%)	0	0	0	0	0	1	0		計	9	(0.0%)	0	0	3	4	0	1	1
狭窄	男	1	(0.0%)	0	0	0	0	1	0	0	胃炎の疑い	男	106	(0.8%)	0	1	25	31	38	10	1
	女	1	(0.0%)	0	0	0	0	1	0	0		女	40	(0.5%)	1	4	9	8	13	5	0
	計	2	(0.0%)	0	0	0	0	2	0	0		計	146	(0.7%)	1	5	34	39	51	15	1
辺縁不整	男	2	(0.0%)	0	0	0	1	1	0	0	胃潰瘍の疑い	男	74	(0.6%)	0	0	11	14	25	19	5
	女	0	(0.0%)	0	0	0	0	0	0	0		女	22	(0.3%)	0	0	4	8	7	3	0
	計	2	(0.0%)	0	0	0	1	1	0	0		計	96	(0.5%)	0	0	15	22	32	22	5
粘膜不整	男	1	(0.0%)	0	0	0	0	0	1	0	巨大皺壁の疑い	男	7	(0.1%)	0	0	0	0	3	4	0
	女	0	(0.0%)	0	0	0	0	0	0	0		女	1	(0.0%)	0	0	0	0	1	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0		計	8	(0.0%)	0	0	0	0	4	4	0
食道裂孔ヘルニア	男	9	(0.1%)	0	0	0	1	4	2	2	隆起性病変の疑い	男	211	(1.7%)	0	2	35	59	66	43	6
	女	7	(0.1%)	0	0	0	0	1	5	1		女	388	(4.8%)	0	4	57	175	110	35	7
	計	16	(0.1%)	0	0	0	1	5	7	3		計	599	(2.9%)	0	6	92	234	176	78	13
食道炎の疑い	男	6	(0.0%)	0	0	0	2	2	1	1	陥凹性病変の疑い	男	4	(0.0%)	0	0	2	1	1	0	0
	女	2	(0.0%)	0	0	0	1	0	1	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	8	(0.0%)	0	0	0	3	2	2	1		計	4	(0.0%)	0	0	2	1	1	0	0
隆起性病変の疑い	男	13	(0.1%)	0	0	1	3	3	5	1	憩室の疑い	男	25	(0.2%)	0	0	4	9	9	2	1
	女	7	(0.1%)	0	0	1	2	3	1	0		女	18	(0.2%)	0	1	3	7	6	0	1
	計	20	(0.1%)	0	0	2	5	6	6	1		計	43	(0.2%)	0	1	7	16	15	2	2
憩室の疑い	男	28	(0.2%)	0	0	0	1	12	15	0	術後胃	男	68	(0.5%)	0	0	1	8	21	34	4
	女	12	(0.1%)	0	0	0	3	3	3	3		女	8	(0.1%)	0	0	0	1	3	3	1
	計	40	(0.2%)	0	0	0	4	15	18	3		計	76	(0.4%)	0	0	1	9	24	37	5
その他の所見	男	34	(0.3%)	0	0	2	4	15	9	4	その他の所見	男	33	(0.3%)	0	0	5	7	11	7	3
	女	10	(0.1%)	0	0	0	2	4	2	2		女	23	(0.3%)	0	0	1	7	7	7	1
	計	44	(0.2%)	0	0	2	6	19	11	6		計	56	(0.3%)	0	0	6	14	18	14	4
胃部										十二指腸部											
伸展不良	男	37	(0.3%)	0	0	1	13	12	10	1	十二指腸球部変形	男	153	(1.2%)	0	2	19	35	68	26	3
	女	6	(0.1%)	0	0	0	2	1	1	2		女	40	(0.5%)	0	0	3	8	20	8	1
	計	43	(0.2%)	0	0	1	15	13	11	3		計	193	(0.9%)	0	2	22	43	88	34	4
辺縁不整	男	8	(0.1%)	0	0	1	1	2	4	0	十二指腸潰瘍の疑い	男	29	(0.2%)	0	0	6	6	11	6	0
	女	3	(0.0%)	0	1	0	0	0	2	0		女	11	(0.1%)	0	0	0	4	5	2	0
	計	11	(0.1%)	0	1	1	1	2	6	0		計	40	(0.2%)	0	0	6	10	16	8	0
変形	男	277	(2.2%)	0	0	21	80	93	72	11	十二指腸潰瘍瘢痕の疑い	男	15	(0.1%)	0	0	1	5	4	3	2
	女	28	(0.3%)	0	0	3	5	15	5	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	305	(1.5%)	0	0	24	85	108	77	11		計	15	(0.1%)	0	0	1	5	4	3	2
粘膜不整	男	2	(0.0%)	0	0	0	0	2	0	0	十二指腸炎の疑い	男	0	(0.0%)	0	0	0	0	0	0	0
	女	7	(0.1%)	0	0	1	3	2	0	1		女	1	(0.0%)	0	0	1	0	0	0	0
	計	9	(0.0%)	0	0	1	3	4	0	1		計	1	(0.0%)	0	0	1	0	0	0	0
ニッシュ	男	3	(0.0%)	0	0	0	0	2	1	0	十二指腸憩室の疑い	男	7	(0.1%)	0	0	0	2	2	3	0
	女	1	(0.0%)	0	0	0	1	0	0	0		女	1	(0.0%)	0	0	0	1	0	0	0
	計	4	(0.0%)	0	0	0	1	2	1	0		計	8	(0.0%)	0	0	0	3	2	3	0
レリーフ集中係	男	17	(0.1%)	0	0	2	1	7	7	0	造影不良	男	12	(0.1%)	0	0	4	6	2	0	0
	女	5	(0.1%)	0	0	0	3	1	0	1		女	2	(0.0%)	0	0	1	1	0	0	0
	計	22	(0.1%)	0	0	2	4	8	7	1		計	14	(0.1%)	0	0	5	7	2	0	0
レリーフ異常	男	1	(0.0%)	0	0	0	0	0	1	0	十二指腸拡張不良	男	4	(0.0%)	0	0	0	2	1	1	0
	女	0	(0.0%)	0	0	0	0	0	0	0		女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	1	0		計	4	(0.0%)	0	0	0	2	1	1	0
バリウム斑	男	2	(0.0%)	0	0	0	0	2	0	0	検診者総数	男	12,513		10	347	2,499	3,761	3,725	1,956	215
	女	0	(0.0%)	0	0	0	0	0	0	0		女	8,151		3	214	1,484	2,684	2,601	1,042	123
	計	2	(0.0%)	0	0	0	0	2	0	0		計	20,664		13	561	3,983	6,445	6,326	2,998	338

ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
		男	3,881	270	7.0	264	3	1.1	669	19	2.8	1,380	70	5.1	1,225	112	9.1	318	63	19.8	25	3
女	1,083	92	8.5	9	1	11.1	251	9	3.6	444	26	5.9	294	39	13.3	74	16	21.6	11	1	9.1	
計	4,964	362	7.3	273	4	1.5	920	28	3.0	1,824	96	5.3	1,519	151	9.9	392	79	20.2	36	4	11.1	

陽性率%

ヘリコバクターピロリ抗体検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
		男	437	136	31.1	6	1	16.7	44	10	22.7	119	21	17.6	160	59	36.9	91	38	41.8	17	7
女	370	102	27.6	5	0	0	55	7	12.7	115	15	13	134	49	36.6	52	30	57.7	9	1	11.1	
計	807	238	29.5	11	1	9.1	99	17	17.2	234	36	15.4	294	108	36.7	143	68	47.6	26	8	30.8	

陽性率%

心電図判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男 19,771 (77.7%)	192	1,684	4,417	5,715	5,296	2,233	234
	女 15,942 (86.4%)	160	1,719	3,340	4,761	4,156	1,600	206	
	計 35,713 (81.4%)	352	3,403	7,757	10,476	9,452	3,833	440	
放置可	男 2,107 (8.3%)	86	213	421	525	566	269	27	
	女 1,019 (5.5%)	49	135	219	247	236	107	26	
	計 3,126 (7.1%)	135	348	640	772	802	376	53	
要経過観察	男 2,767 (10.9%)	7	64	292	638	976	661	129	
	女 1,246 (6.8%)	2	42	140	304	434	249	75	
	計 4,013 (9.1%)	9	106	432	942	1,410	910	204	
要精密検査	男 125 (0.5%)	6	3	13	31	37	28	7	
	女 60 (0.3%)	5	2	5	12	26	7	3	
	計 185 (0.4%)	11	5	18	43	63	35	10	
要治療	男 29 (0.1%)	0	2	5	2	5	13	2	
	女 7 (0.0%)	0	0	0	1	2	2	2	
	計 36 (0.1%)	0	2	5	3	7	15	4	
治療中	男 644 (2.5%)	0	2	11	87	234	245	65	
	女 167 (0.9%)	0	3	8	20	48	41	47	
	計 811 (1.8%)	0	5	19	107	282	286	112	
合計	男 25,443	291	1,968	5,159	6,998	7,114	3,449	464	
	女 18,441	216	1,901	3,712	5,345	4,902	2,006	359	
	計 43,884	507	3,869	8,871	12,343	12,016	5,455	823	

安静心電図検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	洞性徐脈	男 702 (2.8%)	26	78	148	163	166	109	12		完全右脚ブロック	男 475 (1.9%)	0	3	38	107	168	128	31		ST-T異常	男 87 (0.3%)	2	3	8	31	25	17	1
	女 239 (1.3%)	19	26	44	57	64	27	2		女 144 (0.8%)	0	6	16	33	48	32	9		女 34 (0.2%)	1	0	2	9	13	9	0			
	計 941 (2.2%)	45	104	192	220	230	136	14		計 619 (1.4%)	0	9	54	140	216	160	40		計 121 (0.3%)	3	3	10	40	38	26	1			
洞性頻脈	男 95 (0.4%)	0	2	13	31	38	10	1	ヘミブロック	男 106 (0.4%)	2	6	11	27	30	25	5	異常Q波の疑い	男 123 (0.5%)	0	1	8	29	42	33	10			
	女 46 (0.3%)	1	4	12	12	9	6	2		女 42 (0.2%)	0	2	7	14	13	6	0		女 40 (0.2%)	0	1	2	12	12	9	4			
	計 141 (0.3%)	1	6	25	43	47	16	3		計 148 (0.3%)	2	8	18	41	43	31	5		計 163 (0.4%)	0	2	10	41	54	42	14			
洞性不整脈	男 202 (0.8%)	33	51	47	41	24	6	0	完全左脚ブロック	男 9 (0.0%)	0	0	0	0	4	5	0	r波増高不良	男 2 (0.0%)	0	0	0	0	2	0	0			
	女 139 (0.8%)	25	46	35	16	12	5	0		女 15 (0.1%)	0	0	2	2	5	3	3		女 12 (0.1%)	0	0	2	6	2	2	0			
	計 341 (0.8%)	58	97	82	57	36	11	0		計 24 (0.1%)	0	0	2	2	9	8	3		計 14 (0.0%)	0	0	2	6	4	2	0			
異所性上室調律	男 60 (0.2%)	5	11	16	11	12	5	0	右室伝導遅延	男 177 (0.7%)	2	12	34	43	57	27	2	陰性T波	男 240 (1.0%)	0	1	17	42	95	70	15			
	女 57 (0.3%)	0	9	21	12	13	2	0		女 49 (0.3%)	0	7	5	9	20	6	2		女 287 (1.6%)	1	14	25	69	107	54	17			
	計 117 (0.3%)	5	20	37	23	25	7	0		計 226 (0.5%)	2	19	39	52	77	33	4		計 527 (1.2%)	1	15	42	111	202	124	32			
移動性調律	男 5 (0.0%)	0	0	1	2	1	1	0	上室性期外収縮	男 193 (0.8%)	4	9	26	34	61	52	7	T波平低化	男 310 (1.2%)	1	2	27	81	132	56	11			
	女 4 (0.0%)	0	0	1	3	0	0	0		女 96 (0.5%)	1	5	9	20	27	18	16		女 329 (1.8%)	1	11	34	71	130	67	15			
	計 9 (0.0%)	0	0	2	5	1	1	0		計 289 (0.7%)	5	14	35	54	88	70	23		計 639 (1.5%)	2	13	61	152	262	123	26			
右軸偏位	男 35 (0.1%)	4	5	10	10	5	1	0	心室性期外収縮	男 284 (1.1%)	1	16	35	59	98	63	12	T波増高	男 40 (0.2%)	1	4	10	8	7	10	0			
	女 54 (0.3%)	2	13	17	16	4	2	0		女 154 (0.8%)	0	6	30	43	39	24	12		女 0 (0.0%)	0	0	0	0	0	0	0			
	計 89 (0.2%)	6	18	27	26	9	3	0		計 438 (1.0%)	1	22	65	102	137	87	24		計 40 (0.1%)	1	4	10	8	7	10	0			
左軸偏位	男 179 (0.7%)	0	2	13	43	74	43	4	心房細動	男 126 (0.5%)	0	2	4	17	35	48	20	ST上昇	男 220 (0.9%)	0	18	40	50	68	42	2			
	女 62 (0.3%)	0	3	11	12	20	13	3		女 17 (0.1%)	0	0	0	0	1	5	11		女 23 (0.1%)	1	1	2	9	5	5	0			
	計 241 (0.6%)	0	5	24	55	94	56	7		計 143 (0.3%)	0	2	4	17	36	53	31		計 243 (0.6%)	1	19	42	59	73	47	2			
不定軸	男 58 (0.2%)	0	1	15	19	19	3	1	心房粗動	男 1 (0.0%)	0	0	0	0	0	1	0	早期再分極症候群	男 22 (0.1%)	7	1	3	3	4	4	0			
	女 32 (0.2%)	0	4	7	13	7	1	0		女 0 (0.0%)	0	0	0	0	0	0	0		女 7 (0.0%)	3	1	0	0	2	1	0			
	計 90 (0.2%)	0	5	22	32	26	4	1		計 1 (0.0%)	0	0	0	0	0	1	0		計 29 (0.1%)	10	2	3	3	6	5	0			
第一度房室ブロック	男 457 (1.8%)	3	13	26	97	144	140	34	左房負荷	男 42 (0.2%)	0	2	3	11	14	12	0	QT延長	男 49 (0.2%)	1	2	0	8	16	20	2			
	女 120 (0.7%)	2	8	8	22	44	25	11		女 12 (0.1%)	0	2	2	2	6	0	0		女 71 (0.4%)	5	2	10	27	19	7	1			
	計 577 (1.3%)	5	21	34	119	188	165	45		計 54 (0.1%)	0	4	5	13	20	12	0		計 120 (0.3%)	6	4	10	35	35	27	3			
第二度房室ブロック	男 8 (0.0%)	2	0	2	2	1	1	0	右房負荷	男 9 (0.0%)	1	0	0	2	4	2	0	QT短縮	男 6 (0.0%)	0	2	1	3	0	0	0			
	女 5 (0.0%)	0	1	0	1	2	0	1		女 3 (0.0%)	0	0	0	2	1	0	0		女 9 (0.0%)	0	2	0	3	3	1	0			
	計 13 (0.0%)	2	1	2	3	3	1	1		計 12 (0.0%)	1	0	0	4	5	2	0		計 15 (0.0%)	0	4	1	6	3	1	0			
第三度房室ブロック	男 1 (0.0%)	0	0	0	1	0	0	0	左室肥大	男 955 (3.8%)	6	21	109	220	345	217	37	B r u g o d o 症候群の疑い	男 2 (0.0%)	0	0	0	1	1	0	0			
	女 0 (0.0%)	0	0	0	0	0	0	0		女 140 (0.8%)	3	1	6	19	56	45	10		女 0 (0.0%)	0	0	0	0	0	0	0			
	計 1 (0.0%)	0	0	0	1	0	0	0		計 1,095 (2.5%)	9	22	115	239	401	262	47		計 2 (0.0%)	0	0	0	1	1	0	0			
洞機能不全症候群	男 1 (0.0%)	0	0	0	1	0	0	0	右室肥大	男 37 (0.1%)	1	1	8	16	7	4	0	低電位差	男 7 (0.0%)	0	0	0	0	2	5	0			
	女 1 (0.0%)	0	0	0	1	0	0	0		女 20 (0.1%)	0	1	8	7	2	1	1		女 36 (0.2%)	0	2	8	9	11	5	1			
	計 2 (0.0%)	0	0	0	2	0	0	0		計 57 (0.1%)	1	2	16	23	9	5	1		計 43 (0.1%)	0	2	8	9	13	10	1			
WPW症候群	男 48 (0.2%)	0	4	13	18	11	2	0	心筋梗塞	男 9 (0.0%)	0	0	0	2	2	4	1	右胸心	男 2 (0.0%)	0	0	0	1	1	0	0			
	女 15 (0.1%)	0	1	2	2	8	2	0		女 2 (0.0%)	0	0	0	0	0	2	0		女 2 (0.0%)	0	0	0	1	1	0	0			
	計 63 (0.1%)	0	5	15	20	19	4	0		計 11 (0.0%)	0	0	0	2	2	6	1		計 4 (0.0%)	0	0	0	2	2	0	0			
PQ短縮	男 43 (0.2%)	3	5	8	19	7	1	0	陈旧性心筋梗塞	男 34 (0.1%)	0	0	0	4	15	14	1	ベースメーカー調律	男 7 (0.0%)	0	0	0	2	2	1	2			
	女 81 (0.4%)	3	7	23	34	13	1	0		女 7 (0.0%)	0	0	0	2	4	1	0		女 5 (0.0%)	0	0	1	0	1	0	3			
	計 124 (0.3%)	6	12	31	53	20	2	0		計 41 (0.1%)	0	0	0	6	19	15	1		計 12 (0.0%)	0	0	1	2	3	1	5			
不完全右脚ブロック	男 437 (1.7%)	4	30	101	99	121	71	11	心筋障害	男 57 (0.2%)	0	1	3	13	24	13	3	その他の所見	男 300 (1.2%)	10	2	9	40	121	103	15			
	女 132 (0.7%)	4	11	14	29	44																							

マスター負荷心電図所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
陽性ST-T の変化 (ダブル)	男	6 (2.4%)	0	1	0	1	3	0	1
	女	2 (2.1%)	0	0	0	0	2	0	0
	計	8 (2.3%)	0	1	0	1	5	0	1
疑陽性ST-T の変化 (ダブル)	男	3 (1.2%)	0	0	0	2	1	0	0
	女	3 (3.1%)	0	0	0	0	2	1	0
	計	6 (1.8%)	0	0	0	2	3	1	0
不整脈の出現 (ダブル)	男	5 (2.0%)	0	0	0	1	3	1	0
	女	4 (4.2%)	0	0	0	0	4	0	0
	計	9 (2.6%)	0	0	0	1	7	1	0
陽性ST-T の変化 (シングル)	男	1 (0.4%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.3%)	0	0	0	0	0	0	1
不整脈の出現 (シングル)	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (1.0%)	0	0	0	0	0	0	1
	計	1 (0.3%)	0	0	0	0	0	0	1
その他の所見	男	4 (1.6%)	0	0	0	2	0	2	0
	女	1 (1.0%)	0	0	0	0	1	0	0
	計	5 (1.5%)	0	0	0	2	1	2	0
検診者総数	男	246	0	39	5	57	97	36	12
	女	96	0	0	6	26	49	9	6
	計	342	0	39	11	83	146	45	18

腹部超音波判定結果

判定	総数	19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	1,186 (16.8%)	9	164	373	399	199	40	2
	女	1,711 (37.0%)	2	119	483	630	386	84	7
	計	2,897 (24.8%)	11	283	856	1,029	585	124	9
放置可	男	295 (4.2%)	1	23	67	76	92	34	2
	女	274 (5.9%)	0	26	59	72	68	41	8
	計	569 (4.9%)	1	49	126	148	160	75	10
要経過観察	男	5,244 (74.2%)	0	120	734	1,513	1,970	773	134
	女	2,416 (52.2%)	0	38	295	714	891	387	91
	計	7,660 (65.5%)	0	158	1,029	2,227	2,861	1,160	225
要精密検査	男	320 (4.5%)	0	6	34	85	114	69	12
	女	220 (4.8%)	1	4	29	69	72	39	6
	計	540 (4.6%)	1	10	63	154	186	108	18
要治療	男	3 (0.0%)	0	0	1	2	0	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0
	計	5 (0.0%)	0	0	1	3	1	0	0
治療中	男	20 (0.3%)	0	0	2	3	9	5	1
	女	5 (0.1%)	0	0	0	3	0	2	0
	計	25 (0.2%)	0	0	2	6	9	7	1
合計	男	7,068	10	313	1,211	2,078	2,384	921	151
	女	4,628	3	187	866	1,489	1,418	553	112
	計	#####	13	500	2,077	3,567	3,802	1,474	263

腹部超音波検査所見

所見	総数	19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数	19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数	19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上			
脂肪肝	男	2,483 (35.1%)	0	36	348	801	950	310	38	胆砂・胆泥	男	40 (0.6%)	0	0	4	5	18	8	5	腎占拠性病変	男	3 (0.0%)	0	0	0	1	2	0	0
	女	578 (12.5%)	0	2	41	133	275	105	22		女	32 (0.7%)	0	1	0	13	11	7	0		女	1 (0.0%)	0	0	0	0	1	0	0
	計	3,061 (26.2%)	0	38	389	934	1,225	415	60		計	72 (0.6%)	0	1	4	18	29	15	5		計	4 (0.0%)	0	0	0	1	3	0	0
肝嚢胞	男	1,054 (14.9%)	0	4	76	268	449	225	32	胆嚢壁筋腫症	男	99 (1.4%)	0	0	3	37	36	18	5	水腎症	男	4 (0.1%)	0	0	1	1	0	1	1
	女	770 (16.6%)	0	5	54	213	318	149	31		女	24 (0.5%)	0	0	2	10	10	2	0		女	2 (0.0%)	0	0	0	0	2	0	0
	計	1,824 (15.6%)	0	9	130	481	767	374	63		計	123 (1.1%)	0	0	5	47	46	20	5		計	6 (0.1%)	0	0	1	1	2	1	1
肝血管腫	男	257 (3.6%)	0	8	41	74	89	40	5	胆嚢壁の肥厚	男	55 (0.8%)	0	1	7	15	25	5	2	重複腎盂	男	30 (0.4%)	0	0	1	8	12	6	3
	女	237 (5.1%)	1	5	55	95	68	13	0		女	27 (0.6%)	0	0	2	14	7	4	0		女	40 (0.9%)	0	1	5	9	17	8	0
	計	494 (4.2%)	1	13	96	169	157	53	5		計	82 (0.7%)	0	1	9	29	32	9	2		計	70 (0.6%)	0	1	6	17	29	14	3
肝占拠性病変	男	6 (0.1%)	0	0	0	3	2	1	0	胆嚢壁内結石	男	215 (3.0%)	0	2	20	41	106	43	3	腎萎縮	男	8 (0.1%)	0	0	0	3	2	2	1
	女	2 (0.0%)	0	0	0	1	0	1	0		女	64 (1.4%)	0	1	2	14	30	14	3		女	3 (0.1%)	0	0	0	1	0	2	0
	計	8 (0.1%)	0	0	0	4	2	2	0		計	279 (2.4%)	0	3	22	55	136	57	6		計	11 (0.1%)	0	0	0	4	2	4	1
肝内結石	男	2 (0.0%)	0	0	1	0	1	0	0	胆嚢変形	男	10 (0.1%)	0	0	2	1	4	3	0	腎臓描出不良	男	4 (0.1%)	0	0	0	3	0	0	1
	女	1 (0.0%)	0	0	0	1	0	0	0		女	4 (0.1%)	0	0	0	1	3	0	0		女	3 (0.1%)	0	0	0	0	1	1	1
	計	3 (0.0%)	0	0	1	1	1	0	0		計	14 (0.1%)	0	0	2	2	7	3	0		計	7 (0.1%)	0	0	0	3	1	1	2
肝内石灰化	男	50 (0.7%)	0	1	2	13	22	11	1	胆嚢腫大	男	6 (0.1%)	0	0	0	1	4	1	0	腎盂・腎杯の拡張	男	23 (0.3%)	0	0	2	4	11	5	1
	女	29 (0.6%)	0	0	2	9	14	4	0		女	5 (0.1%)	0	0	0	0	3	0	2		女	40 (0.9%)	0	0	6	7	11	14	2
	計	79 (0.7%)	0	1	4	22	36	15	1		計	11 (0.1%)	0	0	0	1	7	1	2		計	63 (0.5%)	0	0	8	11	22	19	3
肝臓に高エコーのものあり	男	102 (1.4%)	0	1	6	18	42	30	5	胆嚢摘出後	男	170 (2.4%)	0	0	10	28	85	37	10	その他の所見	男	60 (0.8%)	0	0	4	18	20	12	6
	女	44 (1.0%)	0	1	2	10	17	8	6		女	125 (2.7%)	0	0	6	34	47	33	5		女	38 (0.8%)	0	0	3	7	15	10	3
	計	146 (1.2%)	0	2	8	28	59	38	11		計	295 (2.5%)	0	0	16	62	132	70	15		計	98 (0.8%)	0	0	7	25	35	22	9
肝腫大	男	1 (0.0%)	0	0	0	0	0	1	0	胆嚢伸展不良	男	4 (0.1%)	0	0	0	1	2	1	0	脾腫	男	33 (0.5%)	0	2	9	9	10	2	1
	女	0 (0.0%)	0	0	0	0	0	0	0		女	1 (0.0%)	0	0	1	0	0	0	0		女	26 (0.6%)	0	1	13	8	4	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0		計	5 (0.0%)	0	0	1	1	2	1	0		計	59 (0.5%)	0	3	22	17	14	2	1
肝左葉辺縁鈍化	男	14 (0.2%)	0	0	0	0	8	4	2	胆嚢描出不良	男	134 (1.9%)	0	0	12	40	52	20	10	脾嚢胞	男	9 (0.1%)	0	0	3	4	1	0	1
	女	2 (0.0%)	0	0	0	0	1	0	1		女	40 (0.9%)	0	1	8	9	15	6	1		女	10 (0.2%)	0	0	1	4	4	1	0
	計	16 (0.1%)	0	0	0	0	9	4	3		計	174 (1.5%)	0	1	20	49	67	26	11		計	19 (0.2%)	0	0	4	8	5	1	1
肝内エコー顆粒化	男	10 (0.1%)	0	0	0	2	7	1	0	膵管拡張	男	18 (0.3%)	0	0	2	1	5	9	1	脾臓に高エコーのものあり	男	18 (0.3%)	0	0	1	1	7	8	1
	女	3 (0.1%)	0	0	0	1	0	0	2		女	3 (0.1%)	0	0	0	1	2	0	0		女	8 (0.2%)	0	0	1	1	2	4	0
	計	13 (0.1%)	0	0	0	3	7	1	2		計	21 (0.2%)	0	0	2	2	7	9	1		計	26 (0.2%)	0	0	2	2	9	12	1
肝表面の不整	男	4 (0.1%)	0	0	0	0	1	1	2	脾嚢胞	男	13 (0.2%)	0	0	0	3	2	6	2	副脾	男	231 (3.3%)	0	36	57	65	63	8	2
	女	1 (0.0%)	0	0	0	1	0	0	0		女	21 (0.5%)	0	1	2	6	7	3	2		女	230 (5.0%)	0	29	67	75	49	9	1
	計	5 (0.0%)	0	0	0	1	1	1	2		計	34 (0.3%)	0	1	2	9	9	9	4		計	461 (3.9%)	0	65	124	140	112	17	3
慢性肝炎の疑い	男	10 (0.1%)	0	0	0	1	8	0	1	脾臓描出不良	男	3,570 (50.5%)	1	43	447	1,032	1,383	557	107	脾臓描出不良	男	53 (0.7%)	0	0	2	10	20	17	4
	女	0 (0.0%)	0	0	0	0	0	0	0		女	646 (14.0%)	0	6	47	146	269	139	39		女	18 (0.4%)	0	0	0	4	4	8	2
	計	10 (0.1%)	0	0	0	1	8	0	1		計	4,216 (36.0%)	1	49	494	1,178	1,652	696	146		計	71 (0.6%)	0	0	2	14	24	25	6
肝臓描出不良	男	165 (2.3%)	0	0	12	39	75	28	11	その他の所見	男	142 (2.0%)	0	1	16	37	66	17	5	腹部大動脈石灰化	男	1,030 (14.6%)	0	0	5	89	451	397	88
	女	25 (0.5%)	0	0	2	6	9	3	5		女	60 (1.3%)	0	4	7	22	16	11	0		女	453 (9.8%)	0	0	2	34	173	178	66
	計	190 (1.6%)	0	0	14	45	84	31	16		計	202 (1.7%)	0	5	23	59	82	28	5		計	1,483 (12.7%)	0	0	7	123	624	575	154
肝内胆管拡張	男	15 (0.2%)	0	0	0	2	7	4	2	腎嚢胞	男	1,348 (19.1%)	0	18	76	279	577	325	73	腹部大動脈瘤	男	14 (0.2%)	0	0	0	1	3	6	4
	女	4 (0.1%)	0	0	0	1	1	2	0		女	391 (8.4%)	0	5	37	94	134	91	30		女	0 (0.0%)	0	0	0	0	0	0	0
	計	19 (0.2%)	0	0	0	3	8	6	2		計																		

眼底写真判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	6,252 (71.3%)	11	329	1,232	2,013	1,997	599	71
	女	3,660 (78.2%)	3	190	821	1,286	1,000	313	47
	計	9,912 (73.7%)	14	519	2,053	3,299	2,997	912	118
放置可	男	1,186 (13.5%)	0	8	53	266	571	247	41
	女	522 (11.2%)	0	5	32	108	229	127	21
	計	1,708 (12.7%)	0	13	85	374	800	374	62
要経過観察	男	930 (10.6%)	0	2	33	153	412	278	52
	女	326 (7.0%)	0	3	10	48	129	101	35
	計	1,256 (9.3%)	0	5	43	201	541	379	87
要精密検査	男	279 (3.2%)	0	3	8	52	122	68	26
	女	102 (2.2%)	0	1	5	24	34	25	13
	計	381 (2.8%)	0	4	13	76	156	93	39
要治療	男	5 (0.1%)	0	0	0	0	2	2	1
	女	1 (0.0%)	0	0	0	0	0	0	1
	計	6 (0.0%)	0	0	0	0	2	2	2
治療中	男	114 (1.3%)	0	2	3	14	51	27	17
	女	68 (1.5%)	0	0	1	11	19	21	16
	計	182 (1.4%)	0	2	4	25	70	48	33
合計	男	8,766	11	344	1,329	2,498	3,155	1,221	208
	女	4,679	3	199	869	1,477	1,411	587	133
	計	13,445	14	543	2,198	3,975	4,566	1,808	341

眼底検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
	男	女									男	女								
細動脈狭細化	男	455 (5.3%)	0	0	11	75	234	111	24	点状出血	男	23 (0.3%)	0	0	1	4	14	4	0	
	女	99 (2.2%)	0	0	2	14	49	25	9		女	3 (0.1%)	0	0	0	2	1	0	0	
	計	554 (4.2%)	0	0	13	89	283	136	33		計	26 (0.2%)	0	0	1	6	15	4	0	
細動脈口径不同	男	187 (2.2%)	0	0	4	42	93	45	3	斑状出血	男	25 (0.3%)	0	0	1	5	12	6	1	
	女	65 (1.4%)	0	0	1	7	29	25	3		女	7 (0.2%)	0	1	0	2	4	0	0	
	計	252 (1.9%)	0	0	5	49	122	70	6		計	32 (0.2%)	0	1	1	7	16	6	1	
網膜白斑	男	648 (7.5%)	0	1	12	87	320	200	28	白内障の疑い	男	274 (3.2%)	0	0	1	16	105	106	46	
	女	337 (7.3%)	0	1	17	39	140	110	30		女	121 (2.6%)	0	0	3	9	26	53	30	
	計	985 (7.5%)	0	2	29	126	460	310	58		計	395 (3.0%)	0	0	4	25	131	159	76	
網膜浮腫	男	18 (0.2%)	0	0	2	3	5	7	1	視神経乳頭異常	男	204 (2.4%)	0	9	14	54	89	33	5	
	女	5 (0.1%)	0	0	0	4	1	0	0		女	81 (1.8%)	0	5	9	30	26	8	3	
	計	23 (0.2%)	0	0	2	7	6	7	1		計	285 (2.2%)	0	14	23	84	115	41	8	
眼底出血	男	7 (0.1%)	0	0	0	0	5	1	1	光凝固後	男	21 (0.2%)	0	0	0	4	12	5	0	
	女	3 (0.1%)	0	0	0	1	1	1	0		女	5 (0.1%)	0	0	0	1	1	3	0	
	計	10 (0.1%)	0	0	0	1	6	2	1		計	26 (0.2%)	0	0	0	5	13	8	0	
細動脈反射増強	男	394 (4.6%)	0	1	21	101	199	71	1	網膜有髄神経線維の疑い	男	44 (0.5%)	0	0	1	12	26	4	1	
	女	154 (3.4%)	0	0	7	36	75	34	2		女	13 (0.3%)	0	0	1	6	5	1	0	
	計	548 (4.2%)	0	1	28	137	274	105	3		計	57 (0.4%)	0	0	2	18	31	5	1	
動静脈交叉現象	男	501 (5.8%)	0	1	21	131	242	95	11	網膜絡膜液巢の疑い	男	51 (0.6%)	0	0	9	8	22	10	2	
	女	195 (4.2%)	0	0	11	43	91	44	6		女	14 (0.3%)	0	1	0	7	1	4	1	
	計	696 (5.3%)	0	1	32	174	333	139	17		計	65 (0.5%)	0	1	9	15	23	14	3	
銀線状動脈	男	1 (0.0%)	0	0	0	0	0	1	0	瞳孔の開き不十分	男	83 (1.0%)	0	0	6	8	39	26	4	
	女	0 (0.0%)	0	0	0	0	0	0	0		女	22 (0.5%)	0	0	1	3	10	7	1	
	計	1 (0.0%)	0	0	0	0	0	1	0		計	105 (0.8%)	0	0	7	11	49	33	5	
毛細血管瘤(赤色点)	男	9 (0.1%)	0	0	0	2	4	2	1	その他の所見	男	170 (2.0%)	0	3	7	35	77	39	9	
	女	1 (0.0%)	0	0	0	0	1	0	0		女	86 (1.9%)	0	1	1	16	39	24	5	
	計	10 (0.1%)	0	0	0	2	5	2	1		計	256 (1.9%)	0	4	8	51	116	63	14	
静脈拡張	男	1 (0.0%)	0	0	0	0	1	0	0	検診者総数	男	8,603		11	347	1,333	2,493	3,142	1,134	143
	女	1 (0.0%)	0	0	0	0	1	0	0		女	4,597		3	199	869	1,473	1,409	540	104
	計	2 (0.0%)	0	0	0	0	2	0	0		計	13,200		14	546	2,202	3,966	4,551	1,674	247

肺機能判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	5,324 (93.2%)	183	374	1,019	1,472	1,570	589	117
	女	2,804 (96.6%)	75	88	543	838	751	412	97
	計	8,128 (94.4%)	258	462	1,562	2,310	2,321	1,001	214
放置可	男	313 (5.5%)	0	11	22	55	109	95	21
	女	82 (2.8%)	0	6	13	21	17	15	10
	計	395 (4.6%)	0	17	35	76	126	110	31
要経過観察	男	61 (1.1%)	0	1	3	9	21	18	9
	女	14 (0.5%)	0	0	1	2	5	4	2
	計	75 (0.9%)	0	1	4	11	26	22	11
要精密検査	男	12 (0.2%)	0	0	0	1	4	7	0
	女	3 (0.1%)	0	0	0	0	0	3	0
	計	15 (0.2%)	0	0	0	1	4	10	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	5,710	183	386	1,044	1,537	1,704	709	147
	女	2,903	75	94	557	861	773	434	109
	計	8,613	258	480	1,601	2,398	2,477	1,143	256

肺機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
%肺活量 [■] (%)	男	5,739	101.2	581	102.5	1,057	103.5	1,539	103.4	1,706	100.3	709	96.1	147	92.7
	女	2,906	100.8	172	96.8	557	100.4	861	102.2	773	101.8	434	99.6	109	95.7
	計	8,645	101.1	753	101.2	1,614	102.4	2,400	102.9	2,479	100.8	1,143	97.4	256	94
一秒率 [■] (%)	男	5,739	81.83	581	86.03	1,057	83.66	1,539	81.85	1,706	80.65	709	79.16	147	78.32
	女	2,906	83.57	172	88.67	557	86.06	861	83.64	773	82.45	434	81.08	109	80.14
	計	8,645	82.41	753	86.64	1,614	84.49	2,400	82.49	2,479	81.21	1,143	79.88	256	79.1

聴力判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	23,268	(85.5%)	146	3,088	5,628	6,583	5,689	2,009	125
	女	18,645	(94.7%)	97	3,124	4,237	5,107	4,482	1,493	105
	計	41,913	(89.4%)	243	6,212	9,865	11,690	10,171	3,502	230
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	3,934	(14.5%)	3	55	234	528	1,518	1,393	203
	女	1,050	(5.3%)	0	38	60	164	341	359	88
	計	4,984	(10.6%)	3	93	294	692	1,859	1,752	291
要精密検査	男	2	(0.0%)	0	0	0	0	1	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	1	0	1
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	27,204		149	3,143	5,862	7,111	7,208	3,402	329
	女	19,695		97	3,162	4,297	5,271	4,823	1,852	193
	計	46,899		246	6,305	10,159	12,382	12,031	5,254	522

聴力検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
聴力・右・500Hz (dB)	男	622	19.3	88	16.6	128	16.8	103	16.2	214	20.7	72	24.4	17	30.6
	女	88	16.3	0	0	4	10	26	11.9	44	15.3	8	26.3	6	33.3
	計	710	18.9	88	16.6	132	16.6	129	15.3	258	19.8	80	24.6	23	31.3
聴力・右・1KHz (dB)	男	622	17.6	88	12.7	128	14.3	103	13.6	214	19.9	72	25.3	17	29.7
	女	88	13.4	0	0	4	5	26	8.1	44	12.8	8	26.3	6	28.3
	計	710	17.1	88	12.7	132	14	129	12.5	258	18.7	80	25.4	23	29.3
聴力・右・2KHz (dB)	男	622	18.4	88	10	128	13.1	103	13.1	214	21.9	72	30.7	17	36.2
	女	88	15.6	0	0	4	6.3	26	12.1	44	13.6	8	28.1	6	34.2
	計	710	18	88	10	132	12.9	129	12.9	258	20.5	80	30.4	23	35.7
聴力・右・4KHz (dB)	男	622	22.8	88	6.5	128	13.2	103	13.1	214	31.8	72	41.7	17	43.5
	女	88	14.2	0	0	4	1.3	26	9	44	13.3	8	25.6	6	36.7
	計	710	21.7	88	6.5	132	12.9	129	12.3	258	28.6	80	40.1	23	41.7
聴力・左・500Hz (dB)	男	622	21.3	88	18.2	128	19.2	103	17.2	214	23	72	26.2	17	35.2
	女	88	15.9	0	0	4	13.8	26	11.3	44	14.5	8	26.3	6	33.3
	計	710	20.6	88	18.2	132	19	129	16	258	21.5	80	26.2	23	34.7
聴力・左・1KHz (dB)	男	622	17.2	88	11.4	128	13.5	103	12.9	214	19.7	72	25.3	17	36.5
	女	88	13.1	0	0	4	6.3	26	9.8	44	11.3	8	26.9	6	26.7
	計	710	16.7	88	11.4	132	13.3	129	12.2	258	18.3	80	25.5	23	33.9
聴力・左・2KHz (dB)	男	622	18.7	88	10.4	128	12.5	103	12.5	214	22.6	72	31.7	17	41.5
	女	88	15.2	0	0	4	3.8	26	10.8	44	13.6	8	30.6	6	32.5
	計	710	18.3	88	10.4	132	12.2	129	12.2	258	21.1	80	31.6	23	39.1
聴力・左・4KHz (dB)	男	622	22.8	88	6.1	128	13.4	103	14	214	32.3	72	38.5	17	47.6
	女	88	12.7	0	0	4	1.3	26	7.7	44	11.3	8	26.9	6	34.2
	計	710	21.6	88	6.1	132	13	129	12.8	258	28.7	80	37.4	23	44.1

血圧判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	20,056 (49.8%)	326	2,987	5,127	4,868	3,478	2,199	1,071
	女	24,792 (60.3%)	267	3,545	4,926	5,789	4,756	3,885	1,624
	計	44,848 (55.1%)	593	6,532	10,053	10,657	8,234	6,084	2,695
放置可	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要経過観察	男	10,952 (27.2%)	42	674	1,397	1,952	2,440	2,401	2,046
	女	8,294 (20.2%)	7	78	254	838	1,757	3,015	2,345
	計	19,246 (23.6%)	49	752	1,651	2,790	4,197	5,416	4,391
要精密検査	男	1,382 (3.4%)	0	9	70	179	305	351	468
	女	1,077 (2.6%)	0	3	14	74	182	374	430
	計	2,459 (3.0%)	0	12	84	253	487	725	898
要治療	男	323 (0.8%)	0	4	22	48	59	100	90
	女	262 (0.6%)	0	3	2	27	42	76	112
	計	585 (0.7%)	0	7	24	75	101	176	202
治療中	男	7,600 (18.9%)	0	2	74	618	1,747	2,440	2,719
	女	6,707 (16.3%)	0	4	27	245	859	2,292	3,280
	計	14,307 (17.6%)	0	6	101	863	2,606	4,732	5,999
合計	男	40,313	368	3,676	6,690	7,665	8,029	7,491	6,394
	女	41,132	274	3,633	5,223	6,973	7,596	9,642	7,791
	計	81,445	642	7,309	11,913	14,638	15,625	17,133	14,185

血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時血圧・最大 mmHg	男	41,176	128.9	4,262	120.2	6,969	120.8	7,792	123.6	8,215	129.3	7,543	135.5	6,395	141.7
	女	41,221	122.9	3,940	107	5,260	107.7	6,992	113.9	7,596	122.5	9,642	131.1	7,791	139.1
	計	82,397	125.9	8,202	113.9	12,229	115.2	14,784	119	15,811	126.1	17,185	133	14,186	140.3
安静時血圧・最小 mmHg	男	41,176	75.6	4,262	67.7	6,969	72.3	7,792	76.5	8,215	79.4	7,543	78.1	6,395	75.7
	女	41,221	70.8	3,940	64.8	5,260	66.2	6,992	69.2	7,596	72.9	9,642	73.9	7,791	72.8
	計	82,397	73.2	8,202	66.3	12,229	69.7	14,784	73	15,811	76.3	17,185	75.7	14,186	74.1
負荷後血圧・最大 mmHg	男	246	136.1	39	132.3	5	136.8	57	137.6	97	135.4	36	138.6	12	140.3
	女	96	125.4	0	0	6	128.7	26	118.6	49	126.7	9	131.6	6	131.7
	計	342	133.1	39	132.3	11	132.4	83	131.7	146	132.5	45	137.2	18	137.4
負荷後血圧・最小 mmHg	男	246	74.6	39	69.7	5	74.8	57	75.1	97	76.1	36	74.1	12	77
	女	96	68.2	0	0	6	64	26	66.3	49	69.6	9	67.6	6	69.7
	計	342	72.8	39	69.7	11	68.9	83	72.3	146	73.9	45	72.8	18	74.6

眼圧の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
眼圧・右 mmHg	男	4,004	14.1	314	14.2	800	14.2	1,101	14.1	1,369	13.9	389	14	31	13.1
	女	2,845	13.6	171	14.2	554	13.5	985	13.7	923	13.5	189	13.4	23	11.4
	計	6,849	13.9	485	14.2	1,354	13.9	2,086	13.9	2,292	13.8	578	13.8	54	12.4
眼圧・左 mmHg	男	3,995	14.2	314	14.3	800	14.4	1,099	14.4	1,363	14.1	387	14.1	32	13.5
	女	2,846	13.8	171	14.3	554	13.6	985	13.9	925	13.7	188	13.9	23	12.3
	計	6,841	14	485	14.3	1,354	14.1	2,084	14.1	2,288	13.9	575	14	55	13

大腸検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	442 (91.1%)	0	1	32	131	164	90	24
	女	303 (91.0%)	0	1	47	87	107	51	10
	計	745 (91.1%)	0	2	79	218	271	141	34
放置可	男	15 (3.1%)	0	0	0	2	5	7	1
	女	15 (4.5%)	0	0	0	4	9	2	0
	計	30 (3.7%)	0	0	0	6	14	9	1
要経過観察	男	19 (3.9%)	0	0	0	6	7	6	0
	女	13 (3.9%)	0	0	0	3	6	4	0
	計	32 (3.9%)	0	0	0	9	13	10	0
要精密検査	男	7 (1.4%)	0	0	0	1	4	2	0
	女	2 (0.6%)	0	0	0	1	1	0	0
	計	9 (1.1%)	0	0	0	2	5	2	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	2 (0.4%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	1	1	0
合計	男	485	0	1	32	140	181	106	25
	女	333	0	1	47	95	123	57	10
	計	818	0	2	79	235	304	163	35

直腸診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外痔核	男	12 (2.5%)	0	0	0	1	5	6	0
	女	18 (5.4%)	0	0	0	5	11	2	0
	計	30 (3.7%)	0	0	0	6	16	8	0
内痔核	男	10 (2.1%)	0	0	0	4	2	3	1
	女	8 (2.4%)	0	0	0	3	3	2	0
	計	18 (2.2%)	0	0	0	7	5	5	1
肛門ポリープ	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	1 (0.1%)	0	0	0	0	0	1	0
前立腺肥大	男	12 (2.5%)	0	0	0	3	3	6	0
前立腺腫瘍の疑い	男	1 (0.2%)	0	0	0	0	1	0	0
直腸ポリープ	男	2 (0.4%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	1	1	0
直腸腫瘍の疑い	男	1 (0.2%)	0	0	0	1	0	0	0
	女	2 (0.6%)	0	0	0	1	1	0	0
	計	3 (0.4%)	0	0	0	2	1	0	0
肛門周囲湿疹	男	0 (0.0%)	0	0	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	2	0	0
	計	2 (0.2%)	0	0	0	0	2	0	0
痔疾患術後	男	3 (0.6%)	0	0	0	0	2	1	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	4 (0.5%)	0	0	0	0	2	2	0
その他の所見	男	3 (0.6%)	0	0	0	0	3	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	4 (0.5%)	0	0	0	0	3	1	0
検診者総数	男	485	0	1	32	140	181	106	25
	女	333	0	1	47	95	123	57	10
	計	818	0	2	79	235	304	163	35

乳房検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	7,778	(78.4%)	3	359	1,329	2,408	2,377	1,155	147
放置可	605	(6.1%)	0	25	113	183	194	78	12
要経過観察	660	(6.7%)	0	45	156	264	131	59	5
要精密検査	864	(8.7%)	1	23	123	313	273	110	21
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	10	(0.1%)	0	0	0	3	6	1	0
合計	9,917		4	452	1,721	3,171	2,981	1,403	185

乳房触診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
慢性乳腺炎	8	(0.1%)	0	0	2	3	2	1	0
乳腺症	322	(3.2%)	0	30	84	151	40	17	0
良性乳腺腫瘍	180	(1.8%)	0	14	50	72	26	15	3
乳腺腫瘍	247	(2.5%)	0	16	48	105	51	27	0
手術後	33	(0.3%)	0	2	1	5	10	12	3
術創あり	61	(0.6%)	0	1	3	21	23	12	1
その他の所見	74	(0.7%)	0	1	9	22	26	14	2
検診者総数	9,917		4	452	1,721	3,171	2,981	1,403	185

マンモグラフィー所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	8,069	(85.9%)	3	308	1,263	2,643	2,480	1,220	152
カテゴリー2	514	(5.5%)	0	9	72	164	188	72	9
カテゴリー3	767	(8.2%)	1	15	105	278	260	90	18
カテゴリー4	35	(0.4%)	0	0	3	12	10	8	2
カテゴリー5	4	(0.0%)	0	0	0	0	4	0	0
腫瘍	346	(3.7%)	0	5	39	120	125	45	12
石灰化	572	(6.1%)	0	12	86	185	204	75	10
非対称性	395	(4.2%)	1	5	50	141	137	54	7
構築の乱れ	42	(0.4%)	0	1	4	16	14	5	2
その他の所見	41	(0.4%)	0	1	5	17	11	6	1
検診者総数	9,390		4	332	1,444	3,096	2,942	1,390	182

乳房超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	447	(74.3%)	0	95	216	76	44	14	2
カテゴリー2	126	(20.9%)	0	23	72	22	9	0	0
カテゴリー3	29	(4.8%)	0	5	13	9	2	0	0
嚢胞	114	(18.9%)	0	21	57	26	10	0	0
濃縮嚢胞	1	(0.2%)	0	0	1	0	0	0	0
充実性病変	18	(3.0%)	0	2	8	6	2	0	0
乳腺内低エコー域	9	(1.5%)	0	2	3	4	0	0	0
乳管拡張	14	(2.3%)	0	0	12	2	0	0	0
その他の所見	36	(6.0%)	0	6	23	7	0	0	0
検診者総数	602		0	123	301	107	55	14	2

婦人科判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	3,250	(34.2%)	7	394	868	1,092	652	211	26
放置可	5,439	(57.2%)	5	335	832	1,452	1,747	927	141
要経過観察	378	(4.0%)	0	9	57	187	115	10	0
要精密検査	440	(4.6%)	2	54	102	141	112	27	2
要治療	6	(0.1%)	0	0	1	2	2	1	0
治療中	2	(0.0%)	0	0	1	0	1	0	0
合計	9,515		14	792	1,861	2,874	2,629	1,176	169

婦人科診察所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外陰異常	1	(0.0%)	0	0	0	1	0	0	0
外陰炎	3	(0.0%)	0	0	1	0	2	0	0
膣炎	14	(0.1%)	0	1	6	6	1	0	0
萎縮性膣炎	5	(0.1%)	0	0	0	0	2	3	0
トリコモナス疑い	2	(0.0%)	0	0	1	1	0	0	0
カンジダ	9	(0.1%)	0	0	1	2	5	1	0
バルトリン腺異常	5	(0.1%)	0	0	0	1	4	0	0
子宮腔部びらん	308	(3.2%)	0	26	83	159	38	2	0
頸管粘膜ポリープ	170	(1.8%)	0	1	14	63	80	11	1
子宮頸部腫瘍	1	(0.0%)	0	0	0	1	0	0	0
子宮体部腫瘍	266	(2.8%)	0	3	29	133	92	8	1
子宮附属器炎	1	(0.0%)	0	0	1	0	0	0	0
良性卵巣腫瘍	6	(0.1%)	0	2	2	0	2	0	0
卵巣腫瘍	4	(0.0%)	0	0	0	3	1	0	0
子宮下垂	12	(0.1%)	0	0	0	5	5	2	0
子宮術後	342	(3.6%)	0	0	8	59	157	98	20
その他の所見	9	(0.1%)	0	0	3	1	3	2	0
検診者総数	9,514		14	791	1,861	2,874	2,629	1,176	169

子宮頸部細胞診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
Class II (悪性所見なし)	5,427	(57.0%)	5	336	827	1,478	1,756	893	132
Class III a	272	(2.9%)	2	50	78	77	47	17	1
Class III	54	(0.6%)	0	3	12	17	19	3	0
Class III b	14	(0.1%)	0	0	4	9	0	1	0
Class IV	3	(0.0%)	0	0	0	1	1	1	0
Class V	2	(0.0%)	0	0	0	0	2	0	0
検診者総数	9,515		14	792	1,861	2,874	2,629	1,176	169

便潜血判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	18,464	(95.9%)	12	393	3,230	5,929	6,046	2,595	259
	女	11,132	(96.4%)	2	289	2,059	3,688	3,583	1,355	156
	計	29,596	(96.1%)	14	682	5,289	9,617	9,629	3,950	415
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	1	(0.0%)	0	0	0	0	0	0	1
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1
要精密検査	男	777	(4.0%)	1	15	99	226	279	139	18
	女	404	(3.5%)	0	10	82	152	114	39	7
	計	1,181	(3.8%)	1	25	181	378	393	178	25
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	15	(0.1%)	0	0	5	2	7	1	0
	女	6	(0.1%)	0	0	0	6	0	0	0
	計	21	(0.1%)	0	0	5	8	7	1	0
合計	男	19,257		13	408	3,334	6,157	6,332	2,735	278
	女	11,542		2	299	2,141	3,846	3,697	1,394	163
	計	30,799		15	707	5,475	10,003	10,029	4,129	441

便潜血の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
便潜血	男	19,257	793	4.1	421	16	3.8	3,334	104	3.1	6,157	228	3.7	6,332	286	4.5	2,735	140	5.1	278	19	6.8
	女	11,542	410	3.6	301	10	3.3	2,141	82	3.8	3,846	158	4.1	3,697	114	3.1	1,394	39	2.8	163	7	4.3
	計	30,799	1,203	3.9	722	26	3.6	5,475	186	3.4	10,003	386	3.9	10,029	400	4	4,129	179	4.3	441	26	5.9

陽性率%

脂質検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	10,502 (27.6%)	135	1,290	1,891	1,735	1,666	1,799	1,986
	女	10,493 (26.7%)	85	1,142	1,890	2,407	1,558	1,577	1,834
	計	20,995 (27.1%)	220	2,432	3,781	4,142	3,224	3,376	3,820
放置可	男	8,111 (21.3%)	115	851	1,478	1,437	1,353	1,418	1,459
	女	11,119 (28.3%)	97	1,354	2,056	2,367	1,665	1,881	1,699
	計	19,230 (24.8%)	212	2,205	3,534	3,804	3,018	3,299	3,158
要経過観察	男	13,950 (36.6%)	40	560	2,109	3,087	3,162	2,839	2,153
	女	11,257 (28.6%)	21	262	714	1,622	2,753	3,448	2,437
	計	25,207 (32.6%)	61	822	2,823	4,709	5,915	6,287	4,590
要精密検査	男	2,201 (5.8%)	4	59	352	598	560	390	238
	女	1,828 (4.6%)	2	10	56	221	591	656	292
	計	4,029 (5.2%)	6	69	408	819	1,151	1,046	530
要治療	男	738 (1.9%)	0	23	145	224	172	117	57
	女	661 (1.7%)	1	8	21	34	193	291	113
	計	1,399 (1.8%)	1	31	166	258	365	408	170
治療中	男	2,597 (6.8%)	0	5	87	431	841	762	471
	女	3,963 (10.1%)	0	4	15	113	697	1,748	1,386
	計	6,560 (8.5%)	0	9	102	544	1,538	2,510	1,857
合計	男	38,099	294	2,788	6,062	7,512	7,754	7,325	6,364
	女	39,321	206	2,780	4,752	6,764	7,457	9,601	7,761
	計	77,420	500	5,568	10,814	14,276	15,211	16,926	14,125

脂質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総コレステロール mg/dl	男	21,451	201.2	1,956	177.9	4,567	197.4	5,891	205.6	5,923	207.2	2,764	203	350	192.2
	女	13,914	202.5	1,714	179.7	2,973	187.8	3,930	199.2	3,529	220.9	1,520	221.3	248	209.4
	計	35,365	201.7	3,670	178.7	7,540	193.6	9,821	203	9,452	212.3	4,284	209.5	598	199.3
中性脂肪 mg/dl	男	37,913	128	2,993	91.2	5,986	122.9	7,495	140.8	7,750	138.6	7,325	129.4	6,364	120.5
	女	39,176	94.6	2,924	61.4	4,684	69.3	6,755	78.9	7,452	98.1	9,600	110.4	7,761	113.3
	計	77,089	111	5,917	76.5	10,670	99.3	14,250	111.5	15,202	118.7	16,925	118.6	14,125	116.6
HDLコレステロール mg/dl	男	38,049	57.2	3,063	58.4	6,050	56.5	7,497	56.8	7,750	57.8	7,325	57.6	6,364	56.6
	女	39,224	67.6	2,953	68.8	4,704	69.1	6,754	69.6	7,452	70	9,600	66.4	7,761	63.6
	計	77,273	62.5	6,016	63.5	10,754	62	14,251	62.9	15,202	63.7	16,925	62.6	14,125	60.4
LDLコレステロール mg/dl	男	37,999	123.7	3,033	107.3	6,040	122.7	7,493	128.6	7,746	127.8	7,323	125	6,364	120
	女	39,047	123.8	2,875	98.6	4,644	104.9	6,732	115.5	7,441	133.3	9,595	135.8	7,760	127.6
	計	77,046	123.7	5,908	103	10,684	115	14,225	122.4	15,187	130.5	16,918	131.2	14,124	124.2

糖尿病判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	25,850 (64.0%)	361	3,472	5,681	5,312	4,179	3,705	3,140
	女	31,403 (76.3%)	309	3,547	4,886	6,073	5,592	6,362	4,634
	計	57,253 (70.2%)	670	7,019	10,567	11,385	9,771	10,067	7,774
放置可	男	7,547 (18.7%)	20	172	760	1,470	1,920	1,702	1,503
	女	5,978 (14.5%)	4	90	269	699	1,301	1,877	1,738
	計	13,525 (16.6%)	24	262	1,029	2,169	3,221	3,579	3,241
要経過観察	男	3,304 (8.2%)	2	34	141	495	947	909	776
	女	2,016 (4.9%)	0	8	43	121	399	733	712
	計	5,320 (6.5%)	2	42	184	616	1,346	1,642	1,488
要精密検査	男	630 (1.6%)	0	3	32	74	175	185	161
	女	352 (0.9%)	0	0	5	19	60	124	144
	計	982 (1.2%)	0	3	37	93	235	309	305
要治療	男	605 (1.5%)	0	1	39	115	178	167	105
	女	201 (0.5%)	0	1	5	21	50	74	50
	計	806 (1.0%)	0	2	44	136	228	241	155
治療中	男	2,440 (6.0%)	1	4	53	229	630	817	706
	女	1,217 (3.0%)	0	2	12	37	190	465	511
	計	3,657 (4.5%)	1	6	65	266	820	1,282	1,217
合計	男	40,376	384	3,686	6,706	7,695	8,029	7,485	6,391
	女	41,167	313	3,648	5,220	6,970	7,592	9,635	7,789
	計	81,543	697	7,334	11,926	14,665	15,621	17,120	14,180

糖尿病検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
血糖 mg/dl	男	37,854	100	2,940	90.3	5,987	93.4	7,495	97.4	7,748	103.2	7,320	104.6	6,364	104.3
	女	39,114	94.6	2,881	87.1	4,676	88.4	6,752	90.7	7,445	95	9,599	97.6	7,761	100.4
	計	76,968	97.2	5,821	88.7	10,663	91.2	14,247	94.3	15,193	99.2	16,919	100.7	14,125	102.1
HbA1c (ヘモグロビンA1c) %	男	15,149	5.181	1,169	4.809	2,289	4.966	4,268	5.111	4,489	5.312	2,148	5.398	786	5.4
	女	9,727	5.125	545	4.826	1,563	4.92	2,590	5.012	2,417	5.219	1,848	5.32	764	5.372
	計	24,876	5.159	1,714	4.815	3,852	4.947	6,858	5.074	6,906	5.279	3,996	5.362	1,550	5.386

糖負荷試験の判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
正常型	男	127 (65.1%)	0	1	2	40	57	17	10
	女	71 (82.6%)	0	0	3	24	36	4	4
	計	198 (70.5%)	0	1	5	64	93	21	14
境界型	男	59 (30.3%)	0	0	0	11	29	13	6
	女	15 (17.4%)	0	0	1	3	7	3	1
	計	74 (26.3%)	0	0	1	14	36	16	7
糖尿病型	男	9 (4.6%)	0	0	0	1	5	2	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	9 (3.2%)	0	0	0	1	5	2	1
合計	男	195	0	1	2	52	91	32	17
	女	86	0	0	4	27	43	7	5
	計	281	0	1	6	79	134	39	22

尿糖の性年齢別平均値

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿糖定性	男	41,057	1,031	2.5	4,284	11	0.3	6,966	63	0.9	7,783	145	1.9	8,206	282	3.4	7,504	302	4	6,314	228	3.6
	女	41,105	259	0.6	3,988	14	0.4	5,254	21	0.4	6,981	22	0.3	7,582	40	0.5	9,598	77	0.8	7,702	85	1.1
	計	82,162	1,290	1.6	8,272	25	0.3	12,220	84	0.7	14,764	167	1.1	15,788	322	2	17,102	379	2.2	14,016	313	2.2

陽性率%

痛風判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	17,719	(73.6%)	191	1,585	3,758	4,720	4,811	2,386	268
	女	14,870	(94.0%)	163	1,707	3,302	4,280	3,726	1,471	221
	計	32,589	(81.7%)	354	3,292	7,060	9,000	8,537	3,857	489
放置可	男	1,916	(8.0%)	18	158	468	538	506	213	15
	女	430	(2.7%)	1	40	65	85	146	84	9
	計	2,346	(5.9%)	19	198	533	623	652	297	24
要経過観察	男	2,426	(10.1%)	32	165	608	719	647	225	30
	女	418	(2.6%)	5	24	57	93	158	71	10
	計	2,844	(7.1%)	37	189	665	812	805	296	40
要精密検査	男	744	(3.1%)	10	39	168	266	181	76	4
	女	75	(0.5%)	1	1	4	14	33	12	10
	計	819	(2.1%)	11	40	172	280	214	88	14
要治療	男	66	(0.3%)	1	3	24	14	22	1	1
	女	6	(0.0%)	0	0	0	3	2	1	0
	計	72	(0.2%)	1	3	24	17	24	2	1
治療中	男	1,213	(5.0%)	0	11	87	301	533	240	41
	女	21	(0.1%)	0	0	1	3	5	8	4
	計	1,234	(3.1%)	0	11	88	304	538	248	45
合計	男	24,084		252	1,961	5,113	6,558	6,700	3,141	359
	女	15,820		170	1,772	3,429	4,478	4,070	1,647	254
	計	39,904		422	3,733	8,542	11,036	10,770	4,788	613

尿酸の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
尿酸 mg/dl	男	24,084	6.19	2,213	6.16	5,113	6.26	6,558	6.27	6,700	6.16	3,141	6	359	5.91
	女	15,820	4.43	1,942	4.34	3,429	4.24	4,478	4.28	4,070	4.64	1,647	4.74	254	4.88
	計	39,904	5.49	4,155	5.31	8,542	5.45	11,036	5.47	10,770	5.58	4,788	5.57	613	5.48

肝機能・血清蛋白検査判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	13,530	(49.0%)	131	1,896	3,169	3,159	3,239	1,757	179
	女	16,122	(77.6%)	256	2,587	3,644	4,493	3,606	1,364	172
	計	29,652	(61.3%)	387	4,483	6,813	7,652	6,845	3,121	351
放置可	男	6,666	(24.1%)	84	639	1,455	1,822	1,755	812	99
	女	2,693	(13.0%)	39	256	536	667	773	371	51
	計	9,359	(19.3%)	123	895	1,991	2,489	2,528	1,183	150
要経過観察	男	5,694	(20.6%)	81	405	1,192	1,626	1,691	612	87
	女	1,552	(7.5%)	15	112	282	352	509	218	64
	計	7,246	(15.0%)	96	517	1,474	1,978	2,200	830	151
要精密検査	男	1,429	(5.2%)	24	58	279	412	446	181	29
	女	341	(1.6%)	4	11	43	63	136	45	39
	計	1,770	(3.7%)	28	69	322	475	582	226	68
要治療	男	32	(0.1%)	0	7	12	9	2	1	1
	女	5	(0.0%)	0	0	1	1	1	1	1
	計	37	(0.1%)	0	7	13	10	3	2	2
治療中	男	257	(0.9%)	0	11	21	65	122	34	4
	女	75	(0.4%)	1	2	10	7	33	18	4
	計	332	(0.7%)	1	13	31	72	155	52	8
合計	男	27,608		320	3,016	6,128	7,093	7,255	3,397	399
	女	20,788		315	2,968	4,516	5,583	5,058	2,017	331
	計	48,396		635	5,984	10,644	12,676	12,313	5,414	730

肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
HBs抗原	男	5,966	66	1.1	465	1	0.2	951	2	0.2	1,406	12	0.9	1,681	33	2	1,189	15	1.3	274	3	1.1
	女	5,081	35	0.7	557	2	0.4	927	3	0.3	1,271	5	0.4	1,236	16	1.3	901	7	0.8	189	2	1.1
	計	11,047	101	0.9	1,022	3	0.3	1,878	5	0.3	2,677	17	0.6	2,917	49	1.7	2,090	22	1.1	463	5	1.1
HCV抗体	男	2,643	24	0.9	127	0	0	308	1	0.3	687	2	0.3	670	12	1.8	665	7	1.1	186	2	1.1
	女	2,514	17	0.7	141	0	0	393	1	0.3	674	3	0.4	626	4	0.6	570	6	1.1	110	3	2.7
	計	5,157	41	0.8	268	0	0	701	2	0.3	1,361	5	0.4	1,296	16	1.2	1,235	13	1.1	296	5	1.7

陽性率%

肝機能・血清蛋白検査の性年齢別平均値

検査項目		総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
		男	女	計	男	女	計	男	女	計	男	女	計	男	女
TTT・マクラガン	男	6,483	1.32	625	1.26	1,368	1.37	1,861	1.34	1,956	1.29	572	1.35	101	1.3
	女	2,924	1.53	221	1.5	629	1.61	911	1.55	769	1.49	336	1.4	58	1.68
	計	9,407	1.39	846	1.32	1,997	1.45	2,772	1.41	2,725	1.35	908	1.37	159	1.44
ZTT・クンケル	男	8,238	7.78	858	7.89	1,796	7.79	2,225	7.56	2,366	7.63	817	8.36	176	9.34
	女	4,311	9.3	361	9.49	987	9.83	1,237	9.41	1,024	8.76	573	8.99	129	9.44
	計	12,549	8.31	1,219	8.36	2,783	8.52	3,462	8.22	3,390	7.97	1,390	8.62	305	9.38
総ビリルビン mg/dl	男	14,166	0.86	1,793	0.89	2,992	0.86	3,843	0.87	3,986	0.84	1,364	0.83	188	0.88
	女	8,221	0.73	1,359	0.72	1,866	0.72	2,341	0.73	1,795	0.76	718	0.72	142	0.72
	計	22,387	0.81	3,152	0.82	4,858	0.81	6,184	0.82	5,781	0.82	2,082	0.79	330	0.81
GOT・IU/l	男	38,119	25.5	3,113	23.6	6,064	24.2	7,484	25.6	7,768	25.5	7,326	26.2	6,364	27
	女	39,269	22.3	2,981	18.2	4,716	18.4	6,758	19.5	7,453	23	9,600	24.4	7,761	25.4
	計	77,388	23.9	6,094	21	10,780	21.7	14,242	22.7	15,221	24.3	16,926	25.1	14,125	26.2
GPT・IU/l	男	38,166	26.9	3,129	25.6	6,076	30.5	7,500	30.6	7,771	27.6	7,326	24.7	6,364	21.7
	女	39,355	18	3,008	13.7	4,760	15.1	6,767	16.1	7,458	20.3	9,601	20	7,761	18.3
	計	77,521	22.4	6,137	19.8	10,836	23.8	14,267	23.7	15,229	24	16,927	22	14,125	19.8
アルフォス IU/l	男	23,408	216.8	2,062	231.1	4,921	212.6	6,455	214.6	6,595	215.4	3,017	220.4	358	225.7
	女	15,088	194.6	1,624	176.6	3,211	169.4	4,365	171.8	4,061	226.1	1,530	235.7	297	256.5
	計	38,496	208.1	3,686	207.1	8,132	195.5	10,820	197.3	10,656	219.5	4,547	225.6	655	239.6
コリンエステラーゼ IU/l	男	6,776	356.6	903	342.5	1,502	365	1,816	368.2	1,979	351.5	540	339.7	36	302.9
	女	3,152	307.9	396	280.2	753	285.4	943	298	809	341.7	233	348	18	333.8
	計	9,928	341.1	1,299	323.5	2,255	338.4	2,759	344.2	2,788	348.7	773	342.2	54	313.2
LDH・IU/l	男	13,723	176.8	1,548	176	2,884	172.5	3,852	176.7	3,952	177.9	1,304	181.9	183	191.4
	女	7,209	171.4	911	160.2	1,740	158.6	2,029	166	1,699	185.1	698	194.8	132	201.9
	計	20,932	174.9	2,459	170.2	4,624	167.2	5,881	173	5,651	180.1	2,002	186.4	315	195.8
γ-GTP IU/l	男	38,092	46.5	3,094	27.1	6,059	41.2	7,483	53.2	7,768	56.5	7,325	48.1	6,363	38.9
	女	39,120	22.5	2,889	15	4,673	17.6	6,747	20.5	7,451	27.1	9,599	25.3	7,761	22.1
	計	77,212	34.3	5,983	21.3	10,732	30.9	14,230	37.7	15,219	42.1	16,924	35.2	14,124	29.7
LAP・IU/l	男	3,147	56.6	34	57.9	566	57.3	933	57.1	1,108	56.8	417	54.6	89	54
	女	1,952	49.8	17	62.5	392	48	606	46.5	618	52.3	264	52.7	55	53
	計	5,099	54	51	59.5	958	53.5	1,539	52.9	1,726	55.2	681	53.9	144	53.6
総蛋白 g/dl	男	16,033	7.34	2,055	7.45	3,484	7.4	4,344	7.33	4,456	7.29	1,462	7.27	232	7.11
	女	10,266	7.29	1,644	7.42	2,386	7.3	2,871	7.23	2,335	7.3	784	7.26	246	7.03
	計	26,299	7.32	3,699	7.44	5,870	7.36	7,215	7.29	6,791	7.29	2,246	7.26	478	7.07
アルブミン g/dl	男	14,666	4.69	1,839	4.88	3,079	4.8	4,042	4.7	4,131	4.6	1,347	4.5	228	4.19
	女	9,401	4.5	1,554	4.66	2,116	4.52	2,643	4.44	2,117	4.51	726	4.46	245	4.01
	計	24,067	4.62	3,393	4.78	5,195	4.69	6,685	4.6	6,248	4.57	2,073	4.49	473	4.1
A/G比	男	7,260	1.8	1,158	1.92	1,563	1.87	1,882	1.81	2,013	1.73	546	1.64	98	1.54
	女	4,864	1.65	964	1.72	1,089	1.65	1,366	1.62	1,020	1.65	360	1.62	65	1.53
	計	12,124	1.74	2,122	1.83	2,652	1.78	3,248	1.73	3,033	1.7	906	1.63	163	1.54
アルブミン %	男	22	62.33	0	0	6	66.12	2	63.55	2	62.05	10	61.08	2	56.25
	女	21	60.68	0	0	2	61.65	1	63.7	0	0	17	60.47	1	59.3
	計	43	61.52	0	0	8	65	3	63.6	2	62.05	27	60.7	3	57.27
α1-グロブリン %	男	22	2.53	0	0	6	2.23	2	2.5	2	2.45	10	2.72	2	2.6
	女	21	2.59	0	0	2	2.35	1	2.7	0	0	17	2.59	1	2.9
	計	43	2.56	0	0	8	2.26	3	2.57	2	2.45	27	2.64	3	2.7
α2-グロブリン %	男	22	8.38	0	0	6	7.38	2	8.55	2	8.25	10	8.75	2	9.5
	女	21	8.71	0	0	2	8.2	1	9	0	0	17	8.74	1	8.9
	計	43	8.54	0	0	8	7.59	3	8.7	2	8.25	27	8.74	3	9.3
β-グロブリン %	男	22	10.05	0	0	6	9.3	2	9.6	2	10.85	10	10.23	2	11.1
	女	21	10	0	0	2	10.2	1	11.7	0	0	17	9.94	1	8.9
	計	43	10.03	0	0	8	9.53	3	10.3	2	10.85	27	10.04	3	10.37
γ-グロブリン %	男	22	16.7	0	0	6	14.97	2	15.8	2	16.4	10	17.22	2	20.55
	女	21	18.03	0	0	2	17.6	1	12.9	0	0	17	18.26	1	20
	計	43	17.35	0	0	8	15.63	3	14.83	2	16.4	27	17.88	3	20.37

肝機能・血清蛋白検査の性年齢別陽性率

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	20,193 (74.8%)	209	2,302	4,724	5,224	5,098	2,403	233
	女	15,394 (71.6%)	161	2,323	3,172	3,678	3,765	1,965	330
	計	35,587 (73.4%)	370	4,625	7,896	8,902	8,863	4,368	563
放置可	男	4,429 (16.4%)	56	353	917	1,248	1,236	549	70
	女	3,521 (16.4%)	28	388	745	898	993	404	65
	計	7,950 (16.4%)	84	741	1,662	2,146	2,229	953	135
要経過観察	男	2,124 (7.9%)	27	117	294	506	681	400	99
	女	1,835 (8.5%)	20	179	435	621	382	138	60
	計	3,959 (8.2%)	47	296	729	1,127	1,063	538	159
要精密検査	男	182 (0.7%)	1	4	17	26	68	44	22
	女	478 (2.2%)	1	34	101	268	48	13	13
	計	660 (1.4%)	2	38	118	294	116	57	35
要治療	男	23 (0.1%)	0	1	1	3	6	4	8
	女	72 (0.3%)	0	0	12	39	19	0	2
	計	95 (0.2%)	0	1	13	42	25	4	10
治療中	男	51 (0.2%)	1	0	3	12	16	19	0
	女	208 (1.0%)	1	11	31	115	40	4	6
	計	259 (0.5%)	2	11	34	127	56	23	6
合計	男	27,002	294	2,777	5,956	7,019	7,105	3,419	432
	女	21,508	211	2,935	4,496	5,619	5,247	2,524	476
	計	48,510	505	5,712	10,452	12,638	12,352	5,943	908

肝炎ウイルス検査の性年齢別陽性率

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女													
赤血球数 万/μl	男	27,025	493	3,047	5,125	5,971	5,042	7,034	495.1	7,120	484.2	3,421	475.2	432	454.9
	女	21,512	442.3	3,146	448.1	4,497	441.5	5,621	440.6	5,248	444.3	2,524	440.8	476	418.3
	計	48,537	470.6	6,193	479.8	10,468	477.3	12,655	470.9	12,368	467.3	5,945	460.6	908	435.7
ヘモグロビン g/dl	男	27,025	15.23	3,047	15.51	5,971	15.39	7,034	15.29	7,120	15.14	3,421	14.91	432	14.31
	女	21,511	12.98	3,146	13.09	4,496	12.85	5,621	12.68	5,248	13.22	2,524	13.32	476	12.74
	計	48,536	14.24	6,193	14.28	10,467	14.3	12,655	14.13	12,368	14.32	5,945	14.24	908	13.49
ヘマトクリット %	男	26,305	44.99	2,851	45.53	5,772	45.4	6,859	45.17	7,015	44.78	3,377	44.24	431	42.62
	女	21,055	39.39	3,019	39.54	4,403	38.99	5,511	38.7	5,145	40	2,502	40.3	475	38.73
	計	47,360	42.5	5,870	42.45	10,175	42.63	12,370	42.28	12,160	42.76	5,879	42.57	906	40.58
MCV fl	男	3,393	91.69	117	88.71	641	90.2	1,005	91.26	1,166	92.57	401	92.94	63	94.63
	女	2,396	89.14	93	88.03	568	88.37	761	88.01	704	90.22	233	91.34	37	92.78
	計	5,789	90.63	210	88.41	1,209	89.34	1,766	89.86	1,870	91.69	634	92.35	100	93.95
MCH pg	男	3,392	31.05	117	30.32	640	30.6	1,005	30.93	1,166	31.32	401	31.35	63	31.85
	女	2,396	29.36	93	28.88	568	29.02	761	28.88	704	29.85	233	30.22	37	30.54
	計	5,788	30.35	210	29.68	1,208	29.86	1,766	30.05	1,870	30.77	634	30.94	100	31.36
MCHC %	男	3,375	33.87	115	34.18	632	33.93	1,001	33.9	1,163	33.83	401	33.73	63	33.65
	女	2,387	32.89	93	32.78	566	32.79	755	32.75	704	33.07	232	33.09	37	32.92
	計	5,762	33.46	208	33.56	1,198	33.39	1,756	33.41	1,867	33.55	633	33.5	100	33.38
血清鉄 μg/dl	男	3,611	119.3	332	112.4	668	121.7	924	122.7	1,213	118.5	410	116.7	64	113.8
	女	2,524	100.7	141	96	455	100.2	863	96.7	793	105.3	236	104.3	36	97.3
	計	6,135	111.7	473	107.5	1,123	113	1,787	110.2	2,006	113.3	646	112.2	100	107.9
白血球数 千/μl	男	24,706	6.04	2,252	5.85	5,223	6.07	6,767	6.12	6,917	6.07	3,174	5.95	373	5.92
	女	17,274	5.46	2,139	6.01	3,732	5.69	4,898	5.45	4,473	5.1	1,718	5.16	314	5.66
	計	41,980	5.8	4,391	5.93	8,955	5.91	11,665	5.84	11,390	5.69	4,892	5.67	687	5.8
血小板数 万/μl	男	7,304	22.63	534	23.04	1,396	23.53	1,947	23.21	2,201	22.39	1,012	21.24	214	19.57
	女	5,336	23.95	310	24.19	1,102	24.66	1,594	24.84	1,426	23.42	658	22.49	246	21.59
	計	12,640	23.19	844	23.46	2,498	24.03	3,541	23.94	3,627	22.79	1,670	21.73	460	20.65

炎症反応判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	3,009	(90.9%)	0	21	510	887	1,038	441	112
	女	2,092	(93.7%)	0	26	410	632	576	356	92
	計	5,101	(92.0%)	0	47	920	1,519	1,614	797	204
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	302	(9.1%)	0	0	58	78	97	53	16
	女	141	(6.3%)	0	2	29	33	46	25	6
	計	443	(8.0%)	0	2	87	111	143	78	22
要精密検査	男	1	(0.0%)	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	1	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	3,312		0	21	569	965	1,135	494	128
	女	2,233		0	28	439	665	622	381	98
	計	5,545		0	49	1,008	1,630	1,757	875	226

炎症反応の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CRP	男	3,273	301	9.2	8	0	0	566	59	10.4	963	78	8.1	1,132	96	8.5	476	52	10.9	128	16	12.5
	女	2,156	127	5.9	5	0	0	421	26	6.2	646	27	4.2	610	44	7.2	376	24	6.4	98	6	6.1
	計	5,429	428	7.9	13	0	0	987	85	8.6	1,609	105	6.5	1,742	140	8	852	76	8.9	226	22	9.7
血沈	男	50	2	4	2	0	0	1	0	0	14	0	0	18	1	5.6	13	1	7.7	2	0	0
	女	27	4	14.8	0	0	0	2	0	0	12	3	25	7	0	0	6	1	16.7	0	0	0
	計	77	6	7.8	2	0	0	3	0	0	26	3	11.5	25	1	4	19	2	10.5	2	0	0

陽性率%

腎機能判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	33,607	(83.2%)	356	3,470	6,022	6,428	6,277	6,049	5,005
	女	32,763	(79.4%)	236	3,103	4,080	4,978	5,780	8,338	6,248
	計	66,370	(81.3%)	592	6,573	10,102	11,406	12,057	14,387	11,253
放置可	男	288	(0.7%)	5	7	47	54	98	68	9
	女	1,089	(2.6%)	14	212	328	432	84	15	4
	計	1,377	(1.7%)	19	219	375	486	182	83	13
要経過観察	男	5,320	(13.2%)	21	202	569	1,068	1,425	1,091	944
	女	6,859	(16.6%)	58	335	824	1,515	1,663	1,183	1,281
	計	12,179	(14.9%)	79	537	1,393	2,583	3,088	2,274	2,225
要精密検査	男	786	(1.9%)	2	18	40	76	139	184	327
	女	365	(0.9%)	4	14	17	28	37	71	194
	計	1,151	(1.4%)	6	32	57	104	176	255	521
要治療	男	30	(0.1%)	0	0	0	0	4	6	20
	女	9	(0.0%)	0	0	0	1	1	0	7
	計	39	(0.0%)	0	0	0	1	5	6	27
治療中	男	345	(0.9%)	0	3	27	53	89	87	86
	女	166	(0.4%)	0	10	16	25	32	28	55
	計	511	(0.6%)	0	13	43	78	121	115	141
合計	男	40,376		384	3,700	6,705	7,679	8,032	7,485	6,391
	女	41,251		312	3,674	5,265	6,979	7,597	9,635	7,789
	計	81,627		696	7,374	11,970	14,658	15,629	17,120	14,180

腎機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
尿素窒素 mg/dl	男	22,863	14.1	2,031	13.4	4,749	13.3	6,288	13.6	6,445	14.6	2,995	15.5	355	16.8
	女	14,664	12.6	1,615	11.3	3,019	11.3	4,270	11.9	3,946	13.6	1,518	15	296	18.2
	計	37,527	13.5	3,646	12.5	7,768	12.5	10,558	13	10,391	14.3	4,513	15.3	651	17.5
クレアチニン mg/dl	男	34,776	0.907	2,108	0.91	5,068	0.884	6,956	0.897	7,260	0.912	7,056	0.897	6,328	0.943
	女	34,163	0.665	1,637	0.675	3,603	0.645	5,631	0.656	6,382	0.66	9,175	0.655	7,735	0.696
	計	68,939	0.787	3,745	0.807	8,671	0.784	12,587	0.789	13,642	0.794	16,231	0.76	14,063	0.807

尿検査の性年齢別陽性・有所見率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	41,333	2,155	5.2	4,328	105	2.4	7,051	202	2.9	7,848	329	4.2	8,260	469	5.7	7,530	455	6	6,316	595	9.4
	女	41,204	1,011	2.5	4,013	104	2.6	5,283	111	2.1	6,998	128	1.8	7,602	151	2	9,606	193	2	7,702	324	4.2
	計	82,537	3,166	3.8	8,341	209	2.5	12,334	313	2.5	14,846	457	3.1	15,862	620	3.9	17,136	648	3.8	14,018	919	6.6
尿潜血	男	24,874	2,041	8.2	2,373	61	2.6	5,238	262	5	6,757	532	7.9	6,981	748	10.7	3,158	384	12.2	367	54	14.7
	女	17,305	3,239	18.7	2,272	173	7.6	3,720	451	12.1	4,873	896	18.4	4,449	1,133	25.5	1,683	497	29.5	308	89	28.9
	計	42,179	5,280	12.5	4,645	234	5	8,958	713	8	11,630	1,428	12.3	11,430	1,881	16.5	4,841	881	18.2	675	143	21.2

陽性率%

腎機能判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	13,316	(93.7%)	59	1,333	2,925	3,765	3,835	1,239	160
	女	6,589	(93.2%)	19	771	1,637	1,899	1,527	616	120
	計	19,905	(93.6%)	78	2,104	4,562	5,664	5,362	1,855	280
放置可	男	287	(2.0%)	1	21	67	107	79	12	0
	女	109	(1.5%)	0	3	23	38	32	9	4
	計	396	(1.9%)	1	24	90	145	111	21	4
要経過観察	男	569	(4.0%)	0	34	80	136	189	106	24
	女	357	(5.1%)	0	39	73	75	101	60	9
	計	926	(4.4%)	0	73	153	211	290	166	33
要精密検査	男	30	(0.2%)	0	3	5	6	9	6	1
	女	14	(0.2%)	0	3	3	4	4	0	0
	計	44	(0.2%)	0	6	8	10	13	6	1
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	2	(0.0%)	0	0	0	0	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	2	0	0
合計	男	14,204		60	1,391	3,077	4,014	4,114	1,363	185
	女	7,069		19	816	1,736	2,016	1,664	685	133
	計	21,273		79	2,207	4,813	6,030	5,778	2,048	318

腎機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血清アミラーゼ IU/l	男	14,204	72.3	1,451	71.2	3,077	69.7	4,014	70.1	4,114	73.4	1,363	79.8	185	88
	女	7,070	75.9	835	76.9	1,736	75.7	2,016	73.6	1,664	76.4	686	80.5	133	77.4
	計	21,274	73.5	2,286	73.3	4,813	71.9	6,030	71.3	5,778	74.3	2,049	80	318	83.6

電解質判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	2,410 (91.4%)	159	47	381	629	769	347	78
	女	1,199 (84.4%)	67	14	228	341	308	193	48
	計	3,609 (88.9%)	226	61	609	970	1077	540	126
放置可	男	140 (5.3%)	7	13	22	44	30	20	4
	女	155 (10.9%)	4	1	30	29	56	30	5
	計	295 (7.3%)	11	14	52	73	86	50	9
要経過観察	男	86 (3.3%)	10	1	6	20	35	12	2
	女	67 (4.7%)	4	1	10	16	26	10	0
	計	153 (3.8%)	14	2	16	36	61	22	2
要精密検査	男	2 (0.1%)	1	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.0%)	1	0	0	0	1	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	2,638	177	61	409	693	835	379	84
	女	1,421	75	16	268	386	390	233	53
	計	4,059	252	77	677	1079	1225	612	137

電解質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
ナトリウム・ mEq/l	男	2,596	141.7	238	141.9	403	141.7	677	141.8	824	141.7	370	141.8	84	141.6
	女	1,408	141.3	91	141.8	263	140.4	381	140.5	388	141.9	232	142.3	53	141.8
	計	4,004	141.6	329	141.9	666	141.2	1,058	141.3	1,212	141.8	602	142	137	141.7
カリウム・ mEq/l	男	2,596	4.26	238	4.48	403	4.19	677	4.23	824	4.25	370	4.3	84	4.22
	女	1,408	4.16	91	4.46	263	4.09	381	4.11	388	4.16	232	4.19	53	4.18
	計	4,004	4.23	329	4.47	666	4.15	1,058	4.19	1,212	4.22	602	4.26	137	4.21
クロール・ mEq/l	男	2,614	104.3	238	103.6	407	104.3	684	104.5	828	104.4	373	104.3	84	103.8
	女	1,416	104.6	91	104.7	266	104.5	384	104.8	389	104.6	233	104.6	53	104.5
	計	4,030	104.4	329	103.9	673	104.4	1,068	104.6	1,217	104.5	606	104.4	137	104.1
無機リン・ mg/dl	男	2,282	3.34	65	3.69	394	3.46	659	3.34	798	3.27	311	3.29	55	3.27
	女	1,210	3.69	16	3.69	261	3.71	371	3.52	375	3.8	160	3.82	27	3.63
	計	3,492	3.46	81	3.69	655	3.56	1,030	3.4	1,173	3.44	471	3.47	82	3.39
カルシウム・ mg/dl	男	2,271	9.31	65	9.62	393	9.41	651	9.32	797	9.26	310	9.27	55	9.15
	女	1,207	9.2	16	9.35	261	9.17	369	9.07	374	9.29	160	9.32	27	9.24
	計	3,478	9.27	81	9.57	654	9.31	1,020	9.23	1,171	9.27	470	9.29	82	9.18
マグネシウム・ mg/dl	男	30	2.12	0	0	5	2.08	8	2.1	9	2.12	8	2.16	0	0
	女	10	2.1	0	0	5	2.08	3	2.1	1	2.1	1	2.2	0	0
	計	40	2.12	0	0	10	2.08	11	2.1	10	2.12	9	2.17	0	0

その他の血液検査判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	4,127	(92.6%)	67	416	733	912	1,145	708	146
	女	3,701	(94.9%)	96	630	812	809	774	473	107
	計	7,828	(93.7%)	163	1,046	1,545	1,721	1,919	1,181	253
放置可	男	127	(2.9%)	70	4	5	13	21	13	1
	女	90	(2.3%)	36	10	10	4	19	10	1
	計	217	(2.6%)	106	14	15	17	40	23	2
要経過観察	男	121	(2.7%)	52	5	17	11	22	12	2
	女	64	(1.6%)	13	6	8	17	14	5	1
	計	185	(2.2%)	65	11	25	28	36	17	3
要精密検査	男	80	(1.8%)	0	0	4	15	36	23	2
	女	42	(1.1%)	0	0	10	9	15	6	2
	計	122	(1.5%)	0	0	14	24	51	29	4
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	1	(0.0%)	0	0	0	0	1	0	0
	女	4	(0.1%)	0	1	0	0	1	2	0
	計	5	(0.1%)	0	1	0	0	2	2	0
合計	男	4,456		189	425	759	951	1,225	756	151
	女	3,901		145	647	840	839	823	496	111
	計	8,357		334	1,072	1,599	1,790	2,048	1,252	262

その他の血液検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CEA	男	1,375	51	3.7	7	0	0	170	3	1.8	374	10	2.7	496	21	4.2	294	15	5.1	34	2	5.9
	女	851	12	1.4	23	0	0	149	1	0.7	251	2	0.8	315	6	1.9	101	2	2	12	1	8.3
	計	2,226	63	2.8	30	0	0	319	4	1.3	625	12	1.9	811	27	3.3	395	17	4.3	46	3	6.5
RF	男	2,756	62	2.2	365	0	0	570	2	0.4	567	9	1.6	772	32	4.1	418	17	4.1	64	2	3.1
	女	2,437	54	2.2	635	7	1.1	569	8	1.4	522	16	3.1	452	18	4	224	4	1.8	35	1	2.9
	計	5,193	116	2.2	1,000	7	0.7	1,139	10	0.9	1,089	25	2.3	1,224	50	4.1	642	21	3.3	99	3	3
CPK	男	233	98	42.1	204	95	46.6	14	1	7.1	9	1	11.1	6	1	16.7	0	0	0	0	0	0
	女	78	24	30.8	75	24	32	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0
	計	311	122	39.2	279	119	42.7	15	1	6.7	11	1	9.1	6	1	16.7	0	0	0	0	0	0
CA19-9	男	852	7	0.8	6	0	0	70	0	0	188	1	0.5	301	4	1.3	256	2	0.8	31	0	0
	女	469	8	1.7	21	0	0	55	0	0	108	2	1.9	169	3	1.8	102	3	2.9	14	0	0
	計	1,321	15	1.1	27	0	0	125	0	0	296	3	1	470	7	1.5	358	5	1.4	45	0	0
CA125	男	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	570	15	2.6	30	0	0	115	7	6.1	152	5	3.3	181	1	0.6	85	2	2.4	7	0	0
	計	570	15	2.6	30	0	0	115	7	6.1	152	5	3.3	181	1	0.6	85	2	2.4	7	0	0

陽性率%

前立腺検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	9,045	(92.0%)	0	7	80	324	3,055	2,797	2,782
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	7	(0.1%)	0	0	0	0	5	1	1
要精密検査	491	(5.0%)	0	0	3	1	64	173	250
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	289	(2.9%)	0	0	1	2	36	79	171
合計	9,832		0	7	84	327	3,160	3,050	3,204

PSAの性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
PSA ng/ml	9,832	1.61	7	0.74	84	1.05	327	0.92	3,160	1.16	3,050	1.65	3,204	2.11

骨密度検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	115	(57.5%)	0	2	8	19	43	32	11
	女	782	(62.8%)	75	11	146	253	249	42	6
	計	897	(62.1%)	75	13	154	272	292	74	17
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	37	(3.0%)	0	4	20	13	0	0	0
	計	37	(2.6%)	0	4	20	13	0	0	0
要経過観察	男	61	(30.5%)	0	0	0	9	24	18	10
	女	348	(28.0%)	0	1	37	59	154	85	12
	計	409	(28.3%)	0	1	37	68	178	103	22
要精密検査	男	20	(10.0%)	0	0	0	1	5	8	6
	女	48	(3.9%)	0	0	0	3	18	17	10
	計	68	(4.7%)	0	0	0	4	23	25	16
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	4	(2.0%)	0	0	0	0	1	2	1
	女	30	(2.4%)	0	0	0	3	11	10	6
	計	34	(2.4%)	0	0	0	3	12	12	7
合計	男	200		0	2	8	29	73	60	28
	女	1,245		75	16	203	331	432	154	34
	計	1,445		75	18	211	360	505	214	62

超音波骨密度検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
骨密度 ステイフネス	男	200	98.8	2	111	8	130	29	101	73	99.7	60	96.8	28	88.8
	女	1,245	92.4	91	127.1	203	97.4	331	96.1	432	87	154	77.2	34	69.5
	計	1,445	93.2	93	126.8	211	98.6	360	96.5	505	88.8	214	82.7	62	78.2

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	40 (17.6%)	0	0	3	12	24	1	0
	女	30 (29.1%)	0	0	4	11	12	3	0
	計	70 (21.2%)	0	0	7	23	36	4	0
放置可	男	4 (1.8%)	0	0	0	2	2	0	0
	女	6 (5.8%)	0	0	0	1	2	3	0
	計	10 (3.0%)	0	0	0	3	4	3	0
要経過観察	男	159 (70.0%)	0	0	4	18	104	29	4
	女	58 (56.3%)	0	0	1	5	27	19	6
	計	217 (65.8%)	0	0	5	23	131	48	10
要精密検査	男	22 (9.7%)	0	0	0	0	4	10	8
	女	9 (8.7%)	0	0	0	0	1	5	3
	計	31 (9.4%)	0	0	0	0	5	15	11
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	2 (0.9%)	0	0	0	0	0	1	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.6%)	0	0	0	0	0	1	1
合計	男	227	0	0	7	32	134	41	13
	女	103	0	0	5	17	42	30	9
	計	330	0	0	12	49	176	71	22

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI検査・右	男	227	1.136	0	0	7	1.094	32	1.143	134	1.137	41	1.155	13	1.071
	女	102	1.104	0	0	5	1.108	17	1.076	41	1.1	30	1.122	9	1.107
	計	329	1.126	0	0	12	1.1	49	1.119	175	1.129	71	1.141	22	1.085
ABI検査・左	男	227	1.111	0	0	7	1.069	32	1.118	134	1.114	41	1.124	13	1.039
	女	102	1.082	0	0	5	1.07	17	1.065	41	1.074	30	1.095	9	1.111
	計	329	1.102	0	0	12	1.069	49	1.1	175	1.104	71	1.112	22	1.069
PWV検査・右 cm/s	男	227	1397.2	0	0	7	1325	32	1351.4	134	1348.2	41	1513.1	13	1688.8
	女	102	1385.3	0	0	5	1296	17	1200.6	41	1321.5	30	1488.1	9	1731.3
	計	329	1393.5	0	0	12	1312.9	49	1299.1	175	1341.9	71	1502.6	22	1706.2
PWV検査・左 cm/s	男	226	1381.3	0	0	7	1259.1	32	1321.8	134	1338.5	41	1519.8	12	1616.3
	女	102	1384	0	0	5	1277	17	1189.6	41	1317.2	30	1498.8	9	1731.9
	計	328	1382.1	0	0	12	1266.6	49	1275.9	175	1333.5	71	1510.9	21	1665.9

頭部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
プラーク个数	男	226 (99.6%)	0	0	7	32	133	41	13
	女	103 (100.0%)	0	0	5	17	42	30	9
	計	329 (99.7%)	0	0	12	49	175	71	22
不安定プラーク (III a・III b・IV)	男	4 (1.8%)	0	0	0	0	2	1	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (1.2%)	0	0	0	0	2	1	1
頭動脈の内腔狭窄 (50-75%)	男	2 (0.9%)	0	0	0	0	0	0	2
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.6%)	0	0	0	0	0	0	2
頭動脈の高度狭窄 (75%以上)	男	1 (0.4%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.3%)	0	0	0	0	0	0	1
頭動脈蛇行	男	1 (0.4%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (%)	0	0	0	0	0	0	1
頭動脈描出不良	男	15 (6.6%)	0	0	1	5	2	5	2
	女	3 (2.9%)	0	0	0	0	2	1	0
	計	18 (5.5%)	0	0	1	5	4	6	2
不安定プラーク (III a)	男	0 (0.0%)	0	0	0	0	0	0	0
	女	3 (2.9%)	0	0	0	0	0	2	1
	計	3 (0.9%)	0	0	0	0	0	2	1
不安定プラーク (III b)	男	1 (0.4%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.3%)	0	0	0	0	0	1	0
総頭動脈壁肥厚	男	7 (3.1%)	0	0	0	0	2	4	1
	女	5 (4.9%)	0	0	0	0	1	2	2
	計	12 (3.6%)	0	0	0	0	3	6	3
その他の所見	男	8 (3.5%)	0	0	0	0	3	5	0
	女	3 (2.9%)	0	0	0	0	1	2	0
	計	11 (3.3%)	0	0	0	0	4	7	0
検診者総数	男	227	0	0	7	32	134	41	13
	女	103	0	0	5	17	42	30	9
	計	330	0	0	12	49	176	71	22

頭部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT右 mm	男	227	0.707	0	0	7	0.58	32	0.632	134	0.683	41	0.82	13	0.855
	女	103	0.724	0	0	5	0.556	17	0.62	42	0.716	30	0.781	9	0.857
	計	330	0.712	0	0	12	0.57	49	0.628	176	0.691	71	0.804	22	0.856
平均IMT左 mm	男	227	0.764	0	0	7	0.59	32	0.69	134	0.724	41	0.908	13	0.992
	女	103	0.755	0	0	5	0.632	17	0.619	42	0.717	30	0.838	9	0.977
	計	330	0.761	0	0	12	0.608	49	0.665	176	0.722	71	0.878	22	0.986
最大IMT右 mm	男	227	1.298	0	0	7	0.856	32	0.999	134	1.263	41	1.561	13	1.805
	女	103	1.17	0	0	5	0.932	17	1.052	42	1.161	30	1.257	9	1.272
	計	330	1.258	0	0	12	0.888	49	1.018	176	1.239	71	1.433	22	1.587
最大IMT左 mm	男	227	1.295	0	0	7	0.853	32	1.027	134	1.254	41	1.601	13	1.655
	女	103	1.219	0	0	5	0.918	17	0.985	42	1.104	30	1.409	9	1.727
	計	330	1.271	0	0	12	0.88	49	1.012	176	1.218	71	1.52	22	1.685

脳検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	183 (33.8%)	0	0	25	59	67	26	6
	女	148 (40.2%)	0	2	14	45	61	18	8
	計	331 (36.4%)	0	2	39	104	128	44	14
放置可	男	316 (58.3%)	0	0	9	49	151	77	30
	女	195 (53.0%)	0	0	4	22	86	60	23
	計	511 (56.2%)	0	0	13	71	237	137	53
要経過観察	男	25 (4.6%)	0	0	0	3	16	3	3
	女	15 (4.1%)	0	0	0	3	5	6	1
	計	40 (4.4%)	0	0	0	6	21	9	4
要精密検査	男	8 (1.5%)	0	0	0	1	6	1	0
	女	7 (1.9%)	0	0	1	0	4	2	0
	計	15 (1.6%)	0	0	1	1	10	3	0
要治療	男	1 (0.2%)	0	0	0	0	0	1	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	2 (0.2%)	0	0	0	0	0	2	0
治療中	男	9 (1.7%)	0	0	0	1	2	6	0
	女	2 (0.5%)	0	0	0	0	0	1	1
	計	11 (1.2%)	0	0	0	1	2	7	1
合計	男	542	0	0	34	113	242	114	39
	女	368	0	2	19	70	156	88	33
	計	910	0	2	53	183	398	202	72

頭部MRI検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脳萎縮	男	1 (0.2%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
無症候性脳梗塞巣	男	40 (7.4%)	0	0	0	0	15	18	7
	女	7 (1.9%)	0	0	0	0	1	3	3
	計	47 (5.2%)	0	0	0	0	16	21	10
脳内異常陰影	男	2 (0.4%)	0	0	0	0	1	1	0
	女	4 (1.1%)	0	0	0	0	3	1	0
	計	6 (0.7%)	0	0	0	0	4	2	0
中耳炎症所見	男	1 (0.2%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
副鼻腔炎	男	20 (3.7%)	0	0	0	3	15	2	0
	女	12 (3.3%)	0	0	0	3	5	3	1
	計	32 (3.5%)	0	0	0	6	20	5	1
くも膜嚢胞	男	4 (0.7%)	0	0	0	2	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.4%)	0	0	0	2	2	0	0
その他の所見	男	12 (2.2%)	0	0	0	0	6	6	0
	女	4 (1.1%)	0	0	0	0	2	1	1
	計	16 (1.8%)	0	0	0	0	8	7	1
検診者総数	男	542	0	0	34	113	242	114	39
	女	366	0	2	19	70	156	87	32
	計	908	0	2	53	183	398	201	71

頭部MRA検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脳動脈硬化	男	42 (7.7%)	0	0	0	0	11	17	14
	女	13 (3.6%)	0	0	0	0	1	3	9
	計	55 (6.1%)	0	0	0	0	12	20	23
脳動脈瘤	男	1 (0.2%)	0	0	0	0	1	0	0
	女	3 (0.8%)	0	0	0	0	1	2	0
	計	4 (0.4%)	0	0	0	0	2	2	0
内頸動脈狭窄	男	8 (1.5%)	0	0	0	0	2	2	4
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	8 (0.9%)	0	0	0	0	2	2	4
脳動脈狭窄	男	2 (0.4%)	0	0	0	0	1	0	1
	女	2 (0.5%)	0	0	1	0	0	1	0
	計	4 (0.4%)	0	0	1	0	1	1	1
脳動脈閉塞	男	1 (0.2%)	0	0	0	0	1	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0
	計	2 (0.2%)	0	0	0	0	1	1	0
内頸動脈蛇行	男	11 (2.0%)	0	0	0	0	6	4	1
	女	9 (2.5%)	0	0	0	0	0	5	4
	計	20 (2.2%)	0	0	0	0	6	9	5
脳底動脈蛇行	男	2 (0.4%)	0	0	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	2	0	0
遺残性三叉動脈	男	1 (0.2%)	0	0	0	0	1	0	0
	女	1 (0.3%)	0	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	0	2	0	0
その他の所見	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	1	0	0	0	0
	計	1 (0.1%)	0	0	1	0	0	0	0
検診者総数	男	542	0	0	34	113	242	114	39
	女	366	0	2	19	70	156	87	32
	計	908	0	2	53	183	398	201	71

大脳高次機能検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
前頭葉機能低下	男	2 (1.5%)	0	0	0	1	0	1	0
	女	1 (0.8%)	0	0	0	0	1	0	0
	計	3 (1.1%)	0	0	0	1	1	1	0
MMSE (脳の認知機能 評価の簡易検査) 低下	男	1 (0.7%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.4%)	0	0	0	0	0	1	0
検診者総数	男	137	0	0	2	19	20	63	33
	女	126	0	0	1	10	14	73	28
	計	263	0	0	3	29	34	136	61

心理検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
抑うつ状態	男	21 (15.3%)	0	0	1	8	1	6	5
	女	23 (18.3%)	0	0	0	3	6	11	3
	計	44 (16.7%)	0	0	1	11	7	17	8
検診者総数	男	137	0	0	2	19	20	63	33
	女	126	0	0	1	10	14	73	28
	計	263	0	0	3	29	34	136	61

肥満やせ判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	21,789	(54.2%)	251	2,610	3,929	3,831	3,782	3,637	3,749
	女	27,750	(67.7%)	168	2,455	3,529	4,799	5,217	6,530	5,052
	計	49,539	(61.0%)	419	5,065	7,458	8,630	8,999	10,167	8,801
放置可	男	1,509	(3.8%)	31	253	308	209	222	236	250
	女	5,199	(12.7%)	43	844	1,072	1,042	875	739	584
	計	6,708	(8.3%)	74	1,097	1,380	1,251	1,097	975	834
要経過観察	男	16,940	(42.1%)	67	800	2,452	3,624	4,025	3,617	2,355
	女	8,019	(19.6%)	23	316	620	1,132	1,504	2,372	2,052
	計	24,959	(30.7%)	90	1,116	3,072	4,756	5,529	5,989	4,407
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	40,238		349	3,663	6,689	7,664	8,029	7,490	6,354
	女	40,968		234	3,615	5,221	6,973	7,596	9,641	7,688
	計	81,206		583	7,278	11,910	14,637	15,625	17,131	14,042

身体計測の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
身長 c m	男	40,776	168.43	4,109	171.82	6,883	171.66	7,754	170.89	8,145	169.06	7,530	165.74	6,355	162.1
	女	41,034	154.68	3,864	158.37	5,256	158.47	6,989	158	7,596	155.82	9,641	152.53	7,688	148.79
	計	81,810	161.53	7,973	165.3	12,139	165.95	14,743	164.78	15,741	162.67	17,171	158.32	14,043	154.82
体重 k g	男	41,003	67.38	4,149	67.36	6,956	70.18	7,804	70.87	8,187	68.73	7,550	64.87	6,357	61.3
	女	41,104	52.83	3,871	52.07	5,279	53.4	7,003	54.51	7,616	54.02	9,647	52.53	7,688	50.48
	計	82,107	60.1	8,020	59.98	12,235	62.94	14,807	63.13	15,803	61.64	17,197	57.95	14,045	55.38
BMI (体格指数)	男	40,775	23.72	4,109	22.81	6,883	23.81	7,754	24.25	8,144	24.03	7,530	23.59	6,355	23.29
	女	41,034	22.09	3,864	20.74	5,256	21.26	6,989	21.83	7,596	22.25	9,641	22.57	7,688	22.78
	計	81,809	22.9	7,973	21.81	12,139	22.7	14,743	23.11	15,740	23.17	17,171	23.02	14,043	23.01
体脂肪率 %	男	3,987	21.99	262	19.41	764	22.15	1,082	22.6	1,286	22.26	520	21.44	73	19.82
	女	3,620	27.09	439	25.73	783	26.44	1,107	26.9	930	28.03	324	28.4	37	27.84
	計	7,607	24.42	701	23.37	1,547	24.32	2,189	24.77	2,216	24.68	844	24.11	110	22.52
腹囲 c m	男	32,128	84.36	1,504	78.89	4,918	83.06	7,467	84.87	7,763	85.25	7,303	84.72	3,173	84.78
	女	31,745	79.65	1,030	71.94	3,363	74.86	6,629	77.05	7,389	79.74	9,561	82.15	3,773	84.1
	計	63,873	82.02	2,534	76.07	8,281	79.73	14,096	81.19	15,152	82.56	16,864	83.26	6,946	84.41

特定健診判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
該当	男	18,254 (56.3%)	39	793	2,687	4,633	4,330	4,064	1,708
	女	24,676 (76.2%)	13	334	2,101	5,551	6,015	7,757	2,905
	計	42,930 (66.3%)	52	1,127	4,788	10,184	10,345	11,821	4,613
予備群 該当	男	5,136 (15.8%)	2	66	559	1,267	1,311	1,289	642
	女	1,649 (5.1%)	0	3	44	191	349	671	391
	計	6,785 (10.5%)	2	69	603	1,458	1,660	1,960	1,033
非該当	男	5,394 (16.6%)	0	18	304	1,005	1,641	1,658	768
	女	1,594 (4.9%)	0	0	12	107	300	739	436
	計	6,988 (10.8%)	0	18	316	1,112	1,941	2,397	1,204
判定不能	男	3,626 (11.2%)	0	64	62	56	64	134	3,246
	女	4,463 (13.8%)	2	172	187	103	49	33	3,917
	計	8,089 (12.5%)	2	236	249	159	113	167	7,163
合計	男	32,410	41	941	3,612	6,961	7,346	7,145	6,364
	女	32,382	15	509	2,344	5,952	6,713	9,200	7,649
	計	64,792	56	1,450	5,956	12,913	14,059	16,345	14,013

体力測定 of 性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
全身反応時間 m秒	男	693	318.7	210	300	138	333.4	199	323	122	324.4	21	335.8	3	323
	女	270	350.2	76	305.3	59	384.6	69	357.5	47	344.5	14	424.8	5	371.6
	計	963	327.6	286	301.4	197	348.7	268	331.9	169	330	35	371.4	8	353.4
立位体前屈 cm	男	690	4.53	210	10.14	138	3.31	198	1.43	120	1.56	21	3.07	3	1.17
	女	270	9.08	76	14.02	59	6.25	69	6.22	47	8.51	14	10.43	5	8.2
	計	960	5.81	286	11.17	197	4.19	267	2.67	167	3.51	35	6.01	8	5.56
上体おこし 回	男	684	22.6	208	27.5	138	23.3	195	19.6	120	19.4	21	15.3	2	15.5
	女	267	15.8	76	28.2	59	12.1	67	12.2	46	10.4	14	3.2	5	2.4
	計	951	20.7	284	27.7	197	19.9	262	17.7	166	16.9	35	10.5	7	6.1
閉眼片足立ち 秒	男	521	55.2	38	95.7	138	75.4	199	48.8	122	37.7	21	18.4	3	7
	女	195	50.8	2	27.5	59	69.8	68	55.7	47	36.5	14	10.7	5	13.8
	計	716	54	40	92.3	197	73.7	267	50.6	169	37.4	35	15.3	8	11.3
最大酸素摂取量 ml/分/kg	男	517	36.11	38	43.45	138	39.04	198	35.01	120	32.97	21	32.27	2	32.65
	女	192	31.74	2	27.75	59	36.22	67	31.52	46	29.21	13	24.75	5	25.08
	計	709	34.93	40	42.67	197	38.19	265	34.12	166	31.93	34	29.39	7	27.24

VDT 健診管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	2,891 (74.4%)	6	295	739	1,055	703	93	0
	女	981 (74.4%)	5	217	349	274	121	15	0
	計	3,872 (74.4%)	11	512	1,088	1,329	824	108	0
要経過観察	男	743 (19.1%)	0	49	115	213	311	55	0
	女	247 (18.7%)	0	35	70	71	64	7	0
	計	990 (19.0%)	0	84	185	284	375	62	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	1	0	0	0	0
	計	1 (0.0%)	0	0	1	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	193 (5.0%)	0	9	34	70	70	10	0
	女	70 (5.3%)	0	9	26	22	13	0	0
	計	263 (5.1%)	0	18	60	92	83	10	0
要二次検査	男	61 (1.6%)	1	8	10	13	24	5	0
	女	19 (1.4%)	0	5	2	6	4	2	0
	計	80 (1.5%)	1	13	12	19	28	7	0
合計	男	3,888	7	361	898	1,351	1,108	163	0
	女	1,318	5	266	448	373	202	24	0
	計	5,206	12	627	1,346	1,724	1,310	187	0

特定化学物質管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	280 (95.9%)	3	54	97	65	42	19	0
	女	210 (98.1%)	0	40	82	38	43	7	0
	計	490 (96.8%)	3	94	179	103	85	26	0
要経過観察	男	11 (3.8%)	0	2	2	4	3	0	0
	女	4 (1.9%)	0	1	0	2	1	0	0
	計	15 (3.0%)	0	3	2	6	4	0	0
二次検査後要経過観察	男	1 (0.3%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	1	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	292	3	56	99	69	46	19	0
	女	214	0	41	82	40	44	7	0
	計	506	3	97	181	109	90	26	0

騒音・高気圧業務健診管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	289 (69.8%)	7	75	107	44	45	11	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	289 (69.8%)	7	75	107	44	45	11	0
要経過観察	男	124 (30.0%)	0	5	19	6	68	26	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	124 (30.0%)	0	5	19	6	68	26	0
二次検査後要経過観察	男	1 (0.2%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	1	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	414	7	80	126	50	114	37	0
	女	0	0	0	0	0	0	0	0
	計	414	7	80	126	50	114	37	0

電離放射線健診管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	112 (92.6%)	0	38	45	19	9	1	0
	女	4 (100.0%)	0	0	0	2	2	0	0
	計	116 (92.8%)	0	38	45	21	11	1	0
要経過観察	男	8 (6.6%)	0	1	2	2	3	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	8 (6.4%)	0	1	2	2	3	0	0
二次検査後要経過観察	男	1 (0.8%)	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.8%)	0	1	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	121	0	40	47	21	12	1	0
	女	4	0	0	0	2	2	0	0
	計	125	0	40	47	23	14	1	0

有機溶剤健診管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	646 (89.7%)	5	112	192	164	121	49	3
	女	156 (92.9%)	0	29	50	26	38	13	0
	計	802 (90.3%)	5	141	242	190	159	62	3
要経過観察	男	63 (8.8%)	1	8	15	17	18	3	1
	女	10 (6.0%)	0	1	2	2	4	1	0
	計	73 (8.2%)	1	9	17	19	22	4	1
二次検査後要経過観察	男	2 (0.3%)	0	1	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	1	0	0	0	0	1
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	8 (1.1%)	0	0	2	2	4	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	8 (0.9%)	0	0	2	2	4	0	0
要二次検査	男	1 (0.1%)	0	0	0	1	0	0	0
	女	2 (1.2%)	0	0	0	2	0	0	0
	計	3 (0.3%)	0	0	0	3	0	0	0
合計	男	720	6	121	209	184	143	52	5
	女	168	0	30	52	30	42	14	0
	計	888	6	151	261	214	185	66	5

じん肺・アスベスト健診管理区分

判定	総数	年齢区分							
		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	352 (94.1%)	8	33	76	48	129	54	4
	女	17 (100.0%)	0	1	2	4	7	3	0
	計	369 (94.4%)	8	34	78	52	136	57	4
要経過観察	男	17 (4.5%)	0	0	1	0	11	4	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	17 (4.3%)	0	0	1	0	11	4	1
二次検査後要経過観察	男	3 (0.8%)	0	0	0	0	3	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.8%)	0	0	0	0	3	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (

精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	放置可	経過観察	治療中	要治療
胸部検査	777	614	79	274 (44.6%)	169 (27.5%)	136 (22.1%)	11 (1.8%)	24 (3.9%)
上部消化管	1,014	741	73.1	69 (9.3%)	347 (46.8%)	188 (25.4%)	6 (0.8%)	131 (17.7%)
心電図	221	147	66.5	24 (16.3%)	38 (25.9%)	38 (25.9%)	13 (8.8%)	34 (23.1%)
腹部超音波	545	394	72.3	30 (7.6%)	130 (33.0%)	202 (51.3%)	6 (1.5%)	26 (6.6%)
眼底検査	387	278	71.8	64 (23.0%)	67 (24.1%)	93 (33.5%)	10 (3.6%)	44 (15.8%)
肺機能	15	11	73.3	2 (18.2%)	1 (9.1%)	2 (18.2%)	1 (9.1%)	5 (45.5%)
聴力検査	2	1	50	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (100.0%)	0 (0.0%)
血圧	3,044	534	17.5	22 (4.1%)	34 (6.4%)	161 (30.1%)	13 (2.4%)	304 (56.9%)
内科診察	183	115	62.8	26 (22.6%)	20 (17.4%)	35 (30.4%)	4 (3.5%)	30 (26.1%)
大腸検査	9	7	77.8	4 (57.1%)	3 (42.9%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
乳房検査	864	773	89.5	326 (42.2%)	238 (30.8%)	177 (22.9%)	7 (0.9%)	25 (3.2%)
婦人科検査	446	365	81.8	14 (3.8%)	33 (9.0%)	250 (68.5%)	4 (1.1%)	64 (17.5%)
便潜血	1,181	698	59.1	206 (29.5%)	158 (22.6%)	150 (21.5%)	3 (0.4%)	181 (25.9%)
脂質	5,428	1,653	30.5	76 (4.6%)	94 (5.7%)	630 (38.1%)	81 (4.9%)	772 (46.7%)
糖尿病	1,788	493	27.6	26 (5.3%)	7 (1.4%)	155 (31.4%)	65 (13.2%)	240 (48.7%)
痛風	891	498	55.9	33 (6.6%)	19 (3.8%)	176 (35.3%)	39 (7.8%)	231 (46.4%)
肝機能・血清蛋白	1,807	1,001	55.4	78 (7.8%)	161 (16.1%)	569 (56.8%)	73 (7.3%)	120 (12.0%)
貧血・血球数	755	390	51.7	24 (6.2%)	36 (9.2%)	77 (19.7%)	20 (5.1%)	233 (59.7%)
炎症反応	1	1	100	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)
腎機能	1,190	290	24.4	45 (15.5%)	39 (13.4%)	121 (41.7%)	52 (17.9%)	33 (11.4%)
膵機能	44	36	81.8	17 (47.2%)	7 (19.4%)	11 (30.6%)	0 (0.0%)	1 (2.8%)
電解質	2	1	50	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (100.0%)
その他の血液検査	122	76	62.3	22 (28.9%)	14 (18.4%)	31 (40.8%)	3 (3.9%)	6 (7.9%)
前立腺検査	491	301	61.3	7 (2.3%)	33 (11.0%)	193 (64.1%)	6 (2.0%)	62 (20.6%)
骨密度	68	41	60.3	6 (14.6%)	7 (17.1%)	10 (24.4%)	2 (4.9%)	16 (39.0%)
動脈硬化検査	31	25	80.6	5 (20.0%)	5 (20.0%)	7 (28.0%)	4 (16.0%)	4 (16.0%)
脳検査	17	14	82.4	1 (7.1%)	4 (28.6%)	5 (35.7%)	0 (0.0%)	4 (28.6%)

大分市民を対象とした健診

市民健診総合判定結果（平成23年度）

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-74歳	75-79歳	80歳以上	
	男	女								
異常なし	男	205	(1.8%)	6	27	20	59	40	34	19
	女	840	(4.4%)	93	238	162	214	68	46	19
	計	1,045	(3.4%)	99	265	182	273	108	80	38
放置可	男	450	(4.0%)	8	55	38	166	82	61	40
	女	1,893	(9.9%)	172	390	388	619	166	114	44
	計	2,343	(7.7%)	180	445	426	785	248	175	84
要経過観察	男	3,808	(34.2%)	40	235	282	1,444	924	527	356
	女	6,828	(35.5%)	107	497	1,116	2,949	1,146	645	368
	計	10,636	(35.0%)	147	732	1,398	4,393	2,070	1,172	724
要精密検査	男	1,291	(11.6%)	9	83	111	462	314	170	142
	女	1,644	(8.6%)	8	98	247	699	297	158	137
	計	2,935	(9.7%)	17	181	358	1,161	611	328	279
要治療	男	480	(4.3%)	7	41	46	199	93	53	41
	女	692	(3.6%)	5	27	125	327	111	50	47
	計	1,172	(3.9%)	12	68	171	526	204	103	88
治療中	男	4,901	(44.0%)	1	34	152	1,626	1,402	947	739
	女	7,316	(38.1%)	4	49	423	2,798	1,791	1,286	965
	計	12,217	(40.3%)	5	83	575	4,424	3,193	2,233	1,704
合計	男	11,135		71	475	649	3,956	2,855	1,792	1,337
	女	19,213		389	1,299	2,461	7,606	3,579	2,299	1,580
	計	30,348		460	1,774	3,110	11,562	6,434	4,091	2,917

市民健診メタボ判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳	
	男	女					
非該当	男	4,525	(57.4%)	319	393	2,277	1,536
	女	12,586	(84.7%)	1,225	2,232	6,392	2,737
	計	17,111	(75.2%)	1,544	2,625	8,669	4,273
該当	男	1,527	(19.4%)	88	110	754	575
	女	1,117	(7.5%)	43	122	573	379
	計	2,644	(11.6%)	131	232	1,327	954
予備群	男	1,819	(23.1%)	67	143	905	704
	女	1,134	(7.6%)	24	96	599	415
	計	2,953	(13.0%)	91	239	1,504	1,119
判定不能	男	9	(0.1%)	0	0	4	5
	女	31	(0.2%)	2	1	17	11
	計	40	(0.2%)	2	1	21	16
合計	男	7,880		474	646	3,940	2,820
	女	14,868		1,294	2,451	7,581	3,542
	計	22,748		1,768	3,097	11,521	6,362

市民健診肥満判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	6,046	(54.3%)	37	231	304	1,903	2,574	997
	女	13,098	(68.2%)	284	932	1,774	5,209	3,806	1,093
	計	19,144	(63.1%)	321	1,163	2,078	7,112	6,380	2,090
放置可	男	397	(3.6%)	2	20	16	118	157	84
	女	1,605	(8.4%)	58	183	264	535	401	164
	計	2,002	(6.6%)	60	203	280	653	558	248
要経過観察	男	4,692	(42.1%)	32	224	329	1,935	1,916	256
	女	4,510	(23.5%)	47	184	423	1,862	1,671	323
	計	9,202	(30.3%)	79	408	752	3,797	3,587	579
要精密検査	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
合計	男	11,135		71	475	649	3,956	4,647	1,337
	女	19,213		389	1,299	2,461	7,606	5,878	1,580
	計	30,348		460	1,774	3,110	11,562	10,525	2,917

市民健診身体計測の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 c m	男	11,135	163.82	71	171.2	475	169.84	649	167.99	3,956	165.02	4,647	162.69	1,337	159.65
	女	19,213	151.75	389	157.83	1,299	157.77	2,461	155.09	7,606	152.3	5,878	149.53	1,580	145.77
	計	30,348	156.18	460	159.9	1,774	161	3,110	157.78	11,562	156.65	10,525	155.34	2,917	152.13
体重 k g	男	11,135	63.12	71	71.36	475	69.14	649	67.6	3,956	64.4	4,647	62.26	1,337	57.62
	女	19,213	51.77	389	53.34	1,299	53.82	2,461	52.91	7,606	52.27	5,878	51.21	1,580	47.59
	計	30,348	55.94	460	56.12	1,774	57.92	3,110	55.98	11,562	56.42	10,525	56.09	2,917	52.18
BMI (体格指数)	男	11,135	23.48	71	24.33	475	23.94	649	23.94	3,956	23.62	4,647	23.49	1,337	22.58
	女	19,213	22.48	389	21.41	1,299	21.62	2,461	22	7,606	22.53	5,878	22.9	1,580	22.37
	計	30,348	22.85	460	21.86	1,774	22.24	3,110	22.41	11,562	22.9	10,525	23.16	2,917	22.47
腹囲 c m	男	7,969	84.66	71	83.03	475	84.29	649	85.06	3,947	84.61	2,827	84.73	0	0
	女	15,297	81.53	389	75.71	1,299	76.81	2,461	79.39	7,596	82.12	3,552	84.12	0	0
	計	23,266	82.6	460	76.84	1,774	78.81	3,110	80.57	11,543	82.97	6,379	84.39	0	0

市民健診血圧判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	2,602	(23.4%)	54	291	250	1,048	806	153
	女	7,130	(37.1%)	357	1,028	1,365	2,871	1,314	195
	計	9,732	(32.1%)	411	1,319	1,615	3,919	2,120	348
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要経過観察	男	3,689	(33.1%)	14	136	243	1,348	1,549	399
	女	5,788	(30.1%)	30	216	747	2,528	1,856	411
	計	9,477	(31.2%)	44	352	990	3,876	3,405	810
要精密検査	男	744	(6.7%)	1	21	41	232	341	108
	女	854	(4.4%)	0	20	90	326	307	111
	計	1,598	(5.3%)	1	41	131	558	648	219
要治療	男	177	(1.6%)	2	6	8	72	65	24
	女	204	(1.1%)	0	5	19	69	81	30
	計	381	(1.3%)	2	11	27	141	146	54
治療中	男	3,922	(35.2%)	0	21	106	1,256	1,886	653
	女	5,235	(27.3%)	2	30	240	1,810	2,320	833
	計	9,157	(30.2%)	2	51	346	3,066	4,206	1,486
合計	男	11,134		71	475	648	3,956	4,647	1,337
	女	19,211		389	1,299	2,461	7,604	5,878	1,580
	計	30,345		460	1,774	3,109	11,560	10,525	2,917

市民健診血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時血圧 最大 mmHg	男	11,134	139.4	71	125.4	475	125.8	648	133.3	3,956	137.9	4,647	141.7	1,337	144
	女	19,211	133.1	389	111.3	1,299	116.9	2,461	126.7	7,604	132.6	5,878	138.5	1,580	143.7
	計	30,345	135.4	460	113.5	1,774	119.3	3,109	128.1	11,560	134.4	10,525	139.9	2,917	143.8
安静時血圧 最小 mmHg	男	11,134	77.2	71	76.8	475	77.3	648	80.7	3,956	78.7	4,647	76.5	1,337	73.5
	女	19,211	73.4	389	68.5	1,299	70.5	2,461	74.4	7,604	74.3	5,878	73.2	1,580	72.2
	計	30,345	74.8	460	69.8	1,774	72.3	3,109	75.7	11,560	75.8	10,525	74.6	2,917	72.8

市民健診肝機能検査判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
	男	女							
異常なし	男	6,901	(62.1%)	33	244	358	2,330	2,961	975
	女	15,739	(82.1%)	372	1,167	1,991	6,161	4,767	1,281
	計	22,640	(74.8%)	405	1,411	2,349	8,491	7,728	2,256
放置可	男	2,153	(19.4%)	12	99	138	808	901	195
	女	2,097	(10.9%)	14	72	288	874	660	189
	計	4,250	(14.0%)	26	171	426	1,682	1,561	384
要経過観察	男	1,325	(11.9%)	19	66	88	518	515	119
	女	859	(4.5%)	1	35	122	355	284	62
	計	2,184	(7.2%)	20	101	210	873	799	181
要精密検査	男	487	(4.4%)	6	50	57	206	145	23
	女	221	(1.2%)	1	17	35	109	47	12
	計	708	(2.3%)	7	67	92	315	192	35
要治療	男	56	(0.5%)	1	10	3	28	11	3
	女	46	(0.2%)	1	4	13	16	7	5
	計	102	(0.3%)	2	14	16	44	18	8
治療中	男	191	(1.7%)	0	5	5	64	99	18
	女	206	(1.1%)	0	4	11	75	91	25
	計	397	(1.3%)	0	9	16	139	190	43
合計	男	11,113		71	474	649	3,954	4,632	1,333
	女	19,168		389	1,299	2,460	7,590	5,856	1,574
	計	30,281		460	1,773	3,109	11,544	10,488	2,907

市民健診肝機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
GOT IU/l	男	11,113	27	71	26.7	474	30.3	649	25.6	3,954	26.9	4,632	27.2	1,333	26.5
	女	19,168	24.3	389	18.9	1,299	20.2	2,460	23.5	7,590	24.5	5,856	25.4	1,574	25.7
	計	30,281	25.3	460	20.1	1,773	22.9	3,109	24	11,544	25.3	10,488	26.2	2,907	26.1
GPT IU/l	男	11,113	23.5	71	33.2	474	34.1	649	26.3	3,954	24.6	4,632	22.2	1,333	18.9
	女	19,168	19.1	389	15.1	1,299	16.7	2,460	20.4	7,590	19.9	5,856	18.8	1,574	16.8
	計	30,281	20.7	460	17.9	1,773	21.3	3,109	21.6	11,544	21.5	10,488	20.3	2,907	17.8
γ-GTP IU/l	男	11,113	43.9	71	54.1	474	56	649	57.6	3,954	47.9	4,632	40.9	1,333	31.1
	女	19,168	23.8	389	17.5	1,299	21.2	2,460	27	7,590	25.1	5,856	22.4	1,574	21.1
	計	30,281	31.2	460	23.2	1,773	30.5	3,109	33.4	11,544	32.9	10,488	30.6	2,907	25.7

市民健診腎機能検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	異常なし	男	9,313	(83.7%)	66	447	585	3,464	3,794
女		17,042	(88.7%)	375	1,244	2,334	7,010	4,965	1,114
計		26,355	(86.9%)	441	1,691	2,919	10,474	8,759	2,071
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	10	(0.1%)	3	5	2	0	0	0
	計	10	(0.0%)	3	5	2	0	0	0
要経過観察	男	1,253	(11.3%)	4	22	46	350	584	247
	女	1,839	(9.6%)	9	41	108	525	778	378
	計	3,092	(10.2%)	13	63	154	875	1,362	625
要精密検査	男	427	(3.8%)	1	5	12	100	201	108
	女	243	(1.3%)	1	7	9	55	103	68
	計	670	(2.2%)	2	12	21	155	304	176
要治療	男	24	(0.2%)	0	0	0	4	11	9
	女	5	(0.0%)	0	0	1	0	1	3
	計	29	(0.1%)	0	0	1	4	12	12
治療中	男	115	(1.0%)	0	1	6	38	55	15
	女	71	(0.4%)	1	2	7	14	30	17
	計	186	(0.6%)	1	3	13	52	85	32
合計	男	11,132		71	475	649	3,956	4,645	1,336
	女	19,210		389	1,299	2,461	7,604	5,877	1,580
	計	30,342		460	1,774	3,110	11,560	10,522	2,916

市民健診腎機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	クレアチニン mg/dl	男	11,113	0.912	71	0.833	474	0.835	649	0.855	3,954	0.884	4,632	0.928	1,333
女		19,168	0.664	389	0.615	1,299	0.628	2,460	0.637	7,590	0.652	5,856	0.681	1,574	0.739
計		30,281	0.755	460	0.649	1,773	0.684	3,109	0.682	11,544	0.731	10,488	0.790	2,907	0.855

市民健診尿検査の性年齢別陽性・有所見率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	11,021	871	7.9	71	5	7	472	21	4.4	647	43	6.6	3,927	246	6.3	4,589	384	8.4	1,315	172	13.1
	女	19,075	508	2.7	387	9	2.3	1,293	15	1.2	2,453	39	1.6	7,570	142	1.9	5,827	204	3.5	1,545	99	6.4
	計	30,096	1,379	4.6	458	14	3.1	1,765	36	2	3,100	82	2.6	11,497	388	3.4	10,416	588	5.6	2,860	271	9.5

陽性率%

市民健診脂質検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	3,075	(27.7%)	13	98	143	962	1,313	546
	女	4,139	(21.6%)	157	465	514	1,258	1,288	457
	計	7,214	(23.8%)	170	563	657	2,220	2,601	1,003
放置可	男	2,478	(22.3%)	14	101	150	834	1,058	321
	女	4,484	(23.4%)	170	466	640	1,555	1,297	356
	計	6,962	(23.0%)	184	567	790	2,389	2,355	677
要経過観察	男	4,046	(36.4%)	35	196	250	1,540	1,653	372
	女	6,281	(32.8%)	53	304	868	2,719	1,855	482
	計	10,327	(34.1%)	88	500	1,118	4,259	3,508	854
要精密検査	男	558	(5.0%)	6	48	53	227	198	26
	女	970	(5.1%)	4	38	170	486	225	47
	計	1,528	(5.0%)	10	86	223	713	423	73
要治療	男	180	(1.6%)	3	24	25	74	46	8
	女	452	(2.4%)	4	13	84	241	96	14
	計	632	(2.1%)	7	37	109	315	142	22
治療中	男	776	(7.0%)	0	7	28	317	364	60
	女	2,842	(14.8%)	1	13	184	1,331	1,095	218
	計	3,618	(11.9%)	1	20	212	1,648	1,459	278
合計	男	11,113		71	474	649	3,954	4,632	1,333
	女	19,168		389	1,299	2,460	7,590	5,856	1,574
	計	30,281		460	1,773	3,109	11,544	10,488	2,907

市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂肪 mg/dl	男	11,113	128.9	71	159	474	161.5	649	146.9	3,954	133.5	4,632	124.4	1,333	109.1
	女	19,168	109.1	389	74.5	1,299	87.3	2,460	104.6	7,590	111.7	5,856	113.8	1,574	112.2
	計	30,281	116.3	460	87.5	1,773	107.1	3,109	113.5	11,544	119.2	10,488	118.5	2,907	110.8
HDLコレステロール mg/dl	男	11,113	57.1	71	57.5	474	56.7	649	59.4	3,954	57.3	4,632	56.8	1,333	56.3
	女	19,168	66.2	389	69.5	1,299	69.7	2,460	70.5	7,590	66.5	5,856	64.1	1,574	62.4
	計	30,281	62.9	460	67.7	1,773	66.2	3,109	68.2	11,544	63.3	10,488	60.9	2,907	59.6
LDLコレステロール mg/dl	男	11,113	123.5	71	130.5	474	132.1	649	129.3	3,954	126.2	4,632	121.8	1,333	115.3
	女	19,168	131.5	389	108.7	1,299	118.5	2,460	136.8	7,590	136.7	5,856	128.9	1,574	124
	計	30,281	128.6	460	112.1	1,773	122.1	3,109	135.2	11,544	133.1	10,488	125.8	2,907	120

市民健診糖尿病判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	5,869	(52.7%)	60	362	378	2,090	2,336	643
	女	13,031	(67.8%)	356	1,172	1,873	5,139	3,615	876
	計	18,900	(62.3%)	416	1,534	2,251	7,229	5,951	1,519
放置可	男	2,442	(21.9%)	6	66	126	865	1,057	322
	女	3,479	(18.1%)	29	89	366	1,374	1,221	400
	計	5,921	(19.5%)	35	155	492	2,239	2,278	722
要経過観察	男	1,233	(11.1%)	2	27	66	421	534	183
	女	1,386	(7.2%)	3	26	125	560	517	155
	計	2,619	(8.6%)	5	53	191	981	1,051	338
要精密検査	男	281	(2.5%)	1	5	26	97	111	41
	女	270	(1.4%)	1	6	26	98	95	44
	計	551	(1.8%)	2	11	52	195	206	85
要治療	男	206	(1.9%)	1	9	15	84	79	18
	女	124	(0.6%)	0	4	17	57	32	14
	計	330	(1.1%)	1	13	32	141	111	32
治療中	男	1,101	(9.9%)	1	6	38	399	528	129
	女	920	(4.8%)	0	2	54	376	397	91
	計	2,021	(6.7%)	1	8	92	775	925	220
合計	男	11,132		71	475	649	3,956	4,645	1,336
	女	19,210		389	1,299	2,461	7,604	5,877	1,580
	計	30,342		460	1,774	3,110	11,560	10,522	2,916

市民健診糖尿病検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上															
	男	女	男	女	男	女	男	女	男	女	男	女	男	女														
血糖 mg/dl	11,112	19,168	103.5	97.6	71	389	94.6	89.4	474	1,299	96.2	90.4	649	2,460	102.5	95.1	3,953	7,590	103.4	97.5	4,632	5,856	104	99.9	1,333	1,574	105.3	101.7
	計	30,280	99.8	90.2	460	1,773	91.9	91.9	3,109	96.6	11,543	99.5	104,488	101.7	2,907	103.3												
	ヘモグロビンA1c %	1,678	2,204	5.339	5.292	12	62	4.983	4.915	128	142	5.107	4.984	243	390	5.266	5.275	697	998	5.367	5.332	448	448	5.401	5.355	150	164	5.373
計	3,882	5,313	5.313	5.313	74	270	4.926	5.042	633	5,271	1,695	5,347	896	5,378	314	5,351												

市民健診尿糖の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	11,021	413	3.7	71	2	2.8	472	11	2.3	647	28	4.3	3,927	157	4	4,589	173	3.8	1,315	42	3.2
	女	19,075	157	0.8	387	1	0.3	1,293	5	0.4	2,453	11	0.4	7,570	60	0.8	5,827	58	1	1,545	22	1.4
	計	30,096	570	1.9	458	3	0.7	1,765	16	0.9	3,100	39	1.3	11,497	217	1.9	10,416	231	2.2	2,860	64	2.2

陽性率%

市民健診貧血・血球数判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳
	男	女	計					
異常なし	男	94	(68.6%)	1	17	13	38	25
	女	1,025	(81.3%)	33	130	235	497	130
	計	1,119	(80.0%)	34	147	248	535	155
放置可	男	8	(5.8%)	0	0	0	6	2
	女	68	(5.4%)	0	12	21	31	4
	計	76	(5.4%)	0	12	21	37	6
要経過観察	男	26	(19.0%)	0	0	1	16	9
	女	110	(8.7%)	7	39	31	22	11
	計	136	(9.7%)	7	39	32	38	20
要精密検査	男	6	(4.4%)	0	0	1	4	1
	女	42	(3.3%)	1	29	5	4	3
	計	48	(3.4%)	1	29	6	8	4
要治療	男	2	(1.5%)	0	0	0	2	0
	女	11	(0.9%)	0	4	7	0	0
	計	13	(0.9%)	0	4	7	2	0
治療中	男	1	(0.7%)	0	0	1	0	0
	女	5	(0.4%)	0	5	0	0	0
	計	6	(0.4%)	0	5	1	0	0
合計	男	137		1	17	16	66	37
	女	1,261		41	219	299	554	148
	計	1,398		42	236	315	620	185

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-74歳	
	男	女	男	女	男	女	男	女	男	女	男	女
赤血球数 万/μl	137	464.6	1	545.0	17	504.9	16	481.3	66	454.2	37	455.4
	1,261	438.5	41	436.5	219	439.4	299	445.3	554	438.7	148	423.0
	1,398	441.0	42	439.1	236	444.2	315	447.1	620	440.3	185	429.5
ヘモグロビン g/dl	137	14.44	1	17.00	17	15.66	16	14.71	66	14.09	37	14.32
	1,261	12.85	41	12.42	219	11.89	299	12.96	554	13.21	148	12.85
	1,398	13.01	42	12.53	236	12.16	315	13.05	620	13.30	185	13.15
ヘマトクリット %	137	42.81	1	50.10	17	45.71	16	43.40	66	42.04	37	42.40
	1,261	39.17	41	38.06	219	36.93	299	39.47	554	40.02	148	38.96
	1,398	39.52	42	38.34	236	37.57	315	39.67	620	40.24	185	39.65

市民健診心電図判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-74歳
	異常なし	男	114 (63.0%)	0	6	7	60
女		63 (77.8%)	0	3	2	35	23
計		177 (67.6%)	0	9	9	95	64
放置可	男	13 (7.2%)	0	0	2	5	6
	女	6 (7.4%)	0	0	0	3	3
	計	19 (7.3%)	0	0	2	8	9
要経過観察	男	37 (20.4%)	0	0	3	20	14
	女	10 (12.3%)	0	0	0	6	4
	計	47 (17.9%)	0	0	3	26	18
要精密検査	男	4 (2.2%)	0	0	1	1	2
	女	0 (0.0%)	0	0	0	0	0
	計	4 (1.5%)	0	0	1	1	2
要治療	男	3 (1.7%)	0	0	0	2	1
	女	0 (0.0%)	0	0	0	0	0
	計	3 (1.1%)	0	0	0	2	1
治療中	男	10 (5.5%)	0	0	0	5	5
	女	2 (2.5%)	0	0	0	0	2
	計	12 (4.6%)	0	0	0	5	7
合計	男	181	0	6	13	93	69
	女	81	0	3	2	44	32
	計	262	0	9	15	137	101

市民健診安静心電図検査所見

所見	総数						所見	総数							
	男	女	計	35-39歳	40-49歳	50-59歳		60-69歳	70-74歳	男	女	計	35-39歳	40-49歳	50-59歳
洞性徐脈	男	8 (4.4%)	0	0	2	3	心房細動	男	6 (3.3%)	0	0	0	4	2	
	女	1 (1.2%)	0	0	0	0		1	女	0 (0.0%)	0	0	0	0	0
	計	9 (3.4%)	0	0	2	3		4	計	6 (2.3%)	0	0	0	4	2
洞性頻脈	男	1 (0.6%)	0	0	0	1	心房粗動	男	1 (0.6%)	0	0	0	1	0	
	女	1 (1.2%)	0	0	0	1		0	女	0 (0.0%)	0	0	0	0	0
	計	2 (0.8%)	0	0	0	2		0	計	1 (0.4%)	0	0	0	1	0
洞性不整脈	男	0 (0.0%)	0	0	0	0	左室肥大	男	3 (1.7%)	0	0	0	3	0	
	女	2 (2.5%)	0	0	0	2		0	女	1 (1.2%)	0	0	0	0	1
	計	2 (0.8%)	0	0	0	2		0	計	4 (1.5%)	0	0	0	3	1
左軸偏位	男	3 (1.7%)	0	0	0	0	左室肥大疑い	男	3 (1.7%)	0	0	2	1	0	
	女	0 (0.0%)	0	0	0	0		0	女	0 (0.0%)	0	0	0	0	0
	計	3 (1.1%)	0	0	0	0		3	計	3 (1.1%)	0	0	2	1	0
第一度房室ブロック	男	11 (6.1%)	0	0	1	4	陳旧性心筋梗塞	男	0 (0.0%)	0	0	0	0	0	
	女	2 (2.5%)	0	0	0	1		1	女	1 (1.2%)	0	0	0	1	0
	計	13 (5.0%)	0	0	1	5		7	計	1 (0.4%)	0	0	0	1	0
PQ短縮	男	1 (0.6%)	0	0	0	1	心筋障害疑い	男	0 (0.0%)	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0		0	女	2 (2.5%)	0	0	0	2	0
	計	1 (0.4%)	0	0	0	1		0	計	2 (0.8%)	0	0	0	2	0
不完全右脚ブロック	男	6 (3.3%)	0	0	1	3	異常Q波の疑い	男	4 (2.2%)	0	0	0	2	2	
	女	1 (1.2%)	0	0	0	1		0	女	1 (1.2%)	0	0	0	1	0
	計	7 (2.7%)	0	0	1	4		2	計	5 (1.9%)	0	0	0	3	2
完全右脚ブロック	男	9 (5.0%)	0	0	1	5	陰性T波	男	7 (3.9%)	0	0	0	5	2	
	女	1 (1.2%)	0	0	0	0		1	女	3 (3.7%)	0	0	0	2	1
	計	10 (3.8%)	0	0	1	5		4	計	10 (3.8%)	0	0	0	7	3
上室性期外収縮	男	1 (0.6%)	0	0	0	1	T波平低化	男	8 (4.4%)	0	0	0	4	4	
	女	1 (1.2%)	0	0	0	0		1	女	2 (2.5%)	0	0	0	0	2
	計	2 (0.8%)	0	0	0	1		1	計	10 (3.8%)	0	0	0	4	6
心室性期外収縮	男	4 (2.2%)	0	0	1	0	QT延長	男	2 (1.1%)	0	0	0	2	0	
	女	0 (0.0%)	0	0	0	0		0	女	0 (0.0%)	0	0	0	0	0
	計	4 (1.5%)	0	0	1	0		3	計	2 (0.8%)	0	0	0	2	0
心房細動	男	6 (3.3%)	0	0	0	4	検診者総数	男	181	0	6	13	93	69	
	女	0 (0.0%)	0	0	0	0		0	女	81	0	3	2	44	32
	計	6 (2.3%)	0	0	0	4		2	計	262	0	9	15	137	101

市民健診眼底検査判定結果

判 定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-74歳
	男	女					
異常なし	男	86 (50.0%)	0	3	6	44	33
	女	47 (56.6%)	0	4	1	26	16
	計	133 (52.2%)	0	7	7	70	49
放置可	男	39 (22.7%)	0	3	4	17	15
	女	15 (18.1%)	0	0	1	10	4
	計	54 (21.2%)	0	3	5	27	19
要経過観察	男	31 (18.0%)	0	0	3	17	11
	女	17 (20.5%)	0	0	0	11	6
	計	48 (18.8%)	0	0	3	28	17
要精密検査	男	16 (9.3%)	0	0	1	9	6
	女	4 (4.8%)	0	0	0	1	3
	計	20 (7.8%)	0	0	1	10	9
要治療	男	0 (0.0%)	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0
合計	男	172	0	6	14	87	65
	女	83	0	4	2	48	29
	計	255	0	10	16	135	94

市民健診眼底検査所見

所 見	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-74歳
	男	女					
網膜白斑	男	30 (17.4%)	0	1	2	14	13
	女	10 (12.0%)	0	0	0	6	4
	計	40 (15.7%)	0	1	2	20	17
細動脈反射増強	男	6 (3.5%)	0	0	1	4	1
	女	1 (1.2%)	0	0	0	1	0
	計	7 (2.7%)	0	0	1	5	1
毛細血管瘤 (赤色点)	男	1 (0.6%)	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0
	計	1 (0.4%)	0	0	0	1	0
白内障の疑い	男	20 (11.6%)	0	0	0	8	12
	女	11 (13.3%)	0	0	0	6	5
	計	31 (12.2%)	0	0	0	14	17
視神経乳頭異常 の疑い	男	0 (0.0%)	0	0	0	0	0
	女	2 (2.4%)	0	0	0	2	0
	計	2 (0.8%)	0	0	0	2	0
網膜有髄神経線維 の疑い	男	2 (1.2%)	0	0	0	1	1
	女	0 (0.0%)	0	0	0	0	0
	計	2 (0.8%)	0	0	0	1	1
網脈絡膜痕癢 の疑い	男	1 (0.6%)	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0
	計	1 (0.4%)	0	1	0	0	0
瞳孔の開き不充分	男	3 (1.7%)	0	0	0	3	0
	女	2 (2.4%)	0	0	0	0	2
	計	5 (2.0%)	0	0	0	3	2
検診者総数	男	172	0	6	14	87	65
	女	83	0	4	2	48	29
	計	255	0	10	16	135	94

結核・肺がん検診判定結果

判定		総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
異常なし	男	7,666	(73.1%)	416	545	3,015	3,036	654	
	女	14,749	(81.6%)	1,169	2,142	6,312	4,233	893	
	計	22,415	(78.5%)	1,585	2,687	9,327	7,269	1,547	
異常所見あるも精査不要	男	2,344	(22.3%)	30	67	614	1,126	507	
	女	2,741	(15.2%)	42	221	913	1,068	497	
	計	5,085	(17.8%)	72	288	1,527	2,194	1,004	
要精密検査	結核の疑い	男	1	(0.0%)	0	0	0	1	0
		女	0	(0.0%)	0	0	0	0	0
		計	1	(0.0%)	0	0	0	1	0
	結核以外の疑い	男	54	(0.5%)	2	1	13	26	12
		女	102	(0.6%)	1	7	34	43	17
		計	156	(0.5%)	3	8	47	69	29
	肺がんの疑い	男	426	(4.1%)	13	23	161	166	63
		女	475	(2.6%)	26	51	181	159	58
		計	901	(3.2%)	39	74	342	325	121
合計	男	10,491		461	636	3,803	4,355	1,236	
	女	18,067		1,238	2,421	7,440	5,503	1,465	
	計	28,558		1,699	3,057	11,243	9,858	2,701	

肺がん検診喀痰細胞診検査所見

所見	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
B2 (Class II (悪性所見なし))	男	265	(81.3%)	0	2	24	124	96	19
	女	18	(78.3%)	0	0	2	11	5	0
	計	283	(81.1%)	0	2	26	135	101	19
検診者総数	男	326		0	2	30	156	111	27
	女	23		0	0	2	15	6	0
	計	349		0	2	32	171	117	27

結核・肺がん胸部X線検査所見

所見	総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	所見	総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上		
	男	88	(0.8%)	4	0	29	44		11	男	752	(7.2%)	8	15	186	381	162
肺門陰影拡大	女	121	(0.7%)	2	8	32	56	23	胸膜肥厚	女	814	(4.5%)	15	97	312	273	117
	計	209	(0.7%)	6	8	61	100	34		計	1,566	(5.5%)	23	112	498	654	279
肺紋理増強	男	0	(0.0%)	0	0	0	0	0	胸膜癒着	男	232	(2.2%)	0	6	52	117	57
	女	3	(0.0%)	0	0	1	1	1		計	426	(1.5%)	1	18	123	186	98
肺紋理減少	男	6	(0.1%)	1	0	0	4	1	胸水陰影	男	17	(0.2%)	0	0	4	10	3
	女	2	(0.0%)	0	0	1	0	1		計	24	(0.1%)	0	1	6	12	5
線状陰影	男	172	(1.6%)	4	10	37	90	31	上葉縮小	男	49	(0.5%)	0	2	10	21	16
	女	208	(1.2%)	4	22	79	73	30		計	109	(0.4%)	1	10	27	44	27
帯状陰影	男	93	(0.9%)	0	5	19	51	18	横隔膜高位	男	109	(1.0%)	2	5	32	46	24
	女	125	(0.7%)	4	4	42	56	19		計	222	(0.8%)	3	9	59	93	58
微細斑点状陰影	男	163	(1.6%)	2	2	39	82	38	横隔膜低位	男	7	(0.1%)	0	1	1	4	1
	女	162	(0.9%)	4	13	57	63	25		計	12	(0.0%)	1	1	1	6	3
結節陰影	男	639	(6.1%)	7	24	203	281	124	胸郭形成	男	16	(0.2%)	0	0	0	10	6
	女	926	(5.1%)	31	88	329	340	138		計	24	(0.1%)	0	0	2	14	8
円形陰影	男	21	(0.2%)	0	0	6	11	4	陈旧性肺結核の疑い	男	108	(1.0%)	0	3	24	48	33
	女	50	(0.3%)	4	6	12	20	8		計	221	(0.8%)	1	6	59	103	52
塊状陰影	男	60	(0.6%)	1	2	18	24	15	肺炎腫の疑い	男	276	(2.6%)	4	11	80	128	53
	女	69	(0.4%)	1	5	17	25	21		計	46	(0.3%)	2	8	17	13	6
浸潤陰影	男	314	(3.0%)	3	7	72	159	73	慢性気管支炎の疑い	男	32	(0.3%)	1	1	7	17	6
	女	293	(1.6%)	1	17	92	127	56		計	44	(0.2%)	1	2	9	23	9
網目状陰影	男	61	(0.6%)	0	1	15	25	20	肺炎の疑い	男	0	(0.0%)	0	0	0	0	0
	女	18	(0.1%)	0	1	2	10	5		計	1	(0.0%)	0	0	1	0	0
石灰化陰影	男	315	(3.0%)	0	8	72	147	88	気管支拡張症の疑い	男	31	(0.3%)	1	1	8	13	8
	女	416	(2.3%)	3	14	141	173	85		計	79	(0.3%)	2	1	25	32	19
空洞陰影	男	15	(0.1%)	1	0	1	6	7	肺嚢胞症の疑い	男	1	(0.0%)	0	0	1	0	0
	女	16	(0.1%)	0	0	7	5	4		計	0	(0.0%)	0	0	0	0	0
嚢胞陰影	男	56	(0.5%)	4	4	13	20	15	間質性肺炎の疑い	男	64	(0.6%)	0	2	15	29	18
	女	16	(0.1%)	1	2	4	6	3		計	81	(0.3%)	0	3	16	35	27
無気肺陰影	男	19	(0.2%)	0	1	5	8	5	塵肺の疑い	男	2	(0.0%)	0	0	1	1	0
	女	21	(0.1%)	1	3	5	9	3		計	0	(0.0%)	0	0	0	0	0
気腫様陰影	男	4	(0.0%)	0	0	2	2	0	その他の異常	男	264	(2.5%)	7	7	65	118	67
	女	1	(0.0%)	0	0	0	1	0		計	467	(2.6%)	5	23	112	220	107
								検診者総数	男	10,491		461	636	3,803	4,355	1,236	
									女	18,067		1,238	2,421	7,440	5,503	1,465	
									計	28,558		1,699	3,057	11,243	9,858	2,701	

市民健診前立腺がん検診判定結果

判定	総数		50-59歳	60-69歳	70-79歳	80歳以上
異常なし	5,093	(89.5%)	333	2,047	2,281	432
放置可	0	(0.0%)	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0
要精密検査	371	(6.5%)	8	125	184	54
要治療	0	(0.0%)	0	0	0	0
治療中	227	(4.0%)	1	59	130	37
合計	5,691		342	2,231	2,595	523

市民健診前立腺がん検診P S Aの年齢別平均値

検査項目	総数		50-59歳		60-69歳		70-79歳		80歳以上	
P S A n g / m l	5,692	1.88	343	1.11	2,231	1.68	2,595	2.04	523	2.37

長寿スマイルチェック結果

判定		総数		65-69歳	70-79歳	80歳以上
該当	男	639	(8.1%)	93	320	226
	女	1,457	(14.2%)	240	779	438
	計	2,096	(11.6%)	333	1,099	664
非該当	男	7,246	(91.9%)	2,264	4,039	943
	女	8,801	(85.8%)	3,366	4,628	807
	計	16,047	(88.4%)	5,630	8,667	1,750
合計	男	7,885		2,357	4,359	1,169
	女	10,258		3,606	5,407	1,245
	計	18,143		5,963	9,766	2,414

長寿スマイルチェック基本チェックリスト

項目名称		総数		65-69歳	70-79歳	80歳以上
運動機能	男	372	(4.7%)	40	164	168
	女	1,130	(11.0%)	150	586	394
	計	1,502	(8.3%)	190	750	562
栄養状態	男	11	(0.1%)	3	7	1
	女	22	(0.2%)	2	12	8
	計	33	(0.2%)	5	19	9
口腔機能	男	339	(4.3%)	60	199	80
	女	540	(5.3%)	118	306	116
	計	879	(4.8%)	178	505	196
閉じこもり傾向	男	32	(0.4%)	6	13	13
	女	56	(0.5%)	3	23	30
	計	88	(0.5%)	9	36	43
ものわすれ	男	262	(3.3%)	39	137	86
	女	448	(4.4%)	68	237	143
	計	710	(3.9%)	107	374	229
うつ傾向	男	222	(2.8%)	28	113	81
	女	465	(4.5%)	63	264	138
	計	687	(3.8%)	91	377	219
検診者総数	男	7,885		2,357	4,359	1,169
	女	10,258		3,606	5,407	1,245
	計	18,143		5,963	9,766	2,414

児童・生徒を対象とした健診

児童・生徒の腎臓検診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
尿 糖	男	21,603	19	0.1%
	女	20,519	21	0.1%
	計	42,122	40	0.1%
尿蛋白	男	21,603	244	1.1%
	女	20,519	170	0.8%
	計	42,122	414	1.0%
尿潜血	男	21,603	181	0.8%
	女	20,519	548	2.7%
	計	42,122	729	1.7%

児童・生徒の心臓検査所見

判 定		人 数	
心臓の異常	心 房 中 隔 欠 損	19	0.1%
	心 室 中 隔 欠 損	21	0.1%
	肺 動 脈 狭 窄	5	0.0%
	動 脈 管 開 存	1	0.0%
	フ ァ ロ ー 四 徴	1	0.0%
	先天性心疾患（位置異常）	0	0.0%
	先天性心疾患（その他）	31	0.2%
	大 動 脈 弁 疾 患	5	0.0%
	僧 帽 弁 疾 患	9	0.1%
	僧 帽 弁 逸 脱 症	4	0.0%
	心 筋 症	4	0.0%
	虚 血 性 心 疾 患	0	0.0%
	心 臓 手 術 後	61	0.4%
そ の 他	0	0.0%	
計	161	1.0%	
その他の異常	胸 郭 変 形	4	0.0%
	先天性心疾患の自然閉鎖	16	0.1%
	川 崎 病 後	156	0.9%
	高 血 圧	0	0.0%
	そ の 他	0	0.0%
計	176	1.1%	
受 診 者 数 合 計		16,588	

判 定		人 数	
心電図の異常	右 室 肥 大	0	0.0%
	左 室 肥 大	0	0.0%
	心 筋 障 害	5	0.0%
	洞 性 頻 脈	3	0.0%
	洞 性 徐 脈	66	0.4%
	上 室 性 期 外 収 縮	58	0.3%
	心 室 性 期 外 収 縮	42	0.3%
	上室性・心室性期外収縮	1	0.0%
	第 1 度 房 室 ブ ロ ッ ク	28	0.2%
	第 2 度 房 室 ブ ロ ッ ク	10	0.1%
	第 3 度 房 室 ブ ロ ッ ク	0	0.0%
	右 脚 ブ ロ ッ ク	16	0.1%
	左 脚 ブ ロ ッ ク	0	0.0%
	へ ミ ブ ロ ッ ク	0	0.0%
	刺 激 発 生 異 常	284	1.7%
	W P W 症 候 群	22	0.1%
	P Q 短 縮 ・ L G L 症 候 群	21	0.1%
Q T 延 長 症 候 群	21	0.1%	
そ の 他	10	0.1%	
計	587	3.5%	
X線検査の異常心拡大	3	0.0%	

(経過観察者を除く)

児童・生徒の血液検査結果

	性 別	肥 満	血 清 ・ 脂 質				肝機能	貧 血			白 血 球		血小板
		肥満度	総コレステロール	中性脂肪	H D L コレステロール	動脈硬化	G P T	赤血球数	ヘモグロビン	ヘマトクリット	白 血 球 数		血小板数
											4.3未満	15.1以上	
受 診 者 数	男	2,025	2,024	2,024	2,024	2,024	2,024	2,025	2,025	2,025	2,025	2,025	2,025
	女	1,961	1,961	1,961	1,961	1,961	1,961	1,961	1,961	1,961	1,961	1,961	1,961
	計	3,986	3,985	3,985	3,985	3,985	3,985	3,986	3,986	3,986	3,986	3,986	3,986
要経過観察者数 (%)	男	186 (9.2)	303 (15.0)	54 (2.7)	81 (4.0)	-	38 (1.9)	0 (0.0)	35 (1.7)	16 (0.8)	-	-	-
	女	146 (7.4)	258 (13.2)	63 (3.2)	83 (4.2)	-	10 (0.5)	9 (0.5)	38 (1.9)	11 (0.6)	-	-	-
	計	332 (8.3)	561 (14.1)	117 (2.9)	164 (4.1)	-	48 (1.2)	9 (0.2)	73 (1.8)	27 (0.7)	-	-	-
要精密検査数 (%)	男	64 (3.2)	60 (3.0)	38 (1.9)	0 (0.0)	24 (1.2)	37 (1.8)	0 (0.0)	1 (0.0)	3 (0.1)	23 (1.1)	2 (0.1)	8 (0.4)
	女	37 (1.9)	77 (3.9)	28 (1.4)	0 (0.0)	31 (1.6)	7 (0.4)	0 (0.0)	4 (0.2)	6 (0.3)	26 (1.3)	3 (0.2)	5 (0.3)
	計	101 (2.5)	137 (3.4)	66 (1.7)	0 (0.0)	55 (1.4)	44 (1.1)	0 (0.0)	5 (0.1)	9 (0.2)	49 (1.2)	5 (0.1)	13 (0.3)