

総合判定結果（コース別健診、市民健診）

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
	男	女									
異常なし	男	2,506	(6.0%)	73	817	764	320	295	160	77	1
	女	4,776	(10.6%)	164	973	963	1,023	650	752	244	7
	計	7,282	(8.4%)	236	1,790	1,727	1,343	945	912	321	8
放置可	男	3,820	(9.2%)	79	1,036	1,064	730	392	263	208	48
	女	7,529	(16.6%)	111	1,574	1,714	1,748	1,004	959	377	42
	計	11,349	(13.1%)	190	2,610	2,778	2,478	1,396	1,222	585	90
要経過観察	男	17,298	(41.5%)	181	1,775	3,646	3,972	3,254	2,442	1,606	422
	女	16,841	(37.2%)	114	1,134	2,301	3,577	3,458	3,816	1,995	446
	計	34,139	(39.3%)	295	2,909	5,947	7,549	6,712	6,258	3,601	868
要精密検査	男	5,417	(13.0%)	16	239	808	1,456	1,331	956	472	139
	女	5,052	(11.2%)	8	224	592	1,221	1,243	1,086	493	185
	計	10,469	(12.0%)	24	463	1,400	2,677	2,574	2,042	965	324
要治療	男	1,335	(3.2%)	1	34	169	351	327	274	126	53
	女	915	(2.0%)	1	7	39	131	222	326	149	40
	計	2,250	(2.6%)	2	41	208	482	549	600	275	93
治療中	男	11,312	(27.1%)	2	34	296	1,252	2,796	3,371	2,755	806
	女	10,122	(22.4%)	1	30	117	547	1,565	3,610	3,254	998
	計	21,434	(24.7%)	3	64	413	1,799	4,361	6,981	6,009	1,804
合計	男	41,688		351	3,935	6,747	8,081	8,395	7,466	5,244	1,469
	女	45,235		399	3,942	5,726	8,247	8,142	10,549	6,512	1,718
	計	86,923		750	7,877	12,473	16,328	16,537	18,015	11,756	3,187

胸部検査判定結果

Table with columns for Judgment, Total, and age groups (19 years and under, 20-29, 30-39, 40-49, 50-59, 60-69, 70 years and over). Rows include categories like 'Abnormal', 'Placeable', 'Need observation', 'Need detailed check', 'Need treatment', 'Treatment in progress', and 'Total'.

胸部へリカルCT検査所見

Table showing findings from Helical CT scans of the chest. Columns include Judgment, Total, age groups, and findings such as 'Nodule shadow', 'Atelectasis', 'Pneumothorax', 'Emphysema', 'Bronchiectasis', 'Lung cancer', etc.

胸部X線検査所見

Table showing findings from chest X-ray examinations. Columns include findings, Total, age groups, and findings such as 'No abnormal findings', 'Lung shadow', 'Pneumothorax', 'Pneumonia', 'Pneumothorax', etc.

喀痰細胞診所見

Table showing sputum cytology findings. Columns include findings, Total, age groups, and findings like 'Class I (Abnormal)', 'Class II (Abnormal)', and 'Total number of examinees'.

Summary table for chest X-ray findings, mirroring the structure of the X-ray findings table but with a consolidated total row at the bottom.

Total summary row for chest X-ray findings, showing totals for Male, Female, and Total across all age groups.

ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ペプシノゲン	男	4,692	280	6.0	248	5	2.0	681	16	2.3	1,643	67	4.1	1,730	127	7.3	366	61	16.7	24	4	16.7
	女	1,351	98	7.3	13	0	—	292	14	4.8	593	23	3.9	359	43	12.0	76	13	17.1	18	5	27.8
	計	6,043	378	6.3	261	5	1.9	973	30	3.1	2,236	90	4.0	2,089	170	8.1	442	74	16.7	42	9	21.4

陽性率%

ヘリコバクター・ピロリ抗体検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ヘリコバクター・ピロリ抗体	男	1,464	420	28.7	6	0	—	75	11	14.7	530	134	25.3	664	208	31.3	161	59	36.6	28	8	28.6
	女	756	199	26.3	12	1	8.3	90	16	17.8	268	52	19.4	251	74	29.5	104	45	43.3	31	11	35.5
	計	2,220	619	27.9	18	1	5.6	165	27	16.4	798	186	23.3	915	282	30.8	265	104	39.2	59	19	32.2

陽性率%

心電図検査判定結果

Table showing ECG diagnosis results by age group and gender. Columns include '判定' (Diagnosis), '総数' (Total), and age ranges from '19歳以下' to '70歳以上'.

安静心電図検査所見

Large table showing ECG findings in a quiet state, categorized by finding type (e.g., 洞性徐脈, 洞性頻脈) and gender/age groups. Includes a summary row at the bottom.

マスター負荷心電図所見

Table showing findings from the Master Load ECG, categorized by finding type (e.g., 陽性S-T-Tの変化) and gender/age groups.

自転車エルゴメータ負荷心電図所見

Table showing findings from the Bicycle Ergometer Load ECG, categorized by finding type (e.g., 不整脈の出現) and gender/age groups.

腹部超音波判定結果

Table with 10 columns: 判定, 総数, 19歳以下, 20-29歳, 30-39歳, 40-49歳, 50-59歳, 60-69歳, 70歳以上. Rows include categories like 異常なし, 放置可, 要経過観察, 要精密検査, 要治療, 治療中, and 合計.

腹部超音波検査所見

Large table with 28 columns: 所見, 総数, 19歳以下, 20-29歳, 30-39歳, 40-49歳, 50-59歳, 60-69歳, 70歳以上, 所見, 総数, 19歳以下, 20-29歳, 30-39歳, 40-49歳, 50-59歳, 60-69歳, 70歳以上, 所見, 総数, 19歳以下, 20-29歳, 30-39歳, 40-49歳, 50-59歳, 60-69歳, 70歳以上. Rows list various medical findings such as 脂肪肝の疑い, 肝臓に高エコーのものあり, 胆嚢炎の疑い, etc.

眼底写真判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	5,337 (61.8%)	6	376	1,166	1,867	1,532	373
女		3,223 (68.6%)	6	221	800	1,184	827	171	14
計		8,560 (64.2%)	12	597	1,966	3,051	2,359	544	31
放置可	男	1,167 (13.5%)	1	9	55	281	591	211	19
	女	565 (12.0%)	0	9	36	143	242	118	17
	計	1,732 (13.0%)	1	18	91	424	833	329	36
要経過観察	男	1,646 (19.0%)	0	7	50	275	759	481	74
	女	702 (14.9%)	0	1	26	106	294	229	46
	計	2,348 (17.6%)	0	8	76	381	1,053	710	120
要精密検査	男	353 (4.1%)	0	4	16	60	130	111	32
	女	134 (2.9%)	0	4	6	18	46	45	15
	計	487 (3.7%)	0	8	22	78	176	156	47
要治療	男	2 (0.0%)	0	0	0	1	0	0	1
	女	3 (0.1%)	0	0	0	0	1	1	1
	計	5 (0.0%)	0	0	0	1	1	1	2
治療中	男	137 (1.6%)	0	0	5	17	58	38	19
	女	70 (1.5%)	0	0	0	9	25	26	10
	計	207 (1.6%)	0	0	5	26	83	64	29
合計	男	8,642	7	396	1,292	2,501	3,070	1,214	162
	女	4,697	6	235	868	1,460	1,435	590	103
	計	13,339	13	631	2,160	3,961	4,505	1,804	265

眼底検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	細動脈狭細化	男	275 (3.2%)	0	0	4	41	152	68		10	白内障の疑い	男	307 (3.5%)	0	0	1	9	84
女		76 (1.6%)	0	0	2	14	31	23	6	女	178 (3.8%)		0	0	0	8	45	85	40
計		351 (2.6%)	0	0	6	55	183	91	16	計	485 (3.6%)		0	0	1	17	129	241	97
細動脈口径不同	男	132 (1.5%)	0	0	4	23	72	30	3	視神経乳頭異常	男	7 (0.1%)	0	0	0	1	3	3	0
	女	42 (0.9%)	0	0	2	4	17	19	0		女	7 (0.1%)	0	1	1	1	2	1	1
	計	174 (1.3%)	0	0	6	27	89	49	3		計	14 (0.1%)	0	1	1	2	5	4	1
眼底出血	男	37 (0.4%)	0	1	0	10	14	9	3	視神経乳頭異常の疑い	男	320 (3.7%)	0	8	29	84	135	56	8
	女	21 (0.4%)	0	1	0	8	7	4	1		女	121 (2.6%)	0	2	16	31	52	19	1
	計	58 (0.4%)	0	2	0	18	21	13	4		計	441 (3.3%)	0	10	45	115	187	75	9
細動脈反射増強	男	693 (8.0%)	0	0	8	117	364	186	18	光凝固後	男	22 (0.3%)	0	0	0	2	14	6	0
	女	297 (6.3%)	0	0	3	46	144	88	16		女	5 (0.1%)	0	0	0	1	0	3	1
	計	990 (7.4%)	0	0	11	163	508	274	34		計	27 (0.2%)	0	0	0	3	14	9	1
動静脈交叉現象	男	1,115 (12.9%)	0	7	30	260	550	240	28	網膜有髄神経線維の疑い	男	44 (0.5%)	1	1	3	12	18	8	1
	女	439 (9.3%)	0	8	15	103	199	104	10		女	19 (0.4%)	0	1	1	1	12	3	1
	計	1,554 (11.6%)	0	15	45	363	749	344	38		計	63 (0.5%)	1	2	4	13	30	11	2
銀線状動脈	男	2 (0.0%)	0	0	0	1	0	1	0	網膜静脈硬化の疑い	男	42 (0.5%)	0	0	7	10	17	6	2
	女	0 (0.0%)	0	0	0	0	0	0	0		女	19 (0.4%)	0	0	1	8	5	5	0
	計	2 (0.0%)	0	0	0	1	0	1	0		計	61 (0.5%)	0	0	8	18	22	11	2
毛細血管瘤 (赤色点)	男	24 (0.3%)	0	0	1	7	10	4	2	瞳孔の開き不十分	男	156 (1.8%)	0	0	3	15	65	59	14
	女	5 (0.1%)	0	0	1	1	3	0	0		女	52 (1.1%)	0	0	1	10	23	14	4
	計	29 (0.2%)	0	0	2	8	13	4	2		計	208 (1.6%)	0	0	4	25	88	73	18
点状出血	男	54 (0.6%)	0	0	1	14	27	11	1	右眼のみ撮影	男	29 (0.3%)	0	0	0	2	15	6	6
	女	11 (0.2%)	0	0	0	4	3	4	0		女	6 (0.1%)	0	0	0	1	3	2	0
	計	65 (0.5%)	0	0	1	18	30	15	1		計	35 (0.3%)	0	0	0	3	18	8	6
斑状出血	男	49 (0.6%)	0	0	1	9	27	12	0	左眼のみ撮影	男	11 (0.1%)	0	0	1	3	5	2	0
	女	11 (0.2%)	0	0	0	1	6	3	1		女	4 (0.1%)	0	0	0	1	2	0	1
	計	60 (0.4%)	0	0	1	10	33	15	1		計	15 (0.1%)	0	0	1	4	7	2	1
網膜白斑	男	1,001 (11.6%)	0	1	27	140	475	302	56	その他の所見	男	301 (3.5%)	0	2	12	66	125	82	14
	女	477 (10.2%)	0	0	20	60	205	159	33		女	157 (3.3%)	0	1	9	28	50	54	15
	計	1,478 (11.1%)	0	1	47	200	680	461	89		計	458 (3.4%)	0	3	21	94	175	136	29
網膜浮腫	男	7 (0.1%)	0	0	1	0	3	3	0	検査者総数	男	8,662	7	404	1,295	2,506	3,074	1,214	162
	女	2 (0.0%)	0	0	0	0	0	2	0		女	4,697	6	235	868	1,460	1,435	590	103
	計	9 (0.1%)	0	0	1	0	3	5	0		計	13,359	13	639	2,163	3,966	4,509	1,804	265

肺機能判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	5,190 (92.5%)	138	363	961	1,445	1,532	616	135
	女	2,760 (94.3%)	90	80	500	765	817	416	92
	計	7,950 (93.1%)	228	443	1,461	2,210	2,349	1032	227
放置可	男	344 (6.1%)	11	4	23	63	105	108	30
	女	144 (4.9%)	2	5	13	44	32	36	12
	計	488 (5.7%)	13	9	36	107	137	144	42
要経過観察	男	61 (1.1%)	0	1	2	12	19	17	10
	女	14 (0.5%)	0	0	2	3	3	5	1
	計	75 (0.9%)	0	1	4	15	22	22	11
要精密検査	男	13 (0.2%)	0	0	3	0	3	4	3
	女	8 (0.3%)	0	1	0	2	2	2	1
	計	21 (0.2%)	0	1	3	2	5	6	4
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	2 (0.0%)	0	0	0	0	1	1	0
	女	1 (0.0%)	0	0	0	0	0	1	0
	計	3 (0.0%)	0	0	0	0	1	2	0
合計	男	5,610	149	368	989	1,520	1,660	746	178
	女	2,927	92	86	515	814	854	460	106
	計	8,537	241	454	1,504	2,334	2,514	1,206	284

肺機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
%肺活量 %	男	5,536	103.6	532	102.7	993	106.3	1,491	105.9	1,629	103.6	716	98.2	175	92.5
	女	2,848	102.9	178	96.6	508	103.7	776	105.0	830	103.3	450	101.0	106	98.1
	計	8,384	103.3	710	101.2	1,501	105.4	2,267	105.6	2,459	103.5	1,166	99.3	281	94.6
一秒率 %	男	5,536	81.0	532	85.6	993	82.7	1,491	81.2	1,629	79.9	716	78.5	175	76.6
	女	2,847	82.0	178	87.2	507	84.3	776	82.0	830	81.1	450	79.8	106	79.1
	計	8,383	81.4	710	86.0	1,500	83.2	2,267	81.5	2,459	80.3	1,166	79.0	281	77.5

血圧判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	17,465 (60.0%)	279	3,245	5,046	4,446	3,116	1,197
女		18,123 (79.3%)	289	3,559	4,582	4,933	3,528	1,088	144
計		35,588 (68.5%)	568	6,804	9,628	9,379	6,644	2,285	280
放置可	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要経過観察	男	6,918 (23.8%)	23	605	1,231	1,796	2,137	1,012	114
	女	2,713 (11.9%)	6	117	266	656	1,029	556	83
	計	9,631 (18.5%)	29	722	1,497	2,452	3,166	1,568	197
要精密検査	男	666 (2.3%)	1	9	72	214	219	136	15
	女	247 (1.1%)	0	4	17	70	110	35	11
	計	913 (1.8%)	1	13	89	284	329	171	26
要治療	男	179 (0.6%)	0	2	16	66	68	27	0
	女	43 (0.2%)	0	1	10	11	11	6	4
	計	222 (0.4%)	0	3	26	77	79	33	4
治療中	男	3,870 (13.3%)	1	9	96	596	1,622	1,334	212
	女	1,717 (7.5%)	0	3	24	216	679	627	168
	計	5,587 (10.8%)	1	12	120	812	2,301	1,961	380
合計	男	29,098	304	3,870	6,461	7,118	7,162	3,706	477
	女	22,843	295	3,684	4,899	5,886	5,357	2,312	410
	計	51,941	599	7,554	11,360	13,004	12,519	6,018	887

血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	安静時血圧・最大 mmHg	男	29,782	124.2	4,397	119.4	6,604	120.3	7,224	123.2	7,330	127.6	3,748	131.3	479
女		22,956	114.2	4,013	107.2	4,940	108.0	5,923	113.3	5,358	120.1	2,312	125.7	410	128.2
計		52,738	119.9	8,410	113.6	11,544	115.0	13,147	118.7	12,688	124.4	6,060	129.2	889	129.6
安静時血圧・最小 mmHg	男	29,782	76.9	4,397	68.7	6,604	73.7	7,224	78.5	7,330	81.1	3,748	81.1	479	77.0
	女	22,956	70.2	4,013	64.9	4,940	67.0	5,923	70.7	5,358	74.2	2,312	75.1	410	72.4
	計	52,738	74.0	8,410	66.9	11,544	70.9	13,147	75.0	12,688	78.2	6,060	78.8	889	74.9
負荷後血圧・最大 mmHg	男	258	135.6	45	131.9	8	143.8	61	136.0	94	134.5	40	139.2	10	138.6
	女	95	127.8	0	—	2	134.0	40	121.0	42	130.5	8	144.0	3	134.7
	計	353	133.5	45	131.9	10	141.8	101	130.1	136	133.3	48	140.0	13	137.7
負荷後血圧・最小 mmHg	男	258	75.6	45	69.0	8	75.4	61	76.8	94	77.2	40	76.9	10	77.0
	女	95	69.3	0	—	2	72.0	40	66.6	42	70.4	8	71.8	3	80.0
	計	353	73.9	45	69.0	10	74.7	101	72.8	136	75.1	48	76.0	13	77.7

眼圧の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	眼圧・右 mmHg	男	4,141	14.4	357	14.5	773	14.5	1,154	14.6	1,393	14.2	432	14.4	32
女		2,917	14.1	200	14.6	547	13.9	1,008	14.2	932	14.1	208	14.3	22	12.2
計		7,058	14.3	557	14.5	1,320	14.2	2,162	14.4	2,325	14.2	640	14.4	54	13.0
眼圧・左 mmHg	男	4,136	14.5	357	14.6	773	14.6	1,154	14.6	1,389	14.5	431	14.5	32	14.1
	女	2,917	14.3	200	14.7	547	14.0	1,008	14.5	932	14.3	208	14.6	22	13.1
	計	7,053	14.5	557	14.7	1,320	14.3	2,162	14.6	2,321	14.4	639	14.6	54	13.7

内科診察判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	19,945 (96.6%)	178	1,394	3,568	5,965	5,761	2,763	316
	女	13,975 (93.7%)	116	953	2,494	4,473	4,071	1,640	228
	計	33,920 (95.4%)	294	2,347	6,062	10,438	9,832	4,403	544
放置可	男	385 (1.9%)	5	13	44	76	108	119	20
	女	338 (2.3%)	0	6	38	82	142	55	15
	計	723 (2.0%)	5	19	82	158	250	174	35
要経過観察	男	197 (1.0%)	3	10	36	43	51	49	5
	女	472 (3.2%)	5	16	76	168	150	52	5
	計	669 (1.9%)	8	26	112	211	201	101	10
要精密検査	男	42 (0.2%)	0	4	2	9	13	12	2
	女	64 (0.4%)	0	1	14	22	16	7	4
	計	106 (0.3%)	0	5	16	31	29	19	6
要治療	男	9 (0.0%)	0	0	2	2	4	0	1
	女	1 (0.0%)	0	0	0	1	0	0	0
	計	10 (0.0%)	0	0	2	3	4	0	1
治療中	男	59 (0.3%)	0	0	3	4	18	25	9
	女	59 (0.4%)	0	0	7	17	23	11	1
	計	118 (0.3%)	0	0	10	21	41	36	10
合計	男	20,637	186	1,421	3,655	6,099	5,955	2,968	353
	女	14,909	121	976	2,629	4,763	4,402	1,765	253
	計	35,546	307	2,397	6,284	10,862	10,357	4,733	606

内科診察所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
眼結膜貧血あり	男	6 (0.0%)	0	0	0	2	0	2	2
	女	56 (0.4%)	1	1	6	34	14	0	0
	計	62 (0.2%)	1	1	6	36	14	2	2
眼結膜黄疸あり	男	2 (0.0%)	0	0	0	0	1	1	0
	女	1 (0.0%)	0	0	0	0	0	1	0
	計	3 (0.0%)	0	0	0	0	1	2	0
扁桃腺肥大	男	87 (0.4%)	1	15	29	20	15	7	0
	女	86 (0.6%)	1	10	18	32	20	5	0
	計	173 (0.5%)	2	25	47	52	35	12	0
頬部リンパ節腫脹	男	13 (0.1%)	5	1	4	0	1	2	0
	女	10 (0.1%)	1	0	1	4	4	0	0
	計	23 (0.1%)	6	1	5	4	5	2	0
甲状腺腫大	男	34 (0.2%)	0	4	7	9	7	7	0
	女	263 (1.8%)	0	9	57	90	84	21	2
	計	297 (0.8%)	0	13	64	99	91	28	2
胸郭変形	男	4 (0.0%)	0	0	2	0	2	0	0
	女	1 (0.0%)	1	0	0	0	0	0	0
	計	5 (0.0%)	1	0	2	0	2	0	0
心拍不整	男	88 (0.4%)	0	1	3	9	29	35	11
	女	24 (0.2%)	1	0	3	6	7	7	0
	計	112 (0.3%)	1	1	6	15	36	42	11
収縮期雑音	男	41 (0.2%)	4	2	7	5	10	10	3
	女	35 (0.2%)	0	1	2	6	14	8	4
	計	76 (0.2%)	4	3	9	11	24	18	7
拡張期雑音	男	5 (0.0%)	0	1	0	1	2	1	0
	女	4 (0.0%)	0	0	0	1	2	1	0
	計	9 (0.0%)	0	1	0	2	4	2	0
3音、4音	男	4 (0.0%)	0	0	2	1	1	0	0
	女	4 (0.0%)	0	0	0	1	1	2	0
	計	8 (0.0%)	0	0	2	2	2	2	0
乾性ラ音	男	9 (0.0%)	0	0	0	3	1	3	2
	女	11 (0.1%)	0	0	1	1	5	4	0
	計	20 (0.1%)	0	0	1	4	6	7	2
湿性ラ音	男	2 (0.0%)	0	0	0	2	0	0	0
	女	3 (0.0%)	0	0	0	1	1	1	0
	計	5 (0.0%)	0	0	0	3	1	1	0
肝触知	男	4 (0.0%)	0	0	0	0	2	2	0
	女	1 (0.0%)	1	0	0	0	0	0	0
	計	5 (0.0%)	1	0	0	0	2	2	0
腹部圧痛	男	41 (0.2%)	0	0	7	11	11	11	1
	女	82 (0.6%)	0	0	18	31	22	11	0
	計	123 (0.3%)	0	0	25	42	33	22	1
腹部腫痛触知	男	2 (0.0%)	0	0	0	0	1	1	0
	女	42 (0.3%)	0	0	5	21	14	2	0
	計	44 (0.1%)	0	0	5	21	15	3	0
下肢静脈瘤	男	13 (0.1%)	0	0	1	3	6	3	0
	女	40 (0.3%)	0	0	0	5	20	11	4
	計	53 (0.1%)	0	0	1	8	26	14	4
関節変形	男	2 (0.0%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	1	1	0
関節腫脹	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	1	0	0
	計	1 (0.0%)	0	0	0	0	1	0	0
脊椎異常	男	2 (0.0%)	0	0	0	1	0	1	0
	女	2 (0.0%)	0	0	0	0	1	1	0
	計	4 (0.0%)	0	0	0	1	1	2	0
麻痺	男	3 (0.0%)	0	0	0	1	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	1	2	0	0
浮腫	男	11 (0.1%)	0	0	0	1	6	4	0
	女	4 (0.0%)	0	0	0	0	1	3	0
	計	15 (0.0%)	0	0	0	1	7	7	0
黄色腫	男	2 (0.0%)	0	0	0	1	0	1	0
	女	3 (0.0%)	0	0	0	0	2	1	0
	計	5 (0.0%)	0	0	0	1	2	2	0
術創あり	男	289 (1.4%)	0	1	21	56	85	106	20
	女	267 (1.8%)	0	2	22	57	118	53	15
	計	556 (1.6%)	0	3	43	113	203	159	35
皮膚の異常	男	8 (0.0%)	0	3	1	1	2	1	0
	女	2 (0.0%)	0	0	1	1	0	0	0
	計	11 (0.0%)	0	3	2	3	2	1	0
粘膜の異常	男	1 (0.0%)	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	1	0	0	0	0	0
皮膚・粘膜の異常	男	1 (0.0%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	1	0	0	0
その他(内科診察所見)	男	58 (0.3%)	0	3	13	15	14	13	0
	女	29 (0.2%)	0	0	7	12	9	1	0
	計	87 (0.2%)	0	3	20	27	23	14	0
検診者総数	男	20,637	186	1,421	3,655	6,099	5,955	2,968	353
	女	14,909	121	976	2,629	4,763	4,402	1,765	253
	計	35,546	307	2,397	6,284	10,862	10,357	4,733	606

大腸検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	385 (86.5%)	0	2	25	121	122	102	13
	女	198 (89.2%)	0	2	16	68	70	35	7
	計	583 (87.4%)	0	4	41	189	192	137	20
放置可	男	20 (4.5%)	0	0	2	5	4	7	2
	女	13 (5.9%)	0	1	0	1	9	2	0
	計	33 (4.9%)	0	1	2	6	13	9	2
要経過観察	男	33 (7.4%)	0	0	2	7	8	13	3
	女	8 (3.6%)	0	0	1	0	3	4	0
	計	41 (6.1%)	0	0	3	7	11	17	3
要精密検査	男	3 (0.7%)	0	0	0	0	1	1	1
	女	3 (1.4%)	0	0	0	2	1	0	0
	計	6 (0.9%)	0	0	0	2	2	1	1
要治療	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
治療中	男	3 (0.7%)	0	0	0	0	1	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.4%)	0	0	0	0	1	2	0
合計	男	445	0	2	29	133	136	126	19
	女	222	0	3	17	71	83	41	7
	計	667	0	5	46	204	219	167	26

直腸診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外痔核	男	14 (3.1%)	0	0	1	3	2	6	2
	女	11 (5.0%)	0	0	1	0	7	3	0
	計	25 (3.7%)	0	0	2	3	9	9	2
外痔核の疑い	男	4 (0.9%)	0	0	1	0	0	2	1
	女	1 (0.5%)	0	0	0	0	0	1	0
	計	5 (0.7%)	0	0	1	0	0	3	1
内痔核	男	2 (0.4%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	1	1	0
内痔核の疑い	男	7 (1.6%)	0	0	1	0	4	1	1
	女	7 (3.2%)	0	0	0	0	4	3	0
	計	14 (2.1%)	0	0	1	0	8	4	1
肛門ポリープ	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
肛門ポリープの疑い	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
前立腺肥大	男	4 (0.6%)	0	0	0	1	0	3	0
前立腺肥大の疑い	男	17 (2.5%)	0	0	1	3	5	6	2
前立腺腫瘍の疑い	男	2 (0.3%)	0	0	0	0	1	0	1
直腸腫瘍の疑い	男	1 (0.2%)	0	0	0	0	1	0	0
	女	3 (1.4%)	0	0	0	2	1	0	0
	計	4 (0.6%)	0	0	0	2	2	0	0
肛門周囲湿疹	男	4 (0.9%)	0	0	0	2	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.6%)	0	0	0	2	0	2	0
肛門周囲湿疹の疑い	男	1 (0.2%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	1	0	0	0
痔疾患術後	男	2 (0.4%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	0	2	0
その他の所見	男	3 (0.7%)	0	0	0	2	0	1	0
	女	3 (1.4%)	0	1	0	1	1	0	0
	計	6 (0.9%)	0	1	0	3	1	1	0
検診者総数	男	445	0	2	29	133	136	126	19
	女	222	0	3	17	71	83	41	7
	計	667	0	5	46	204	219	167	26

乳房検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	9,452	(79.5%)	6	457	1,442	2,829	2,787	1,594	337
放置可	506	(4.3%)	0	20	70	148	163	85	20
要経過観察	1,212	(10.2%)	1	82	322	414	269	107	17
要精密検査	711	(6.0%)	0	27	109	264	196	89	26
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	4	(0.0%)	0	0	0	2	2	0	0
合計	11,885		7	586	1,943	3,657	3,417	1,875	400

乳房触診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
急性乳腺炎の疑い	1	(0.0%)	0	1	0	0	0	0	0
慢性乳腺炎の疑い	4	(0.0%)	0	0	2	0	1	1	0
乳腺症	7	(0.1%)	0	0	0	5	1	1	0
乳腺症の疑い	453	(3.9%)	0	36	117	188	95	16	1
良性乳腺腫瘍	17	(0.1%)	0	0	4	9	2	2	0
良性乳腺腫瘍の疑い	203	(1.8%)	0	7	46	96	38	13	3
乳腺腫瘍	41	(0.4%)	0	3	7	16	7	5	3
乳腺腫瘍の疑い	208	(1.8%)	1	10	43	88	44	18	4
手術後	26	(0.2%)	0	0	0	4	15	6	1
術創あり	97	(0.8%)	0	3	6	18	35	28	7
その他(乳房触診所見)	70	(0.6%)	0	2	14	23	17	14	0
検診者総数	11,600		7	587	1,913	3,626	3,378	1,750	339

マンモグラフィ所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	9,500	(89.2%)	7	347	1,255	3,108	2,920	1,562	301
カテゴリー2	509	(4.8%)	0	15	71	147	192	71	13
カテゴリー3	614	(5.8%)	0	17	87	229	180	83	18
カテゴリー4	30	(0.3%)	0	0	0	13	9	4	4
カテゴリー5	1	(0.0%)	0	0	1	0	0	0	0
腫瘍	318	(3.0%)	0	7	37	114	103	44	13
石灰化	525	(4.9%)	0	13	77	171	186	65	13
非対称性	317	(3.0%)	0	11	50	103	95	50	8
構築の乱れ	31	(0.3%)	0	0	0	14	12	3	2
その他の所見	22	(0.2%)	0	1	4	8	3	5	1
検診者総数	10,654		7	379	1,414	3,497	3,301	1,720	336

乳房超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	1,197	(70.7%)	0	167	422	217	168	167	56
カテゴリー2	404	(23.9%)	0	40	169	107	49	31	8
カテゴリー3	82	(4.8%)	0	12	20	22	14	7	7
カテゴリー4	7	(0.4%)	0	0	2	3	1	0	1
嚢胞疑い	298	(17.6%)	0	26	101	102	38	27	4
濃縮嚢胞疑い	3	(0.2%)	0	0	1	0	1	1	0
嚢胞内病変疑い	3	(0.2%)	0	1	1	1	0	0	0
充実性病変疑い	60	(3.5%)	0	3	15	19	12	7	4
乳腺内低エコー域	18	(1.1%)	0	4	3	4	3	2	2
乳管拡張(乳輪の範囲を超える)	116	(6.9%)	0	10	77	17	6	3	3
局所性小嚢胞多発	2	(0.1%)	0	0	0	1	0	1	0
その他の所見	91	(5.4%)	0	16	32	19	12	8	4
検診者総数	1,693		0	219	613	350	234	205	72

婦人科判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	9,422	(85.6%)	15	801	1779	2705	2643	1232	247
放置可	625	(5.7%)	0	36	84	159	190	136	20
要経過観察	481	(4.4%)	0	37	90	199	131	19	5
要精密検査	479	(4.3%)	2	67	115	162	95	34	4
要治療	5	(0.0%)	0	0	1	2	2	0	0
治療中	1	(0.0%)	0	1	0	0	0	0	0
合計	11,013		17	942	2,069	3,227	3,061	1,421	276

子宮頸部細胞診

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
NILM (異常なし)	10,633	(96.5%)	15	875	1964	3110	3004	1393	272
ASC-US	220	(2.0%)	2	43	65	71	28	10	1
ASC-H	67	(0.6%)	0	6	16	14	16	13	2
LSIL	54	(0.5%)	0	12	15	16	9	2	0
HSIL	34	(0.3%)	0	6	8	13	4	2	1
AGC	4	(0.0%)	0	0	1	3	0	0	0
Adenoca.	2	(0.0%)	0	0	0	1	0	1	0
トリコモナス	10	(0.1%)	0	1	1	3	5	0	0
カンジダ	237	(2.2%)	0	60	64	85	24	4	0
その他の所見	4	(0.0%)	0	0	0	2	2	0	0
検診者総数	11,014		17	942	2,069	3,228	3,061	1,421	276

HPV検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
陰性	111	(94.1%)	0	4	80	15	7	3	2
陽性	7	(5.9%)	0	0	7	0	0	0	0
検診者総数	118		0	4	87	15	7	3	2

婦人科診察所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外陰異常	2	(0.0%)	0	0	1	0	1	0	0
外陰異常疑い	1	(0.0%)	0	0	0	0	1	0	0
外陰炎	8	(0.1%)	0	0	1	0	5	1	1
萎縮性膣炎	14	(0.1%)	0	0	0	0	1	9	4
カンジダ疑い	9	(0.1%)	0	1	2	4	1	1	0
バルトリン腺異常	8	(0.1%)	0	0	2	4	2	0	0
バルトリン腺異常疑い	2	(0.0%)	0	0	1	0	1	0	0
子宮腫部びらん	208	(1.9%)	0	22	73	100	10	3	0
子宮腫部びらん疑い	13	(0.1%)	0	0	5	6	2	0	0
頸管粘膜ポリープ	131	(1.2%)	0	0	11	49	56	15	0
頸管粘膜ポリープ疑い	27	(0.2%)	0	0	2	9	14	2	0
子宮頸部腫瘍疑い	2	(0.0%)	0	0	0	0	2	0	0
子宮体部腫瘍	174	(1.6%)	0	1	19	74	70	10	0
子宮体部腫瘍疑い	93	(0.8%)	0	1	7	58	26	1	0
子宮附属器炎	1	(0.0%)	0	0	0	0	0	1	0
子宮附属器炎疑い	4	(0.0%)	0	0	1	2	1	0	0
良性卵巣腫瘍	3	(0.0%)	0	0	1	2	0	0	0
良性卵巣腫瘍疑い	12	(0.1%)	0	0	6	1	4	1	0
卵巣腫瘍疑い	3	(0.0%)	0	0	0	1	2	0	0
子宮下垂	10	(0.1%)	0	0	0	4	4	1	1
子宮下垂疑い	2	(0.0%)	0	0	0	0	1	1	0
子宮術後	310	(2.8%)	0	1	6	30	139	114	20
その他の所見	13	(0.1%)	0	2	1	5	2	2	1
検診者総数	11,007		17	940	2,066	3,226	3,061	1,421	276

便潜血判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	18,313	(95.2%)	9	418	3,105	5,885	5,936	2,654	306
	女	11,688	(96.0%)	6	317	2,070	3,860	3,746	1,502	187
	計	30,001	(95.5%)	15	735	5,175	9,745	9,682	4,156	493
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	1	(0.0%)	0	0	0	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	1	0	0	0
要精密検査	男	913	(4.7%)	0	17	103	244	326	188	35
	女	482	(4.0%)	0	14	87	159	137	71	14
	計	1,395	(4.4%)	0	31	190	403	463	259	49
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	13	(0.1%)	0	0	2	8	2	1	0
	女	8	(0.1%)	0	0	0	6	1	1	0
	計	21	(0.1%)	0	0	2	14	3	2	0
合計	男	19,240		9	435	3,210	6,138	6,264	2,843	341
	女	12,178		6	331	2,157	4,025	3,884	1,574	201
	計	31,418		15	766	5,367	10,163	10,148	4,417	542

便潜血の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
便潜血 (一日法)	男	521	20	4	8	0	—	87	3	3	115	3	3	165	8	5	113	3	3	33	3	9
	女	643	18	3	5	0	—	94	3	3	159	6	4	215	4	2	152	4	3	18	1	6
	計	1,164	38	3	13	0	—	181	6	3	274	9	3	380	12	3	265	7	3	51	4	8
便潜血 (二日法)	男	18,719	907	5	436	17	4	3,123	102	3	6,023	250	4	6,099	320	5	2,730	186	7	308	32	10
	女	11,535	472	4	332	14	4	2,063	84	4	3,866	159	4	3,669	134	4	1,422	68	5	183	13	7
	計	30,254	1,379	5	768	31	4	5,186	186	4	9,889	409	4	9,768	454	5	4,152	254	6	491	45	9

陽性率%

脂質検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	7,193 (26.9%)	91	1,192	1,781	1,619	1,521	861	128
	女	5,926 (28.3%)	74	967	1,506	1,859	1,049	372	99
	計	13,119 (27.5%)	165	2,159	3,287	3,478	2,570	1,233	227
放置可	男	6,403 (24.0%)	133	1,082	1,555	1,505	1,347	682	99
	女	8,072 (38.5%)	140	1,606	2,257	2,263	1,300	429	77
	計	14,475 (30.4%)	273	2,688	3,812	3,768	2,647	1,111	176
要経過観察	男	9,339 (35.0%)	26	603	1,899	2,765	2,644	1,254	148
	女	4,832 (23.0%)	11	259	564	1,279	1,863	739	117
	計	14,171 (29.7%)	37	862	2,463	4,044	4,507	1,993	265
要精密検査	男	1,366 (5.1%)	2	60	286	447	400	154	17
	女	697 (3.3%)	0	19	50	126	350	135	17
	計	2,063 (4.3%)	2	79	336	573	750	289	34
要治療	男	422 (1.6%)	0	16	102	155	115	33	1
	女	181 (0.9%)	0	1	11	35	95	37	2
	計	603 (1.3%)	0	17	113	190	210	70	3
治療中	男	1,987 (7.4%)	0	8	73	424	885	528	69
	女	1,262 (6.0%)	0	2	17	114	528	515	86
	計	3,249 (6.8%)	0	10	90	538	1,413	1,043	155
合計	男	26,710	252	2,961	5,696	6,915	6,912	3,512	462
	女	20,970	225	2,854	4,405	5,676	5,185	2,227	398
	計	47,680	477	5,815	10,101	12,591	12,097	5,739	860

脂質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
総コレステロール mg/dL	男	21,006	197.6	1,909	175.9	4,293	193.3	5,764	202.2	5,784	203.1	2,855	198.9	401	191.2
	女	14,032	198.7	1,691	178.1	2,914	183.3	3,979	195.8	3,556	216.6	1,595	215.3	297	203.4
	計	35,038	198.0	3,600	176.9	7,207	189.2	9,743	199.6	9,340	208.2	4,450	204.8	698	196.4
中性脂肪 mg/dL	男	26,508	118.5	3,140	82.1	5,600	112.3	6,892	128.9	6,903	129.4	3,511	120.1	462	113.7
	女	20,919	76.1	3,055	58.5	4,379	65.4	5,675	73.5	5,185	87.4	2,227	97.3	398	101.2
	計	47,427	99.8	6,195	70.4	9,979	91.7	12,567	103.9	12,088	111.4	5,738	111.3	860	107.9
HDLコレステロール mg/dL	男	26,672	55.2	3,208	55.9	5,689	54.4	6,898	54.6	6,904	55.9	3,511	55.8	462	54.4
	女	20,968	66.4	3,079	66.0	4,404	65.7	5,675	66.7	5,185	68.0	2,227	64.9	398	58.4
	計	47,640	60.1	6,287	60.9	10,093	59.3	12,573	60.1	12,089	61.1	5,738	59.3	860	56.2
LDLコレステロール mg/dL	男	26,622	121.2	3,183	106.2	5,669	120.2	6,894	126.4	6,903	124.6	3,511	120.8	462	112.5
	女	20,797	115.0	3,005	97.8	4,342	103.3	5,657	113.8	5,171	129.8	2,224	129.6	398	117.4
	計	47,419	118.5	6,188	102.1	10,011	112.9	12,551	120.7	12,074	126.8	5,735	124.2	860	114.8

糖尿病判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	18,877	(64.7%)	309	3,566	5,257	4,730	3,399	1,456	160
	女	18,257	(79.8%)	311	3,541	4,479	4,862	3,685	1,232	147
	計	37,134	(71.4%)	620	7,107	9,736	9,592	7,084	2,688	307
放置可	男	5,973	(20.5%)	9	265	911	1,591	2,020	1,011	166
	女	3,294	(14.4%)	7	126	339	819	1,146	671	186
	計	9,267	(17.8%)	16	391	1,250	2,410	3,166	1,682	352
要経過観察	男	2,054	(7.0%)	1	28	171	437	805	549	63
	女	732	(3.2%)	2	11	53	121	299	208	38
	計	2,786	(5.4%)	3	39	224	558	1,104	757	101
要精密検査	男	395	(1.4%)	0	5	37	58	166	117	12
	女	104	(0.5%)	0	3	3	20	37	33	8
	計	499	(1.0%)	0	8	40	78	203	150	20
要治療	男	396	(1.4%)	0	4	40	105	150	89	8
	女	90	(0.4%)	0	2	7	22	32	24	3
	計	486	(0.9%)	0	6	47	127	182	113	11
治療中	男	1,474	(5.1%)	0	6	52	229	635	485	67
	女	389	(1.7%)	0	2	16	43	157	145	26
	計	1,863	(3.6%)	0	8	68	272	792	630	93
合計	男	29,169		319	3,874	6,468	7,150	7,175	3,707	476
	女	22,866		320	3,685	4,897	5,887	5,356	2,313	408
	計	52,035		639	7,559	11,365	13,037	12,531	6,020	884

糖尿病検査の性年齢別平均値

検査項目	総数		29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上	
	男	女	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女
血糖 mg/dL	男	26,589	99.7	3,105	91.4	5,691	94.6	6,915	98.6	6,911	104.6	3,506	107.2	461	106.8				
	女	20,880	93.2	3,023	88.7	4,381	89.6	5,673	92.3	5,179	96.1	2,226	99.7	398	105.7				
	計	47,469	96.9	6,128	90.1	10,072	92.4	12,588	95.8	12,090	100.9	5,732	104.3	859	106.3				
HbA1c (NGSP) %	男	13,297	5.47	1,232	5.13	2,282	5.29	3,868	5.41	4,149	5.61	1,533	5.76	233	5.77				
	女	7,544	5.42	596	5.15	1,472	5.26	2,434	5.36	1,951	5.54	912	5.72	179	5.72				
	計	20,841	5.45	1,828	5.14	3,754	5.28	6,302	5.39	6,100	5.59	2,445	5.74	412	5.75				

糖負荷試験の判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
正常型	男	120	(61.5%)	0	0	5	37	55	16	7
	女	67	(75.3%)	0	0	1	28	28	7	3
	計	187	(65.8%)	0	0	6	65	83	23	10
境界型	男	64	(32.8%)	0	0	0	17	25	17	5
	女	21	(23.6%)	0	0	1	6	10	2	2
	計	85	(29.9%)	0	0	1	23	35	19	7
糖尿病型	男	11	(5.6%)	0	0	2	2	4	3	0
	女	1	(1.1%)	0	0	0	1	0	0	0
	計	12	(4.2%)	0	0	2	3	4	3	0
合計	男	195		0	0	7	56	84	36	12
	女	89		0	0	2	35	38	9	5
	計	284		0	0	9	91	122	45	17

尿糖の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	29,779	561	1.9	4,409	7	0.2	6,602	61	0.9	7,221	117	1.6	7,325	226	3.1	3,745	135	3.6	477	15	3.1
		22,955	98	0.4	4,034	15	0.4	4,933	13	0.3	5,919	22	0.4	5,354	28	0.5	2,308	17	0.7	407	3	0.7
		計	52,734	659	1.2	8,443	22	0.3	11,535	74	0.6	13,140	139	1.1	12,679	254	2.0	6,053	152	2.5	884	18

陽性率%

痛風判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	17,705 (75.0%)	180	1,676	3,615	4,724	4,710	2,483	317
	女	15,119 (94.1%)	177	1,720	3,313	4,339	3,692	1,604	274
	計	32,824 (82.7%)	357	3,396	6,928	9,063	8,402	4,087	591
放置可	男	1,768 (7.5%)	16	153	434	496	461	192	16
	女	449 (2.8%)	4	30	53	100	150	100	12
	計	2,217 (5.6%)	20	183	487	596	611	292	28
要経過観察	男	2,164 (9.2%)	13	170	510	618	584	234	35
	女	389 (2.4%)	6	26	38	85	149	75	10
	計	2,553 (6.4%)	19	196	548	703	733	309	45
要精密検査	男	600 (2.5%)	2	47	133	217	138	60	3
	女	89 (0.6%)	1	8	10	23	27	14	6
	計	689 (1.7%)	3	55	143	240	165	74	9
要治療	男	51 (0.2%)	1	5	10	22	9	3	1
	女	4 (0.0%)	0	1	0	1	1	0	1
	計	55 (0.1%)	1	6	10	23	10	3	2
治療中	男	1,334 (5.6%)	0	5	92	327	587	282	41
	女	22 (0.1%)	0	0	1	3	7	5	6
	計	1,356 (3.4%)	0	5	93	330	594	287	47
合計	男	23,622	212	2,056	4,794	6,404	6,489	3,254	413
	女	16,072	188	1,785	3,415	4,551	4,026	1,798	309
	計	39,694	400	3,841	8,209	10,955	10,515	5,052	722

尿酸の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
尿酸 mg/dL	男	23,622	6.11	2,268	6.09	4,794	6.19	6,404	6.20	6,489	6.08	3,254	5.94	413	5.86
	女	16,072	4.41	1,973	4.34	3,415	4.18	4,551	4.27	4,026	4.63	1,798	4.73	309	4.73
	計	39,694	5.42	4,241	5.28	8,209	5.36	10,955	5.40	10,515	5.52	5,052	5.51	722	5.38

貧血・血球数判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	20,011	(75.5%)	175	2,473	4,478	5,155	4,987	2,466	277
	女	14,834	(70.6%)	163	2,350	3,209	3,738	3,474	1,641	259
	計	34,845	(73.3%)	338	4,823	7,687	8,893	8,461	4,107	536
放置可	男	4,320	(16.3%)	54	336	829	1,201	1,239	588	73
	女	3,730	(17.8%)	34	406	727	940	1,142	417	64
	計	8,050	(16.9%)	88	742	1,556	2,141	2,381	1,005	137
要経過観察	男	1,994	(7.5%)	23	101	304	471	599	407	89
	女	1,787	(8.5%)	24	198	426	585	388	123	43
	計	3,781	(8.0%)	47	299	730	1,056	987	530	132
要精密検査	男	138	(0.5%)	0	5	16	23	42	36	16
	女	365	(1.7%)	2	29	69	193	48	6	18
	計	503	(1.1%)	2	34	85	216	90	42	34
要治療	男	13	(0.0%)	0	0	0	1	5	3	4
	女	45	(0.2%)	1	2	6	31	4	0	1
	計	58	(0.1%)	1	2	6	32	9	3	5
治療中	男	35	(0.1%)	1	0	2	7	17	7	1
	女	243	(1.2%)	1	12	43	119	50	10	8
	計	278	(0.6%)	2	12	45	126	67	17	9
合計	男	26,511		253	2,915	5,629	6,858	6,889	3,507	460
	女	21,004		225	2,997	4,480	5,606	5,106	2,197	393
	計	47,515		478	5,912	10,109	12,464	11,995	5,704	853

貧血・血球数検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
赤血球数 万/ μ L	男	26,570	495.5	3,183	514.1	5,646	507.7	6,870	497.7	6,899	486.3	3,512	477.9	460	459.4
	女	21,011	444.4	3,223	450.3	4,481	442.6	5,608	442.6	5,107	446.0	2,197	444.4	395	418.3
	計	47,581	472.9	6,406	482.0	10,127	478.9	12,478	472.9	12,006	469.2	5,709	465.0	855	440.4
ヘモグロビン g/dL	男	26,571	15.42	3,183	15.66	5,647	15.60	6,870	15.48	6,899	15.32	3,512	15.10	460	14.60
	女	21,012	13.19	3,223	13.27	4,481	13.03	5,608	12.94	5,108	13.42	2,197	13.54	395	12.87
	計	47,583	14.43	6,406	14.46	10,128	14.47	12,478	14.34	12,007	14.51	5,709	14.50	855	13.80
ヘマトクリット %	男	25,832	45.23	2,955	45.74	5,449	45.68	6,707	45.42	6,797	45.03	3,467	44.41	457	42.99
	女	20,462	39.57	3,058	39.67	4,341	39.10	5,489	38.99	5,006	40.19	2,175	40.53	393	38.60
	計	46,294	42.73	6,013	42.65	9,790	42.76	12,196	42.53	11,803	42.98	5,642	42.91	850	40.96
MCV fL	男	3,410	91.83	98	88.71	602	90.10	1,011	91.33	1,190	92.77	437	93.22	72	93.58
	女	2,322	89.32	70	88.59	460	88.47	749	88.29	757	90.12	238	91.33	48	91.99
	計	5,732	90.81	168	88.66	1,062	89.39	1,760	90.04	1,947	91.74	675	92.55	120	92.94
MCH pg	男	3,409	31.31	98	30.49	601	30.73	1,011	31.17	1,190	31.62	437	31.70	72	31.90
	女	2,321	29.75	70	29.80	460	29.43	749	29.31	756	30.08	238	30.54	48	30.58
	計	5,730	30.68	168	30.20	1,061	30.17	1,760	30.38	1,946	31.02	675	31.29	120	31.38
MCHC %	男	3,397	34.10	97	34.38	596	34.11	1,010	34.13	1,185	34.08	437	34.01	72	34.09
	女	2,310	33.27	68	33.57	459	33.21	744	33.15	754	33.36	238	33.44	47	33.23
	計	5,707	33.77	165	34.05	1,055	33.72	1,754	33.71	1,939	33.80	675	33.81	119	33.75
血清鉄 μ g/dL	男	3,654	118.3	319	111.2	642	120.7	966	121.5	1,232	116.9	429	118.0	66	113.5
	女	2,364	102.6	155	99.0	416	98.8	768	100.6	769	105.4	208	109.3	48	103.6
	計	6,018	112.1	474	107.2	1,058	112.1	1,734	112.2	2,001	112.5	637	115.1	114	109.3
白血球数 千/ μ L	男	24,050	5.93	2,301	5.65	4,802	6.00	6,553	6.06	6,674	5.92	3,290	5.86	430	5.66
	女	17,300	5.40	2,170	5.96	3,620	5.66	4,893	5.42	4,399	4.98	1,850	5.15	368	5.33
	計	41,350	5.71	4,471	5.80	8,422	5.86	11,446	5.78	11,073	5.54	5,140	5.60	798	5.51
血小板数 万/ μ L	男	7,685	22.33	574	22.81	1,349	22.87	2,095	23.05	2,295	22.06	1,129	21.25	243	19.44
	女	5,626	23.78	353	23.97	1,066	24.10	1,610	25.17	1,544	23.34	766	22.30	287	20.92
	計	13,311	22.94	927	23.25	2,415	23.41	3,705	23.97	3,839	22.57	1,895	21.68	530	20.24

炎症反応判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	3,026	(90.5%)	0	30	489	890	1,053	444	120
	女	1,986	(92.6%)	1	27	350	558	604	354	92
	計	5,012	(91.3%)	1	57	839	1,448	1,657	798	212
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	318	(9.5%)	0	2	42	81	100	72	21
	女	158	(7.4%)	0	3	31	41	53	26	4
	計	476	(8.7%)	0	5	73	122	153	98	25
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.0%)	0	0	0	0	1	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	3,344		0	32	531	971	1,153	516	141
	女	2,145		1	30	381	599	658	380	96
	計	5,489		1	62	912	1,570	1,811	896	237

炎症反応検査の性年齢別平均値

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CRP	男	3,305	317	9.6	9	1	11.1	527	42	8.0	964	81	8.4	1,151	100	8.7	513	72	14.0	141	21	14.9
	女	2,098	153	7.3	21	2	9.5	367	27	7.4	587	40	6.8	650	54	8.3	377	26	6.9	96	4	4.2
	計	5,403	470	8.7	30	3	10.0	894	69	7.7	1,551	121	7.8	1,801	154	8.6	890	98	11.0	237	25	10.5
血沈	男	36	1	2.8	0	—	—	2	0	—	14	1	7.1	16	0	—	3	0	—	1	0	—
	女	26	3	11.5	1	0	—	3	1	33.3	13	2	15.4	6	0	—	3	0	—	0	—	—
	計	62	4	6.5	1	0	—	5	1	20.0	27	3	11.1	22	0	—	6	0	—	1	0	—

陽性率%

腎機能判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	23,750	(81.6%)	301	3,664	5,728	5,795	5,447	2,597	218
	女	16,107	(70.5%)	255	3,111	3,720	3,886	3,544	1,430	161
	計	39,857	(76.7%)	556	6,775	9,448	9,681	8,991	4,027	379
放置可	男	939	(3.2%)	1	34	123	234	279	192	76
	女	1,894	(8.3%)	19	280	406	633	325	177	54
	計	2,833	(5.5%)	20	314	529	867	604	369	130
要経過観察	男	3,865	(13.3%)	16	142	561	967	1,268	764	147
	女	4,628	(20.2%)	45	265	737	1,323	1,425	676	157
	計	8,493	(16.3%)	61	407	1,298	2,290	2,693	1,440	304
要精密検査	男	329	(1.1%)	1	21	27	72	97	91	20
	女	130	(0.6%)	1	22	23	17	28	16	23
	計	459	(0.9%)	2	43	50	89	125	107	43
要治療	男	3	(0.0%)	0	1	0	1	1	0	0
	女	1	(0.0%)	0	0	0	0	0	0	1
	計	4	(0.0%)	0	1	0	1	1	0	1
治療中	男	218	(0.7%)	0	5	21	48	69	61	14
	女	96	(0.4%)	0	6	10	27	32	9	12
	計	314	(0.6%)	0	11	31	75	101	70	26
合計	男	29,104		319	3,867	6,460	7,117	7,161	3,705	475
	女	22,856		320	3,684	4,896	5,886	5,354	2,308	408
	計	51,960		639	7,551	11,356	13,003	12,515	6,013	883

腎機能検査の性年齢別平均値

検査項目	総数		29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
	男	女	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
尿素窒素 mg/dL	男	22,566	14.1	2,092	13.3	4,530	13.3	6,190	13.6	6,277	14.5	3,068	15.5	409	16.9					
	女	15,116	12.6	1,705	11.3	3,066	11.3	4,376	11.9	3,963	13.6	1,657	14.8	349	17.6					
	計	37,682	13.5	3,797	12.4	7,596	12.5	10,566	12.9	10,240	14.2	4,725	15.2	758	17.2					
クレアチニン mg/dL	男	23,656	0.88	2,174	0.87	4,751	0.86	6,513	0.87	6,591	0.89	3,208	0.89	419	0.92					
	女	16,040	0.64	1,761	0.63	3,313	0.62	4,679	0.64	4,187	0.65	1,743	0.65	357	0.70					
	計	39,696	0.78	3,935	0.76	8,064	0.76	11,192	0.77	10,778	0.80	4,951	0.81	776	0.82					

尿検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
		陽性者数	陽性率	陽性率	陽性者数	陽性率	陽性率	陽性者数	陽性率	陽性率	陽性者数	陽性率	陽性率	陽性者数	陽性率	陽性率	陽性者数	陽性率	陽性率			
尿蛋白定性	男	30,069	1,214	4.0	4,468	104	2.3	6,675	176	2.6	7,294	287	3.9	7,384	361	4.9	3,771	250	6.6	477	36	7.5
	女	23,012	659	2.9	4,046	159	3.9	4,948	143	2.9	5,927	162	2.7	5,364	108	2.0	2,320	62	2.7	407	25	6.1
	計	53,081	1,873	3.5	8,514	263	3.1	11,623	319	2.7	13,221	449	3.4	12,748	469	3.7	6,091	312	5.1	884	61	6.9
尿潜血	男	24,296	1,878	7.7	2,471	66	2.7	4,844	246	5.1	6,560	454	6.9	6,721	667	9.9	3,277	383	11.7	423	62	14.7
	女	17,133	4,278	25.0	2,220	444	20.0	3,608	797	22.1	4,813	1,326	27.6	4,317	1,100	25.5	1,815	504	27.8	360	107	29.7
	計	41,429	6,156	14.9	4,691	510	10.9	8,452	1,043	12.3	11,373	1,780	15.7	11,038	1,767	16.0	5,092	887	17.4	783	169	21.6

(+) 以上の人を陽性として判定している

陽性率%

膵機能判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	12,685 (92.8%)	51	1,395	2,575	3,543	3,679	1,245
女		6,237 (91.8%)	22	776	1,424	1,822	1,435	615	143
計		18,922 (92.5%)	73	2,171	3,999	5,365	5,114	1,860	340
放置可	男	368 (2.7%)	1	33	88	124	96	25	1
	女	123 (1.8%)	0	11	21	43	35	11	2
	計	491 (2.4%)	1	44	109	167	131	36	3
要経過観察	男	580 (4.2%)	0	37	81	114	210	109	29
	女	416 (6.1%)	1	45	94	103	88	70	15
	計	996 (4.9%)	1	82	175	217	298	179	44
要精密検査	男	32 (0.2%)	0	1	5	10	10	6	0
	女	14 (0.2%)	0	2	1	2	5	3	1
	計	46 (0.2%)	0	3	6	12	15	9	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	4 (0.0%)	0	0	0	0	2	2	0
	女	3 (0.0%)	0	0	0	0	2	1	0
	計	7 (0.0%)	0	0	0	0	4	3	0
合計	男	13,669	52	1,466	2,749	3,791	3,997	1,387	227
	女	6,793	23	834	1,540	1,970	1,565	700	161
	計	20,462	75	2,300	4,289	5,761	5,562	2,087	388

膵機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	血清アミラーゼ IU/L	男	13,669	72.3	1,518	69.6	2,749	69.7	3,791	69.9	3,997	73.8	1,387	80.0	227
女		6,793	77.4	857	77.7	1,540	77.4	1,970	75.1	1,565	77.3	700	81.5	161	84.7
計		20,462	73.9	2,375	72.5	4,289	72.5	5,761	71.7	5,562	74.8	2,087	80.5	388	85.9

電解質判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	2,203	(87.0%)	133	52	336	614	635	348	85
	女	1,145	(86.0%)	87	24	211	308	267	195	53
	計	3,348	(86.6%)	220	76	547	922	902	543	138
放置可	男	261	(10.3%)	3	25	37	67	91	33	5
	女	154	(11.6%)	3	2	17	28	65	27	12
	計	415	(10.7%)	6	27	54	95	156	60	17
要経過観察	男	67	(2.6%)	6	3	4	15	24	13	2
	女	31	(2.3%)	1	1	4	8	11	3	3
	計	98	(2.5%)	7	4	8	23	35	16	5
要精密検査	男	1	(0.0%)	0	0	0	0	1	0	0
	女	1	(0.1%)	0	0	0	0	1	0	0
	計	2	(0.1%)	0	0	0	0	2	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	1	(0.0%)	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0
合計	男	2,533		142	80	377	696	752	394	92
	女	1,331		91	27	232	344	344	225	68
	計	3,864		233	107	609	1,040	1,096	619	160

電解質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ナトリウム・ mEq/L	男	2,521	140.4	222	139.9	376	140.4	686	140.4	751	140.5	394	140.5	92	140.0
	女	1,325	140.0	118	139.7	232	139.1	342	139.2	340	140.8	225	140.9	68	140.6
	計	3,846	140.3	340	139.8	608	139.9	1,028	140.0	1,091	140.6	619	140.7	160	140.2
カリウム・ mEq/L	男	2,521	4.19	222	4.35	376	4.14	686	4.16	751	4.16	394	4.24	92	4.23
	女	1,326	4.11	118	4.29	232	4.02	342	4.08	341	4.10	225	4.14	68	4.19
	計	3,847	4.16	340	4.33	608	4.10	1,028	4.13	1,092	4.14	619	4.20	160	4.22
クロール・ mEq/L	男	2,521	105.4	222	104.5	376	105.4	686	105.4	751	105.6	394	105.5	92	104.6
	女	1,325	105.7	118	105.8	232	105.8	342	105.7	340	105.8	225	105.7	68	105.7
	計	3,846	105.5	340	104.9	608	105.6	1,028	105.5	1,091	105.7	619	105.6	160	105.0
無機リン・ mg/dL	男	2,231	3.23	79	3.44	370	3.30	674	3.24	725	3.18	331	3.16	52	3.22
	女	1,077	3.58	22	3.57	226	3.55	338	3.44	321	3.70	143	3.65	27	3.76
	計	3,308	3.34	101	3.47	596	3.40	1,012	3.31	1,046	3.34	474	3.31	79	3.41
カルシウム・ mg/dL	男	2,223	9.45	79	9.85	370	9.52	664	9.46	727	9.40	331	9.39	52	9.38
	女	1,073	9.36	22	9.44	227	9.24	336	9.26	318	9.48	143	9.51	27	9.48
	計	3,296	9.42	101	9.76	597	9.42	1,000	9.39	1,045	9.43	474	9.42	79	9.41

その他の血液検査の判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	4,386	3,704	8,090	56	339	727	992	1,295	803	174
	(92.1%)	(94.7%)	(93.3%)	107	554	691	839	896	509	108
				163	893	1,418	1,831	2,191	1,312	282
放置可	100	93	193	37	12	8	10	20	9	4
	(2.1%)	(2.4%)	(2.2%)	32	4	14	12	17	11	3
				69	16	22	22	37	20	7
要経過観察	173	54	227	65	17	26	22	21	18	4
	(3.6%)	(1.4%)	(2.6%)	19	3	7	10	10	2	3
				84	20	33	32	31	20	7
要精密検査	102	58	160	0	4	11	19	15	5	2
	(2.1%)	(1.5%)	(1.8%)	2	4	17	37	62	33	5
				2	4	17	37	62	33	5
要治療	0	0	0	0	0	0	0	0	0	0
	(0.0%)	(0.0%)	(0.0%)	0	0	0	0	0	0	0
				0	0	0	0	0	0	0
治療中	1	1	2	0	0	0	1	0	0	0
	(0.0%)	(0.0%)	(0.0%)	0	0	0	0	1	0	0
				0	0	0	1	1	0	0
合計	4,762	3,910	8,672	158	368	767	1,043	1,383	858	185
				160	565	723	880	939	527	116
				318	933	1,490	1,923	2,322	1,385	301

その他の血液検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CEA	男	1,401	70	5	3	0	—	114	4	4	404	15	4	572	31	5	280	18	6	28	2	7
	女	900	10	1	19	0	—	126	0	—	265	2	1	373	6	2	101	1	1	16	1	6
	計	2,301	80	4	22	0	—	240	4	2	669	17	3	945	37	4	381	19	5	44	3	7
RF	男	2,514	115	5	334	5	2	495	7	1	520	18	4	652	51	8	438	28	6	75	6	8
	女	2,281	101	4	598	11	2	522	19	4	489	26	5	419	30	7	220	12	6	33	3	9
	計	4,795	216	5	932	16	2	1,017	26	3	1,009	44	4	1,071	81	8	658	40	6	108	9	8
CPK	男	219	133	61	185	126	68	10	4	40	13	2	15	11	1	9	0	0	—	0	0	—
	女	99	54	55	95	53	56	2	0	—	0	—	—	1	0	—	1	1	100	0	0	—
	計	318	187	59	280	179	64	12	4	33	13	2	15	12	1	8	1	1	100	0	0	—
CA199	男	835	8	1	3	0	—	60	0	—	168	2	1	312	3	1	267	3	1	25	0	—
	女	460	13	3	18	0	—	54	2	4	100	2	2	174	5	3	95	3	3	19	1	5
	計	1,295	21	2	21	0	—	114	2	2	268	4	2	486	8	2	362	6	2	44	1	2
CA125	男	2	0	—	0	—	—	0	—	—	1	0	—	1	0	—	0	—	—	0	—	—
	女	506	19	4	32	0	—	91	7	8	151	10	7	141	1	1	78	1	1	13	0	—
	計	508	19	4	32	0	—	91	7	8	152	10	7	142	1	1	78	1	1	13	0	—
シフラ	男	205	0	—	0	—	—	13	0	—	53	0	—	80	0	—	49	0	—	10	0	—
	女	71	1	1.4	0	—	—	11	0	—	15	0	—	30	1	3.3	10	0	—	5	0	—
	計	276	1	0.4	0	—	—	24	0	—	68	0	—	110	1	0.9	59	0	—	15	0	—
PROGRP	男	206	2	1.0	0	—	—	13	0	—	53	0	—	81	0	—	49	1	2.0	10	1	10.0
	女	70	1	1.4	0	—	—	11	0	—	15	0	—	30	1	3.3	9	0	—	5	0	—
	計	276	3	1.1	0	—	—	24	0	—	68	0	—	111	1	0.9	58	1	1.7	15	1	6.7
NT-proBNP	男	147	7	4.8	4	0	—	13	0	—	33	1	3.0	47	1	2.1	40	4	10.0	10	1	10.0
	女	81	5	6.2	0	—	—	4	0	—	21	1	4.8	33	2	6.1	20	0	—	3	2	66.7
	計	228	12	5.3	4	0	—	17	0	—	54	2	3.7	80	3	3.8	60	4	6.7	13	3	23.1

陽性率%

前立腺検査の判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	人数	割合							
異常なし	4,102	(95.3%)	0	5	75	324	2,658	904	136
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	5	(0.1%)	0	0	0	0	2	2	1
要精密検査	111	(2.6%)	0	0	3	1	50	52	5
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	87	(2.0%)	0	0	2	2	31	34	18
合計	4,305	0	0	5	80	327	2,741	992	160

PSAの年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/mL	4,306	1.29	5	0.78	80	1.23	327	0.91	2,741	1.16	992	1.66	161	1.98

骨密度検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	人数	割合							
異常なし	男	140 (65.4%)	0	0	12	20	58	38	12
	女	830 (58.0%)	91	17	125	254	280	57	6
	計	970 (59.0%)	91	17	137	274	338	95	18
放置可	男	2 (0.9%)	0	0	2	0	0	0	0
	女	54 (3.8%)	0	4	27	22	1	0	0
	計	56 (3.4%)	0	4	29	22	1	0	0
要経過観察	男	54 (25.2%)	0	0	0	3	18	18	15
	女	428 (29.9%)	0	5	33	63	188	116	23
	計	482 (29.3%)	0	5	33	66	206	134	38
要精密検査	男	13 (6.1%)	0	0	0	0	8	2	3
	女	80 (5.6%)	0	0	0	5	31	33	11
	計	93 (5.7%)	0	0	0	5	39	35	14
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	5 (2.3%)	0	0	0	0	1	2	2
	女	39 (2.7%)	0	0	0	3	7	20	9
	計	44 (2.7%)	0	0	0	3	8	22	11
合計	男	214	0	0	14	23	85	60	32
	女	1,431	91	26	185	347	507	226	49
	計	1,645	91	26	199	370	592	286	81

超音波骨密度検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
骨密度 スティフネス	男	214	98.7	0	—	14	106.6	23	111.8	85	99.0	60	97.8	32	87.2
	女	1,431	91.0	117	121.3	185	96.7	347	96.8	507	86.4	226	76.3	49	72.5
	計	1,645	92.0	117	121.3	199	97.4	370	97.8	592	88.2	286	80.8	81	78.3

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	118 (18.1%)	0	2	10	54	49	3	0
	女	148 (29.7%)	0	0	12	70	60	5	1
	計	266 (23.1%)	0	2	22	124	109	8	1
放置可	男	46 (7.1%)	0	0	2	13	29	2	0
	女	32 (6.4%)	0	0	0	4	18	9	1
	計	78 (6.8%)	0	0	2	17	47	11	1
要経過観察	男	419 (64.3%)	0	0	15	83	185	111	25
	女	291 (58.3%)	0	0	1	38	122	107	23
	計	710 (61.7%)	0	0	16	121	307	218	48
要精密検査	男	63 (9.7%)	0	0	0	5	24	21	13
	女	28 (5.6%)	0	0	1	0	3	15	9
	計	91 (7.9%)	0	0	1	5	27	36	22
要治療	男	1 (0.2%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
治療中	男	5 (0.8%)	0	0	0	0	0	2	3
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	5 (0.4%)	0	0	0	0	0	2	3
合計	男	652	0	2	27	155	288	139	41
	女	499	0	0	14	112	203	136	34
	計	1,151	0	2	41	267	491	275	75

頸部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
頸動脈の内腔狭窄 (50-75%)	男	12 (1.8%)	0	0	0	1	5	3	3
	女	4 (0.8%)	0	0	0	1	1	0	2
	計	16 (1.4%)	0	0	0	2	6	3	5
頸動脈の高度狭窄 (75%以上)	男	1 (0.2%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
総頸動脈内径拡大	男	1 (0.2%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	1	0
頸動脈描出不良	男	29 (4.4%)	0	0	3	4	11	7	4
	女	16 (3.2%)	0	0	0	3	7	4	2
	計	45 (3.9%)	0	0	3	7	18	11	6
不安定プラーク (Ⅲa)	男	2 (0.3%)	0	0	0	0	1	1	0
	女	1 (0.2%)	0	0	1	0	0	0	0
	計	3 (0.3%)	0	0	1	0	1	1	0
不安定プラーク (Ⅲb)	男	4 (0.6%)	0	0	0	1	3	0	0
	女	6 (1.2%)	0	0	0	1	1	3	1
	計	10 (0.9%)	0	0	0	2	4	3	1
不安定プラーク (Ⅳ)	男	1 (0.2%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
総頸動脈壁肥厚	男	48 (7.4%)	0	0	0	4	12	20	12
	女	20 (4.0%)	0	0	0	0	2	10	8
	計	68 (5.9%)	0	0	0	4	14	30	20
その他の所見	男	5 (0.8%)	0	0	0	1	3	1	0
	女	1 (0.2%)	0	0	0	0	0	0	1
	計	6 (0.5%)	0	0	0	1	3	1	1
検診者総数	男	652	0	2	27	155	288	139	41
	女	500	0	0	14	113	203	136	34
	計	1,152	0	2	41	268	491	275	75

頸部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
平均IMT 右mm	男	652	0.720	2	0.620	27	0.560	155	0.630	288	0.720	139	0.810	41	0.870
	女	500	0.690	0	0.000	14	0.510	113	0.580	203	0.670	136	0.780	34	0.930
	計	1,152	0.710	2	0.620	41	0.540	268	0.610	491	0.700	275	0.800	75	0.900
平均IMT 左mm	男	652	0.780	2	0.600	27	0.600	155	0.690	288	0.770	139	0.890	41	1.020
	女	500	0.720	0	0.000	14	0.510	113	0.620	203	0.700	136	0.790	34	0.950
	計	1,152	0.760	2	0.600	41	0.570	268	0.660	491	0.740	275	0.840	75	0.990
最大IMT 右mm	男	652	1.340	2	0.820	27	0.920	155	1.130	288	1.350	139	1.510	41	1.770
	女	500	1.210	0	0.000	14	0.890	113	0.990	203	1.200	136	1.330	34	1.600
	計	1,152	1.280	2	0.820	41	0.910	268	1.070	491	1.290	275	1.420	75	1.690
最大IMT 左mm	男	652	1.380	2	0.770	27	0.970	155	1.140	288	1.360	139	1.650	41	1.770
	女	500	1.220	0	0.000	14	0.810	113	1.020	203	1.210	136	1.380	34	1.490
	計	1,152	1.310	2	0.770	41	0.910	268	1.090	491	1.300	275	1.520	75	1.650

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI検査 右	男	652	1.150	2	1.100	27	1.120	155	1.150	288	1.160	139	1.160	41	1.150
	女	496	1.130	0	0.000	14	1.110	112	1.120	201	1.130	136	1.140	33	1.140
	計	1,148	1.140	2	1.100	41	1.120	267	1.140	489	1.150	275	1.150	74	1.150
ABI検査 左	男	652	1.130	2	1.110	27	1.100	155	1.130	288	1.130	139	1.150	41	1.120
	女	496	1.100	0	0.000	14	1.080	112	1.100	201	1.100	136	1.120	33	1.120
	計	1,148	1.120	2	1.110	41	1.090	267	1.120	489	1.120	275	1.130	74	1.120
PWV検査 右 cm/s	男	651	1424.4	2	1222.5	27	1338.3	154	1310.2	288	1391.9	139	1537.6	41	1765.0
	女	496	1367.4	0	0.0	14	1151.0	112	1190.2	201	1320.1	136	1516.5	33	1734.0
	計	1,147	1399.8	2	1222.5	41	1274.3	266	1259.7	489	1362.4	275	1527.2	74	1751.2
PWV検査 左 cm/s	男	651	1407.6	2	1238.0	27	1322.4	154	1291.1	288	1374.4	139	1545.3	41	1676.4
	女	496	1368.5	0	0.0	14	1133.4	112	1189.0	201	1319.2	136	1524.0	33	1736.5
	計	1,147	1390.7	2	1238.0	41	1257.9	266	1248.1	489	1351.7	275	1534.8	74	1703.2

甲状腺検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	147 (52.5%)	0	1	11	36	72	26
	女	155 (36.0%)	0	3	30	55	43	22	2
	計	302 (42.5%)	0	4	41	91	115	48	3
放置可	男	3 (1.1%)	0	0	0	0	2	1	0
	女	3 (0.7%)	0	0	0	0	2	1	0
	計	6 (0.8%)	0	0	0	0	4	2	0
要経過観察	男	76 (27.1%)	0	0	1	9	33	28	5
	女	113 (26.2%)	0	1	13	25	40	31	3
	計	189 (26.6%)	0	1	14	34	73	59	8
要精密検査	男	53 (18.9%)	0	0	2	8	27	14	2
	女	157 (36.4%)	0	3	9	36	67	33	9
	計	210 (29.5%)	0	3	11	44	94	47	11
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	1 (0.4%)	0	0	0	0	1	0	0
	女	3 (0.7%)	0	0	0	0	3	0	0
	計	4 (0.6%)	0	0	0	0	4	0	0
合計	男	280	0	1	14	53	135	69	8
	女	431	0	7	52	116	155	87	14
	計	711	0	8	66	169	290	156	22

甲状腺超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	右葉に甲状腺結節あり	男	86 (33.6%)	0	0	0	11	42	29
	女	181 (47.3%)	0	2	8	36	74	50	11
	計	267 (41.8%)	0	2	8	47	116	79	15
左葉に甲状腺結節あり	男	75 (29.3%)	0	0	1	7	31	32	4
	女	165 (43.1%)	0	2	10	32	67	44	10
	計	240 (37.6%)	0	2	11	39	98	76	14
峡部に甲状腺結節あり	男	7 (2.7%)	0	0	0	0	5	1	1
	女	16 (4.2%)	0	0	0	5	9	2	0
	計	23 (3.6%)	0	0	0	5	14	3	1
充実性腫瘍の疑い	男	55 (21.5%)	0	0	0	8	28	17	2
	女	146 (38.1%)	0	1	8	26	69	34	8
	計	201 (31.5%)	0	1	8	34	97	51	10
嚢胞性病変の疑い	男	137 (53.5%)	0	0	1	15	58	56	7
	女	268 (70.0%)	0	3	10	55	106	77	17
	計	405 (63.4%)	0	3	11	70	164	133	24
甲状腺腫大あり	男	7 (2.7%)	0	0	0	1	3	3	0
	女	34 (8.9%)	0	1	1	13	16	2	1
	計	41 (6.4%)	0	1	1	14	19	5	1
その他の所見	男	17 (6.6%)	0	0	2	3	9	2	1
	女	59 (15.4%)	0	0	6	13	30	8	2
	計	76 (11.9%)	0	0	8	16	39	10	3
検診者総数	男	256	0	1	11	42	129	65	8
	女	383	0	7	42	96	145	81	12
	計	639	0	8	53	138	274	146	20

甲状腺機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	TSH μIU/mL	男	58	2.1	1	3.6	4	2.7	20	1.6	15	1.8	16	2.4	2
	女	173	2.2	4	2.0	31	2.1	59	2.0	57	2.4	17	2.3	5	1.4
	計	231	2.1	5	2.3	35	2.2	79	1.9	72	2.3	33	2.3	7	2.3
FT3 pg/mL	男	58	3.4	1	3.8	4	3.2	20	4.3	15	2.9	16	2.9	2	2.6
	女	173	3.0	4	3.9	31	3.3	59	2.8	57	2.9	17	2.9	5	2.9
	計	231	3.1	5	3.9	35	3.3	79	3.2	72	2.9	33	2.9	7	2.8
FT4 ng/dL	男	58	1.3	1	1.4	4	1.3	20	1.5	15	1.1	16	1.2	2	1.2
	女	173	1.2	4	1.5	31	1.3	59	1.2	57	1.1	17	1.2	5	1.2
	計	231	1.2	5	1.5	35	1.3	79	1.3	72	1.1	33	1.2	7	1.2

脳検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	278 (39.0%)	0	0	24	91	118	39	6
	女	189 (42.9%)	0	3	22	32	74	41	17
	計	467 (40.5%)	0	3	46	123	192	80	23
放置可	男	370 (51.9%)	0	0	12	51	171	89	47
	女	221 (50.1%)	0	0	6	27	79	67	42
	計	591 (51.2%)	0	0	18	78	250	156	89
要経過観察	男	40 (5.6%)	0	1	3	7	11	8	10
	女	18 (4.1%)	0	0	2	2	4	9	1
	計	58 (5.0%)	0	1	5	9	15	17	11
要精密検査	男	14 (2.0%)	0	0	0	3	7	4	0
	女	12 (2.7%)	0	0	0	2	3	4	3
	計	26 (2.3%)	0	0	0	5	10	8	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	11 (1.5%)	0	0	0	3	2	5	1
	女	1 (0.2%)	0	0	0	0	1	0	0
	計	12 (1.0%)	0	0	0	3	3	5	1
合計	男	713	0	1	39	155	309	145	64
	女	441	0	3	30	63	161	121	63
	計	1,154	0	4	69	218	470	266	127

頭部MRI検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脳萎縮	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
無症候性脳梗塞巣	男	21 (2.9%)	0	0	0	0	9	7	5
	女	8 (1.8%)	0	0	0	0	0	1	7
	計	29 (2.5%)	0	0	0	0	9	8	12
脳内異常陰影	男	5 (0.7%)	0	0	0	3	0	2	0
	女	4 (0.9%)	0	0	0	1	1	2	0
	計	9 (0.8%)	0	0	0	4	1	4	0
副鼻腔炎	男	39 (5.5%)	0	0	6	5	16	7	5
	女	7 (1.6%)	0	0	1	0	2	3	1
	計	46 (4.0%)	0	0	7	5	18	10	6
硬膜下水腫	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
くも膜嚢胞	男	2 (0.3%)	0	0	0	0	0	1	1
	女	4 (0.9%)	0	0	0	0	4	0	0
	計	6 (0.5%)	0	0	0	0	4	1	1
その他の所見	男	11 (1.5%)	0	0	0	2	6	1	2
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	11 (1.0%)	0	0	0	2	6	1	2
検診者総数	男	713	0	1	39	155	309	145	64
	女	441	0	3	30	63	161	121	63
	計	1,154	0	4	69	218	470	266	127

頭頭部MRA検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脳動脈硬化	男	13 (1.8%)	0	0	0	0	1	6	6
	女	10 (2.3%)	0	0	0	0	0	0	10
	計	23 (2.0%)	0	0	0	0	1	6	16
脳動脈瘤	男	3 (0.4%)	0	0	0	0	3	0	0
	女	4 (0.9%)	0	0	0	0	1	1	2
	計	7 (0.6%)	0	0	0	0	4	1	2
内頸動脈狭窄	男	10 (1.4%)	0	0	0	0	2	3	5
	女	1 (0.2%)	0	0	0	0	1	0	0
	計	11 (1.0%)	0	0	0	0	3	3	5
脳動脈狭窄	男	5 (0.7%)	0	0	0	0	0	3	2
	女	2 (0.5%)	0	0	1	1	0	0	0
	計	7 (0.6%)	0	0	1	1	0	3	2
前大脳動脈	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	1	0	0	0	0
	計	1 (0.1%)	0	0	1	0	0	0	0
中大脳動脈	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	1	0	0	0	0
	計	1 (0.1%)	0	0	1	0	0	0	0
脳動脈閉塞	男	3 (0.4%)	0	0	0	1	2	0	0
	女	1 (0.2%)	0	0	0	0	0	0	1
	計	4 (0.3%)	0	0	0	1	2	0	1
内頸動脈蛇行	男	5 (0.7%)	0	0	0	0	3	1	1
	女	1 (0.2%)	0	0	0	0	0	0	1
	計	6 (0.5%)	0	0	0	0	3	1	2
脳底動脈蛇行	男	3 (0.4%)	0	0	0	1	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	1	2	0	0
遺残性三叉動脈	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	1	0
	計	1 (0.1%)	0	0	0	0	0	1	0
その他の所見	男	1 (0.1%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	1	0	0	0
検診者総数	男	713	0	1	39	155	309	145	64
	女	441	0	3	30	63	161	121	63
	計	1,154	0	4	69	218	470	266	127

大脳高次機能検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
前頭葉機能低下	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.6%)	0	0	0	0	0	1	0
	計	1 (0.3%)	0	0	0	0	0	1	0
MMSE (脳の認知機能評価の簡易検査) 低下	男	4 (2.8%)	0	1	0	0	0	2	1
	女	2 (1.2%)	0	0	0	0	0	2	0
	計	6 (1.9%)	0	1	0	0	0	4	1
HDS-R (脳の認知機能評価の簡易検査) 低下	男	1 (0.7%)	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.3%)	0	0	0	0	0	1	0
検診者総数	男	144	0	1	4	12	14	63	50
	女	166	0	0	4	6	20	82	54
	計	310	0	1	8	18	34	145	104

心理検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
抑うつ状態	男	17 (11.8%)	0	0	3	3	4	1	6
	女	37 (22.3%)	0	0	2	4	5	19	7
	計	54 (17.4%)	0	0	5	7	9	20	13
検診者総数	男	144	0	1	4	12	14	63	50
	女	166	0	0	4	6	20	82	54
	計	310	0	1	8	18	34	145	104

肥満やせ判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	16,005	(55.3%)	239	2,703	3,777	3,717	3,534	1,819	216
	女	14,568	(64.3%)	203	2,425	3,205	3,757	3,386	1,415	177
	計	30,573	(59.3%)	442	5,128	6,982	7,474	6,920	3,234	393
放置可	男	1,101	(3.8%)	25	280	293	183	187	115	18
	女	4,262	(18.8%)	37	891	1,096	1,034	859	297	48
	計	5,363	(10.4%)	62	1,171	1,389	1,217	1,046	412	66
要経過観察	男	11,832	(40.9%)	30	863	2,303	3,211	3,441	1,771	213
	女	3,827	(16.9%)	16	344	589	1,096	1,112	597	73
	計	15,659	(30.3%)	46	1,207	2,892	4,307	4,553	2,368	286
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	28,938		294	3,846	6,373	7,111	7,162	3,705	447
	女	22,657		256	3,660	4,890	5,887	5,357	2,309	298
	計	51,595		550	7,506	11,263	12,998	12,519	6,014	745

身体計測の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 c m	男	29,288	170.22	4,225	171.65	6,443	171.67	7,181	171.15	7,248	169.42	3,742	166.60	449	163.90
	女	22,738	157.28	3,927	158.24	4,926	158.45	5,921	158.14	5,357	156.46	2,309	153.63	298	151.27
	計	52,026	164.56	8,152	165.19	11,369	165.95	13,102	165.27	12,605	163.91	6,051	161.65	747	158.86
体重 k g	男	29,524	69.01	4,270	66.95	6,510	70.05	7,239	71.11	7,295	69.21	3,761	65.78	449	63.08
	女	22,771	53.97	3,932	52.16	4,929	53.39	5,924	55.26	5,367	54.72	2,321	53.50	298	52.01
	計	52,295	62.46	8,202	59.86	11,439	62.87	13,163	63.98	12,662	63.07	6,082	61.09	747	58.66
BMI (体格指数)	男	29,288	23.80	4,225	22.71	6,443	23.75	7,181	24.26	7,248	24.09	3,742	23.69	449	23.47
	女	22,738	21.82	3,927	20.81	4,926	21.26	5,921	22.09	5,357	22.36	2,309	22.68	298	22.73
	計	52,026	22.93	8,152	21.79	11,369	22.67	13,102	23.28	12,605	23.35	6,051	23.30	747	23.17
体脂肪率 %	男	3,974	21.77	250	18.02	718	20.50	1,090	22.15	1,318	22.53	508	22.39	90	22.87
	女	3,254	30.22	408	28.74	663	28.68	963	30.44	901	31.13	270	32.04	49	32.16
	計	7,228	25.57	658	24.67	1,381	24.43	2,053	26.04	2,219	26.02	778	25.74	139	26.14
腹囲 c m	男	24,368	83.78	1,971	78.40	4,796	82.48	6,826	84.52	6,855	84.99	3,502	84.67	418	84.85
	女	17,636	77.65	1,338	71.58	3,089	74.50	5,553	77.35	5,145	79.47	2,242	81.55	269	83.02
	計	42,004	81.21	3,309	75.64	7,885	79.35	12,379	81.31	12,000	82.62	5,744	83.45	687	84.13

特定健診判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
該当	男	3,472	(16.7%)	0	22	265	905	1,408	788	84
	女	461	(3.4%)	0	2	14	88	185	149	23
	計	3,933	(11.4%)	0	24	279	993	1,593	937	107
予備群該当	男	3,288	(15.8%)	1	72	474	1,087	1,047	528	79
	女	554	(4.1%)	0	2	38	175	223	100	16
	計	3,842	(11.2%)	1	74	512	1,262	1,270	628	95
非該当	男	13,748	(66.0%)	36	854	2621	4,250	3,924	1,858	205
	女	11,970	(88.3%)	16	395	1736	4338	3822	1480	183
	計	25,718	(74.8%)	52	1249	4357	8,588	7,746	3,338	388
判定不能	男	312	(1.5%)	3	76	66	67	72	18	10
	女	569	(4.2%)	2	163	237	107	39	6	15
	計	881	(2.6%)	5	239	303	174	111	24	25
合計	男	20,820		40	1024	3,426	6,309	6,451	3,192	378
	女	13,554		18	562	2,025	4,708	4,269	1,735	237
	計	34,374		58	1,586	5,451	11,017	10,720	4,927	615

体力測定 of 性年齢別平均値

検査項目		総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
		男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
全身反応時間 m秒	男	820	329.0	182	296.5	167	339.3	239	337.3	188	334.4	35	352.2	9	372.7
	女	289	360.8	95	321.3	50	410.5	84	373.9	43	356.1	14	385.9	3	371.0
	計	1,109	337.3	277	305.0	217	355.7	323	346.8	231	338.4	49	361.8	12	372.3
立位体前屈 cm	男	819	4.09	181	10.25	168	3.87	239	1.47	187	2.25	35	0.69	9	5.28
	女	287	8.56	93	12.56	50	5.23	84	6.03	43	7.67	14	11.25	3	10.67
	計	1,106	5.25	274	11.04	218	4.18	323	2.66	230	3.26	49	3.71	12	6.63
上体おこし 回	男	808	22.1	179	28.1	167	24.4	236	20.6	183	17.9	35	14.5	8	9.0
	女	285	15.9	92	26.0	50	13.6	83	11.4	43	9.4	14	6.5	3	2.3
	計	1093	20.5	271	27.4	217	22.0	319	18.2	226	16.3	49	12.2	11	7.2
閉眼片足立ち 秒	男	684	52.4	45	111.3	168	70.2	239	55.2	188	26.1	35	25.3	9	6.8
	女	194	52.8	0	0.0	50	67.3	84	60.2	43	36.8	14	15.4	3	8.7
	計	878	52.5	45	111.3	218	69.5	323	56.5	231	28.1	49	22.4	12	7.3
最大酸素摂取量 mL/分/kg	男	676	34.58	45	43.41	167	36.80	237	34.09	186	31.89	33	31.54	8	28.11
	女	190	31.05	0	0.00	49	34.08	84	30.47	41	30.05	13	27.58	3	26.83
	計	866	33.81	45	43.41	216	36.19	321	33.14	227	31.56	46	30.42	11	27.76

VDT健診管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	3,047 (76.5%)	8	335	697	1,039	827	140	1
	女	1,176 (78.0%)	3	264	385	354	154	16	0
	計	4,223 (76.9%)	11	599	1,082	1,393	981	156	1
要経過観察	男	647 (16.3%)	2	56	70	158	299	62	0
	女	232 (15.4%)	0	50	45	61	71	5	0
	計	879 (16.0%)	2	106	115	219	370	67	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	227 (5.7%)	1	11	35	77	89	14	0
	女	74 (4.9%)	0	5	25	23	16	5	0
	計	301 (5.5%)	1	16	60	100	105	19	0
要二次検査	男	60 (1.5%)	0	13	6	11	22	8	0
	女	25 (1.7%)	2	8	7	3	4	1	0
	計	85 (1.5%)	2	21	13	14	26	9	0
合計	男	3,981	11	415	808	1,285	1,237	224	1
	女	1,507	5	327	462	441	245	27	0
	計	5,488	16	742	1,270	1,726	1,482	251	1

特定化学物質管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	126 (92.0%)	1	23	21	34	34	13	0
	女	15 (100.0%)	0	2	3	2	5	3	0
	計	141 (92.8%)	1	25	24	36	39	16	0
要経過観察	男	11 (8.0%)	0	0	0	5	6	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	11 (7.2%)	0	0	0	5	6	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	137	1	23	21	39	40	13	0
	女	15	0	2	3	2	5	3	0
	計	152	1	25	24	41	45	16	0

騒音・高気圧業務健診管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	165 (48.5%)	6	73	33	27	22	4	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	165 (48.5%)	6	73	33	27	22	4	0
要経過観察	男	23 (6.8%)	0	6	5	3	6	3	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	23 (6.8%)	0	6	5	3	6	3	0
二次検査後要経過観察	男	151 (44.4%)	1	17	26	25	54	28	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	151 (44.4%)	1	17	26	25	54	28	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	1 (0.3%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.3%)	0	0	0	0	1	0	0
合計	男	340	7	96	64	55	83	35	0
	女	0	0	0	0	0	0	0	0
	計	340	7	96	64	55	83	35	0

電離放射線健診管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	34 (89.5%)	1	7	11	10	3	2	0
	女	3 (60.0%)	0	1	0	1	1	0	0
	計	37 (86.0%)	1	8	11	11	4	2	0
要経過観察	男	4 (10.5%)	0	1	1	0	2	0	0
	女	2 (40.0%)	0	0	0	1	1	0	0
	計	6 (14.0%)	0	1	1	1	3	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	38	1	8	12	10	5	2	0
	女	5	0	1	0	2	2	0	0
	計	43	1	9	12	12	7	2	0

有機溶剤健診管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	598 (86.5%)	6	121	140	145	129	56	1
	女	89 (85.6%)	0	15	21	16	16	21	0
	計	687 (86.4%)	6	136	161	161	145	77	1
要経過観察	男	75 (10.9%)	1	16	15	19	21	3	0
	女	15 (14.4%)	0	4	5	2	3	1	0
	計	90 (11.3%)	1	20	20	21	24	4	0
二次検査後要経過観察	男	2 (0.3%)	0	1	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	1	0	1	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労以外の原因による異常	男	4 (0.6%)	0	0	1	2	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	4 (0.5%)	0	0	1	2	1	0	0
要二次検査	男	12 (1.7%)	0	3	7	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	12 (1.5%)	0	3	7	1	1	0	0
合計	男	691	7	141	163	168	152	59	1
	女	104	0	19	26	18	19	22	0
	計	795	7	160	189	186	171	81	1

じん肺・アスベスト健診管理区分

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	68 (87.2%)	0	0	3	6	37	21	1
	女	1 (100.0%)	0	0	1	0	0	0	0
	計	69 (87.3%)	0	0	4	6	37	21	1
要経過観察	男	7 (9.0%)	0	0	0	5	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	7 (8.9%)	0	0	0	5	2	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0		

精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	放置可	経過観察	治療中	要治療
肺機能	21	14	66.7%	4 28.6%	3 21.4%	2 14.3%	3 21.4%	2 14.3%
血圧	1,135	553	48.7%	39 7.1%	26 4.7%	160 28.9%	22 4.0%	306 55.3%
脂質	2,666	1,358	50.9%	70 5.2%	64 4.7%	513 37.8%	60 4.4%	651 47.9%
糖尿病	985	578	58.7%	42 7.3%	16 2.8%	184 31.8%	76 13.1%	257 44.5%
痛風	744	413	55.5%	45 10.9%	13 3.1%	170 41.2%	22 5.3%	163 39.5%
肝機能・血清蛋白	1,522	913	60.0%	88 9.6%	157 17.2%	515 56.4%	61 6.7%	87 9.5%
甲状腺検査	210	195	92.9%	12 6.2%	52 26.7%	122 62.6%	0 0.0%	5 2.6%
脾機能	46	35	76.1%	13 37.1%	9 25.7%	11 31.4%	1 2.9%	1 2.9%
腎機能	463	279	60.3%	36 12.9%	30 10.8%	118 42.3%	53 19.0%	40 14.3%
貧血・血球数	561	347	61.9%	15 4.3%	36 10.4%	89 25.6%	21 6.1%	186 53.6%
炎症反応	1	1	100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
電解質	2	2	100.0%	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
その他の血液検査	160	113	70.6%	28 24.8%	32 28.3%	47 41.6%	2 1.8%	4 3.5%
便潜血	1,395	872	62.5%	257 29.5%	214 24.5%	123 14.1%	9 1.0%	164 18.8%
眼底検査	492	356	72.4%	64 18.0%	119 33.4%	110 30.9%	9 2.5%	42 11.8%
胸部検査	595	470	79.0%	211 44.9%	112 23.8%	106 22.6%	11 2.3%	19 4.0%
心電図	183	120	65.6%	17 14.2%	39 32.5%	31 25.8%	7 5.8%	23 19.2%
上部消化管	1,230	965	78.5%	55 5.7%	306 31.7%	193 20.0%	15 1.6%	383 39.7%
大腸検査	7	5	71.4%	1 20.0%	2 40.0%	1 20.0%	0 0.0%	1 20.0%
腹部超音波	525	398	75.8%	25 6.3%	102 25.6%	237 59.5%	6 1.5%	14 3.5%
内科診察	116	72	62.1%	15 20.8%	12 16.7%	21 29.2%	6 8.3%	15 20.8%
乳房検査	711	629	88.5%	204 32.4%	177 28.1%	193 30.7%	8 1.3%	6 1.0%
婦人科検査	484	399	82.4%	25 6.3%	39 9.8%	279 69.9%	1 0.3%	27 6.8%
前立腺検査	111	80	72.1%	9 11.3%	9 11.3%	46 57.5%	1 1.3%	8 10.0%
骨密度	93	64	68.8%	7 10.9%	10 15.6%	15 23.4%	0 0.0%	32 50.0%
動脈硬化検査	92	71	77.2%	8 11.3%	6 8.5%	31 43.7%	11 15.5%	15 21.1%
脳検査	26	24	92.3%	2 8.3%	5 20.8%	15 62.5%	1 4.2%	1 4.2%
睡眠時無呼吸検査	77	51	66.2%	1 2.0%	11 21.6%	8 15.7%	0 0.0%	31 60.8%

市民健診総合判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女						
異常なし	男	15 (0.1%)	1	6	2	1	5	0
	女	123 (0.7%)	24	58	18	16	7	0
	計	138 (0.5%)	25	64	20	17	12	0
放置可	男	599 (5.6%)	15	86	53	194	203	48
	女	2,567 (14.1%)	166	671	509	826	355	40
	計	3,166 (11.0%)	181	757	562	1,020	558	88
要経過観察	男	3,658 (34.4%)	34	243	246	1,270	1,454	411
	女	6,415 (35.3%)	62	498	878	2,745	1,822	410
	計	10,073 (35.0%)	96	741	1,124	4,015	3,276	821
要精密検査	男	1,089 (10.2%)	9	81	84	388	399	128
	女	1,495 (8.2%)	12	79	185	646	411	162
	計	2,584 (9.0%)	21	160	269	1,034	810	290
要治療	男	417 (3.9%)	3	39	39	161	122	53
	女	576 (3.2%)	5	32	84	273	142	40
	計	993 (3.4%)	8	71	123	434	264	93
治療中	男	4,864 (45.7%)	6	40	119	1,448	2,474	777
	女	6,984 (38.5%)	2	50	319	2,603	3,084	926
	計	11,848 (41.1%)	8	90	438	4,051	5,558	1,703
合計	男	10,642	68	495	543	3,462	4,657	1,417
	女	18,160	271	1,388	1,993	7,109	5,821	1,578
	計	28,802	339	1,883	2,536	10,571	10,478	2,995

市民健診メタボ判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
該当	男	1,563 (21.3%)	75	106	778	604
	女	884 (6.3%)	23	71	488	302
	計	2,447 (11.4%)	98	177	1,266	906
予備群該当	男	1,238 (16.9%)	98	93	578	469
	女	899 (6.4%)	51	102	444	302
	計	2,137 (10.0%)	149	195	1,022	771
非該当	男	4,512 (61.6%)	320	342	2,094	1,756
	女	12,255 (87.2%)	1,314	1,817	6,169	2,955
	計	16,767 (78.4%)	1,634	2,159	8,263	4,711
判定不能	男	10 (0.1%)	0	0	6	4
	女	12 (0.1%)	0	0	2	10
	計	22 (0.1%)	0	0	8	14
合計	男	7,323	493	541	3,456	2,833
	女	14,050	1,388	1,990	7,103	3,569
	計	21,373	1,881	2,531	10,559	6,402

市民健診肥満判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	6,083	(57.2%)	37	233	277	1,778	2,717	1,041
	女	12,425	(68.4%)	196	946	1,389	4,899	3,937	1,058
	計	18,508	(64.3%)	233	1,179	1,666	6,677	6,654	2,099
放置可	男	457	(4.3%)	2	27	18	107	200	103
	女	1,817	(10.0%)	47	222	250	656	442	200
	計	2,274	(7.9%)	49	249	268	763	642	303
要経過観察	男	4,102	(38.5%)	29	235	248	1,577	1,740	273
	女	3,918	(21.6%)	28	220	354	1,554	1,442	320
	計	8,020	(27.8%)	57	455	602	3,131	3,182	593
要精密検査	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
合計	男	10,642		68	495	543	3,462	4,657	1,417
	女	18,160		271	1,388	1,993	7,109	5,821	1,578
	計	28,802		339	1,883	2,536	10,571	10,478	2,995

市民健診身体計測の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 cm	男	10,642	164.01	68	171.77	495	170.20	543	168.11	3,462	165.49	4,657	162.92	1,417	159.87
	女	18,160	152.00	271	158.01	1,388	157.95	1,993	155.55	7,109	152.70	5,821	149.81	1,578	146.13
	計	28,802	156.43	339	160.77	1,883	161.17	2,536	158.24	10,571	156.88	10,478	155.64	2,995	152.63
体重 kg	男	10,642	62.93	68	70.25	495	69.93	543	67.22	3,462	64.36	4,657	62.11	1,417	57.74
	女	18,160	51.60	271	52.61	1,388	53.99	1,993	53.12	7,109	52.10	5,821	50.95	1,578	47.58
	計	28,802	55.79	339	56.15	1,883	58.18	2,536	56.14	10,571	56.11	10,478	55.91	2,995	52.39
BMI (体格指数)	男	10,642	23.35	68	23.78	495	24.11	543	23.77	3,462	23.48	4,657	23.37	1,417	22.57
	女	18,160	22.34	271	21.06	1,388	21.64	1,993	21.95	7,109	22.35	5,821	22.70	1,578	22.27
	計	28,802	22.71	339	21.61	1,883	22.29	2,536	22.34	10,571	22.72	10,478	23.00	2,995	22.41
腹囲 cm	男	7,395	83.86	68	83.74	495	84.41	543	84.05	3,456	84.03	2,833	83.53	0	—
	女	14,316	80.54	271	75.04	1,388	76.54	1,993	78.78	7,105	81.01	3,559	82.55	0	—
	計	21,711	81.67	339	76.78	1,883	78.61	2,536	79.91	10,561	82.00	6,392	82.98	0	—

市民健診血圧判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	2,657	(25.0%)	47	322	220	925	937	206
	女	7,168	(39.5%)	254	1,146	1,192	2,901	1,474	201
	計	9,825	(34.1%)	301	1,468	1,412	3,826	2,411	407
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要経過観察	男	3,345	(31.4%)	14	127	198	1,157	1,427	422
	女	5,050	(27.8%)	16	190	539	2,155	1,715	435
	計	8,395	(29.1%)	30	317	737	3,312	3,142	857
要精密検査	男	608	(5.7%)	4	13	30	208	265	88
	女	747	(4.1%)	0	15	61	272	281	118
	計	1,355	(4.7%)	4	28	91	480	546	206
要治療	男	164	(1.5%)	1	9	12	52	58	32
	女	162	(0.9%)	0	7	19	59	55	22
	計	326	(1.1%)	1	16	31	111	113	54
治療中	男	3,868	(36.3%)	2	24	83	1,120	1,970	669
	女	5,032	(27.7%)	1	30	182	1,722	2,295	802
	計	8,900	(30.9%)	3	54	265	2,842	4,265	1,471
合計	男	10,642		68	495	543	3,462	4,657	1,417
	女	18,159		271	1,388	1,993	7,109	5,820	1,578
	計	28,801		339	1,883	2,536	10,571	10,477	2,995

市民健診安静時血圧の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時血圧・ 最大・ mmHg	男	10,642	137.5	68	124.9	495	125.1	543	132.1	3,462	136.0	4,657	139.1	1,417	142.6
	女	18,159	131.7	271	111.2	1,388	115.7	1,993	125.1	7,109	131.1	5,820	136.6	1,578	142.7
	計	28,801	133.9	339	114.0	1,883	118.1	2,536	126.6	10,571	132.7	10,477	137.7	2,995	142.6
安静時血圧・ 最小・ mmHg	男	10,642	77.7	68	76.1	495	78.9	543	82.5	3,462	80.1	4,657	76.6	1,417	73.0
	女	18,159	73.5	271	67.5	1,388	70.7	1,993	74.9	7,109	74.6	5,820	73.0	1,578	72.2
	計	28,801	75.1	339	69.2	1,883	72.9	2,536	76.5	10,571	76.4	10,477	74.6	2,995	72.6

市民健診肝機能検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	異常なし	男	6,955	(65.5%)	39	267	295	2,146	3,164
女		15,147	(83.6%)	246	1,238	1,641	5,865	4,844	1,313
計		22,102	(76.9%)	285	1,505	1,936	8,011	8,008	2,357
放置可	男	1,888	(17.8%)	13	91	119	674	775	216
	女	1,773	(9.8%)	15	87	203	735	561	172
	計	3,661	(12.7%)	28	178	322	1,409	1,336	388
要経過観察	男	1,143	(10.8%)	13	63	74	409	468	116
	女	738	(4.1%)	8	42	90	325	221	52
	計	1,881	(6.5%)	21	105	164	734	689	168
要精密検査	男	408	(3.8%)	2	54	45	159	132	16
	女	231	(1.3%)	1	13	37	97	70	13
	計	639	(2.2%)	3	67	82	256	202	29
要治療	男	56	(0.5%)	0	12	7	18	15	4
	女	40	(0.2%)	1	5	7	15	10	2
	計	96	(0.3%)	1	17	14	33	25	6
治療中	男	165	(1.6%)	1	7	3	50	86	18
	女	194	(1.1%)	0	2	14	61	93	24
	計	359	(1.2%)	1	9	17	111	179	42
合計	男	10,615		68	494	543	3,456	4,640	1,414
	女	18,123		271	1,387	1,992	7,098	5,799	1,576
	計	28,738		339	1,881	2,535	10,554	10,439	2,990

市民健診肝機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	AST (GOT) U/L	男	10,615	26.0	68	24.0	494	25.9	543	26.0	3,456	25.8	4,640	26.4	1,414
女		18,123	23.8	271	19.3	1,387	19.8	1,992	22.9	7,098	23.9	5,799	24.8	1,576	25.2
計		28,738	24.6	339	20.2	1,881	21.4	2,535	23.6	10,554	24.5	10,439	25.5	2,990	25.6
ALT (GPT) U/L	男	10,615	23.5	68	27.6	494	32.6	543	28.4	3,456	24.4	4,640	22.4	1,414	19.5
	女	18,123	19.4	271	16.9	1,387	17.3	1,992	20.4	7,098	20.2	5,799	19.2	1,576	17.3
	計	28,738	20.9	339	19.0	1,881	21.3	2,535	22.1	10,554	21.6	10,439	20.6	2,990	18.4
γ-GT (γ-GTP) U/L	男	10,615	41.8	68	45.0	494	49.9	543	61.0	3,456	45.4	4,640	39.0	1,414	31.6
	女	18,123	23.9	271	18.5	1,387	21.4	1,992	26.5	7,098	25.3	5,799	22.8	1,576	21.2
	計	28,738	30.5	339	23.8	1,881	28.9	2,535	33.9	10,554	31.9	10,439	30.0	2,990	26.1

市民健診腎機能検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
	男	女	計							
異常なし	男	534	(5.0%)	15	100	62	184	147	26	
	女	1,400	(7.7%)	130	369	202	464	209	26	
	計	1,934	(6.7%)	145	469	264	648	356	52	
放置可	男	6,553	(61.6%)	51	367	416	2,429	2,682	608	
	女	12,609	(69.4%)	136	963	1,631	5,403	3,746	730	
	計	19,162	(66.5%)	187	1,330	2,047	7,832	6,428	1,338	
要経過観察	男	2,849	(26.8%)	1	25	50	605	1,537	631	
	女	3,604	(19.8%)	2	47	127	1,024	1,714	690	
	計	6,453	(22.4%)	3	72	177	1,629	3,251	1,321	
要精密検査	男	561	(5.3%)	1	3	10	199	214	134	
	女	460	(2.5%)	2	4	20	195	119	120	
	計	1,021	(3.5%)	3	7	30	394	333	254	
要治療	男	0	(0.0%)	0	0	0	0	0	0	
	女	0	(0.0%)	0	0	0	0	0	0	
	計	0	(0.0%)	0	0	0	0	0	0	
治療中	男	141	(1.3%)	0	0	5	45	73	18	
	女	85	(0.5%)	1	5	13	23	31	12	
	計	226	(0.8%)	1	5	18	68	104	30	
合計	男	10,638		68	495	543	3,462	4,653	1,417	
	女	18,158		271	1,388	1,993	7,109	5,819	1,578	
	計	28,796		339	1,883	2,536	10,571	10,472	2,995	

市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
		尿蛋白定性	男	10,522	756	7.2	68	2	2.9	495	18	3.6	542	24	4.4	3,429	196	5.7	4,603	363	7.9	1,385
	女	18,052	479	2.7	269	4	1.5	1,382	27	2.0	1,986	28	1.4	7,089	153	2.2	5,779	183	3.2	1,547	84	5.4
	計	28,574	1,235	4.3	337	6	1.8	1,877	45	2.4	2,528	52	2.1	10,518	349	3.3	10,382	546	5.3	2,932	237	8.1

陽性率%

市民健診腎機能検査の性年齢別平均値

検査項目	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
	男	女	計																		
クレアチニン・mg/dL	男	10,615	0.91	68	0.85	494	0.83	543	0.86	3,456	0.88	4,640	0.93	1,414	0.98						
	女	18,123	0.67	271	0.61	1,387	0.63	1,992	0.64	7,098	0.65	5,799	0.68	1,576	0.74						
	計	28,738	0.76	339	0.66	1,881	0.68	2,535	0.69	10,554	0.73	10,439	0.79	2,990	0.85						

市民健診脂質検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	3,090	(29.1%)	23	115	109	912	1,396	535
	女	3,996	(22.0%)	91	473	392	1,214	1,338	488
	計	7,086	(24.7%)	114	588	501	2,126	2,734	1,023
放置可	男	2,523	(23.8%)	9	105	131	779	1,138	361
	女	4,740	(26.2%)	138	584	618	1,674	1,334	392
	計	7,263	(25.3%)	147	689	749	2,453	2,472	753
要経過観察	男	3,633	(34.2%)	28	213	222	1,278	1,495	397
	女	5,521	(30.5%)	34	273	670	2,460	1,674	410
	計	9,154	(31.9%)	62	486	892	3,738	3,169	807
要精密検査	男	407	(3.8%)	5	31	36	153	156	26
	女	730	(4.0%)	6	27	121	371	171	34
	計	1,137	(4.0%)	11	58	157	524	327	60
要治療	男	127	(1.2%)	0	18	15	49	41	4
	女	371	(2.0%)	2	19	56	193	84	17
	計	498	(1.7%)	2	37	71	242	125	21
治療中	男	835	(7.9%)	3	12	30	285	414	91
	女	2,765	(15.3%)	0	11	135	1,186	1,198	235
	計	3,600	(12.5%)	3	23	165	1,471	1,612	326
合計	男	10,615		68	494	543	3,456	4,640	1,414
	女	18,123		271	1,387	1,992	7,098	5,799	1,576
	計	28,738		339	1,881	2,535	10,554	10,439	2,990

市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂肪 mg/dL	男	10,615	120.8	68	131.0	494	143.5	543	147.5	3,456	125.5	4,640	117.4	1,414	101.8
	女	18,123	101.3	271	75.8	1,387	80.7	1,992	95.6	7,098	103.8	5,799	105.7	1,576	104.0
	計	28,738	108.5	339	86.9	1,881	97.2	2,535	106.7	10,554	110.9	10,439	110.9	2,990	103.0
HDLコレステ ロール mg/dL	男	10,615	55.2	68	55.5	494	54.2	543	56.3	3,456	55.7	4,640	55.0	1,414	54.4
	女	18,123	64.7	271	68.1	1,387	67.0	1,992	68.9	7,098	65.1	5,799	63.0	1,576	61.5
	計	28,738	61.2	339	65.6	1,881	63.7	2,535	66.2	10,554	62.0	10,439	59.4	2,990	58.2
LDLコレステ ロール mg/dL	男	10,615	118.3	68	118.6	494	125.2	543	123.8	3,456	122.0	4,640	116.2	1,414	111.4
	女	18,123	128.3	271	108.6	1,387	116.0	1,992	133.5	7,098	133.9	5,799	125.8	1,576	119.9
	計	28,738	124.6	339	110.6	1,881	118.4	2,535	131.4	10,554	130.0	10,439	121.5	2,990	115.9

市民健診糖尿病検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	5,197	(48.9%)	51	344	322	1,703	2,157	620
	女	11,639	(64.1%)	240	1,228	1,517	4,530	3,353	771
	計	16,836	(58.5%)	291	1,572	1,839	6,233	5,510	1,391
放置可	男	2,547	(23.9%)	10	89	107	809	1,135	397
	女	3,823	(21.1%)	25	116	308	1,509	1,424	441
	計	6,370	(22.1%)	35	205	415	2,318	2,559	838
要経過観察	男	1,248	(11.7%)	5	35	60	410	538	200
	女	1,417	(7.8%)	2	30	97	555	536	197
	計	2,665	(9.3%)	7	65	157	965	1,074	397
要精密検査	男	277	(2.6%)	0	6	11	90	136	34
	女	260	(1.4%)	2	5	20	91	89	53
	計	537	(1.9%)	2	11	31	181	225	87
要治療	男	219	(2.1%)	2	11	17	84	72	33
	女	156	(0.9%)	2	2	9	64	50	29
	計	375	(1.3%)	4	13	26	148	122	62
治療中	男	1,150	(10.8%)	0	10	26	366	615	133
	女	863	(4.8%)	0	7	42	360	367	87
	計	2,013	(7.0%)	0	17	68	726	982	220
合計	男	10,638		68	495	543	3,462	4,653	1,417
	女	18,158		271	1,388	1,993	7,109	5,819	1,578
	計	28,796		339	1,883	2,536	10,571	10,472	2,995

市民健診糖尿病検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上															
	男	女	男	女	男	女	男	女	男	女	男	女	男	女														
血糖 mg/dL	10,615	18,123	105.2	98.6	68	271	95.2	90.4	494	1,387	98.1	90.4	543	1,992	102.9	94.9	3,456	7,098	105.1	98.9	4,640	5,799	105.9	100.6	1,414	1,576	107.1	103.9
	計	28,738	101.1	101.1	339	91.4	91.4	1,881	92.4	1,881	92.4	2,535	96.6	96.6	10,554	100.9	100.9	10,554	100.9	10,439	102.9	2,990	2,990	105.4	105.4	2,990	2,990	105.4
	計	28,738	101.1	101.1	101.1	339	91.4	91.4	1,881	92.4	1,881	92.4	2,535	96.6	96.6	10,554	100.9	100.9	10,554	100.9	10,439	102.9	2,990	2,990	105.4	105.4	2,990	2,990
ヘモグロビンA1c %	1,489	1,872	5.730	5.650	10	28	5.310	5.220	138	172	5.500	5.400	191	310	5.620	5.550	573	838	5.750	5.730	410	376	5.830	5.690	167	148	5.760	5.690
	計	3,361	5.690	5.690	38	5.250	5.250	310	5.450	310	5.450	501	5.580	5.580	1,411	5.740	5.740	1,411	5.740	786	5.760	315	315	5.760	5.760	315	315	5.760
	計	3,361	5.690	5.690	5.690	38	5.250	5.250	310	5.450	310	5.450	501	5.580	5.580	1,411	5.740	5.740	1,411	5.740	786	5.760	315	315	5.760	5.760	315	315

HbA1cは選択検査として実施されている

市民健診尿糖の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	10,522	371	3.5	68	0	—	495	13	2.6	542	20	3.7	3,429	138	4.0	4,603	149	3.2	1,385	51	3.7
	女	18,052	120	0.7	269	3	1.1	1,382	4	0.3	1,986	11	0.6	7,089	43	0.6	5,779	45	0.8	1,547	14	0.9
	計	28,574	491	1.7	337	3	0.9	1,877	17	0.9	2,528	31	1.2	10,518	181	1.7	10,382	194	1.9	2,932	65	2.2

陽性率%

市民健診貧血・血球数判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-74歳
異常なし	男	89 (69.5%)	0	8	12	33	36
	女	960 (80.3%)	38	138	228	426	130
	計	1,049 (79.3%)	38	146	240	459	166
放置可	男	7 (5.5%)	0	0	0	3	4
	女	81 (6.8%)	1	15	25	27	13
	計	88 (6.7%)	1	15	25	30	17
要経過観察	男	20 (15.6%)	0	1	1	16	2
	女	112 (9.4%)	7	53	22	22	8
	計	132 (10.0%)	7	54	23	38	10
要精密検査	男	11 (8.6%)	0	0	0	5	6
	女	36 (3.0%)	1	27	4	1	3
	計	47 (3.6%)	1	27	4	6	9
要治療	男	1 (0.8%)	0	0	0	1	0
	女	4 (0.3%)	1	2	1	0	0
	計	5 (0.4%)	1	2	1	1	0
治療中	男	0 (0.0%)	0	0	0	0	0
	女	2 (0.2%)	0	1	1	0	0
	計	2 (0.2%)	0	1	1	0	0
合計	男	128	0	9	13	58	48
	女	1,195	48	236	281	476	154
	計	1,323	48	245	294	534	202

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-74歳		
赤血球数・ 万/μL	男	128	461.8	0	—	9	504.9	13	486.6	58	452.1	48	458.8
	女	1,195	441.3	48	443.8	236	445.2	281	449.1	476	438.8	154	428.4
	計	1,323	443.3	48	443.8	245	447.4	294	450.7	534	440.2	202	435.6
ヘモグロビン・ g/dL	男	128	14.58	0	—	9	15.51	13	15.32	58	14.28	48	14.58
	女	1,195	13.04	48	12.75	236	12.13	281	13.31	476	13.34	154	13.09
	計	1,323	13.19	48	12.75	245	12.26	294	13.40	534	13.44	202	13.44
ヘマトクリット・ %	男	128	43.01	0	—	9	45.91	13	45.26	58	42.13	48	42.93
	女	1,195	39.41	48	38.51	236	37.38	281	40.07	476	40.10	154	39.41
	計	1,323	39.75	48	38.51	245	37.70	294	40.30	534	40.32	202	40.24

市民健診心電図判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
異常なし	男	103 (61.3%)	5	6	44	48
	女	55 (66.3%)	2	5	29	19
	計	158 (62.9%)	7	11	73	67
放置可	男	10 (6.0%)	0	2	3	5
	女	7 (8.4%)	1	0	6	0
	計	17 (6.8%)	1	2	9	5
要経過観察	男	47 (28.0%)	2	4	17	24
	女	17 (20.5%)	0	3	8	6
	計	64 (25.5%)	2	7	25	30
要精密検査	男	2 (1.2%)	0	0	1	1
	女	2 (2.4%)	1	0	0	1
	計	4 (1.6%)	1	0	1	2
要治療	男	1 (0.6%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	0	1	0
治療中	男	5 (3.0%)	0	0	3	2
	女	2 (2.4%)	0	0	0	2
	計	7 (2.8%)	0	0	3	4
合計	男	168	7	12	69	80
	女	83	4	8	43	28
	計	251	11	20	112	108

市民健診安静心電図検査所見

所見	総数				所見	総数							
	40-49歳	50-59歳	60-69歳	70-74歳		40-49歳	50-59歳	60-69歳	70-74歳				
洞性徐脈	男	8 (4.8%)	0	1	3	4	心房細動	男	4 (2.4%)	0	0	3	1
	女	0 (0.0%)	0	0	0	0		女	0 (0.0%)	0	0	0	0
	計	8 (3.2%)	0	1	3	4		計	4 (1.6%)	0	0	3	1
洞性頻脈	男	3 (1.8%)	1	0	1	1	左房負荷疑い	男	2 (1.2%)	0	1	1	0
	女	3 (3.6%)	1	0	1	1		女	0 (0.0%)	0	0	0	0
	計	6 (2.4%)	2	0	2	2		計	2 (0.8%)	0	1	1	0
洞性不整脈	男	1 (0.6%)	0	0	0	1	左室肥大	男	1 (0.6%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0		女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	0	0	1		計	1 (0.4%)	0	0	1	0
異所性上室調律	男	1 (0.6%)	0	0	0	1	左室肥大疑い	男	11 (6.5%)	1	2	3	5
	女	0 (0.0%)	0	0	0	0		女	2 (2.4%)	0	1	0	1
	計	1 (0.4%)	0	0	0	1		計	13 (5.2%)	1	3	3	6
左軸偏位 (-30°以下)	男	4 (2.4%)	0	0	2	2	心筋障害疑い	男	0 (0.0%)	0	0	0	0
	女	2 (2.4%)	0	0	2	0		女	1 (1.2%)	0	1	0	0
	計	6 (2.4%)	0	0	4	2		計	1 (0.4%)	0	1	0	0
不定軸	男	0 (0.0%)	0	0	0	0	S T 低下	男	5 (3.0%)	0	0	4	1
	女	1 (1.2%)	1	0	0	0		女	3 (3.6%)	1	0	1	1
	計	1 (0.4%)	1	0	0	0		計	8 (3.2%)	1	0	5	2
第一度房室ブロック	男	6 (3.6%)	0	0	1	5	S T - T 異常	男	2 (1.2%)	0	0	2	0
	女	1 (1.2%)	0	0	1	0		女	0 (0.0%)	0	0	0	0
	計	7 (2.8%)	0	0	2	5		計	2 (0.8%)	0	0	2	0
不完全右脚ブロック	男	1 (0.6%)	0	0	0	1	異常Q波の疑い	男	5 (3.0%)	0	1	3	1
	女	3 (3.6%)	0	1	2	0		女	3 (3.6%)	0	1	2	0
	計	4 (1.6%)	0	1	2	1		計	8 (3.2%)	0	2	5	1
完全右脚ブロック	男	7 (4.2%)	0	0	2	5	陰性T波	男	6 (3.6%)	1	1	3	1
	女	0 (0.0%)	0	0	0	0		女	4 (4.8%)	1	0	1	2
	計	7 (2.8%)	0	0	2	5		計	10 (4.0%)	2	1	4	3
右室伝導遅延	男	2 (1.2%)	0	1	0	1	T波平低化	男	3 (1.8%)	0	0	1	2
	女	1 (1.2%)	0	0	1	0		女	2 (2.4%)	0	0	1	1
	計	3 (1.2%)	0	1	1	1		計	5 (2.0%)	0	0	2	3
上室性期外収縮	男	5 (3.0%)	0	1	0	4	S T 上昇	男	3 (1.8%)	0	0	2	1
	女	2 (2.4%)	0	0	0	2		女	0 (0.0%)	0	0	0	0
	計	7 (2.8%)	0	1	0	6		計	3 (1.2%)	0	0	2	1
心室性期外収縮	男	2 (1.2%)	0	0	0	2	Q T 延長	男	1 (0.6%)	0	0	0	1
	女	4 (4.8%)	0	1	2	1		女	2 (2.4%)	0	0	2	0
	計	6 (2.4%)	0	1	2	3		計	3 (1.2%)	0	0	2	1
							検診者総数	男	168	7	12	69	80
								女	83	4	8	43	28
								計	251	11	20	112	108

市民健診眼底写真判定結果

判定	総数			40-49歳	50-59歳	60-69歳	70-74歳
	男	女	計				
異常なし	男	54	(32.7%)	5	4	24	21
	女	29	(35.8%)	2	5	19	3
	計	83	(33.7%)	7	9	43	24
放置可	男	19	(11.5%)	0	2	14	3
	女	13	(16.0%)	1	0	6	6
	計	32	(13.0%)	1	2	20	9
要経過観察	男	70	(42.4%)	1	5	32	32
	女	31	(38.3%)	1	3	14	13
	計	101	(41.1%)	2	8	46	45
要精密検査	男	21	(12.7%)	1	0	5	15
	女	7	(8.6%)	0	0	4	3
	計	28	(11.4%)	1	0	9	18
要治療	男	0	(0.0%)	0	0	0	0
	女	0	(0.0%)	0	0	0	0
	計	0	(0.0%)	0	0	0	0
治療中	男	1	(0.6%)	0	0	0	1
	女	1	(1.2%)	0	0	0	1
	計	2	(0.8%)	0	0	0	2
合計	男	165		7	11	75	72
	女	81		4	8	43	26
	計	246		11	19	118	98

市民健診眼底検査所見

所見	総数			40-49歳	50-59歳	60-69歳	70-74歳
	男	女	計				
細動脈狭細化	男	11	(6.7%)	1	1	4	5
	女	1	(1.2%)	0	0	1	0
	計	12	(4.9%)	1	1	5	5
細動脈口径不同	男	4	(2.4%)	1	1	0	2
	女	6	(7.4%)	0	0	3	3
	計	10	(4.1%)	1	1	3	5
網膜白斑	男	32	(19.4%)	0	3	18	11
	女	10	(12.3%)	0	1	2	7
	計	42	(17.1%)	0	4	20	18
眼底出血	男	1	(0.6%)	0	0	0	1
	女	1	(1.2%)	0	0	1	0
	計	2	(0.8%)	0	0	1	1
細動脈反射増強	男	10	(6.1%)	0	0	6	4
	女	5	(6.2%)	1	1	1	2
	計	15	(6.1%)	1	1	7	6
動静脈交叉現象	男	31	(18.8%)	1	4	12	14
	女	12	(14.8%)	1	1	6	4
	計	43	(17.5%)	2	5	18	18
毛細血管瘤 (赤色点)	男	1	(0.6%)	1	0	0	0
	女	3	(3.7%)	0	1	2	0
	計	4	(1.6%)	1	1	2	0
点状出血	男	1	(0.6%)	0	0	1	0
	女	0	(0.0%)	0	0	0	0
	計	1	(0.4%)	0	0	1	0
白内障の疑い	男	32	(19.4%)	0	0	8	24
	女	16	(19.8%)	0	0	6	10
	計	48	(19.5%)	0	0	14	34
視神経乳頭異常の疑い	男	5	(3.0%)	0	0	3	2
	女	1	(1.2%)	0	1	0	0
	計	6	(2.4%)	0	1	3	2
光凝固後	男	1	(0.6%)	0	0	1	0
	女	0	(0.0%)	0	0	0	0
	計	1	(0.4%)	0	0	1	0
網膜有髄神経線維 の疑い	男	1	(0.6%)	0	0	1	0
	女	0	(0.0%)	0	0	0	0
	計	1	(0.4%)	0	0	1	0
網脈絡膜癒痕巣 の疑い	男	3	(1.8%)	0	0	3	0
	女	0	(0.0%)	0	0	0	0
	計	3	(1.2%)	0	0	3	0
瞳孔の開き不十分	男	3	(1.8%)	0	0	1	2
	女	6	(7.4%)	0	0	4	2
	計	9	(3.7%)	0	0	5	4
右眼のみ撮影	男	0	(0.0%)	0	0	0	0
	女	1	(1.2%)	0	0	0	1
	計	1	(0.4%)	0	0	0	1
その他の所見	男	9	(5.5%)	0	1	6	2
	女	4	(4.9%)	1	1	1	1
	計	13	(5.3%)	1	2	7	3
検診者総数	男	165		7	11	75	72
	女	81		4	8	43	26
	計	246		11	19	118	98

結核・肺がん検診判定結果

判定		総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
異常なし	男	7,057	(71.0%)	426	448	2,613	2,954	616	
	女	13,358	(78.7%)	1,192	1,660	5,669	4,008	829	
	計	20,415	(75.9%)	1,618	2,108	8,282	6,962	1,445	
異常所見あるも 精査不要	男	2,484	(25.0%)	45	72	575	1,229	563	
	女	3,177	(18.7%)	88	234	1,024	1,268	563	
	計	5,661	(21.0%)	133	306	1,599	2,497	1,126	
要精密検査	結核の疑い	男	0	(0.0%)	0	0	0	0	0
		女	1	(0.0%)	0	0	0	1	0
		計	1	(0.0%)	0	0	0	1	0
	結核以外の疑い	男	290	(2.9%)	14	11	87	126	52
		女	303	(1.8%)	36	26	107	100	34
		計	593	(2.2%)	50	37	194	226	86
	肺がんの疑い	男	115	(1.2%)	0	3	33	47	32
		女	127	(0.7%)	3	9	38	59	18
		計	242	(0.9%)	3	12	71	106	50
合計	男	9,946		485	534	3,308	4,356	1,263	
	女	16,966		1,319	1,929	6,838	5,436	1,444	
	計	26,912		1,804	2,463	10,146	9,792	2,707	

肺がん検診喀痰細胞診検査所見

所見	総数		40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	
B2 (Class II (悪性所見なし))	男	213	(82.2%)	1	20	82	88	22
	女	12	(85.7%)	0	1	5	6	0
	計	225	(82.4%)	1	21	87	94	22
C (Class III a)	男	1	(0.4%)	0	0	0	1	0
	女	0	(0.0%)	0	0	0	0	0
	計	1	(0.4%)	0	0	0	1	0
E1 (Class IV)	男	1	(0.4%)	0	0	0	0	1
	女	0	(0.0%)	0	0	0	0	0
	計	1	(0.4%)	0	0	0	0	1
検診者総数	男	259		1	21	107	103	27
	女	14		0	1	6	7	0
	計	273		1	22	113	110	27

結核・肺がん検診胸部X線検査所見

所見	総数			40-49歳	50-59歳	60-69歳	70-79歳	80歳以上	所見	総数			40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計							男	女	計					
心陰影拡大	男	144	(1.4%)	6	5	24	66	43	胸水陰影	男	25	(0.3%)	1	0	7	9	8
	女	207	(1.2%)	2	7	50	93	55		女	13	(0.1%)	0	3	2	3	5
	計	351	(1.3%)	8	12	74	159	98		計	38	(0.1%)	1	3	9	12	13
肺門陰影拡大	男	43	(0.4%)	1	5	11	18	8	上葉縮小	男	27	(0.3%)	0	1	8	13	5
	女	59	(0.3%)	0	8	13	21	17		女	15	(0.1%)	0	2	6	4	3
	計	102	(0.4%)	1	13	24	39	25		計	42	(0.2%)	0	3	14	17	8
肺紋理増強	男	10	(0.1%)	0	1	1	6	2	横隔膜高位	男	164	(1.6%)	5	7	36	83	33
	女	5	(0.0%)	2	1	0	1	1		女	128	(0.8%)	1	3	32	56	36
	計	15	(0.1%)	2	2	1	7	3		計	292	(1.1%)	6	10	68	139	69
線状陰影	男	279	(2.8%)	5	15	73	123	63	横隔膜低位	男	1	(0.0%)	0	0	0	1	0
	女	286	(1.7%)	9	17	98	118	44		女	2	(0.0%)	0	1	0	1	0
	計	565	(2.1%)	14	32	171	241	107		計	3	(0.0%)	0	1	0	2	0
帯状陰影	男	100	(1.0%)	2	6	25	45	22	胸郭形成	男	9	(0.1%)	0	0	1	4	4
	女	98	(0.6%)	2	5	36	36	19		女	10	(0.1%)	0	0	1	5	4
	計	198	(0.7%)	4	11	61	81	41		計	19	(0.1%)	0	0	2	9	8
大動脈蛇行	男	94	(0.9%)	0	1	26	48	19	陈旧性肺結核の疑い	男	61	(0.6%)	0	0	13	25	23
	女	176	(1.0%)	0	0	27	97	52		女	65	(0.4%)	0	5	22	24	14
	計	270	(1.0%)	0	1	53	145	71		計	126	(0.5%)	0	5	35	49	37
微細斑点状陰影	男	138	(1.4%)	1	0	31	75	31	肺気腫の疑い	男	208	(2.1%)	5	4	53	103	43
	女	165	(1.0%)	4	11	51	69	30		女	47	(0.3%)	2	5	21	14	5
	計	303	(1.1%)	5	11	82	144	61		計	255	(0.9%)	7	9	74	117	48
心臓手術後	男	18	(0.2%)	0	1	5	10	2	慢性気管支炎の疑い	男	14	(0.1%)	0	0	4	7	3
	女	13	(0.1%)	0	1	3	7	2		女	3	(0.0%)	1	0	0	1	1
	計	31	(0.1%)	0	2	8	17	4		計	17	(0.1%)	1	0	4	8	4
粒状陰影	男	19	(0.2%)	0	0	2	9	8	肺炎の疑い	男	1	(0.0%)	0	0	0	1	0
	女	22	(0.1%)	1	0	6	11	4		女	0	(0.0%)	0	0	0	0	0
	計	41	(0.2%)	1	0	8	20	12		計	1	(0.0%)	0	0	0	1	0
結節陰影	男	587	(5.9%)	9	14	157	277	130	気管支拡張症の疑い	男	10	(0.1%)	0	0	1	6	3
	女	812	(4.8%)	43	70	285	308	106		女	19	(0.1%)	1	1	5	11	1
	計	1,399	(5.2%)	52	84	442	585	236		計	29	(0.1%)	1	1	6	17	4
円形陰影	男	10	(0.1%)	0	0	5	4	1	間質性肺炎の疑い	男	112	(1.1%)	1	0	24	51	36
	女	32	(0.2%)	5	2	8	10	7		女	40	(0.2%)	0	0	4	19	17
	計	42	(0.2%)	5	2	13	14	8		計	152	(0.6%)	1	0	28	70	53
塊状陰影	男	51	(0.5%)	1	1	12	24	13	塵肺の疑い	男	2	(0.0%)	0	0	1	1	0
	女	48	(0.3%)	1	0	22	14	11		女	1	(0.0%)	0	0	1	0	0
	計	99	(0.4%)	2	1	34	38	24		計	3	(0.0%)	0	0	2	1	0
浸潤陰影	男	247	(2.5%)	5	6	45	129	62	胸椎側弯	男	68	(0.7%)	4	5	12	31	16
	女	276	(1.6%)	8	11	91	112	54		女	307	(1.8%)	12	31	75	122	67
	計	523	(1.9%)	13	17	136	241	116		計	375	(1.4%)	16	36	87	153	83
網目状陰影	男	119	(1.2%)	1	1	23	55	39	キライディティ症候群	男	18	(0.2%)	0	0	4	8	6
	女	25	(0.1%)	0	0	3	10	12		女	1	(0.0%)	0	0	0	1	0
	計	144	(0.5%)	1	1	26	65	51		計	19	(0.1%)	0	0	4	9	6
石灰化陰影	男	388	(3.9%)	2	7	62	195	122	縦隔腫大	男	9	(0.1%)	0	1	2	3	3
	女	493	(2.9%)	8	16	125	232	112		女	10	(0.1%)	0	0	2	6	2
	計	881	(3.3%)	10	23	187	427	234		計	19	(0.1%)	0	1	4	9	5
空洞陰影	男	4	(0.0%)	0	0	1	1	2	横隔膜ヘルニア	男	1	(0.0%)	0	0	0	1	0
	女	13	(0.1%)	0	1	4	7	1		女	2	(0.0%)	0	0	0	1	1
	計	17	(0.1%)	0	1	5	8	3		計	3	(0.0%)	0	0	0	2	1
嚢胞陰影	男	64	(0.6%)	3	4	16	29	12	食道裂孔ヘルニア	男	13	(0.1%)	0	0	2	4	7
	女	14	(0.1%)	0	0	4	9	1		女	77	(0.5%)	0	0	11	41	25
	計	78	(0.3%)	3	4	20	38	13		計	90	(0.3%)	0	0	13	45	32
無気肺陰影	男	13	(0.1%)	1	1	2	5	4	右大動脈弓	男	6	(0.1%)	0	2	1	3	0
	女	19	(0.1%)	0	2	7	9	1		女	4	(0.0%)	0	1	0	3	0
	計	32	(0.1%)	1	3	9	14	5		計	10	(0.0%)	0	3	1	6	0
気腫様陰影	男	5	(0.1%)	0	0	2	3	0	肺手術後	男	16	(0.2%)	0	1	3	9	3
	女	0	(0.0%)	0	0	0	0	0		女	13	(0.1%)	0	0	4	7	2
	計	5	(0.0%)	0	0	2	3	0		計	29	(0.1%)	0	1	7	16	5
胸膜肥厚	男	697	(7.0%)	16	25	170	333	153	その他の所見	男	91	(0.9%)	4	3	22	40	22
	女	893	(5.3%)	29	99	369	278	118		女	104	(0.6%)	8	4	31	40	21
	計	1,590	(5.9%)	45	124	539	611	271		計	195	(0.7%)	12	7	53	80	43
胸膜癒着	男	369	(3.7%)	6	4	85	183	91	検診者総数	男	9,946		485	534	3,308	4,356	1,263
	女	314	(1.9%)	11	28	97	120	58		女	16,966		1,319	1,929	6,838	5,436	1,444
	計	683	(2.5%)	17	32	182	303	149		計	26,912		1,804	2,463	10,146	9,792	2,707

市民健診前立腺がん検診判定結果

判定	総数		50-59歳	60-69歳	70-79歳	80歳以上
異常なし	4,775	(88.5%)	262	1,689	2,329	495
放置可	0	(0.0%)	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0
要精密検査	380	(7.0%)	11	112	204	53
要治療	0	(0.0%)	0	0	0	0
治療中	243	(4.5%)	2	56	146	39
合計	5,398		275	1,857	2,679	587

市民健診前立腺がんP S Aの年齢別平均値

検査項目	総数		50-59歳		60-69歳		70-79歳		80歳以上	
P S A ng/mL	5,398	1.84	275	1.24	1,857	1.71	2,679	1.87	587	2.41

長寿スマイルチェック結果

判定	総数		65-69歳	70-79歳	80歳以上
該当	男	6,698 (91.7%)	1994	3815	889
	女	8,444 (87.3%)	3298	4372	774
	計	15,142 (89.2%)	5292	8,187	1663
非該当	男	605 (8.3%)	96	323	186
	女	1,229 (12.7%)	223	639	367
	計	1,834 (10.8%)	319	962	553
合計	男	7,303	2,090	4,138	1,075
	女	9,673	3,521	5,011	1,141
	計	16,976	5,611	9,149	2,216

長寿スマイルチェック基本チェックリスト

項目名称	総数		65-69歳	70-79歳	80歳以上
運動機能	男	330 (4.5%)	40	164	126
	女	876 (9.1%)	122	441	313
	計	1,206 (7.1%)	162	605	439
栄養状態	男	13 (0.2%)	1	7	5
	女	24 (0.2%)	2	13	9
	計	37 (0.2%)	3	20	14
口腔機能	男	343 (4.7%)	69	192	82
	女	544 (5.6%)	119	288	137
	計	887 (5.2%)	188	480	219
閉じこもり傾向	男	207 (2.8%)	28	108	71
	女	397 (4.1%)	51	203	143
	計	604 (3.6%)	79	311	214
ものわすれ	男	299 (4.1%)	53	156	90
	女	463 (4.8%)	83	224	156
	計	762 (4.5%)	136	380	246
うつ傾向	男	228 (3.1%)	35	116	77
	女	422 (4.4%)	66	224	132
	計	650 (3.8%)	101	340	209
検診者総数	男	7,303	2,090	4,138	1,075
	女	9,673	3,521	5,011	1,141
	計	16,976	5,611	9,149	2,216

児童・生徒を対象とした健診

児童・生徒の腎臓健診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
尿 糖	男	22,430	20	0.1%
	女	21,906	32	0.1%
	計	44,336	52	0.1%
尿蛋白	男	22,430	298	1.3%
	女	21,906	207	0.9%
	計	44,336	505	1.1%
尿潜血	男	22,430	165	0.7%
	女	21,906	592	2.7%
	計	44,336	757	1.7%

児童・生徒の心臓検査所見 (経過観察者を除く)

判 定		人 数	
心臓の異常	心房中隔欠損	12	0.1%
	心室中隔欠損	23	0.1%
	肺動脈狭窄	11	0.1%
	動脈管開存	12	0.1%
	ファロー四徴	0	0.0%
	先天性心疾患(位置異常)	0	0.0%
	先天性心疾患(その他)	15	0.1%
	大動脈弁疾患	6	0.0%
	僧帽弁疾患	7	0.0%
	三尖弁疾患	5	0.0%
	心筋症	0	0.0%
	虚血性心疾患	0	0.0%
	心臓手術後	75	0.4%
	その他	6	0.0%
計	172	1.0%	
その他の異常	胸郭変形	2	0.0%
	先天性心疾患の自然閉鎖	50	0.3%
	川崎病後	199	1.2%
	高血圧	0	0.0%
	その他	8	0.0%
計	259	1.6%	
受診者数合計		16,673	

判 定		人 数	
心電図の異常	右室肥大	0	0.0%
	左室肥大	0	0.0%
	心筋障害	1	0.0%
	洞性頻脈	0	0.0%
	洞性徐脈	58	0.3%
	上室性期外収縮	45	0.3%
	心室性期外収縮	42	0.3%
	上室性・心室性期外収縮	0	0.0%
	第1度房室ブロック	15	0.1%
	第2度房室ブロック	7	0.0%
	房室解離	1	0.0%
	完全右脚ブロック	16	0.1%
	不完全右脚ブロック	9	0.1%
	ヘミブロック	0	0.0%
	刺激発生異常	246	1.5%
	W P W 症候群	28	0.2%
	P Q 短縮・L G L 症候群	1	0.0%
	Q T 延長症候群	6	0.0%
	その他	24	0.1%
計	499	3.0%	
X線検査の異常心拡大		5	0.0%

(経過観察者を除く)

児童・生徒のすこやか検診(血液検査)結果

	性別	肥 満	血 清 ・ 脂 質				肝機能	貧 血			白 血 球		血小板
		肥満度	総コレステロール	中性脂肪	H D L コレステロール	動脈硬化	G P T	赤血球数	ヘモグロビン	ヘマトクリット	白 血 球 数		血小板数
											4.3未満	15.1以上	
受診者数	男	2,006	2,004	2,004	2,004	2,004	2,004	2,006	2,006	2,006	2,006	2,006	2,006
	女	1,924	1,924	1,924	1,924	1,924	1,924	1,924	1,924	1,924	1,924	1,924	1,924
	計	3,930	3,928	3,928	3,928	3,928	3,928	3,930	3,930	3,930	3,930	3,930	3,930
要経過観察者数 (%)	男	194 (9.7)	251 (12.5)	61 (3.0)	97 (4.8)	-	36 (1.8)	1 (0.0)	26 (1.3)	18 (0.9)	-	-	-
	女	145 (7.5)	217 (11.3)	45 (2.3)	111 (5.8)	-	10 (0.5)	4 (0.2)	21 (1.1)	12 (0.6)	-	-	-
	計	339 (8.6)	468 (11.9)	106 (2.7)	208 (5.3)	-	46 (1.2)	5 (0.1)	47 (1.2)	30 (0.8)	-	-	-
要精密検査数 (%)	男	59 (2.9)	41 (2.0)	29 (1.4)	0 (0.0)	21 (1.0)	35 (1.7)	0 (0.0)	0 (0.0)	3 (0.1)	23 (1.1)	3 (0.1)	3 (0.1)
	女	40 (2.1)	54 (2.8)	21 (1.1)	0 (0.0)	31 (1.6)	7 (0.4)	0 (0.0)	4 (0.2)	7 (0.4)	35 (1.8)	3 (0.2)	6 (0.3)
	計	99 (2.5)	95 (2.4)	50 (1.3)	0 (0.0)	52 (1.3)	42 (1.1)	0 (0.0)	4 (0.1)	10 (0.3)	58 (1.5)	6 (0.2)	9 (0.2)