

腹部超音波検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	883 (12.5%)	1	4	314	331	182	49	2
	女	1,707 (32.3%)	0	24	487	655	392	131	18
	計	2,590 (21.0%)	1	28	801	986	574	180	20
放置可	男	346 (4.9%)	0	4	102	109	87	42	2
	女	292 (5.5%)	0	3	67	92	88	33	9
	計	638 (5.2%)	0	7	169	201	175	75	11
要経過観察	男	5,427 (76.8%)	0	17	734	1,550	1,916	982	228
	女	2,978 (56.3%)	0	12	279	791	966	732	198
	計	8,405 (68.0%)	0	29	1,013	2,341	2,882	1,714	426
要精密検査	男	384 (5.4%)	0	1	44	105	120	90	24
	女	301 (5.7%)	0	1	47	78	84	71	20
	計	685 (5.5%)	0	2	91	183	204	161	44
要治療	男	7 (0.1%)	0	0	0	1	4	2	0
	女	3 (0.1%)	0	0	0	0	3	0	0
	計	10 (0.1%)	0	0	0	1	7	2	0
治療中	男	22 (0.3%)	0	0	1	5	9	6	1
	女	5 (0.1%)	0	0	0	1	2	2	0
	計	27 (0.2%)	0	0	1	6	11	8	1
合計	男	7,069	1	26	1,195	2,101	2,318	1,171	257
	女	5,286	0	40	880	1,617	1,535	969	245
	計	12,355	1	66	2,075	3,718	3,853	2,140	502

腹部超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脂肪肝の疑い	男	2,476 (35.0%)	0	6	343	751	940	382	54
	女	836 (15.8%)	0	2	58	196	311	225	44
	計	3,312 (26.8%)	0	8	401	947	1,251	607	98
肝臓に高エコーのものあり	男	86 (1.2%)	0	1	3	14	31	29	8
	女	42 (0.8%)	0	0	4	9	13	12	4
	計	128 (1.0%)	0	1	7	23	44	41	12
肝左葉辺縁鈍化	男	5 (0.1%)	0	0	0	1	2	1	1
	女	1 (0.0%)	0	0	0	0	0	1	0
	計	6 (0.0%)	0	0	0	1	2	2	1
肝内エコー粗粒化	男	6 (0.1%)	0	0	1	1	3	1	0
	女	5 (0.1%)	0	0	1	0	3	0	1
	計	11 (0.1%)	0	0	2	1	6	1	1
肝表面の不整	男	1 (0.0%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	1	0	0
慢性肝炎の疑い	男	6 (0.1%)	0	0	0	2	1	3	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	6 (0.0%)	0	0	0	2	1	3	0
肝臓描出不良	男	181 (2.6%)	0	0	6	47	66	48	14
	女	21 (0.4%)	0	0	0	6	7	3	5
	計	202 (1.6%)	0	0	6	53	73	51	19
肝内胆管拡張の疑い	男	28 (0.4%)	0	0	0	1	10	17	0
	女	16 (0.3%)	0	0	0	2	5	7	2
	計	44 (0.4%)	0	0	0	3	15	24	2
肝外胆管拡張の疑い	男	69 (1.0%)	0	0	1	6	24	30	8
	女	62 (1.2%)	0	0	1	3	18	27	13
	計	131 (1.1%)	0	0	2	9	42	57	21
胆嚢ポリープの疑い	男	1,387 (19.6%)	0	6	222	442	471	214	32
	女	666 (12.6%)	0	4	96	208	197	140	21
	計	2,053 (16.6%)	0	10	318	650	668	354	53
胆石の疑い	男	273 (3.9%)	0	1	10	57	122	62	21
	女	177 (3.3%)	0	2	10	34	75	45	11
	計	450 (3.6%)	0	3	20	91	197	107	32
胆砂・胆泥の疑い	男	41 (0.6%)	0	0	3	9	17	7	5
	女	39 (0.7%)	0	0	2	8	15	11	3
	計	80 (0.6%)	0	0	5	17	32	18	8
胆嚢壁の肥厚	男	72 (1.0%)	0	0	10	23	26	10	3
	女	52 (1.0%)	0	0	5	15	21	8	3
	計	124 (1.0%)	0	0	15	38	47	18	6
胆嚢内に結石の疑い	男	233 (3.3%)	0	0	14	61	98	44	16
	女	70 (1.3%)	0	1	8	12	25	20	4
	計	303 (2.5%)	0	1	22	73	123	64	20
胆嚢変形	男	5 (0.1%)	0	0	0	3	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	5 (0.0%)	0	0	0	3	0	2	0
胆嚢腫大	男	7 (0.1%)	0	0	0	2	2	3	0
	女	3 (0.1%)	0	0	1	1	0	1	0
	計	10 (0.1%)	0	0	1	3	2	4	0
胆嚢摘出後	男	209 (3.0%)	0	0	5	38	82	74	10
	女	141 (2.7%)	0	0	2	26	47	53	13
	計	350 (2.8%)	0	0	7	64	129	127	23
胆嚢伸展不良	男	1 (0.0%)	0	0	0	1	0	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0
	計	3 (0.0%)	0	0	0	2	1	0	0
胆嚢描出不良	男	75 (1.1%)	0	0	8	17	20	26	4
	女	22 (0.4%)	0	1	1	3	5	8	4
	計	97 (0.8%)	0	1	9	20	25	34	8
脾管拡張の疑い	男	136 (1.9%)	0	0	8	19	43	51	15
	女	35 (0.7%)	0	0	0	3	6	16	10
	計	171 (1.4%)	0	0	8	22	49	67	25
脾嚢胞の疑い	男	16 (0.2%)	0	0	0	2	3	11	0
	女	37 (0.7%)	0	0	1	5	8	16	7
	計	53 (0.4%)	0	0	1	7	11	27	7
脾占拠性病変の疑い	男	3 (0.0%)	0	0	0	0	1	2	0
	女	1 (0.0%)	0	0	0	1	0	0	0
	計	4 (0.0%)	0	0	0	1	1	2	0
脾臓描出不良	男	4,245 (60.1%)	0	11	519	1,212	1,530	781	192
	女	1,177 (22.3%)	0	5	74	270	344	365	119
	計	5,422 (43.9%)	0	16	593	1,482	1,874	1,146	311
その他の所見(肝臓・胆嚢・脾臓)	男	87 (1.2%)	0	0	6	21	26	23	11
	女	54 (1.0%)	0	0	11	18	16	7	2
	計	141 (1.1%)	0	0	17	39	42	30	13
腹部大動脈石灰化の疑い	男	1,588 (22.5%)	0	3	91	291	614	456	133
	女	567 (10.7%)	0	4	37	115	169	178	64
	計	2,155 (17.4%)	0	7	128	406	783	634	197
腹部大動脈瘤の疑い	男	360 (5.1%)	0	0	31	87	147	87	8
	女	111 (2.1%)	0	0	10	34	37	26	4
	計	471 (3.8%)	0	0	41	121	184	113	12
その他の所見(脾臓・他)	男	852 (12.1%)	0	1	85	239	316	165	46
	女	425 (8.0%)	0	2	34	132	147	95	15
	計	1,277 (10.3%)	0	3	119	371	463	260	61
検診者総数	男	7,069	1	26	1,195	2,101	2,318	1,171	257
	女	5,286	0	40	880	1,617	1,535	969	245
	計	12,355	1	66	2,075	3,718	3,853	2,140	502