

総合健診結果（コース別健診、市民健診）

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計								
異常なし	男	3,469	(8.0%)	101	1,091	969	564	422	204	111	7
	女	6,177	(13.3%)	169	1,258	1,431	1,432	722	840	306	19
	計	9,646	(10.7%)	270	2,349	2,400	1,996	1,144	1,044	417	26
放置可	男	3,797	(8.8%)	73	938	1,038	813	406	266	216	47
	女	6,790	(14.6%)	65	1,130	1,382	1,722	1,048	978	412	53
	計	10,587	(11.8%)	138	2,068	2,420	2,535	1,454	1,244	628	100
要経過観察	男	16,206	(37.4%)	149	1,629	3,049	3,936	2,987	2,424	1,617	415
	女	16,410	(35.3%)	72	1,112	2,145	3,486	3,385	3,756	2,001	453
	計	32,616	(36.3%)	221	2,741	5,194	7,422	6,372	6,180	3,618	868
要精密検査	男	6,721	(15.5%)	35	499	1,217	1,854	1,435	1,018	528	135
	女	5,858	(12.6%)	19	389	878	1,505	1,220	1,177	503	167
	計	12,579	(14.0%)	54	888	2,095	3,359	2,655	2,195	1,031	302
要治療	男	1,119	(2.6%)	1	39	131	297	267	234	112	38
	女	761	(1.6%)	1	12	35	116	188	245	134	30
	計	1,880	(2.1%)	2	51	166	413	455	479	246	68
治療中	男	11,974	(27.7%)	2	46	338	1,345	2,918	3,602	2,838	885
	女	10,535	(22.6%)	3	34	133	594	1,683	3,627	3,348	1,113
	計	22,509	(25.1%)	5	80	471	1,939	4,601	7,229	6,186	1,998
合計	男	43,286		361	4,242	6,742	8,809	8,435	7,748	5,422	1,527
	女	46,531		329	3,935	6,004	8,855	8,246	10,623	6,704	1,835
	計	89,817		690	8,177	12,746	17,664	16,681	18,371	12,126	3,362

上部消化管検査判定結果

Table showing upper GI examination results by age group and gender. Columns include age ranges (19歳以下 to 70歳以上) and counts for various findings like '異常なし', '放置可', '要経過観察', etc.

胃内視鏡検査所見

Table showing findings from upper GI endoscopy. Columns include findings (e.g., 十二指腸潰瘍, 慢性胃炎, 食道裂孔ヘルニア) and counts by age group and gender.

胃部X線検査所見

Table showing findings from upper GI X-ray examinations. Columns include findings (e.g., 胃 伸張不良, 狭窄, 壁硬化) and counts by age group and gender, plus a summary of total examinations.

ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ペプシノゲン	男	4,509	89	2.0	239	1	0.4	853	11	1.3	1,500	17	1.1	1,559	34	2.2	338	20	5.9	20	6	30.0
	女	1,336	33	2.5	17	0	—	317	7	2.2	576	12	2.1	340	9	2.6	81	4	4.9	5	1	20.0
	計	5,845	122	2.1	256	1	0.4	1,170	18	1.5	2,076	29	1.4	1,899	43	2.3	419	24	5.7	25	7	28.0

陽性率%

ヘリコバクター・ピロリ抗体検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
ヘリコバクター・ピロリ抗体	男	1,063	253	23.8	36	4	11.1	145	24	16.6	366	67	18.3	319	79	24.8	164	65	39.6	33	14	42.4
	女	715	154	21.5	20	3	15.0	120	17	14.2	231	46	19.9	210	48	22.9	116	35	30.2	18	5	27.8
	計	1,778	407	22.9	56	7	12.5	265	41	15.5	597	113	18.9	529	127	24.0	280	100	35.7	51	19	37.3

陽性率%

心電図検査判定結果

Table showing ECG examination results with columns for age groups (19歳以下 to 70歳以上) and categories like 異常なし, 放置可, 要経過観察, 要精密検査, 要治療, 治療中, 合計.

安静心電図検査所見

Main table of ECG findings with columns for age groups, findings (e.g., 洞性徐脈, 洞性頻脈, 洞性不整脈, 異常性上室調律, 移動性調律, 右軸偏位, 左軸偏位, 不定軸, 第一度房室ブロック, 第二度房室ブロック, 第三度房室ブロック, W P W症候群, P Q短縮, 不完全右脚ブロック, 完全右脚ブロック, ヘミブロック, 完全左脚ブロック), and their counts and percentages.

マスター負荷心電図所見

Table showing findings from a Master Load ECG, including 陽性S-T-Tの変化, 疑陽性S-T-Tの変化, 不整脈の出現, and 検診者総数.

自転車エルゴメータ負荷心電図所見

Table showing findings from a Bicycle Ergometer Load ECG, including 不整脈の出現, S-T-Tの変化, 血圧の変化, and 検診者総数.

腹部超音波検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	883 (12.5%)	1	4	314	331	182	49	2
	女	1,707 (32.3%)	0	24	487	655	392	131	18
	計	2,590 (21.0%)	1	28	801	986	574	180	20
放置可	男	346 (4.9%)	0	4	102	109	87	42	2
	女	292 (5.5%)	0	3	67	92	88	33	9
	計	638 (5.2%)	0	7	169	201	175	75	11
要経過観察	男	5,427 (76.8%)	0	17	734	1,550	1,916	982	228
	女	2,978 (56.3%)	0	12	279	791	966	732	198
	計	8,405 (68.0%)	0	29	1,013	2,341	2,882	1,714	426
要精密検査	男	384 (5.4%)	0	1	44	105	120	90	24
	女	301 (5.7%)	0	1	47	78	84	71	20
	計	685 (5.5%)	0	2	91	183	204	161	44
要治療	男	7 (0.1%)	0	0	0	1	4	2	0
	女	3 (0.1%)	0	0	0	0	3	0	0
	計	10 (0.1%)	0	0	0	1	7	2	0
治療中	男	22 (0.3%)	0	0	1	5	9	6	1
	女	5 (0.1%)	0	0	0	1	2	2	0
	計	27 (0.2%)	0	0	1	6	11	8	1
合計	男	7,069	1	26	1,195	2,101	2,318	1,171	257
	女	5,286	0	40	880	1,617	1,535	969	245
	計	12,355	1	66	2,075	3,718	3,853	2,140	502

腹部超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脂肪肝の疑い	男	2,476 (35.0%)	0	6	343	751	940	382	54
	女	836 (15.8%)	0	2	58	196	311	225	44
	計	3,312 (26.8%)	0	8	401	947	1,251	607	98
肝嚢胞の疑い	男	1,136 (16.1%)	0	2	55	298	446	278	57
	女	978 (18.5%)	0	1	60	234	355	268	60
	計	2,114 (17.1%)	0	3	115	532	801	546	117
肝血管腫の疑い	男	303 (4.3%)	0	1	50	96	108	41	7
	女	279 (5.3%)	0	1	60	106	79	30	3
	計	582 (4.7%)	0	2	110	202	187	71	10
肝占拠性病変の疑い	男	3 (0.0%)	0	0	0	0	2	1	0
	女	1 (0.0%)	0	0	0	0	1	0	0
	計	4 (0.0%)	0	0	0	0	3	1	0
肝内結石の疑い	男	2 (0.0%)	0	0	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	1	1	0	0
肝内石灰化の疑い	男	67 (0.9%)	0	0	2	13	28	18	6
	女	33 (0.6%)	0	0	2	5	13	10	3
	計	100 (0.8%)	0	0	4	18	41	28	9
肝臓に高エコーのものあり	男	86 (1.2%)	0	1	3	14	31	29	8
	女	42 (0.8%)	0	0	4	9	13	12	4
	計	128 (1.0%)	0	1	7	23	44	41	12
肝左葉辺縁鈍化	男	5 (0.1%)	0	0	0	1	2	1	1
	女	1 (0.0%)	0	0	0	0	0	1	0
	計	6 (0.0%)	0	0	0	1	2	2	1
肝内エコー粗粒化	男	6 (0.1%)	0	0	1	1	3	1	0
	女	5 (0.1%)	0	0	1	0	3	0	1
	計	11 (0.1%)	0	0	2	1	6	1	1
肝表面の不整	男	1 (0.0%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	1	0	0
慢性肝炎の疑い	男	6 (0.1%)	0	0	0	2	1	3	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	6 (0.0%)	0	0	0	2	1	3	0
肝臓描出不良	男	181 (2.6%)	0	0	6	47	66	48	14
	女	21 (0.4%)	0	0	0	6	7	3	5
	計	202 (1.6%)	0	0	6	53	73	51	19
肝内胆管拡張の疑い	男	28 (0.4%)	0	0	0	1	10	17	0
	女	16 (0.3%)	0	0	0	2	5	7	2
	計	44 (0.4%)	0	0	0	3	15	24	2
肝外胆管拡張の疑い	男	69 (1.0%)	0	0	1	6	24	30	8
	女	62 (1.2%)	0	0	1	3	18	27	13
	計	131 (1.1%)	0	0	2	9	42	57	21
胆嚢ポリープの疑い	男	1,387 (19.6%)	0	6	222	442	471	214	32
	女	666 (12.6%)	0	4	96	208	197	140	21
	計	2,053 (16.6%)	0	10	318	650	668	354	53
胆石の疑い	男	273 (3.9%)	0	1	10	57	122	62	21
	女	177 (3.3%)	0	2	10	34	75	45	11
	計	450 (3.6%)	0	3	20	91	197	107	32
胆砂・胆泥の疑い	男	41 (0.6%)	0	0	3	9	17	7	5
	女	39 (0.7%)	0	0	2	8	15	11	3
	計	80 (0.6%)	0	0	5	17	32	18	8
胆嚢線形腫の疑い	男	140 (2.0%)	0	0	4	32	70	29	5
	女	44 (0.8%)	0	0	3	10	19	10	2
	計	184 (1.5%)	0	0	7	42	89	39	7
胆嚢壁の肥厚	男	72 (1.0%)	0	0	10	23	26	10	3
	女	52 (1.0%)	0	0	5	15	21	8	3
	計	124 (1.0%)	0	0	15	38	47	18	6
胆嚢壁内結石の疑い	男	233 (3.3%)	0	0	14	61	98	44	16
	女	70 (1.3%)	0	1	8	12	25	20	4
	計	303 (2.5%)	0	1	22	73	123	64	20
胆嚢変形	男	5 (0.1%)	0	0	0	3	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	5 (0.0%)	0	0	0	3	0	2	0
胆嚢腫大	男	7 (0.1%)	0	0	0	2	2	3	0
	女	3 (0.1%)	0	0	1	1	0	1	0
	計	10 (0.1%)	0	0	1	3	2	4	0
胆嚢摘出後	男	209 (3.0%)	0	0	5	38	82	74	10
	女	141 (2.7%)	0	0	2	26	47	53	13
	計	350 (2.8%)	0	0	7	64	129	127	23
胆嚢伸展不良	男	1 (0.0%)	0	0	0	1	0	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0
	計	3 (0.0%)	0	0	0	2	1	0	0
胆嚢描出不良	男	75 (1.1%)	0	0	8	17	20	26	4
	女	22 (0.4%)	0	1	1	3	5	8	4
	計	97 (0.8%)	0	1	9	20	25	34	8
脾管拡張の疑い	男	136 (1.9%)	0	0	8	19	43	51	15
	女	35 (0.7%)	0	0	0	3	6	16	10
	計	171 (1.4%)	0	0	8	22	49	67	25
脾嚢胞の疑い	男	16 (0.2%)	0	0	0	2	3	11	0
	女	37 (0.7%)	0	0	1	5	8	16	7
	計	53 (0.4%)	0	0	1	7	11	27	7
脾占拠性病変の疑い	男	3 (0.0%)	0	0	0	0	1	2	0
	女	1 (0.0%)	0	0	0	1	0	0	0
	計	4 (0.0%)	0	0	0	1	1	2	0
脾臓描出不良	男	4,245 (60.1%)	0	11	519	1,212	1,530	781	192
	女	1,177 (22.3%)	0	5	74	270	344	365	119
	計	5,422 (43.9%)	0	16	593	1,482	1,874	1,146	311
その他の所見(肝臓・胆嚢・脾臓)	男	87 (1.2%)	0	0	6	21	26	23	11
	女	54 (1.0%)	0	0	11	18	16	7	2
	計	141 (1.1%)	0	0	17	39	42	30	13
腹部大動脈石灰化の疑い	男	1,588 (22.5%)	0	3	91	291	614	456	133
	女	567 (10.7%)	0	4	37	115	169	178	64
	計	2,155 (17.4%)	0	7	128	406	783	634	197
腹部大動脈瘤の疑い	男	360 (5.1%)	0	0	31	87	147	87	8
	女	111 (2.1%)	0	0	10	34	37	26	4
	計	471 (3.8%)	0	0	41	121	184	113	12
その他の所見(脾臓・他)	男	852 (12.1%)	0	1	85	239	316	165	46
	女	425 (8.0%)	0	2	34	132	147	95	15
	計	1,277 (10.3%)	0	3	119	371	463	260	61
検診者総数	男	7,069	1	26	1,195	2,101	2,318	1,171	257
	女	5,286	0	40	880	1,617	1,535	969	245
	計	12,355	1	66	2,075	3,718	3,853	2,140	502

眼底写真判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	5,517	(62.8%)	1	61	1,271	2,070	1,699	399	16
	女	3,621	(72.4%)	2	36	858	1,465	1,040	201	19
	計	9,138	(66.3%)	3	97	2,129	3,535	2,739	600	35
放置可	男	564	(6.4%)	0	1	10	118	271	146	18
	女	365	(7.3%)	0	0	13	61	182	99	10
	計	929	(6.7%)	0	1	23	179	453	245	28
要経過観察	男	2,158	(24.6%)	0	1	48	379	988	642	100
	女	739	(14.8%)	0	0	16	104	299	277	43
	計	2,897	(21.0%)	0	1	64	483	1,287	919	143
要精密検査	男	314	(3.6%)	0	0	11	66	137	82	18
	女	145	(2.9%)	0	0	5	28	48	46	18
	計	459	(3.3%)	0	0	16	94	185	128	36
要治療	男	3	(0.0%)	0	0	0	1	0	2	0
	女	1	(0.0%)	0	0	0	0	0	0	1
	計	4	(0.0%)	0	0	0	1	0	2	1
治療中	男	230	(2.6%)	0	0	2	30	103	74	21
	女	127	(2.5%)	0	0	3	11	45	54	14
	計	357	(2.6%)	0	0	5	41	148	128	35
合計	男	8,786		1	63	1,342	2,664	3,198	1,345	173
	女	4,998		2	36	895	1,669	1,614	677	105
	計	13,784		3	99	2,237	4,333	4,812	2,022	278

眼底検査所見

所見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計									男	女	計							
細動脈狭細化	男	250	(2.8%)	0	1	5	47	128	60	9	白内障の疑い	男	362	(4.1%)	0	0	0	21	98	181	62
	女	76	(1.5%)	0	0	2	8	37	21	8		女	224	(4.5%)	0	0	1	13	54	115	41
	計	326	(2.4%)	0	1	7	55	165	81	17		計	586	(4.2%)	0	0	1	34	152	296	103
細動脈口径不同	男	81	(0.9%)	0	0	2	16	39	20	4	視神経乳頭異常	男	13	(0.1%)	0	0	0	5	2	5	1
	女	24	(0.5%)	0	0	1	7	10	5	1		女	2	(0.0%)	0	0	0	1	1	0	0
	計	105	(0.8%)	0	0	3	23	49	25	5		計	15	(0.1%)	0	0	0	6	3	5	1
網膜浮腫	男	2	(0.0%)	0	0	0	0	2	0	0	視神経乳頭異常の疑い	男	278	(3.2%)	0	0	19	68	126	54	11
	女	0	(0.0%)	0	0	0	0	0	0	0		女	119	(2.4%)	0	0	8	32	49	25	5
	計	2	(0.0%)	0	0	0	0	2	0	0		計	397	(2.9%)	0	0	27	100	175	79	16
眼底出血	男	43	(0.5%)	0	0	2	6	23	10	2	光凝回後	男	33	(0.4%)	0	0	0	7	13	12	1
	女	15	(0.3%)	0	0	1	4	5	4	1		女	8	(0.2%)	0	0	0	2	1	4	1
	計	58	(0.4%)	0	0	3	10	28	14	3		計	41	(0.3%)	0	0	0	9	14	16	2
細動脈反射増強	男	771	(8.7%)	0	0	4	127	370	240	30	網膜有髄神経線維の疑い	男	52	(0.6%)	0	0	3	16	17	16	0
	女	381	(7.6%)	0	0	0	40	174	152	15		女	15	(0.3%)	0	0	2	3	8	2	0
	計	1,152	(8.3%)	0	0	4	167	544	392	45		計	67	(0.5%)	0	0	5	19	25	18	0
動静脈交叉現象	男	1,170	(13.3%)	0	0	14	216	594	315	31	網膜色素変性果の疑い	男	50	(0.6%)	0	0	3	15	19	10	3
	女	358	(7.2%)	0	0	5	67	161	116	9		女	22	(0.4%)	0	0	1	7	11	2	1
	計	1,528	(11.1%)	0	0	19	283	755	431	40		計	72	(0.5%)	0	0	4	22	30	12	4
毛細血管瘤(赤色点)	男	6	(0.1%)	0	0	1	1	3	1	0	瞳孔の開き不十分	男	100	(1.1%)	0	0	2	7	29	52	10
	女	1	(0.0%)	0	0	0	1	0	0	0		女	28	(0.6%)	0	0	2	13	10	1	
	計	7	(0.1%)	0	0	1	2	3	1	0		計	128	(0.9%)	0	0	4	9	42	62	11
新生血管	男	1	(0.0%)	0	0	0	0	0	1	0	黄斑部異常の疑い	男	195	(2.2%)	0	0	6	40	92	52	5
	女	0	(0.0%)	0	0	0	0	0	0	0		女	59	(1.2%)	0	0	2	10	15	24	8
	計	1	(0.0%)	0	0	0	0	0	1	0		計	254	(1.8%)	0	0	8	50	107	76	13
静脈拡張	男	2	(0.0%)	0	0	0	0	1	1	0	右眼のみ撮影	男	22	(0.2%)	0	0	0	3	9	9	1
	女	0	(0.0%)	0	0	0	0	0	0	0		女	5	(0.1%)	0	0	0	0	4	1	0
	計	2	(0.0%)	0	0	0	0	1	1	0		計	27	(0.2%)	0	0	0	3	13	10	1
点状出血	男	65	(0.7%)	0	0	1	10	43	11	0	左眼のみ撮影	男	17	(0.2%)	0	0	0	3	7	5	2
	女	7	(0.1%)	0	0	0	2	2	3	0		女	5	(0.1%)	0	0	0	1	1	3	0
	計	72	(0.5%)	0	0	1	12	45	14	0		計	22	(0.2%)	0	0	0	4	8	8	2
斑状出血	男	43	(0.5%)	0	0	0	8	26	8	1	その他の所見	男	299	(3.4%)	0	1	12	57	140	75	14
	女	6	(0.1%)	0	0	0	1	3	2	0		女	153	(3.1%)	0	0	8	21	56	55	13
	計	49	(0.4%)	0	0	0	9	29	10	1		計	452	(3.3%)	0	1	20	78	196	130	27
網膜白斑	男	564	(6.4%)	0	0	4	67	258	203	32	検査者総数	男	8,814		1	75	1,346	2,671	3,200	1,348	173
	女	220	(4.4%)	0	0	4	21	93	87	15		女	5,002		2	36	896	1,672	1,614	677	105
	計	784	(5.7%)	0	0	8	88	351	290	47		計	13,816		3	111	2,242	4,343	4,814	2,025	278

肺機能判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	6,120 (93.6%)	53	567	1308	1,690	1,687	681	134
	女	2,827 (95.3%)	15	78	518	870	793	464	89
	計	8,947 (94.1%)	68	645	1,826	2,560	2,480	1,145	223
放置可	男	336 (5.1%)	1	15	21	87	103	81	28
	女	109 (3.7%)	0	3	15	28	26	25	12
	計	445 (4.7%)	1	18	36	115	129	106	40
要経過観察	男	68 (1.0%)	0	0	6	9	19	22	12
	女	23 (0.8%)	1	0	3	2	3	9	5
	計	91 (1.0%)	1	0	9	11	22	31	17
要精密検査	男	14 (0.2%)	0	0	0	0	7	2	5
	女	6 (0.2%)	0	0	0	2	2	1	1
	計	20 (0.2%)	0	0	0	2	9	3	6
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	3 (0.0%)	0	0	0	1	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	1	1	1	0
合計	男	6,541	54	582	1335	1,787	1,817	787	179
	女	2,965	16	81	536	902	824	499	107
	計	9,506	70	663	1,871	2,689	2,641	1,286	286

肺機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
%肺活量 %	男	6,524	104.2	655	103.8	1335	107.1	1,773	106.6	1,804	103.8	777	97.9	180	91.5
	女	2,942	102.9	98	99.6	533	104.0	884	104.9	822	102.9	498	100.6	107	96.2
	計	9,466	103.8	753	103.3	1,868	106.2	2,657	106.0	2,626	103.5	1,275	99.0	287	93.3
一秒率 %	男	6,524	81.3	655	85.2	1335	83.0	1,773	81.2	1,804	80.2	777	79.1	180	77.9
	女	2,942	82.4	98	86.4	533	85.2	884	82.7	822	81.6	498	80.3	107	79.2
	計	9,466	81.7	753	85.3	1,868	83.6	2,657	81.7	2,626	80.6	1,275	79.6	287	78.4

聴力判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	24,336 (85.4%)	207	3,428	5,448	7,091	5,746	2,260	156
	女	20,058 (93.4%)	135	3,149	4,325	5,707	4,804	1,801	137
	計	44,394 (88.8%)	342	6,577	9,773	12,798	10,550	4,061	293
放置可	男	1 (0.0%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	1	0	0
要経過観察	男	4,143 (14.5%)	3	47	196	524	1,373	1,701	299
	女	1,428 (6.6%)	1	39	78	184	389	604	133
	計	5,571 (11.1%)	4	86	274	708	1,762	2,305	432
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	1 (0.0%)	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	1	0	0	0	0
合計	男	28,481	210	3,475	5,645	7,615	7,120	3,961	455
	女	21,486	136	3,188	4,403	5,891	5,193	2,405	270
	計	49,967	346	6,663	10,048	13,506	12,313	6,366	725

聴力検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
聴力・右・500Hz dB	男	174	17.8	0	—	2	22.5	45	13.4	75	15.2	37	21.5	15	33.7
	女	90	17.6	0	—	3	16.7	35	13.6	30	17.7	15	21.3	7	30.0
	計	264	17.7	0	—	5	19.0	80	13.5	105	15.9	52	21.4	22	32.5
聴力・右・1KHz dB	男	174	17.3	0	—	2	20.0	45	12.4	75	16.5	37	20.8	15	27.0
	女	90	15.9	0	—	3	15.0	35	11.9	30	16.3	15	19.0	7	28.6
	計	264	16.9	0	—	5	17.0	80	12.2	105	16.5	52	20.3	22	27.5
聴力・右・2KHz dB	男	174	19.1	0	—	2	15.0	45	13.2	75	18.2	37	22.8	15	32.0
	女	90	17.8	0	—	3	15.0	35	12.1	30	19.0	15	20.7	7	36.4
	計	264	18.6	0	—	5	15.0	80	12.8	105	18.4	52	22.2	22	33.4
聴力・右・4KHz dB	男	174	21.7	0	—	2	10.0	45	11.4	75	20.9	37	28.4	15	42.0
	女	90	15.3	0	—	3	15.0	35	8.4	30	15.3	15	23.0	7	32.9
	計	264	19.5	0	—	5	13.0	80	10.1	105	19.3	52	26.8	22	39.1
聴力・左・500Hz dB	男	174	16.4	0	—	2	7.5	45	13.1	75	13.9	37	20.0	15	31.3
	女	89	16.1	0	—	3	15.0	35	14.1	30	14.5	14	19.3	7	26.4
	計	263	16.3	0	—	5	12.0	80	13.6	105	14.1	51	19.8	22	29.8
聴力・左・1KHz dB	男	174	16.4	0	—	2	7.5	45	12.9	75	15.0	37	19.2	15	28.0
	女	89	13.9	0	—	3	10.0	35	10.1	30	14.3	14	16.4	7	27.1
	計	263	15.5	0	—	5	9.0	80	11.7	105	14.8	51	18.4	22	27.7
聴力・左・2KHz dB	男	174	18.6	0	—	2	10.0	45	13.1	75	17.3	37	20.7	15	37.3
	女	89	16.0	0	—	3	13.3	35	11.4	30	16.5	14	17.5	7	35.0
	計	263	17.7	0	—	5	12.0	80	12.4	105	17.1	51	19.8	22	36.6
聴力・左・4KHz dB	男	174	22.6	0	—	2	10.0	45	13.0	75	21.1	37	27.2	15	48.7
	女	89	15.1	0	—	3	13.3	35	8.6	30	14.0	14	21.1	7	40.7
	計	263	20.0	0	—	5	12.0	80	11.1	105	19.1	51	25.5	22	46.1

精密聴力検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
精密聴力・右 250Hz dB	男	336	25.5	106	22.6	24	21.0	106	25.7	51	27.2	49	32.1	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	25.5	106	22.6	24	21.0	106	25.7	51	27.2	49	32.1	0	—
精密聴力・右 500Hz dB	男	336	19.9	106	16.4	24	15.4	106	19.2	51	22.7	49	28.2	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	19.9	106	16.4	24	15.4	106	19.2	51	22.7	49	28.2	0	—
精密聴力・右 1KHz dB	男	336	16.8	106	11.2	24	12.7	106	15.5	51	22.2	49	27.9	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	16.8	106	11.2	24	12.7	106	15.5	51	22.2	49	27.9	0	—
精密聴力・右 2KHz dB	男	336	17.5	106	10.3	24	13.8	106	16.2	51	23.5	49	31.7	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	17.5	106	10.3	24	13.8	106	16.2	51	23.5	49	31.7	0	—
精密聴力・右 4KHz dB	男	336	20.0	106	6.8	24	13.8	106	16.9	51	33.7	49	43.7	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	20.0	106	6.8	24	13.8	106	16.9	51	33.7	49	43.7	0	—
精密聴力・右 8KHz dB	男	336	22.8	106	8.1	24	12.9	106	18.8	51	40.5	49	49.9	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	22.8	106	8.1	24	12.9	106	18.8	51	40.5	49	49.9	0	—
精密聴力・左 250Hz dB	男	336	25.1	106	22.6	24	18.8	106	23.8	51	29.0	49	32.5	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	25.1	106	22.6	24	18.8	106	23.8	51	29.0	49	32.5	0	—
精密聴力・左 500Hz dB	男	336	19.9	106	17.0	24	13.8	106	18.0	51	24.0	49	29.4	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	19.9	106	17.0	24	13.8	106	18.0	51	24.0	49	29.4	0	—
精密聴力・左 1KHz dB	男	336	16.8	106	12.1	24	11.3	106	14.4	51	21.8	49	29.8	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	16.8	106	12.1	24	11.3	106	14.4	51	21.8	49	29.8	0	—
精密聴力・左 2KHz dB	男	336	17.4	106	11.1	24	8.8	106	15.0	51	23.3	49	34.0	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	17.4	106	11.1	24	8.8	106	15.0	51	23.3	49	34.0	0	—
精密聴力・左 4KHz dB	男	336	21.1	106	8.3	24	10.0	106	18.9	51	33.4	49	45.9	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	21.1	106	8.3	24	10.0	106	18.9	51	33.4	49	45.9	0	—
精密聴力・左 8KHz dB	男	336	23.1	106	9.5	24	9.0	106	19.2	51	41.0	49	49.2	0	—
	女	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	計	336	23.1	106	9.5	24	9.0	106	19.2	51	41.0	49	49.2	0	—

血圧判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	19,152 (62.9%)	269	3,630	5,218	5,124	3,352	1,396	163
	女	19,069 (80.0%)	210	3,575	4,662	5,385	3,800	1,276	161
	計	38,221 (70.4%)	479	7,205	9,880	10,509	7,152	2,672	324
放置可	男	1 (0.0%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	1	0	0	0
要経過観察	男	6,405 (21.0%)	21	534	1,038	1,769	1,869	1,050	124
	女	2,591 (10.9%)	0	73	258	651	951	581	77
	計	8,996 (16.6%)	21	607	1,296	2,420	2,820	1,631	201
要精密検査	男	588 (1.9%)	0	16	69	162	222	110	9
	女	217 (0.9%)	0	1	15	54	90	53	4
	計	805 (1.5%)	0	17	84	216	312	163	13
要治療	男	140 (0.5%)	0	2	16	35	60	24	3
	女	59 (0.2%)	0	1	3	15	28	12	0
	計	199 (0.4%)	0	3	19	50	88	36	3
治療中	男	4,181 (13.7%)	0	2	111	630	1,700	1,503	235
	女	1,886 (7.9%)	0	1	30	228	739	688	200
	計	6,067 (11.2%)	0	3	141	858	2,439	2,191	435
合計	男	30,467	290	4,184	6,452	7,721	7,203	4,083	534
	女	23,822	210	3,651	4,968	6,333	5,608	2,610	442
	計	54,289	500	7,835	11,420	14,054	12,811	6,693	976

血圧（安静時・負荷時）の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時血圧・最大 mmHg	男	31,084	123.3	4,691	118.8	6,554	119.5	7,847	122.0	7,315	126.7	4,141	130.2	536	130.3
	女	23,961	114.0	3,903	106.6	5,018	108.1	6,370	112.6	5,616	119.6	2,612	126.1	442	126.3
	計	55,045	119.3	8,594	113.3	11,572	114.5	14,217	117.8	12,931	123.6	6,753	128.6	978	128.5
安静時血圧・最小 mmHg	男	31,084	76.3	4,691	68.5	6,554	73.2	7,847	77.4	7,315	80.6	4,141	80.2	536	75.8
	女	23,961	69.7	3,903	64.6	5,018	66.7	6,370	69.7	5,616	73.5	2,612	74.6	442	71.8
	計	55,045	73.4	8,594	66.7	11,572	70.4	14,217	73.9	12,931	77.5	6,753	78.0	978	74.0
負荷後血圧・最大 mmHg	男	210	139.3	41	130.2	5	132.8	46	136.7	73	144.9	34	140.4	11	146.2
	女	79	132.3	0	0.0	4	134.0	26	127.5	29	133.9	16	133.0	4	147.0
	計	289	137.4	41	130.2	9	133.3	72	133.4	102	141.8	50	138.0	15	146.4
負荷後血圧・最小 mmHg	男	210	78.4	41	72.1	5	78.8	46	77.8	73	82.3	34	80.2	11	73.1
	女	79	72.3	0	0.0	4	69.5	26	69.5	29	76.2	16	70.3	4	72.5
	計	289	76.7	41	72.1	9	74.7	72	74.8	102	80.6	50	77.0	15	72.9

眼圧の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
眼圧・右 mmHg	男	3,654	14.5	7	15.3	822	14.6	1,060	14.7	1,270	14.5	451	14.3	44	14.0
	女	2,707	14.4	3	13.7	527	14.3	1,002	14.5	919	14.4	234	14.3	22	13.9
	計	6,361	14.5	10	14.8	1,349	14.5	2,062	14.6	2,189	14.4	685	14.3	66	13.9
眼圧・左 mmHg	男	3,645	14.7	7	15.9	821	14.8	1,060	14.8	1,265	14.6	448	14.7	44	14.1
	女	2,706	14.6	3	14.0	527	14.3	1,002	14.7	916	14.5	236	14.6	22	14.3
	計	6,351	14.7	10	15.3	1,348	14.6	2,062	14.8	2,181	14.6	684	14.7	66	14.2

内科診察判定結果

内科診察所見

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	21,691 (96.7%)	142	1,606	3,627	6,643	6,191	3,120	362
	女	14,808 (95.8%)	56	991	2,487	4,867	4,326	1,843	238
	計	36,499 (96.3%)	198	2,597	6,114	11,510	10,517	4,963	600
放置可	男	411 (1.8%)	0	15	59	107	108	99	23
	女	254 (1.6%)	1	10	23	64	74	73	9
	計	665 (1.8%)	1	25	82	171	182	172	32
要経過観察	男	178 (0.8%)	0	7	24	36	55	45	11
	女	321 (2.1%)	1	8	47	111	97	47	10
	計	499 (1.3%)	1	15	71	147	152	92	21
要精密検査	男	52 (0.2%)	0	0	4	11	15	20	2
	女	27 (0.2%)	0	1	2	10	5	7	2
	計	79 (0.2%)	0	1	6	21	20	27	4
要治療	男	8 (0.0%)	0	0	0	0	3	4	1
	女	3 (0.0%)	0	0	1	1	1	0	0
	計	11 (0.0%)	0	0	1	1	4	4	1
治療中	男	83 (0.4%)	0	3	1	12	28	30	9
	女	51 (0.3%)	0	1	6	19	9	15	1
	計	134 (0.4%)	0	4	7	31	37	45	10
合計	男	22,423	142	1,631	3,715	6,809	6,400	3,318	408
	女	15,464	58	1,011	2,566	5,072	4,512	1,985	260
	計	37,887	200	2,642	6,281	11,881	10,912	5,303	668

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女									男	女									男	女							
眼結膜充血あり	男	9 (0.0%)	0	1	2	2	2	1	1	呼吸音の減弱	男	4 (0.0%)	0	0	0	0	0	3	1	黄色腫	男	5 (0.0%)	0	0	0	2	3	0	0
	女	43 (0.3%)	0	0	5	25	7	6	0		女	2 (0.0%)	0	0	0	1	1	0	0		女	1 (0.0%)	0	0	0	1	0	0	0
	計	52 (0.1%)	0	1	7	27	9	7	1		計	6 (0.0%)	0	0	0	1	1	3	1		計	6 (0.0%)	0	0	0	3	3	0	0
扁桃腺肥大	男	87 (0.4%)	0	16	31	31	7	2	0	肝触知	男	1 (0.0%)	0	0	0	0	1	0	0	術創あり	男	281 (1.3%)	0	3	21	63	84	88	22
	女	42 (0.3%)	1	10	12	10	8	1	0		女	0 (0.0%)	0	0	0	0	0	0	0		女	172 (1.1%)	0	1	9	46	54	59	3
	計	129 (0.3%)	1	26	43	41	15	3	0		計	1 (0.0%)	0	0	0	0	1	0	0		計	453 (1.2%)	0	4	30	109	138	147	25
頸部リンパ節腫脹	男	4 (0.0%)	0	0	1	1	2	0	0	脾触知	男	1 (0.0%)	0	0	0	0	1	0	0	皮膚の異常	男	18 (0.1%)	0	1	5	2	8	2	0
	女	14 (0.1%)	0	0	3	4	7	0	0		女	0 (0.0%)	0	0	0	0	0	0	0		女	2 (0.0%)	0	1	0	1	0	0	0
	計	18 (0.0%)	0	0	4	5	9	0	0		計	1 (0.0%)	0	0	0	1	0	0	0		計	23 (0.1%)	0	3	5	5	8	2	0
甲状腺腫大	男	7 (0.0%)	0	0	2	4	0	1	0	腹部圧痛	男	65 (0.3%)	0	1	14	21	18	10	1	粘膜の異常	男	1 (0.0%)	0	0	0	0	1	0	0
	女	102 (0.7%)	0	5	21	37	24	14	1		女	88 (0.6%)	0	2	14	36	29	6	1		女	0 (0.0%)	0	0	0	0	0	0	0
	計	109 (0.3%)	0	5	23	41	24	15	1		計	153 (0.4%)	0	3	28	57	47	16	2		計	1 (0.0%)	0	0	0	0	1	0	0
胸郭変形	男	4 (0.0%)	0	0	0	2	1	1	0	腹部腫痛触知	男	10 (0.0%)	0	0	1	2	3	4	0	皮膚・粘膜の異常	男	5 (0.0%)	0	0	1	1	3	0	0
	女	1 (0.0%)	0	0	0	1	0	0	0		女	27 (0.2%)	0	0	1	11	11	3	1		女	1 (0.0%)	0	1	0	0	0	0	0
	計	5 (0.0%)	0	0	0	3	1	1	0		計	37 (0.1%)	0	0	2	13	14	7	1		計	6 (0.0%)	0	1	1	1	3	0	0
心拍不整	男	122 (0.5%)	0	0	3	18	38	54	9	下肢静脈瘤	男	12 (0.1%)	0	0	0	3	3	3	3	鼻粘膜・鼻中隔の異常	男	1 (0.0%)	0	0	0	0	1	0	0
	女	29 (0.2%)	2	0	5	7	5	8	2		女	42 (0.3%)	0	0	2	7	11	18	4		女	0 (0.0%)	0	0	0	0	0	0	0
	計	151 (0.4%)	2	0	8	25	43	62	11		計	54 (0.1%)	0	0	2	10	14	21	7		計	1 (0.0%)	0	0	0	0	1	0	0
収縮期雑音	男	36 (0.2%)	0	0	5	7	10	13	1	関節変形	男	14 (0.1%)	0	0	0	2	5	6	1	ばち状指	男	1 (0.0%)	0	0	0	0	1	0	0
	女	41 (0.3%)	0	2	3	13	10	7	6		女	37 (0.2%)	0	0	0	3	12	18	4		女	0 (0.0%)	0	0	0	0	0	0	0
	計	77 (0.2%)	0	2	8	20	20	20	7		計	51 (0.1%)	0	0	0	5	17	24	5		計	1 (0.0%)	0	0	0	0	1	0	0
拡張期雑音	男	3 (0.0%)	0	0	0	0	1	1	1	関節腫脹	男	1 (0.0%)	0	0	0	0	0	1	0	軽度の腰痛症状	男	3 (0.0%)	0	0	0	2	1	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0		女	6 (0.0%)	0	0	0	0	3	3	0		女	7 (0.0%)	0	1	1	2	3	0	0
	計	5 (0.0%)	0	0	0	1	2	1	1		計	7 (0.0%)	0	0	0	0	3	4	0		計	10 (0.0%)	0	1	1	4	4	0	0
連続性雑音	男	2 (0.0%)	0	0	1	0	1	0	0	脊椎異常	男	1 (0.0%)	0	0	1	0	0	0	0	中等度の腰痛症状	男	1 (0.0%)	0	0	0	0	1	0	0
	女	2 (0.0%)	0	0	0	1	1	0	0		女	5 (0.0%)	0	1	1	1	1	0	1		女	2 (0.0%)	0	0	0	1	1	0	0
	計	4 (0.0%)	0	0	1	1	2	0	0		計	6 (0.0%)	0	1	2	1	1	0	1		計	3 (0.0%)	0	0	0	1	2	0	0
3音、4音	男	4 (0.0%)	0	0	0	0	3	1	0	知覚障害	男	2 (0.0%)	0	0	0	1	0	1	0	前庭制限・前庭時疼痛	男	2 (0.0%)	0	0	0	2	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0		女	0 (0.0%)	0	0	0	0	0	0	0		女	1 (0.0%)	0	0	0	1	0	0	0
	計	4 (0.0%)	0	0	0	0	3	1	0		計	2 (0.0%)	0	0	0	1	0	1	0		計	3 (0.0%)	0	0	0	3	0	0	0
乾性ラ音	男	25 (0.1%)	0	0	1	5	10	6	3	麻痺	男	3 (0.0%)	0	0	0	0	2	1	0	下肢しびれ・知覚異常	男	1 (0.0%)	0	0	0	0	1	0	0
	女	11 (0.1%)	0	0	1	4	4	2	0		女	0 (0.0%)	0	0	0	0	0	0	0		女	0 (0.0%)	0	0	0	0	0	0	0
	計	36 (0.1%)	0	0	2	9	14	8	3		計	3 (0.0%)	0	0	0	0	2	1	0		計	1 (0.0%)	0	0	0	0	1	0	0
湿性ラ音	男	0 (0.0%)	0	0	0	0	0	0	0	浮腫	男	9 (0.0%)	0	0	0	2	3	3	1	その他の所見	男	64 (0.3%)	0	5	8	11	25	10	5
	女	2 (0.0%)	0	0	0	0	1	1	0		女	11 (0.1%)	0	0	1	4	2	4	0		女	12 (0.1%)	0	0	2	5	4	1	0
	計	2 (0.0%)	0	0	0	0	1	1	0		計	20 (0.1%)	0	0	1	6	5	7	1		計	76 (0.2%)	0	5	10	16	29	11	5

検診者総数	22,423	142	1,631	3,715	6,809	6,400	3,318	408
	15,464	58	1,011	2,566	5,072	4,512	1,985	260
	37,887	200	2,642	6,281	11,881	10,912	5,303	668

大腸検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	364 (92.2%)	0	3	40	96	116	95	14
	女	219 (92.8%)	0	0	26	66	70	47	10
	計	583 (92.4%)	0	3	66	162	186	142	24
放置可	男	17 (4.3%)	0	0	0	3	5	5	4
	女	10 (4.2%)	0	0	0	2	4	4	0
	計	27 (4.3%)	0	0	0	5	9	9	4
要経過観察	男	12 (3.0%)	0	0	0	5	5	1	1
	女	7 (3.0%)	0	0	0	2	3	2	0
	計	19 (3.0%)	0	0	0	7	8	3	1
要精密検査	男	1 (0.3%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	1 (0.3%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	1
合計	男	395	0	3	40	105	126	101	20
	女	236	0	0	26	70	77	53	10
	計	631	0	3	66	175	203	154	30

直腸診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
外痔核	男	15 (3.8%)	0	0	0	6	2	3	4
	女	14 (5.9%)	0	0	0	2	7	5	0
	計	29 (4.6%)	0	0	0	8	9	8	4
外痔核の疑い	男	1 (0.3%)	0	0	0	1	0	0	0
	女	2 (0.8%)	0	0	0	2	0	0	0
	計	3 (0.5%)	0	0	0	3	0	0	0
内痔核	男	2 (0.5%)	0	0	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	2	0	0
内痔核の疑い	男	2 (0.5%)	0	0	0	1	1	0	0
	女	2 (0.8%)	0	0	0	0	1	1	0
	計	4 (0.6%)	0	0	0	1	2	1	0
痔瘻の疑い	男	1 (0.3%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0
前立腺肥大	男	2 (0.5%)	0	0	0	0	0	1	1
前立腺肥大の疑い	男	5 (1.3%)	0	0	0	0	4	0	1
直腸腫瘍の疑い	男	1 (0.3%)	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0
痔疾患術後	男	1 (0.3%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	1
その他の所見	男	2 (0.5%)	0	0	0	0	1	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	1	1	0
検診者総数	男	395	0	3	40	105	126	101	20
	女	236	0	0	26	70	77	53	10
	計	631	0	3	66	175	203	154	30

乳房検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	10,313	(81.6%)	8	513	1,629	3,166	2,785	1,779	433
放置可	654	(5.2%)	0	13	118	193	198	103	29
要経過観察	1,046	(8.3%)	0	101	296	334	197	91	27
要精密検査	618	(4.9%)	0	20	88	233	159	96	22
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	8	(0.1%)	0	0	0	4	2	2	0
合計	12,639		8	647	2,131	3,930	3,341	2,071	511

乳房触診所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
急性乳腺炎の疑い	1	(0.0%)	0	0	0	1	0	0	0
慢性乳腺炎の疑い	2	(0.0%)	0	0	0	1	0	1	0
乳腺症	1	(0.0%)	0	0	1	0	0	0	0
乳腺症の疑い	250	(2.0%)	0	26	68	103	40	9	4
良性乳腺腫瘍	9	(0.1%)	0	1	2	6	0	0	0
良性乳腺腫瘍の疑い	117	(0.9%)	0	7	33	57	11	8	1
乳腺腫瘍	7	(0.1%)	0	0	1	2	2	2	0
乳腺腫瘍の疑い	61	(0.5%)	0	4	14	25	12	6	0
手術後	48	(0.4%)	0	0	0	8	19	11	10
術創あり	50	(0.4%)	0	0	5	8	16	17	4
その他の所見	39	(0.3%)	0	2	10	13	9	4	1
検診者総数	12,373		8	645	2,105	3,901	3,309	1,950	455

マンモグラフィ所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	9,935	(89.4%)	5	364	1,313	3,290	2,842	1,714	407
カテゴリー2	631	(5.7%)	0	12	77	216	207	98	21
カテゴリー3	526	(4.7%)	0	9	56	213	145	82	21
カテゴリー4	13	(0.1%)	0	0	1	4	3	5	0
カテゴリー5	3	(0.0%)	0	0	0	2	0	1	0
腫瘍	244	(2.2%)	0	4	16	92	82	41	9
石灰化	603	(5.4%)	0	10	79	217	198	81	18
非対称性	370	(3.3%)	0	7	41	134	100	72	16
構築の乱れ	37	(0.3%)	0	0	2	17	11	5	2
その他の所見	17	(0.2%)	0	1	0	6	6	3	1
検診者総数	11,108		5	385	1,447	3,725	3,197	1,900	449

乳房超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
カテゴリー1	1,401	(65.5%)	3	190	507	268	185	193	55
カテゴリー2	640	(29.9%)	0	73	265	162	83	40	17
カテゴリー3	96	(4.5%)	0	11	32	20	20	11	2
カテゴリー4	2	(0.1%)	0	0	0	1	1	0	0
嚢胞疑い	476	(22.3%)	0	58	169	141	70	30	8
濃縮嚢胞疑い	7	(0.3%)	0	0	4	1	0	0	2
嚢胞内病変疑い	15	(0.7%)	0	0	4	5	3	2	1
充実性病変疑い	47	(2.2%)	0	4	19	7	10	7	0
乳腺内低エコー域	26	(1.2%)	0	3	7	6	8	1	1
乳管拡張 (乳輪の範囲を超える)	162	(7.6%)	0	16	104	22	10	8	2
線維腺腫の疑い	97	(4.5%)	0	11	32	27	21	3	3
その他の所見	104	(4.9%)	0	9	45	22	15	7	6
検診者総数	2,139		3	274	804	451	289	244	74

婦人科判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	9,712	(85.4%)	16	811	1811	2805	2548	1421	300
放置可	640	(5.6%)	1	28	83	173	193	132	30
要経過観察	418	(3.7%)	0	31	72	163	113	31	8
要精密検査	593	(5.2%)	1	80	132	203	135	42	0
要治療	14	(0.1%)	0	0	2	6	4	2	0
治療中	2	(0.0%)	0	0	0	2	0	0	0
合計	11,379		18	950	2,100	3,352	2,993	1,628	338

子宮頸部細胞診

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
NILM (異常なし)	10,941	(96.2%)	17	876	1,989	3,224	2,906	1,591	338
ASC-US	254	(2.2%)	0	52	64	74	45	19	0
ASC-H	87	(0.8%)	0	6	18	24	23	16	0
LSIL	57	(0.5%)	1	13	20	16	7	0	0
HSIL	31	(0.3%)	0	2	9	8	10	2	0
SCC	1	(0.0%)	0	0	0	0	1	0	0
AGC	7	(0.1%)	0	1	0	5	1	0	0
トリコモナス	7	(0.1%)	0	2	0	2	3	0	0
カンジダ	252	(2.2%)	1	49	73	101	24	4	0
その他の所見	14	(0.1%)	0	1	2	5	5	1	0
検診者総数	11,378		18	950	2,100	3,351	2,993	1,628	338

HPV検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
陰性	120	(90.9%)	0	2	89	12	11	4	2
陽性	12	(9.1%)	0	0	9	2	0	1	0
16型 陰性	129	(97.7%)	0	2	96	13	11	5	2
16型 陽性	3	(2.3%)	0	0	2	1	0	0	0
18型 陰性	129	(97.7%)	0	2	95	14	11	5	2
18型 陽性	3	(2.3%)	0	0	3	0	0	0	0
その他の ハイリスク型陰性	122	(92.4%)	0	2	90	13	11	4	2
その他の ハイリスク型陽性	10	(7.6%)	0	0	8	1	0	1	0
検診者総数	132		0	2	98	14	11	5	2

婦人科診察所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
外陰異常	5	(0.0%)	0	0	2	1	0	0	2
外陰異常疑い	1	(0.0%)	0	0	0	0	1	0	0
外陰炎	11	(0.1%)	0	1	2	2	4	2	0
外陰炎疑い	2	(0.0%)	0	0	0	0	1	0	1
膣炎	3	(0.0%)	0	1	1	1	0	0	0
膣炎疑い	2	(0.0%)	0	0	1	1	0	0	0
萎縮性膣炎	33	(0.3%)	0	0	0	0	9	17	7
カンジダ疑い	12	(0.1%)	0	1	1	5	5	0	0
バルトリン腺異常	15	(0.1%)	0	0	3	3	7	2	0
バルトリン腺異常疑い	5	(0.0%)	0	0	0	2	3	0	0
子宮膣部びらん	108	(0.9%)	0	8	39	53	7	1	0
子宮膣部びらん疑い	32	(0.3%)	0	0	11	15	6	0	0
頸管粘膜ポリープ	116	(1.0%)	0	0	12	53	41	10	0
頸管粘膜ポリープ疑い	34	(0.3%)	0	0	4	14	11	5	0
子宮頸部腫瘍疑い	1	(0.0%)	0	0	0	1	0	0	0
子宮体部腫瘍	169	(1.5%)	0	2	13	82	62	9	1
子宮体部腫瘍疑い	126	(1.1%)	0	5	16	66	33	6	0
子宮付属器炎	1	(0.0%)	0	0	0	0	1	0	0
子宮付属器炎疑い	3	(0.0%)	0	0	1	1	1	0	0
良性卵巣腫瘍	3	(0.0%)	0	0	2	1	0	0	0
良性卵巣腫瘍疑い	22	(0.2%)	0	3	6	6	3	4	0
卵巣腫瘍	1	(0.0%)	0	0	1	0	0	0	0
卵巣腫瘍疑い	2	(0.0%)	0	0	2	0	0	0	0
子宮下垂	9	(0.1%)	0	1	0	1	4	3	0
子宮下垂疑い	1	(0.0%)	0	0	0	0	1	0	0
子宮術後	322	(2.8%)	0	0	3	35	141	115	28
その他の所見	19	(0.2%)	0	2	1	7	3	4	2
検診者総数	11,370		18	948	2,097	3,350	2,991	1,628	338

便潜血判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	18,595	(95.5%)	6	105	2,990	6,220	6,015	2,901	358
	女	12,030	(96.1%)	2	99	2,045	4,181	3,817	1,688	198
	計	30,625	(95.7%)	8	204	5,035	10,401	9,832	4,589	556
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	男	3	(0.0%)	0	0	1	2	0	0	0
	女	1	(0.0%)	0	0	0	0	1	0	0
	計	4	(0.0%)	0	0	1	2	1	0	0
要精密検査	男	858	(4.4%)	0	3	110	245	291	182	27
	女	484	(3.9%)	0	4	99	173	133	62	13
	計	1,342	(4.2%)	0	7	209	418	424	244	40
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	16	(0.1%)	0	0	3	6	3	4	0
	女	7	(0.1%)	0	0	0	5	2	0	0
	計	23	(0.1%)	0	0	3	11	5	4	0
合計	男	19,472		6	108	3,104	6,473	6,309	3,087	385
	女	12,522		2	103	2,144	4,359	3,953	1,750	211
	計	31,994		8	211	5,248	10,832	10,262	4,837	596

便潜血の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
便潜血 (一日法)	男	475	18	3.8	5	0	0.0	65	3	4.6	144	3	2.1	127	8	6.3	107	3	2.8	27	1	3.7
	女	539	17	3.2	4	0	0.0	75	4	5.3	134	6	4.5	173	4	2.3	145	2	1.4	8	1	12.5
	計	1,014	35	3.5	9	0	0.0	140	7	5.0	278	9	3.2	300	12	4.0	252	5	2.0	35	2	5.7
便潜血 (二日法)	男	18,998	859	4.5	109	3	2.8	3,039	111	3.7	6,330	250	3.9	6,182	286	4.6	2,980	183	6.1	358	26	7.3
	女	11,983	475	4.0	101	4	4.0	2,069	95	4.6	4,225	172	4.1	3,780	132	3.5	1,605	60	3.7	203	12	5.9
	計	30,981	1,334	4.3	210	7	3.3	5,108	206	4.0	10,555	422	4.0	9,962	418	4.2	4,585	243	5.3	561	38	6.8

陽性率%

脂質検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	10,178 (36.3%)	188	1,954	2,413	2,292	1,950	1,181	200
	女	11,220 (50.9%)	122	2,156	3,017	3,470	1,753	578	124
	計	21,398 (42.8%)	310	4,110	5,430	5,762	3,703	1,759	324
放置可	男	5,916 (21.1%)	25	559	1,246	1,643	1,539	810	94
	女	4,071 (18.5%)	18	334	633	1,230	1,241	535	80
	計	9,987 (20.0%)	43	893	1,879	2,873	2,780	1,345	174
要経過観察	男	8,148 (29.1%)	39	589	1,645	2,493	2,143	1,128	111
	女	4,185 (19.0%)	24	271	533	1,032	1,541	687	97
	計	12,333 (24.6%)	63	860	2,178	3,525	3,684	1,815	208
要精密検査	男	1,200 (4.3%)	11	150	259	375	262	131	12
	女	1,035 (4.7%)	16	194	230	232	237	109	17
	計	2,235 (4.5%)	27	344	489	607	499	240	29
要治療	男	420 (1.5%)	0	22	81	165	109	40	3
	女	141 (0.6%)	0	3	7	29	73	26	3
	計	561 (1.1%)	0	25	88	194	182	66	6
治療中	男	2,145 (7.7%)	0	10	73	444	929	591	98
	女	1,386 (6.3%)	0	3	24	122	553	577	107
	計	3,531 (7.1%)	0	13	97	566	1,482	1,168	205
合計	男	28,007	263	3,284	5,717	7,412	6,932	3,881	518
	女	22,038	180	2,961	4,444	6,115	5,398	2,512	428
	計	50,045	443	6,245	10,161	13,527	12,330	6,393	946

脂質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総コレステロール mg/dL	男	21,542	198.7	1,946	177.3	4,108	193.7	6,121	202.8	5,794	204.0	3,122	201.3	451	192.8
	女	14,856	200.1	1,656	177.9	3,030	185.6	4,331	195.5	3,778	218.0	1,751	217.2	310	206.9
	計	36,398	199.2	3,602	177.6	7,138	190.3	10,452	199.8	9,572	209.5	4,873	207.0	761	198.6
中性脂肪 mg/dL	男	27,839	116.8	3,481	84.6	5,639	109.6	7,397	126.5	6,925	127.4	3,879	120.2	518	108.9
	女	21,986	75.2	3,109	58.7	4,427	63.9	6,113	72.2	5,398	85.8	2,512	96.0	427	100.1
	計	49,825	98.5	6,590	72.4	10,066	89.5	13,510	101.9	12,323	109.2	6,391	110.7	945	104.9
HDLコレステロール mg/dL	男	27,976	55.8	3,544	56.0	5,709	54.6	7,401	55.2	6,925	56.8	3,879	56.7	518	55.7
	女	22,035	67.1	3,141	65.9	4,443	66.4	6,114	67.1	5,398	69.5	2,512	66.3	427	60.3
	計	50,011	60.8	6,685	60.6	10,152	59.8	13,515	60.6	12,323	62.3	6,391	60.5	945	57.7
LDLコレステロール mg/dL	男	27,919	120.0	3,514	106.1	5,691	118.9	7,395	125.0	6,924	123.1	3,877	120.0	518	111.8
	女	21,877	113.9	3,073	97.6	4,388	102.6	6,098	111.8	5,382	127.8	2,509	128.1	427	119.3
	計	49,796	117.3	6,587	102.2	10,079	111.8	13,493	119.1	12,306	125.2	6,386	123.2	945	115.2

糖尿病判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	21,253	(69.7%)	309	3,984	5,603	5,529	3,851	1,773	204
	女	19,399	(81.3%)	243	3,559	4,603	5,356	3,937	1,489	212
	計	40,652	(74.8%)	552	7,543	10,206	10,885	7,788	3,262	416
放置可	男	5,422	(17.8%)	20	170	647	1,486	1,819	1,116	164
	女	3,235	(13.6%)	4	84	306	781	1,227	683	150
	計	8,657	(15.9%)	24	254	953	2,267	3,046	1,799	314
要経過観察	男	1,601	(5.2%)	0	14	90	322	644	475	56
	女	595	(2.5%)	0	5	31	97	224	205	33
	計	2,196	(4.0%)	0	19	121	419	868	680	89
要精密検査	男	285	(0.9%)	0	6	19	50	116	78	16
	女	82	(0.3%)	0	4	4	17	30	17	10
	計	367	(0.7%)	0	10	23	67	146	95	26
要治療	男	306	(1.0%)	0	5	33	74	112	71	11
	女	70	(0.3%)	0	2	7	21	22	15	3
	計	376	(0.7%)	0	7	40	95	134	86	14
治療中	男	1,639	(5.4%)	0	10	61	261	660	567	80
	女	476	(2.0%)	1	4	16	61	168	193	33
	計	2,115	(3.9%)	1	14	77	322	828	760	113
合計	男	30,506		329	4,189	6,453	7,722	7,202	4,080	531
	女	23,857		248	3,658	4,967	6,333	5,608	2,602	441
	計	54,363		577	7,847	11,420	14,055	12,810	6,682	972

糖尿病検査の性年齢別平均値

検査項目		総数		29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		男	女	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
血糖 mg/dL	男	27,882	97.2	3,447	88.7	5,701	91.9	7,406	96.3	6,931	102.1	3,880	104.9	517	105.1						
	女	21,924	91.2	3,063	86.3	4,419	87.6	6,110	90.4	5,395	93.7	2,510	97.9	427	101.8						
	計	49,806	94.6	6,510	87.6	10,120	90.0	13,516	93.6	12,326	98.4	6,390	102.1	944	103.6						
HbA1c (NGSP) %	男	13,982	5.5	1,402	5.2	2,351	5.3	4,067	5.5	4,230	5.6	1,698	5.8	234	5.9						
	女	8,596	5.5	799	5.2	1,551	5.3	2,765	5.4	2,295	5.6	1,017	5.8	169	5.8						
	計	22,578	5.5	2,201	5.2	3,902	5.3	6,832	5.4	6,525	5.6	2,715	5.8	403	5.8						

糖負荷試験の判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
正常型	男	108	(66.7%)	0	0	2	30	45	23	8
	女	69	(86.3%)	0	0	2	23	27	10	7
	計	177	(73.1%)	0	0	4	53	72	33	15
境界型	男	48	(29.6%)	0	0	0	13	21	11	3
	女	11	(13.8%)	0	0	1	3	2	5	0
	計	59	(24.4%)	0	0	1	16	23	16	3
糖尿病型	男	6	(3.7%)	0	0	0	0	4	0	2
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	6	(2.5%)	0	0	0	0	4	0	2
合計	男	162		0	0	2	43	70	34	13
	女	80		0	0	3	26	29	15	7
	計	242		0	0	5	69	99	49	20

尿糖の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	31,105	686	2.2	4,736	15	0.3	6,552	59	0.9	7,845	155	2.0	7,310	274	3.7	4,132	169	4.1	530	14	2.6
	女	23,980	148	0.6	3,946	8	0.2	5,014	18	0.4	6,367	46	0.7	5,613	45	0.8	2,600	24	0.9	440	7	1.6
	計	55,085	834	1.5	8,682	23	0.3	11,566	77	0.7	14,212	201	1.4	12,923	319	2.5	6,732	193	2.9	970	21	2.2

痛風判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	男	19,144 (76.3%)	163	1,861	3,721	5,355	4,935	2,755	354
	女	16,524 (94.5%)	119	1,872	3,410	4,910	4,134	1,803	276
	計	35,668 (83.8%)	282	3,733	7,131	10,265	9,069	4,558	630
放置可	男	1,770 (7.1%)	11	178	364	514	463	211	29
	女	426 (2.4%)	2	28	64	109	140	68	15
	計	2,196 (5.2%)	13	206	428	623	603	279	44
要経過観察	男	2,153 (8.6%)	5	171	486	660	562	232	37
	女	416 (2.4%)	0	26	54	85	156	77	18
	計	2,569 (6.0%)	5	197	540	745	718	309	55
要精密検査	男	519 (2.1%)	1	59	123	173	122	38	3
	女	73 (0.4%)	0	3	11	12	27	15	5
	計	592 (1.4%)	1	62	134	185	149	53	8
要治療	男	34 (0.1%)	1	2	7	15	5	4	0
	女	7 (0.0%)	0	2	0	1	3	1	0
	計	41 (0.1%)	1	4	7	16	8	5	0
治療中	男	1,470 (5.9%)	0	15	92	349	637	336	41
	女	38 (0.2%)	0	0	0	3	16	12	7
	計	1,508 (3.5%)	0	15	92	352	653	348	48
合計	男	25,090	181	2,286	4,793	7,066	6,724	3,576	464
	女	17,484	121	1,931	3,539	5,120	4,476	1,976	321
	計	42,574	302	4,217	8,332	12,186	11,200	5,552	785

尿酸の性年齢別平均値

検査項目	総数	29歳以下	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
尿酸・ mg/dL	男	25,090 6.04	2,467 6.06	4,793 6.12	7,066 6.10	6,724 6.01	3,576 5.89	464 5.84
	女	17,484 4.39	2,052 4.27	3,539 4.20	5,120 4.23	4,476 4.60	1,976 4.69	321 4.76
	計	42,574 5.36	4,519 5.25	8,332 5.30	12,186 5.32	11,200 5.45	5,552 5.46	785 5.39

貧血・血球数判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	20,447	(73.4%)	188	2,632	4,422	5,353	4,843	2,688	321
	女	15,482	(70.5%)	142	2,366	3,168	3,920	3,724	1,901	261
	計	35,929	(72.1%)	330	4,998	7,590	9,273	8,567	4,589	582
放置可	男	4,779	(17.2%)	44	445	892	1,366	1,309	644	79
	女	3,723	(17.0%)	26	425	717	1,005	1,053	408	89
	計	8,502	(17.1%)	70	870	1,609	2,371	2,362	1,052	168
要経過観察	男	2,343	(8.4%)	23	155	315	610	687	465	88
	女	1,996	(9.1%)	12	209	472	685	410	152	56
	計	4,339	(8.7%)	35	364	787	1,295	1,097	617	144
要精密検査	男	187	(0.7%)	1	2	21	48	51	49	15
	女	441	(2.0%)	0	36	106	230	52	4	13
	計	628	(1.3%)	1	38	127	278	103	53	28
要治療	男	33	(0.1%)	0	1	0	4	8	10	10
	女	57	(0.3%)	1	4	10	37	5	0	0
	計	90	(0.2%)	1	5	10	41	13	10	10
治療中	男	62	(0.2%)	0	1	3	12	27	16	3
	女	265	(1.2%)	2	14	39	136	62	8	4
	計	327	(0.7%)	2	15	42	148	89	24	7
合計	男	27,851		256	3,236	5,653	7,393	6,925	3,872	516
	女	21,964		183	3,054	4,512	6,013	5,306	2,473	423
	計	49,815		439	6,290	10,165	13,406	12,231	6,345	939

貧血・血球数検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 万/μL	男	27,919	495.6	3,515	515.3	5,672	507.8	7,408	497.5	6,929	486.3	3,879	477.8	516	459.9
	女	21,970	440.5	3,242	445.1	4,513	438.6	6,015	437.2	5,305	444.4	2,472	441.2	423	422.2
	計	49,889	471.4	6,757	481.6	10,185	477.2	13,423	470.5	12,234	468.1	6,351	463.5	939	443.0
ヘモグロビン g/dL	男	27,920	15.32	3,515	15.60	5,673	15.49	7,408	15.36	6,929	15.23	3,879	15.02	516	14.52
	女	21,970	13.07	3,242	13.13	4,513	12.88	6,015	12.79	5,305	13.34	2,472	13.44	423	13.03
	計	49,890	14.33	6,757	14.41	10,186	14.34	13,423	14.21	12,234	14.41	6,351	14.40	939	13.85
ヘマトクリット %	男	27,047	45.30	3,240	45.98	5,459	45.74	7,205	45.43	6,799	45.06	3,830	44.54	514	43.20
	女	21,388	39.52	3,015	39.54	4,388	39.02	5,900	38.84	5,225	40.25	2,439	40.50	421	39.39
	計	48,435	42.74	6,255	42.88	9,847	42.75	13,105	42.46	12,024	42.97	6,269	42.97	935	41.49
M C V fL	男	3,683	91.62	142	89.29	718	89.88	1,118	91.29	1,154	92.56	467	93.14	84	93.48
	女	2,761	89.98	131	89.63	561	89.10	895	89.29	839	90.55	295	91.78	40	93.33
	計	6,444	90.91	273	89.45	1,279	89.54	2,013	90.40	1,993	91.71	762	92.61	124	93.43
M C H pg	男	3,666	31.00	136	30.25	713	30.42	1,113	30.94	1,153	31.32	467	31.39	84	31.48
	女	2,745	29.77	127	29.80	555	29.47	889	29.43	839	30.03	295	30.46	40	30.89
	計	6,411	30.47	263	30.03	1,268	30.01	2,002	30.27	1,992	30.78	762	31.03	124	31.29
M C H C %	男	3,657	33.84	136	33.90	709	33.85	1,110	33.89	1,151	33.84	467	33.70	84	33.67
	女	2,730	33.05	125	33.24	553	33.02	881	32.91	837	33.14	295	33.18	39	33.09
	計	6,387	33.50	261	33.58	1,262	33.49	1,991	33.45	1,988	33.55	762	33.50	123	33.49
血清鉄 μg/dL	男	3,545	117.3	266	108.0	624	117.6	998	119.9	1,123	117.2	455	117.8	79	109.7
	女	2,332	102.2	90	91.4	445	99.5	783	101.0	749	106.5	223	102.0	42	102.8
	計	5,877	111.3	356	103.8	1,069	110.1	1,781	111.6	1,872	112.9	678	112.6	121	107.3
白血球数 千/μL	男	25,003	6.23	2,492	6.22	4,724	6.26	7,008	6.33	6,710	6.19	3,589	6.11	480	5.87
	女	17,944	5.74	2,153	6.33	3,643	6.04	5,211	5.77	4,532	5.31	2,023	5.44	382	5.80
	計	42,947	6.02	4,645	6.27	8,367	6.17	12,219	6.09	11,242	5.83	5,612	5.87	862	5.84
血小板数 万/μL	男	8,424	23.96	714	24.45	1,536	24.83	2,337	24.84	2,359	23.44	1,236	22.70	242	20.15
	女	6,653	25.05	530	25.41	1,203	25.54	1,950	26.21	1,832	24.60	864	23.37	274	22.22
	計	15,077	24.44	1,244	24.86	2,739	25.14	4,287	25.46	4,191	23.95	2,100	22.98	516	21.25

炎症反応判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	2,971 (90.5%)	0	36	495	844	989	477	130
	女	2,049 (91.3%)	0	34	357	584	595	389	90
	計	5,020 (90.8%)	0	70	852	1,428	1,584	866	220
放置可	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要経過観察	男	311 (9.5%)	0	0	58	81	97	58	17
	女	196 (8.7%)	0	7	39	58	53	35	4
	計	507 (9.2%)	0	7	97	139	150	93	21
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	3,282	0	36	553	925	1,086	535	147
	女	2,245	0	41	396	642	648	424	94
	計	5,527	0	77	949	1,567	1,734	959	241

炎症反応検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CRP	男	3,241	0	—	16	0	—	550	0	—	919	0	—	1,083	0	—	526	0	—	147	0	—
	女	2,194	0	—	30	0	—	386	0	—	633	0	—	635	0	—	416	0	—	94	0	—
	計	5,435	0	—	46	0	—	936	0	—	1,552	0	—	1,718	0	—	942	0	—	241	0	—
血沈	男	11	0	—	0	—	—	1	0	—	2	0	—	7	0	—	0	—	—	1	0	—
	女	5	0	—	0	—	—	2	0	—	2	0	—	1	0	—	0	—	—	0	—	—
	計	16	0	—	0	—	—	3	0	—	4	0	—	8	0	—	0	—	—	1	0	—

陽性率%

腎機能判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	22,117	(72.5%)	296	3,679	5,166	5,445	4,621	2,630	280
	女	15,912	(66.7%)	205	2,928	3,585	3,883	3,466	1,640	205
	計	38,029	(70.0%)	501	6,607	8,751	9,328	8,087	4,270	485
放置可	男	3,747	(12.3%)	3	317	701	1,136	1,086	429	75
	女	3,339	(14.0%)	19	420	689	1,113	739	295	64
	計	7,086	(13.0%)	22	737	1,390	2,249	1,825	724	139
要経過観察	男	3,948	(12.9%)	25	170	523	997	1,273	817	143
	女	4,367	(18.3%)	23	276	666	1,304	1,334	630	134
	計	8,315	(15.3%)	48	446	1,189	2,301	2,607	1,447	277
要精密検査	男	395	(1.3%)	4	20	41	74	120	119	17
	女	129	(0.5%)	1	23	15	12	33	20	25
	計	524	(1.0%)	5	43	56	86	153	139	42
要治療	男	6	(0.0%)	0	0	0	1	2	3	0
	女	3	(0.0%)	0	0	0	1	1	0	1
	計	9	(0.0%)	0	0	0	2	3	3	1
治療中	男	290	(1.0%)	1	3	22	69	100	79	16
	女	103	(0.4%)	0	10	12	20	32	16	13
	計	393	(0.7%)	1	13	34	89	132	95	29
合計	男	30,503		329	4,189	6,453	7,722	7,202	4,077	531
	女	23,853		248	3,657	4,967	6,333	5,605	2,601	442
	計	54,356		577	7,846	11,420	14,055	12,807	6,678	973

腎機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
尿素窒素 mg/dL	男	23,045	13.98	2,188	13.12	4,371	13.30	6,481	13.53	6,244	14.31	3,306	15.31	455	16.61
	女	15,484	12.45	1,673	11.18	3,054	11.19	4,594	11.75	4,014	13.40	1,789	14.63	360	16.70
	計	38,529	13.36	3,861	12.28	7,425	12.43	11,075	12.79	10,258	13.96	5,095	15.07	815	16.65
クレアチニン mg/dL	男	24,317	0.90	2,293	0.89	4,600	0.88	6,849	0.90	6,618	0.92	3,491	0.92	466	0.96
	女	16,743	0.66	1,793	0.65	3,347	0.64	5,005	0.66	4,334	0.67	1,897	0.67	367	0.71
	計	41,060	0.80	4,086	0.78	7,947	0.78	11,854	0.80	10,952	0.82	5,388	0.84	833	0.85

尿検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿蛋白定性	男	31,356	1,388	4.4	4,778	140	2.9	6,630	187	2.8	7,900	312	3.9	7,363	419	5.7	4,155	278	6.7	530	52	9.8
	女	24,049	737	3.1	3,961	194	4.9	5,041	143	2.8	6,386	174	2.7	5,615	120	2.1	2,606	63	2.4	440	43	9.8
	計	55,405	2,125	3.8	8,739	334	3.8	11,671	330	2.8	14,286	486	3.4	12,978	539	4.2	6,761	341	5.0	970	95	9.8
尿潜血	男	25,193	1,492	5.9	2,621	55	2.1	4,774	197	4.1	7,029	405	5.8	6,727	510	7.6	3,572	291	8.1	470	34	7.2
	女	17,818	3,708	20.8	2,196	378	17.2	3,661	750	20.5	5,145	1,185	23.0	4,454	924	20.7	1,991	406	20.4	371	65	17.5
	計	43,011	5,200	12.1	4,817	433	9.0	8,435	947	11.2	12,174	1,590	13.1	11,181	1,434	12.8	5,563	697	12.5	841	99	11.8

(+) 以上の人を陽性として判定している

陽性率%

膵機能判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	13,047 (92.2%)	73	1,514	2,537	3,708	3,689	1,345	181
	女	6,966 (91.0%)	27	979	1,495	2,045	1,607	689	124
	計	20,013 (91.7%)	100	2,493	4,032	5,753	5,296	2,034	305
放置可	男	361 (2.5%)	1	38	76	119	95	32	0
	女	134 (1.8%)	0	8	21	52	39	11	3
	計	495 (2.3%)	1	46	97	171	134	43	3
要経過観察	男	707 (5.0%)	2	57	91	132	235	150	40
	女	536 (7.0%)	0	51	94	137	148	85	21
	計	1,243 (5.7%)	2	108	185	269	383	235	61
要精密検査	男	32 (0.2%)	0	1	3	5	18	4	1
	女	17 (0.2%)	0	0	2	2	9	3	1
	計	49 (0.2%)	0	1	5	7	27	7	2
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	10 (0.1%)	0	0	0	0	8	2	0
	女	4 (0.1%)	0	0	1	1	0	1	1
	計	14 (0.1%)	0	0	1	1	8	3	1
合計	男	14,157	76	1,610	2,707	3,964	4,045	1,533	222
	女	7,657	27	1,038	1,613	2,237	1,803	789	150
	計	21,814	103	2,648	4,320	6,201	5,848	2,322	372

膵機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
血清アミラーゼ IU/L	男	14,156	73.9	1,686	71.8	2,706	71.3	3,964	70.8	4,045	75.1	1,533	83.0	222	91.9
	女	7,657	78.5	1,065	77.4	1,613	78.0	2,237	76.3	1,803	79.8	789	83.5	150	85.4
	計	21,813	75.5	2,751	74.0	4,319	73.8	6,201	72.7	5,848	76.6	2,322	83.1	372	89.3

電解質判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	2,091	(86.6%)	65	53	340	602	613	319	99
	女	1,202	(83.0%)	25	25	214	347	274	216	101
	計	3,293	(85.3%)	90	78	554	949	887	535	200
放置可	男	238	(9.9%)	3	14	29	59	88	35	10
	女	189	(13.1%)	0	7	24	48	56	33	21
	計	427	(11.1%)	3	21	53	107	144	68	31
要経過観察	男	85	(3.5%)	2	2	4	25	25	19	8
	女	56	(3.9%)	0	2	10	8	11	9	16
	計	141	(3.7%)	2	4	14	33	36	28	24
要精密検査	男	0	(0.0%)	0	0	0	0	0	0	0
	女	1	(0.1%)	0	0	0	0	1	0	0
	計	1	(0.0%)	0	0	0	0	1	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
合計	男	2,414		70	69	373	686	726	373	117
	女	1,448		25	34	248	403	342	258	138
	計	3,862		95	103	621	1,089	1,068	631	255

電解質検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ナトリウム・ mEq/L	男	2,414	140.9	139	140.7	373	140.9	686	141.0	726	141.1	373	140.9	117	140.1
	女	1,447	140.3	59	139.9	248	139.4	402	139.6	342	141.3	258	141.3	138	139.8
	計	3,861	140.7	198	140.4	621	140.3	1,088	140.5	1,068	141.2	631	141.1	255	140.0
カリウム・ mEq/L	男	2,414	4.15	139	4.20	373	4.11	686	4.10	726	4.14	373	4.22	117	4.31
	女	1,448	4.08	59	4.03	248	4.03	403	4.01	342	4.08	258	4.13	138	4.28
	計	3,862	4.12	198	4.15	621	4.08	1,089	4.06	1,068	4.12	631	4.18	255	4.29
クロール・ mEq/L	男	2,414	105.6	139	104.2	373	105.4	686	105.8	726	106.0	373	105.7	117	104.8
	女	1,447	105.8	59	105.3	248	105.9	402	105.9	342	106.0	258	105.8	138	104.8
	計	3,861	105.7	198	104.5	621	105.6	1,088	105.8	1,068	106.0	631	105.8	255	104.8
無機リン・ mg/dL	男	2,185	3.15	71	3.61	367	3.21	668	3.17	704	3.06	311	3.10	64	3.13
	女	1,180	3.49	29	3.67	246	3.44	395	3.33	320	3.65	160	3.60	30	3.56
	計	3,365	3.27	100	3.63	613	3.30	1,063	3.23	1,024	3.25	471	3.27	94	3.27
カルシウム・ mg/dL	男	2,196	9.40	71	9.69	368	9.47	671	9.39	710	9.37	312	9.34	64	9.33
	女	1,190	9.33	29	9.36	246	9.27	395	9.19	325	9.46	165	9.45	30	9.39
	計	3,386	9.37	100	9.59	614	9.39	1,066	9.32	1,035	9.40	477	9.38	94	9.35
マグネシウム mg/dL	男	0	—	0	—	0	—	0	—	0	—	0	—	0	—
	女	2	1.85	0	—	0	—	0	—	2	1.85	0	—	0	—
	計	2	1.85	0	—	0	—	0	—	2	1.85	0	—	0	—

その他の血液検査の判定結果

判定	総数			19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女	計							
異常なし	男	4,557	(93.7%)	40	375	783	1092	1,253	827	187
	女	3,855	(96.3%)	68	502	726	910	927	602	120
	計	8,412	(94.9%)	108	877	1,509	2,002	2,180	1,429	307
放置可	男	85	(1.7%)	20	6	9	14	21	10	5
	女	52	(1.3%)	5	4	8	13	15	7	0
	計	137	(1.5%)	25	10	17	27	36	17	5
要経過観察	男	145	(3.0%)	26	7	35	24	25	23	5
	女	54	(1.3%)	16	2	9	10	9	8	0
	計	199	(2.2%)	42	9	44	34	34	31	5
要精密検査	男	73	(1.5%)	0	1	4	14	32	19	3
	女	41	(1.0%)	0	2	6	12	15	5	1
	計	114	(1.3%)	0	3	10	26	47	24	4
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	2	(0.0%)	0	0	0	1	1	0	0
	女	1	(0.0%)	0	0	1	0	0	0	0
	計	3	(0.0%)	0	0	1	1	1	0	0
合計	男	4,862		86	389	831	1,145	1,332	879	200
	女	4,003		89	510	750	945	966	622	121
	計	8,865		175	899	1,581	2,090	2,298	1,501	321

その他の血液検査の性年齢別陽性率

検査項目	性別	総数			29歳以下			30-39歳			40-49歳			50-59歳			60-69歳			70歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
CEA	男	1392	50	3.6	8	0	—	141	4	2.8	408	11	2.7	551	20	3.6	250	14	5.6	34	1	2.9
	女	874	10	1.1	5	0	—	131	0	—	276	1	0.4	343	6	1.7	105	3	2.9	14	0	—
	計	2266	60	2.6	13	0	—	272	4	1.5	684	12	1.8	894	26	2.9	355	17	4.8	48	1	2.1
RF	男	2586	119	4.6	356	5	1.4	497	7	1.4	582	24	4.1	608	46	7.6	453	30	6.6	90	7	7.8
	女	2372	89	3.8	547	9	1.6	555	17	3.1	552	23	4.2	443	25	5.6	234	14	6.0	41	1	2.4
	計	4958	208	4.2	903	14	1.6	1052	24	2.3	1134	47	4.1	1051	71	6.8	687	44	6.4	131	8	6.1
CPK	男	134	67	50.0	103	55	53.4	12	6	50.0	10	3	30.0	7	2	28.6	2	1	50.0	0	—	—
	女	34	20	58.8	30	19	63.3	0	—	—	2	0	—	2	1	50.0	0	—	—	0	—	—
	計	168	87	51.8	133	74	55.6	12	6	50.0	12	3	25.0	9	3	33.3	2	1	50.0	0	—	—
CA199	男	977	7	0.7	7	0	—	81	0	—	254	1	0.4	324	4	1.2	272	1	0.4	39	1	2.6
	女	558	8	1.4	4	0	—	59	1	1.7	140	3	2.1	204	3	1.5	131	1	0.8	20	0	—
	計	1535	15	1.0	11	0	—	140	1	0.7	394	4	1.0	528	7	1.3	403	2	0.5	59	1	1.7
CA125	男	2	0	—	0	—	—	0	—	—	0	—	—	2	0	—	0	—	—	0	—	—
	女	562	11	2.0	20	1	5.0	92	0	—	156	6	3.8	182	3	1.6	97	1	1.0	15	0	—
	計	564	11	2.0	20	1	5.0	92	0	—	156	6	3.8	184	3	1.6	97	1	1.0	15	0	—
インフラ	男	361	4	1.1	1	0	—	35	0	—	99	0	—	105	2	1.9	103	2	1.9	18	0	—
	女	103	0	—	0	—	—	7	0	—	26	0	—	37	0	—	31	0	—	2	0	—
	計	464	4	0.9	1	0	—	42	0	—	125	0	—	142	2	1.4	134	2	1.5	20	0	—
PfortGRP	男	368	3	0.8	1	0	—	35	0	—	101	0	—	106	2	1.9	107	0	0.0	18	1	5.6
	女	107	1	0.9	0	—	—	7	0	—	26	0	—	40	1	2.5	32	0	0.0	2	0	—
	計	475	4	0.8	1	0	—	42	0	—	127	0	—	146	3	2.1	139	0	0.0	20	1	5.0
NTTIPforBNP	男	201	9	4.5	5	0	—	27	0	—	42	1	2.4	61	1	1.6	55	4	7.3	11	3	27.3
	女	115	2	1.7	0	—	—	10	0	—	27	0	—	50	1	2.0	22	1	4.5	6	0	—
	計	316	11	3.5	5	0	—	37	0	—	69	1	1.4	111	2	1.8	77	5	6.5	17	3	17.6

前立腺検査の判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
異常なし	4,411	(95.1%)	0	8	82	382	2,768	1,025	146
放置可	0	(0.0%)	0	0	0	0	0	0	0
要経過観察	15	(0.3%)	0	0	0	0	4	9	2
要精密検査	120	(2.6%)	0	0	0	5	49	54	12
要治療	0	(0.0%)	0	0	0	0	0	0	0
治療中	92	(2.0%)	0	0	0	2	40	41	9
合計	4,638		0	8	82	389	2,861	1,129	169

P S A の年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
PSA ng/mL	4,638	1.27	8	0.99	82	0.98	389	0.98	2,861	1.14	1,129	1.61	169	1.98

骨密度検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
異常なし	男	118	(58.7%)	1	1	7	22	36	42	9
	女	660	(48.5%)	24	21	116	216	221	54	8
	計	778	(49.8%)	25	22	123	238	257	96	17
放置可	男	0	(0.0%)	0	0	0	0	0	0	0
	女	58	(4.3%)	1	7	31	19	0	0	0
	計	58	(3.7%)	1	7	31	19	0	0	0
要経過観察	男	60	(29.9%)	0	0	0	8	22	21	9
	女	501	(36.8%)	0	2	55	81	226	107	30
	計	561	(35.9%)	0	2	55	89	248	128	39
要精密検査	男	20	(10.0%)	0	0	0	1	3	9	7
	女	107	(7.9%)	0	0	2	8	38	42	17
	計	127	(8.1%)	0	0	2	9	41	51	24
要治療	男	0	(0.0%)	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0
治療中	男	3	(1.5%)	0	0	0	0	1	2	0
	女	36	(2.6%)	0	0	0	1	9	23	3
	計	39	(2.5%)	0	0	0	1	10	25	3
合計	男	201		1	1	7	31	62	74	25
	女	1,362		25	30	204	325	494	226	58
	計	1,563		26	31	211	356	556	300	83

超音波骨密度検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
骨密度 スティフネス	男	201	94.9	2	110.0	7	111.7	31	101.5	62	95.9	74	92.7	25	84.4
	女	1,362	85.1	55	111.0	204	91.5	325	90.3	494	82.3	226	74.8	58	71.7
	計	1,563	86.3	57	111.0	211	92.2	356	91.3	556	83.9	300	79.2	83	75.5

動脈硬化検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	122 (17.9%)	0	0	11	73	30	8	0
	女	140 (23.8%)	0	0	17	71	39	13	0
	計	262 (20.6%)	0	0	28	144	69	21	0
放置可	男	77 (11.3%)	0	0	6	29	31	9	2
	女	94 (16.0%)	0	0	5	22	46	20	1
	計	171 (13.5%)	0	0	11	51	77	29	3
要経過観察	男	436 (64.1%)	0	0	9	88	162	142	35
	女	326 (55.3%)	0	0	2	36	132	129	27
	計	762 (60.0%)	0	0	11	124	294	271	62
要精密検査	男	40 (5.9%)	0	0	1	2	7	18	12
	女	29 (4.9%)	0	0	0	2	8	11	8
	計	69 (5.4%)	0	0	1	4	15	29	20
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	5 (0.7%)	0	0	0	0	0	4	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	5 (0.4%)	0	0	0	0	0	4	1
合計	男	680	0	0	27	192	230	181	50
	女	589	0	0	24	131	225	173	36
	計	1,269	0	0	51	323	455	354	86

頸部動脈超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
頸動脈の内腔狭窄 (50-75%)	男	16 (2.4%)	0	0	0	1	4	6	5
	女	6 (1.0%)	0	0	0	0	2	2	2
	計	22 (1.7%)	0	0	0	1	6	8	7
頸動脈の高度狭窄 (75%以上)	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
総頸動脈内径拡大	男	2 (0.3%)	0	0	0	0	0	2	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	2	0
頸動脈描出不良	男	32 (4.7%)	0	0	4	6	11	10	1
	女	16 (2.7%)	0	0	0	5	5	6	0
	計	48 (3.8%)	0	0	4	11	16	16	1
不安定プラーク (III b)	男	1 (0.1%)	0	0	0	1	0	0	0
	女	2 (0.3%)	0	0	0	1	1	0	0
	計	3 (0.2%)	0	0	0	2	1	0	0
総頸動脈壁肥厚	男	39 (5.7%)	0	0	0	2	7	19	11
	女	21 (3.6%)	0	0	0	0	5	10	6
	計	60 (4.7%)	0	0	0	2	12	29	17
その他の所見	男	7 (1.0%)	0	0	1	0	4	2	0
	女	2 (0.3%)	0	0	0	0	1	1	0
	計	9 (0.7%)	0	0	1	0	5	3	0
検診者総数	男	680	0	0	27	192	230	181	50
	女	589	0	0	24	131	225	173	36
	計	1,269	0	0	51	323	455	354	86

頸部動脈超音波検査の計測値の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
	男	女	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差
平均IMT 右	男	680	0.730	0	27	0.580	192	0.620	230	0.700	181	0.830	50	0.950
	女	589	0.690	0	24	0.540	131	0.580	225	0.670	173	0.760	36	0.910
	計	1,269	0.710	0	51	0.560	323	0.610	455	0.690	354	0.790	86	0.930
平均IMT 左	男	680	0.780	0	27	0.590	192	0.660	230	0.760	181	0.880	50	1.000
	女	589	0.720	0	24	0.540	131	0.600	225	0.710	173	0.780	36	0.950
	計	1,269	0.750	0	51	0.570	323	0.630	455	0.740	354	0.830	86	0.980
最大IMT 右	男	680	1.370	0	27	1.050	192	1.110	230	1.310	181	1.640	50	1.880
	女	589	1.250	0	24	0.870	131	1.040	225	1.210	173	1.420	36	1.690
	計	1,269	1.320	0	51	0.960	323	1.080	455	1.260	354	1.530	86	1.800
最大IMT 左	男	680	1.390	0	27	1.000	192	1.150	230	1.360	181	1.630	50	1.840
	女	589	1.280	0	24	0.880	131	1.070	225	1.280	173	1.430	36	1.620
	計	1,269	1.340	0	51	0.940	323	1.120	455	1.320	354	1.530	86	1.750

血圧脈波検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
	男	女	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差	平均	標準偏差
ABI検査 右	男	674	1.150	0	27	1.130	192	1.140	230	1.160	176	1.160	49	1.150
	女	584	1.120	0	24	1.110	131	1.110	223	1.120	171	1.130	35	1.130
	計	1,258	1.140	0	51	1.120	323	1.130	453	1.140	347	1.140	84	1.140
ABI検査 左	男	674	1.140	0	27	1.110	192	1.130	230	1.150	176	1.150	49	1.130
	女	584	1.110	0	24	1.080	131	1.100	223	1.110	171	1.110	35	1.110
	計	1,258	1.130	0	51	1.100	323	1.120	453	1.130	347	1.130	84	1.120
PWV検査 右 cm/s	男	674	1414.9	0	27	1243.7	192	1273.3	230	1393.4	176	1557.3	49	1654.1
	女	584	1348.1	0	24	1125.2	131	1164.2	223	1331.7	171	1469.3	35	1702.4
	計	1,258	1383.9	0	51	1188.0	323	1229.1	453	1363.0	347	1513.9	84	1674.3
PWV検査 左 cm/s	男	674	1413.9	0	27	1263.6	192	1259.3	230	1393.9	176	1564.8	49	1654.4
	女	584	1357.4	0	24	1135.7	131	1175.9	223	1346.8	171	1477.8	35	1668.4
	計	1,258	1387.7	0	51	1203.4	323	1225.5	453	1370.7	347	1521.9	84	1660.3

甲状腺検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	128 (52.5%)	0	0	16	33	53	22
女		125 (36.4%)	0	5	23	40	42	13	2
計		253 (43.1%)	0	5	39	73	95	35	6
放置可	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要経過観察	男	73 (29.9%)	0	0	3	17	24	24	5
	女	130 (37.9%)	0	0	15	41	38	33	3
	計	203 (34.6%)	0	0	18	58	62	57	8
要精密検査	男	43 (17.6%)	0	0	2	6	17	12	6
	女	85 (24.8%)	0	1	6	24	26	23	5
	計	128 (21.8%)	0	1	8	30	43	35	11
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0
	女	3 (0.9%)	0	0	0	2	1	0	0
	計	3 (0.5%)	0	0	0	2	1	0	0
合計	男	244	0	0	21	56	94	58	15
	女	343	0	6	44	107	107	69	10
	計	587	0	6	65	163	201	127	25

甲状腺超音波検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	右葉に甲状腺結節あり	男	77 (35.0%)	0	0	2	11	27	28
女		144 (49.7%)	0	1	9	41	50	38	5
計		221 (43.3%)	0	1	11	52	77	66	14
左葉に甲状腺結節あり	男	73 (33.2%)	0	0	4	9	28	23	9
	女	133 (45.9%)	0	0	10	39	40	37	7
	計	206 (40.4%)	0	0	14	48	68	60	16
峡部に甲状腺結節あり	男	9 (4.1%)	0	0	0	2	4	3	0
	女	13 (4.5%)	0	0	3	2	3	5	0
	計	22 (4.3%)	0	0	3	4	7	8	0
充実性腫瘍の疑い	男	53 (24.1%)	0	0	3	4	27	10	9
	女	114 (39.3%)	0	1	5	34	33	38	3
	計	167 (32.7%)	0	1	8	38	60	48	12
嚢胞性病変の疑い	男	125 (56.8%)	0	0	3	19	43	47	13
	女	227 (78.3%)	0	0	19	60	76	60	12
	計	352 (69.0%)	0	0	22	79	119	107	25
甲状腺腫大あり	男	7 (3.2%)	0	0	0	2	1	4	0
	女	20 (6.9%)	0	0	2	5	5	8	0
	計	27 (5.3%)	0	0	2	7	6	12	0
その他の所見	男	11 (5.0%)	0	0	0	2	4	2	3
	女	43 (14.8%)	0	0	5	11	11	14	2
	計	54 (10.6%)	0	0	5	13	15	16	5
検診者総数	男	220	0	0	15	50	86	55	14
	女	290	0	4	35	89	85	67	10
	計	510	0	4	50	139	171	122	24

甲状腺機能検査の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	TSH μIU/mL	男	89	1.9	0	13	1.7	25	1.5	26	1.8	21	2.3	4	3.1
女		162	2.5	5	2.5	26	1.6	60	2.7	49	2.4	16	2.3	6	5.8
計		251	2.3	5	2.5	39	1.6	85	2.3	75	2.2	37	2.3	10	4.7
FT3 pg/mL	男	89	3.2	0	13	3.4	25	3.2	26	3.2	21	3.0	4	3.0	
	女	162	2.9	5	2.9	26	3.0	60	2.9	49	3.0	16	3.0	6	2.9
	計	251	3.0	5	2.9	39	3.1	85	3.0	75	3.0	37	3.0	10	3.0
FT4 ng/dL	男	89	1.3	0	13	1.4	25	1.3	26	1.2	21	1.2	4	1.2	
	女	162	1.2	5	1.2	26	1.2	60	1.2	49	1.2	16	1.2	6	1.2
	計	251	1.2	5	1.2	39	1.3	85	1.2	75	1.2	37	1.2	10	1.2

脳検査判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
異常なし	男	388 (51.1%)	0	0	38	124	151	61	14
	女	235 (53.2%)	0	0	17	58	79	58	23
	計	623 (51.9%)	0	0	55	182	230	119	37
放置可	男	316 (41.6%)	0	1	8	51	142	78	36
	女	176 (39.8%)	0	0	4	29	53	61	29
	計	492 (41.0%)	0	1	12	80	195	139	65
要経過観察	男	28 (3.7%)	0	0	0	3	18	4	3
	女	11 (2.5%)	0	0	0	2	2	6	1
	計	39 (3.2%)	0	0	0	5	20	10	4
要精密検査	男	13 (1.7%)	0	0	0	4	2	6	1
	女	12 (2.7%)	0	0	1	2	4	3	2
	計	25 (2.1%)	0	0	1	6	6	9	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	1
	計	1 (0.1%)	0	0	0	0	0	0	1
治療中	男	14 (1.8%)	0	0	0	2	5	5	2
	女	7 (1.6%)	0	0	0	0	2	5	0
	計	21 (1.7%)	0	0	0	2	7	10	2
合計	男	759	0	1	46	184	318	154	56
	女	442	0	0	22	91	140	133	56
	計	1,201	0	1	68	275	458	287	112

頭頸部MRI検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
無症候性脳梗塞巣	男	21 (2.8%)	0	0	0	1	5	8	7
	女	12 (2.7%)	0	0	0	0	1	3	8
	計	33 (2.8%)	0	0	0	1	6	11	15
脳内異常陰影	男	4 (0.5%)	0	0	0	1	3	0	0
	女	1 (0.2%)	0	0	0	0	0	1	0
	計	5 (0.4%)	0	0	0	1	3	1	0
副鼻腔炎	男	17 (2.2%)	0	0	0	3	12	2	0
	女	4 (0.9%)	0	0	0	2	1	1	0
	計	21 (1.8%)	0	0	0	5	13	3	0
くも膜嚢胞	男	1 (0.1%)	0	0	0	0	1	0	0
	女	3 (0.7%)	0	0	1	0	1	1	0
	計	4 (0.3%)	0	0	1	0	2	1	0
その他の所見	男	17 (2.2%)	0	0	0	3	6	6	2
	女	4 (0.9%)	0	0	0	1	2	1	0
	計	21 (1.8%)	0	0	0	4	8	7	2
検診者総数	男	758	0	1	46	184	318	153	56
	女	441	0	0	22	91	139	133	56
	計	1,199	0	1	68	275	457	286	112

頭頸部MRA検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
脳動脈硬化	男	8 (1.1%)	0	0	0	0	1	1	6
	女	5 (1.1%)	0	0	0	0	0	1	4
	計	13 (1.1%)	0	0	0	0	1	2	10
脳動脈瘤	男	3 (0.4%)	0	0	0	0	0	2	1
	女	6 (1.4%)	0	0	0	1	1	1	3
	計	9 (0.8%)	0	0	0	1	1	3	4
内頸動脈狭窄	男	4 (0.5%)	0	0	0	0	1	1	2
	女	3 (0.7%)	0	0	0	0	1	2	0
	計	7 (0.6%)	0	0	0	0	2	3	2
脳動脈狭窄	男	4 (0.5%)	0	0	0	1	1	2	0
	女	2 (0.5%)	0	0	0	0	2	0	0
	計	6 (0.5%)	0	0	0	1	3	2	0
脳動脈閉塞	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
内頸動脈蛇行	男	7 (0.9%)	0	0	0	0	6	0	1
	女	1 (0.2%)	0	0	0	0	0	1	0
	計	8 (0.7%)	0	0	0	0	6	1	1
脳底動脈蛇行	男	1 (0.1%)	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	1	0	0
遺残性三叉動脈	男	1 (0.1%)	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1
その他の所見	男	1 (0.1%)	0	0	0	0	0	1	0
	女	1 (0.2%)	0	0	0	0	1	0	0
	計	2 (0.2%)	0	0	0	0	1	1	0
検診者総数	男	758	0	1	46	184	318	153	56
	女	441	0	0	22	91	139	133	56
	計	1,199	0	1	68	275	457	286	112

大脳高次機能検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
MMSE (脳の認知機能評価の簡易検査) 低下	男	1 (0.8%)	0	0	0	0	0	1	0
	女	1 (0.6%)	0	0	0	0	0	1	0
	計	2 (0.7%)	0	0	0	0	0	2	0
検診者総数	男	130	0	1	2	8	11	62	46
	女	162	0	0	2	5	16	93	46
	計	292	0	1	4	13	27	155	92

心理検査所見

所見	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	男	女							
抑うつ状態	男	16 (12.3%)	0	1	0	2	1	7	5
	女	23 (14.2%)	0	0	1	0	5	13	4
	計	39 (13.4%)	0	1	1	2	6	20	9
検診者総数	男	130	0	1	2	8	11	62	46
	女	162	0	0	2	5	16	93	46
	計	292	0	1	4	13	27	155	92

肥満やせ判定結果

判定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上
	異常なし	男	16,819 (55.3%)	247	2,895	3,837	3,970	3,568	2,049
女		15,110 (63.7%)	169	2,413	3,183	4,038	3,488	1,626	193
計		31,929 (59.0%)	416	5,308	7,020	8,008	7,056	3,675	446
放置可	男	1,156 (3.8%)	23	285	307	203	188	127	23
	女	4,416 (18.6%)	33	888	1,112	1,097	933	309	44
	計	5,572 (10.3%)	56	1,173	1,419	1,300	1,121	436	67
要経過観察	男	12,424 (40.9%)	45	996	2,253	3,544	3,447	1,906	233
	女	4,199 (17.7%)	20	356	672	1,198	1,188	674	91
	計	16,623 (30.7%)	65	1,352	2,925	4,742	4,635	2,580	324
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0
合計	男	30,399	315	4,176	6,397	7,717	7,203	4,082	509
	女	23,725	222	3,657	4,967	6,333	5,609	2,609	328
	計	54,124	537	7,833	11,364	14,050	12,812	6,691	837

身体計測の性年齢別平均値

検査項目	総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		
	身長 c m	男	30,685	170.35	4,573	171.44	6,429	171.81	7,804	171.22	7,239	169.72	4,129	167.11	511
女		23,825	157.39	3,892	158.30	5,012	158.59	6,368	158.25	5,614	156.76	2,611	153.79	328	150.97
計		54,510	164.68	8,465	165.40	11,441	166.02	14,172	165.39	12,853	164.06	6,740	161.95	839	158.97
体重 k g	男	30,875	69.20	4,607	67.22	6,498	70.04	7,839	71.28	7,272	69.58	4,148	66.23	511	63.16
	女	23,853	54.26	3,898	52.27	5,021	53.87	6,373	55.40	5,616	55.03	2,617	53.83	328	51.90
	計	54,728	62.69	8,505	60.37	11,519	62.99	14,212	64.16	12,888	63.24	6,765	61.43	839	58.76
BMI (体格指数)	男	30,685	23.83	4,573	22.86	6,429	23.71	7,804	24.29	7,239	24.13	4,129	23.70	511	23.43
	女	23,825	21.90	3,892	20.83	5,012	21.40	6,368	22.12	5,614	22.40	2,611	22.76	328	22.77
	計	54,510	22.99	8,465	21.93	11,441	22.70	14,172	23.31	12,853	23.38	6,740	23.34	839	23.17
体脂肪率 %	男	3,850	21.83	245	18.11	740	21.00	1,054	21.91	1,210	22.67	508	22.46	93	22.75
	女	3,203	30.29	371	28.23	673	29.13	969	30.09	855	31.39	293	32.74	42	31.93
	計	7,053	25.67	616	24.21	1,413	24.87	2,023	25.83	2,065	26.28	801	26.22	135	25.61
腹囲 c m	男	25,446	83.81	2,276	78.77	4,654	82.47	7,326	84.50	6,844	85.07	3,862	84.75	484	84.52
	女	18,865	77.81	1,511	71.86	3,199	75.05	5,964	77.38	5,363	79.55	2,515	81.60	313	82.47
	計	44,311	81.25	3,787	76.01	7,853	79.45	13,290	81.30	12,207	82.65	6,377	83.51	797	83.72

特定健診判定結果

判 定	総数		19歳以下	20-29歳	30-39歳	40-49歳	50-59歳	60-69歳	70歳以上	
該当	男	3,372	(15.5%)	0	25	232	841	1,348	832	94
	女	444	(3.1%)	0	0	9	106	161	143	25
	計	3,816	(10.5%)	0	25	241	947	1,509	975	119
予備群該当	男	3,410	(15.7%)	1	65	461	1,145	1,096	566	76
	女	587	(4.0%)	0	2	46	161	235	127	16
	計	3,997	(11.0%)	1	67	507	1,306	1,331	693	92
非該当	男	14,584	(67.2%)	65	920	2,592	4,683	3,978	2,096	250
	女	12,909	(89.0%)	22	440	1,862	4,680	4,026	1,681	198
	計	27,493	(75.9%)	87	1,360	4,454	9,363	8,004	3,777	448
判定不能	男	341	(1.6%)	1	88	75	72	68	31	6
	女	565	(3.9%)	0	166	228	106	56	6	3
	計	906	(2.5%)	1	254	303	178	124	37	9
合計	男	21,707		67	1,098	3,360	6,741	6,490	3,525	426
	女	14,505		22	608	2,145	5,053	4,478	1,957	242
	計	36,212		89	1,706	5,505	11,794	10,968	5,482	668

体力測定 of 性年齢別平均値

検査項目		総数		29歳以下		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上	
		人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
全身反応時間 m秒	男	685	336.7	108	308.6	205	345.7	203	340.1	128	335.6	34	346.3	7	385.6
	女	223	377.9	30	334.0	58	389.3	74	385.3	34	367.5	25	381.3	2	561.0
	計	908	346.8	138	314.1	263	355.3	277	352.2	162	342.3	59	361.1	9	424.6
立位体前屈 c m	男	683	3.50	108	9.69	204	3.78	203	1.19	127	1.87	34	1.78	7	4.29
	女	224	8.30	31	11.92	58	7.71	74	7.56	34	7.88	25	8.28	2	4.00
	計	907	4.68	139	10.19	262	4.65	277	2.89	161	3.14	59	4.53	9	4.22
上体おこし 回	男	673	22.4	108	28.8	201	25.1	201	20.6	123	18.0	33	15.5	7	12.4
	女	222	13.5	31	25.7	58	15.0	73	12.2	33	8.8	25	5.5	2	0.0
	計	895	20.2	139	28.1	259	22.8	274	18.4	156	16.0	58	11.2	9	9.7
閉眼片足立ち 秒	男	617	56.20	42	84.69	204	73.25	202	56.50	128	31.80	34	17.91	7	12.29
	女	194	48.19	1	240.00	58	70.36	74	46.42	34	33.85	25	17.40	2	3.00
	計	811	54.29	43	88.30	262	72.61	276	53.79	162	32.23	59	17.69	9	10.22
最大酸素摂取量 mL/分/kg	男	607	35.37	42	42.02	202	37.37	198	34.74	124	31.98	34	32.15	7	31.74
	女	192	31.17	1	39.10	58	33.34	73	30.21	34	31.48	25	28.34	1	28.40
	計	799	34.36	43	41.95	260	36.47	271	33.52	158	31.87	59	30.53	8	31.33

精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	放置可	経過観察	治療中	要治療
肺機能	20	13	65.0%	2 15.4%	0 0.0%	4 30.8%	4 30.8%	3 23.1%
血圧	1,004	476	47.4%	35 7.4%	29 6.1%	154 32.4%	13 2.7%	245 51.5%
脂質	2,796	1,436	51.4%	240 16.7%	298 20.8%	452 31.5%	53 3.7%	393 27.4%
糖尿病	743	409	55.0%	30 7.3%	12 2.9%	137 33.5%	54 13.2%	169 41.3%
痛風	633	347	54.8%	44 12.7%	19 5.5%	140 40.3%	18 5.2%	126 36.3%
肝機能・血清蛋白	4,546	2,814	61.9%	265 9.4%	469 16.7%	1,672 59.4%	175 6.2%	226 8.0%
甲状腺検査	128	109	85.2%	9 8.3%	23 21.1%	71 65.1%	0 0.0%	3 2.8%
脾機能	49	39	79.6%	13 33.3%	11 28.2%	14 35.9%	0 0.0%	1 2.6%
腎機能	533	349	65.5%	64 18.3%	46 13.2%	140 40.1%	67 19.2%	31 8.9%
貧血・血球数	718	408	56.8%	32 7.8%	41 10.0%	98 24.0%	21 5.1%	212 52.0%
電解質	1	1	100.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%
その他	114	65	57.0%	22 33.8%	18 27.7%	21 32.3%	1 1.5%	2 3.1%
便潜血	1,342	896	66.8%	264 29.5%	220 24.6%	140 15.6%	3 0.3%	84 9.4%
眼底検査	463	346	74.7%	57 16.5%	88 25.4%	125 36.1%	5 1.4%	64 18.5%
胸部検査	622	479	77.0%	225 47.0%	113 23.6%	105 21.9%	2 0.4%	29 6.1%
心電図	274	183	66.8%	28 15.3%	51 27.9%	48 26.2%	11 6.0%	40 21.9%
上部消化管	1,323	1,004	75.9%	128 12.7%	334 33.3%	217 21.6%	11 1.1%	293 29.2%
大腸検査	1	1	100.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%
腹部超音波	695	543	78.1%	56 10.3%	149 27.4%	298 54.9%	5 0.9%	21 3.9%
内科診察	90	53	58.9%	8 15.1%	12 22.6%	12 22.6%	5 9.4%	14 26.4%
乳房検査	618	571	92.4%	173 30.3%	216 37.8%	152 26.6%	5 0.9%	2 0.4%
婦人科検査	607	503	82.9%	27 5.4%	42 8.3%	360 71.6%	3 0.6%	26 5.2%
前立腺検査	120	86	71.7%	5 5.8%	23 26.7%	49 57.0%	3 3.5%	4 4.7%
骨密度	127	84	66.1%	18 21.4%	9 10.7%	18 21.4%	3 3.6%	35 41.7%
動脈硬化検査	69	53	76.8%	8 15.1%	3 5.7%	22 41.5%	11 20.8%	9 17.0%
脳検査	26	23	88.5%	1 4.3%	4 17.4%	13 56.5%	1 4.3%	3 13.0%
睡眠時無呼吸検査	51	35	68.6%	0 0.0%	0 0.0%	6 17.1%	0 0.0%	28 80.0%
腹部検査	9	6	66.7%	0 0.0%	3 50.0%	2 33.3%	0 0.0%	0 0.0%
V D T 検査	72	50	69.4%	20 40.0%	21 42.0%	3 6.0%	1 2.0%	5 10.0%
肝炎 B 検査 1	1	1	100.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%
深夜・有害業務（一腹囲）	22	15	68.2%	4 26.7%	1 6.7%	2 13.3%	0 0.0%	8 53.3%
有機・貧血・代謝物	1	1	100.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%
腰痛健診	2	1	50.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
特定業務	15	3	20.0%	0 0.0%	1 33.3%	1 33.3%	0 0.0%	1 33.3%
深夜・有害業務	14	3	21.4%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	2 66.7%
じん肺 1	7	1	14.3%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%
特化物肝 5 貧血	1	1	100.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%

市民健診総合判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女						
異常なし	男	18 (0.2%)	4	8	0	4	2	0
	女	133 (0.8%)	38	73	11	7	3	1
	計	151 (0.5%)	42	81	11	11	5	1
放置可	男	635 (6.0%)	20	101	67	198	202	47
	女	2,504 (14.2%)	178	648	437	808	382	51
	計	3,139 (11.1%)	198	749	504	1,006	584	98
要経過観察	男	3,377 (32.0%)	26	242	197	1,090	1,425	397
	女	5,926 (33.6%)	77	414	749	2,497	1,772	417
	計	9,303 (33.0%)	103	656	946	3,587	3,197	814
要精密検査	男	1,199 (11.4%)	12	128	76	424	434	125
	女	1,617 (9.2%)	31	132	215	682	416	141
	計	2,816 (10.0%)	43	260	291	1,106	850	266
要治療	男	317 (3.0%)	2	34	35	112	100	34
	女	439 (2.5%)	1	17	61	200	131	29
	計	756 (2.7%)	3	51	96	312	231	63
治療中	男	4,993 (47.4%)	2	33	131	1,442	2,524	861
	女	7,036 (39.9%)	2	56	327	2,472	3,137	1,042
	計	12,029 (42.7%)	4	89	458	3,914	5,661	1,903
合計	男	10,539	66	546	506	3,270	4,687	1,464
	女	17,655	327	1,340	1,800	6,666	5,841	1,681
	計	28,194	393	1,886	2,306	9,936	10,528	3,145

市民健診メタボ判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
該当	男	1,387 (19.5%)	69	113	689	516
	女	789 (5.9%)	17	63	416	293
	計	2,176 (10.6%)	86	176	1,105	809
予備群	男	1,296 (18.2%)	93	92	593	518
	女	758 (5.7%)	35	90	385	248
	計	2,054 (10.0%)	128	182	978	766
非該当	男	4,413 (62.1%)	383	301	1,979	1,750
	女	11,829 (88.3%)	1,287	1,647	5,857	3,038
	計	16,242 (79.2%)	1,670	1,948	7,836	4,788
判定不能	男	15 (0.2%)	0	0	5	10
	女	19 (0.1%)	1	0	4	14
	計	34 (0.2%)	1	0	9	24
合計	男	7,111	545	506	3,266	2,794
	女	13,395	1,340	1,800	6,662	3,593
	計	20,506	1,885	2,306	9,928	6,387

市民健診肥満判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	異常なし	男	6,046	(57.4%)	41	288	234	1,679	2,761
女		12,199	(69.1%)	222	905	1,233	4,654	4,032	1,153
計		18,245	(64.7%)	263	1,193	1,467	6,333	6,793	2,196
放置可	男	416	(3.9%)	3	18	14	94	177	110
	女	1,801	(10.2%)	63	235	237	638	430	198
	計	2,217	(7.9%)	66	253	251	732	607	308
要経過観察	男	4,077	(38.7%)	22	240	258	1,497	1,749	311
	女	3,655	(20.7%)	42	200	330	1,374	1,379	330
	計	7,732	(27.4%)	64	440	588	2,871	3,128	641
要精密検査	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
合計	男	10,539		66	546	506	3,270	4,687	1,464
	女	17,655		327	1,340	1,800	6,666	5,841	1,681
	計	28,194		393	1,886	2,306	9,936	10,528	3,145

市民健診身体計測の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	身長 cm	男	10,539	164.23	66	171.88	546	170.55	506	168.69	3,270	165.79	4,687	163.15	1,464
女		17,655	152.22	327	158.25	1,340	157.97	1,800	155.93	6,666	153.07	5,841	150.09	1,681	146.48
計		28,194	156.71	393	160.54	1,886	161.61	2,306	158.73	9,936	157.25	10,528	155.91	3,145	152.76
体重 kg	男	10,539	63.13	66	68.23	546	69.59	506	68.27	3,270	64.58	4,687	62.25	1,464	58.27
	女	17,655	51.57	327	53.03	1,340	53.52	1,800	53.23	6,666	52.11	5,841	51.00	1,681	47.77
	計	28,194	55.89	393	55.58	1,886	58.17	2,306	56.53	9,936	56.21	10,528	56.01	3,145	52.66
BMI (体格指数)	男	10,539	23.36	66	23.07	546	23.88	506	23.97	3,270	23.47	4,687	23.36	1,464	22.74
	女	17,655	22.26	327	21.18	1,340	21.44	1,800	21.90	6,666	22.24	5,841	22.63	1,681	22.26
	計	28,194	22.67	393	21.50	1,886	22.15	2,306	22.35	9,936	22.65	10,528	22.96	3,145	22.48
腹囲 cm	男	7,174	84.21	66	81.39	546	84.14	506	85.43	3,265	84.36	2,791	83.88	0	—
	女	13,709	80.37	326	75.57	1,340	76.39	1,800	78.65	6,662	80.84	3,581	82.29	0	—
	計	20,883	81.69	392	76.55	1,886	78.63	2,306	80.14	9,927	82.00	6,372	82.99	0	—

市民健診血圧判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	2,935	(27.8%)	54	378	236	951	1088	228
	女	7,263	(41.1%)	306	1,140	1,117	2,925	1,528	247
	計	10,198	(36.2%)	360	1,518	1,353	3,876	2,616	475
放置可	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
要経過観察	男	3,003	(28.5%)	9	131	144	981	1,340	398
	女	4,595	(26.0%)	19	143	423	1,861	1,718	431
	計	7,598	(26.9%)	28	274	567	2,842	3,058	829
要精密検査	男	517	(4.9%)	0	15	18	171	228	85
	女	671	(3.8%)	2	17	64	239	265	84
	計	1,188	(4.2%)	2	32	82	410	493	169
要治療	男	119	(1.1%)	1	6	10	39	43	20
	女	133	(0.8%)	0	4	16	38	52	23
	計	252	(0.9%)	1	10	26	77	95	43
治療中	男	3,965	(37.6%)	2	16	98	1,128	1,988	733
	女	4,993	(28.3%)	0	36	180	1,603	2,278	896
	計	8,958	(31.8%)	2	52	278	2,731	4,266	1,629
合計	男	10,539		66	546	506	3,270	4,687	1,464
	女	17,655		327	1,340	1,800	6,666	5,841	1,681
	計	28,194		393	1,886	2,306	9,936	10,528	3,145

市民健診安静時血圧の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時血圧・ 最大・ mmHg	男	10,539	135.8	66	120.2	546	122.2	506	128.3	3,270	134.8	4,687	137.4	1,464	141.1
	女	17,655	130.8	327	109.6	1,340	114.1	1,800	124.0	6,666	130.1	5,841	135.6	1,681	141.1
	計	28,194	132.6	393	111.4	1,886	116.5	2,306	124.9	9,936	131.7	10,528	136.4	3,145	141.1
安静時血圧・ 最小・ mmHg	男	10,539	76.8	66	73.5	546	77.5	506	80.9	3,270	79.6	4,687	75.9	1,464	71.7
	女	17,655	73.0	327	66.3	1,340	69.7	1,800	74.5	6,666	74.1	5,841	72.8	1,681	71.9
	計	28,194	74.4	393	67.5	1,886	71.9	2,306	75.9	9,936	75.9	10,528	74.2	3,145	71.8

市民健診肝機能検査判定結果

判定	総数		35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女						
異常なし	男	6,861 (65.3%)	40	289	284	2,021	3,172	1,055
	女	14,698 (83.4%)	301	1,221	1,471	5,501	4,795	1,409
	計	21,559 (76.7%)	341	1,510	1,755	7,522	7,967	2,464
放置可	男	1,799 (17.1%)	12	87	111	582	789	218
	女	1,570 (8.9%)	13	59	174	626	545	153
	計	3,369 (12.0%)	25	146	285	1,208	1,334	371
要経過観察	男	835 (7.9%)	3	58	40	286	344	104
	女	685 (3.9%)	3	18	66	259	272	67
	計	1,520 (5.4%)	6	76	106	545	616	171
要精密検査	男	857 (8.2%)	11	105	68	329	289	55
	女	477 (2.7%)	9	36	74	197	135	26
	計	1,334 (4.7%)	20	141	142	526	424	81
要治療	男	4 (0.0%)	0	0	0	4	0	0
	女	5 (0.0%)	0	1	2	1	1	0
	計	9 (0.0%)	0	1	2	5	1	0
治療中	男	148 (1.4%)	0	7	3	37	73	28
	女	186 (1.1%)	0	4	13	71	76	22
	計	334 (1.2%)	0	11	16	108	149	50
合計	男	10,504	66	546	506	3,259	4,667	1,460
	女	17,621	326	1,339	1,800	6,655	5,824	1,677
	計	28,125	392	1,885	2,306	9,914	10,491	3,137

市民健診肝機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
GOT・IU/L	男	10,504	26.2	66	23.9	546	26.0	506	25.5	3,259	26.3	4,667	26.3	1,460	26.3
	女	17,621	24.0	326	19.6	1,339	19.8	1,800	23.4	6,655	24.0	5,824	25.1	1,677	25.1
	計	28,125	24.8	392	20.3	1,885	21.6	2,306	23.8	9,914	24.8	10,491	25.6	3,137	25.7
GPT・IU/L	男	10,504	22.8	66	27.1	546	31.2	506	27.6	3,259	24.0	4,667	21.5	1,460	19.1
	女	17,621	18.9	326	16.2	1,339	16.2	1,800	20.4	6,655	19.6	5,824	18.9	1,677	16.7
	計	28,125	20.3	392	18.1	1,885	20.6	2,306	22.0	9,914	21.1	10,491	20.0	3,137	17.8
γ-GTP・IU/L	男	10,504	42.1	66	43.4	546	53.0	506	54.0	3,259	47.1	4,667	38.6	1,460	33.4
	女	17,621	24.4	326	19.7	1,339	21.6	1,800	27.3	6,655	25.9	5,824	23.8	1,677	21.0
	計	28,125	31.0	392	23.7	1,885	30.7	2,306	33.2	9,914	32.9	10,491	30.4	3,137	26.8

市民健診腎機能検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	338	(3.2%)	13	76	31	109	94	15
	女	871	(4.9%)	104	257	118	269	106	17
	計	1,209	(4.3%)	117	333	149	378	200	32
放置可	男	6,067	(57.6%)	51	428	387	2,169	2,502	530
	女	11,605	(65.7%)	215	1,007	1,434	4,877	3,435	637
	計	17,672	(62.7%)	266	1,435	1,821	7,046	5,937	1,167
要経過観察	男	3,325	(31.6%)	1	34	65	711	1,785	729
	女	4,515	(25.6%)	6	66	207	1,250	2,127	859
	計	7,840	(27.8%)	7	100	272	1,961	3,912	1,588
要精密検査	男	598	(5.7%)	1	8	19	221	206	143
	女	526	(3.0%)	1	5	31	219	120	150
	計	1,124	(4.0%)	2	13	50	440	326	293
要治療	男	0	(0.0%)	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0
治療中	男	206	(2.0%)	0	0	4	59	97	46
	女	137	(0.8%)	1	5	10	50	53	18
	計	343	(1.2%)	1	5	14	109	150	64
合計	男	10,534		66	546	506	3,269	4,684	1,463
	女	17,654		327	1,340	1,800	6,665	5,841	1,681
	計	28,188		393	1,886	2,306	9,934	10,525	3,144

市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿蛋白定性	男	10,441	323	3.1	66	1	1.5	545	7	1.3	504	12	2.4	3,245	81	2.5	4,637	138	3.0	1,444	84	5.8
	女	17,559	145	0.8	325	0	—	1,339	5	0.4	1,799	6	0.3	6,642	51	0.8	5,801	51	0.9	1,653	32	1.9
	計	28,000	468	1.7	391	1	0.3	1,884	12	0.6	2,303	18	0.8	9,887	132	1.3	10,438	189	1.8	3,097	116	3.7

陽性率%

市民健診腎機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上															
	男	女	男	女	男	女	男	女	男	女	男	女	男	女														
クレアチニン・mg/dL	10,504	17,621	0.94	0.69	66	326	0.87	0.63	546	1,339	0.86	0.64	506	1,800	0.88	0.66	3,259	6,655	0.91	0.67	4,667	5,824	0.95	0.70	1,460	1,677	1.02	0.76
計	28,125		0.78		392		0.67		1,885		0.70		2,306		0.71		9,914		0.75		10,491		0.81		3,137		0.88	

市民健診脂質検査判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	3,730	(35.5%)	28	149	139	1,003	1,681	730
	女	4,958	(28.1%)	209	769	511	1,358	1,483	628
	計	8,688	(30.9%)	237	918	650	2,361	3,164	1,358
放置可	男	2,241	(21.3%)	18	113	114	748	996	252
	女	3,705	(21.0%)	53	255	411	1,443	1,191	352
	計	5,946	(21.1%)	71	368	525	2,191	2,187	604
要経過観察	男	2,843	(27.1%)	17	205	167	964	1,213	277
	女	4,726	(26.8%)	44	232	590	2,089	1,435	336
	計	7,569	(26.9%)	61	437	757	3,053	2,648	613
要精密検査	男	484	(4.6%)	2	53	33	152	183	61
	女	810	(4.6%)	19	65	106	368	203	49
	計	1,294	(4.6%)	21	118	139	520	386	110
要治療	男	102	(1.0%)	1	16	17	41	25	2
	女	263	(1.5%)	1	9	40	137	72	4
	計	365	(1.3%)	2	25	57	178	97	6
治療中	男	1,104	(10.5%)	0	10	36	351	569	138
	女	3,159	(17.9%)	0	9	142	1,260	1,440	308
	計	4,263	(15.2%)	0	19	178	1,611	2,009	446
合計	男	10,504		66	546	506	3,259	4,667	1,460
	女	17,621		326	1,339	1,800	6,655	5,824	1,677
	計	28,125		392	1,885	2,306	9,914	10,491	3,137

市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂肪 mg/dL	男	10,504	119.0	66	93.0	546	141.6	506	153.5	3,259	123.8	4,667	115.0	1,460	102.0
	女	17,621	99.9	326	68.1	1,339	73.9	1,800	94.3	6,655	103.1	5,824	104.7	1,677	103.4
	計	28,125	107.1	392	72.3	1,885	93.5	2,306	107.3	9,914	109.9	10,491	109.3	3,137	102.7
HDLコレステロール mg/dL	男	10,504	56.1	66	57.2	546	54.5	506	55.9	3,259	57.0	4,667	56.0	1,460	55.0
	女	17,621	65.7	326	68.1	1,339	68.1	1,800	70.1	6,655	66.4	5,824	63.7	1,677	63.0
	計	28,125	62.1	392	66.3	1,885	64.2	2,306	67.0	9,914	63.3	10,491	60.3	3,137	59.3
LDLコレステロール mg/dL	男	10,504	116.8	66	120.3	546	127.0	506	125.9	3,259	120.6	4,667	114.9	1,460	107.5
	女	17,621	126.6	326	106.3	1,339	112.2	1,800	132.5	6,655	132.7	5,824	124.9	1,677	117.8
	計	28,125	123.0	392	108.7	1,885	116.5	2,306	131.0	9,914	128.7	10,491	120.4	3,137	113.0

市民健診糖尿病判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-79歳	80歳以上
	男	女	計						
異常なし	男	4,774	(45.3%)	55	404	270	1,334	2,022	689
	女	9,876	(55.9%)	287	1,170	1,295	3,355	2,857	912
	計	14,650	(52.0%)	342	1,574	1,565	4,689	4,879	1,601
放置可	男	2,923	(27.7%)	11	97	132	981	1,350	352
	女	4,957	(28.1%)	34	134	353	2,194	1,822	420
	計	7,880	(28.0%)	45	231	485	3,175	3,172	772
要経過観察	男	1,176	(11.2%)	0	20	46	401	526	183
	女	1,533	(8.7%)	5	23	89	632	608	176
	計	2,709	(9.6%)	5	43	135	1,033	1,134	359
要精密検査	男	259	(2.5%)	0	6	8	86	119	40
	女	228	(1.3%)	0	5	10	84	93	36
	計	487	(1.7%)	0	11	18	170	212	76
要治療	男	189	(1.8%)	0	15	21	66	64	23
	女	120	(0.7%)	0	0	11	50	44	15
	計	309	(1.1%)	0	15	32	116	108	38
治療中	男	1,213	(11.5%)	0	4	29	401	603	176
	女	940	(5.3%)	1	8	42	350	417	122
	計	2,153	(7.6%)	1	12	71	751	1,020	298
合計	男	10,534		66	546	506	3,269	4,684	1,463
	女	17,654		327	1,340	1,800	6,665	5,841	1,681
	計	28,188		393	1,886	2,306	9,934	10,525	3,144

市民健診糖尿病検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血糖・ mg/dL	男	10,504	102.2	66	89.9	546	94.5	506	100.0	3,259	102.4	4,667	102.3	1,460	105.5
	女	17,620	96.3	326	86.7	1,339	88.3	1,800	92.8	6,654	96.1	5,824	98.4	1,677	101.6
	計	28,124	98.5	392	87.2	1,885	90.1	2,306	94.4	9,913	98.2	10,491	100.1	3,137	103.4
ヘモグロビンA1c (NGSP) %	男	7,426	5.70	66	5.25	542	5.46	502	5.63	3,202	5.73	2,942	5.73	172	5.85
	女	11,576	5.62	305	5.27	721	5.32	972	5.51	5,764	5.65	3,618	5.71	196	5.74
	計	19,002	5.65	371	5.27	1,263	5.38	1,474	5.55	8,966	5.67	6,560	5.72	368	5.80

HbA1cは選択検査として実施されている

市民健診尿糖の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-49歳			50-59歳			60-69歳			70-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率
尿糖定性	男	10,441	308	2.9	66	0	0	545	11	2	504	16	3.2	3,245	108	3.3	4,637	119	2.6	1,444	54	3.7
	女	17,559	114	0.6	325	1	0.3	1,339	5	0.4	1,799	7	0.4	6,642	39	0.6	5,801	45	0.8	1,653	17	1.0
	計	28,000	422	1.5	391	1	0.3	1,884	16	0.8	2,303	23	1	9,887	147	1.5	10,438	164	1.6	3,097	71	2.3

陽性率%

市民健診貧血・血球数判定結果

判定	総数			35-39歳	40-49歳	50-59歳	60-69歳	70-74歳
異常なし	男	97	(67.8%)	2	10	16	47	22
	女	958	(80.0%)	37	145	192	433	151
	計	1,055	(78.7%)	39	155	208	480	173
放置可	男	4	(2.8%)	0	0	0	1	3
	女	86	(7.2%)	3	15	27	27	14
	計	90	(6.7%)	3	15	27	28	17
要経過観察	男	28	(19.6%)	0	0	3	12	13
	女	107	(8.9%)	9	40	16	31	11
	計	135	(10.1%)	9	40	19	43	24
要精密検査	男	11	(7.7%)	0	1	0	3	7
	女	36	(3.0%)	2	23	4	5	2
	計	47	(3.5%)	2	24	4	8	9
要治療	男	3	(2.1%)	0	0	0	2	1
	女	9	(0.8%)	0	5	2	1	1
	計	12	(0.9%)	0	5	2	3	2
治療中	男	0	(0.0%)	0	0	0	0	0
	女	2	(0.2%)	0	1	0	1	0
	計	2	(0.1%)	0	1	0	1	0
合計	男	143		2	11	19	65	46
	女	1,198		51	229	241	498	179
	計	1,341		53	240	260	563	225

市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-49歳		50-59歳		60-69歳		70-74歳		
赤血球数 万/μL	男	143	461.1	2	519.5	11	490.9	19	490.0	65	461.6	46	438.8
	女	1,198	437.4	51	432.3	229	441.6	241	447.3	498	433.6	179	430.9
	計	1,341	439.9	53	435.6	240	443.8	260	450.4	563	436.9	225	432.5
ヘモグロビン g/dL	男	143	14.38	2	16.20	11	15.45	19	15.06	65	14.29	46	13.88
	女	1,198	12.98	51	12.32	229	12.31	241	13.33	498	13.13	179	13.11
	計	1,341	13.13	53	12.46	240	12.46	260	13.46	563	13.26	225	13.27
ヘマトクリット %	男	143	43.07	2	48.45	11	46.21	19	45.02	65	42.92	46	41.50
	女	1,198	39.60	51	38.00	229	38.21	241	40.51	498	39.89	179	39.83
	計	1,341	39.97	53	38.39	240	38.57	260	40.84	563	40.24	225	40.17

市民健診心電図判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
異常なし	男	131 (67.2%)	3	8	72	48
	女	75 (78.9%)	0	9	41	25
	計	206 (71.0%)	3	17	113	73
放置可	男	10 (5.1%)	1	0	6	3
	女	3 (3.2%)	0	0	3	0
	計	13 (4.5%)	1	0	9	3
要経過観察	男	35 (17.9%)	1	2	26	6
	女	14 (14.7%)	0	0	8	6
	計	49 (16.9%)	1	2	34	12
要精密検査	男	8 (4.1%)	0	1	4	3
	女	2 (2.1%)	0	0	2	0
	計	10 (3.4%)	0	1	6	3
要治療	男	1 (0.5%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.3%)	0	0	1	0
治療中	男	10 (5.1%)	0	1	4	5
	女	1 (1.1%)	0	0	1	0
	計	11 (3.8%)	0	1	5	5
合計	男	195	5	12	113	65
	女	95	0	9	55	31
	計	290	5	21	168	96

市民健診安静心電図検査所見

所見	総数				所見	総数								
	40-49歳	50-59歳	60-69歳	70-74歳		40-49歳	50-59歳	60-69歳	70-74歳					
洞性徐脈	男	2 (1.0%)	0	0	1	1	心房細動	男	4 (2.1%)	0	1	2	1	
	女	0 (0.0%)	0	0	0	0		女	0 (0.0%)	0	0	0	0	
	計	2 (0.7%)	0	0	1	1		計	4 (1.4%)	0	1	2	1	
洞性頻脈	男	1 (0.5%)	1	0	0	0	左室肥大疑い	男	4 (2.1%)	0	0	4	0	
	女	0 (0.0%)	0	0	0	0		女	1 (1.1%)	0	0	0	1	
	計	1 (0.3%)	1	0	0	0		計	5 (1.7%)	0	0	4	1	
右軸偏位 (100°以上)	男	1 (0.5%)	0	0	1	0	陈旧性心筋梗塞疑い	男	1 (0.5%)	0	0	1	0	
	女	0 (0.0%)	0	0	0	0		女	1 (1.1%)	0	0	1	0	
	計	1 (0.3%)	0	0	1	0		計	2 (0.7%)	0	0	2	0	
左軸偏位 (-30°以下)	男	5 (2.6%)	0	0	2	3	ST低下	男	3 (1.5%)	0	0	3	0	
	女	1 (1.1%)	0	0	1	0		女	2 (2.1%)	0	0	1	1	
	計	6 (2.1%)	0	0	3	3		計	5 (1.7%)	0	0	4	1	
第一度房室ブロック	男	11 (5.6%)	0	1	9	1	ST-T異常	男	3 (1.5%)	0	0	1	2	
	女	2 (2.1%)	0	0	2	0		女	0 (0.0%)	0	0	0	0	
	計	13 (4.5%)	0	1	11	1		計	3 (1.0%)	0	0	1	2	
不完全右脚ブロック	男	2 (1.0%)	1	0	0	1	異常Q波の疑い	男	3 (1.5%)	0	0	2	1	
	女	2 (2.1%)	0	0	2	0		女	3 (3.2%)	0	0	1	2	
	計	4 (1.4%)	1	0	2	1		計	6 (2.1%)	0	0	3	3	
完全右脚ブロック	男	12 (6.2%)	0	0	10	2	陰性T波	男	4 (2.1%)	1	1	1	1	
	女	0 (0.0%)	0	0	0	0		女	5 (5.3%)	0	0	4	1	
	計	12 (4.1%)	0	0	10	2		計	9 (3.1%)	1	1	5	2	
ヘミブロック	男	1 (0.5%)	0	0	1	0	ST上昇	男	1 (0.5%)	0	0	1	0	
	女	0 (0.0%)	0	0	0	0		女	0 (0.0%)	0	0	0	0	
	計	1 (0.3%)	0	0	1	0		計	1 (0.3%)	0	0	1	0	
右室伝導遅延	男	2 (1.0%)	0	0	1	1	QT延長	男	3 (1.5%)	0	0	2	1	
	女	0 (0.0%)	0	0	0	0		女	3 (3.2%)	0	0	3	0	
	計	2 (0.7%)	0	0	1	1		計	6 (2.1%)	0	0	5	1	
上室性期外収縮	男	2 (1.0%)	0	1	1	0	Brugada症候群の疑い	男	1 (0.5%)	0	0	1	0	
	女	1 (1.1%)	0	0	0	1		女	0 (0.0%)	0	0	0	0	
	計	3 (1.0%)	0	1	1	1		計	1 (0.3%)	0	0	1	0	
心室性期外収縮	男	6 (3.1%)	0	0	4	2	その他の所見	男	2 (1.0%)	0	0	1	1	
	女	1 (1.1%)	0	0	1	0		女	1 (1.1%)	0	0	1	0	
	計	7 (2.4%)	0	0	5	2		計	3 (1.0%)	0	0	2	1	
							検診者総数	男	195		5	12	113	65
								女	95		0	9	55	31
								計	290		5	21	168	96

市民健診眼底写真判定結果

判定	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
異常なし	男	44 (23.2%)	1	4	28	11
	女	29 (33.7%)	0	8	16	5
	計	73 (26.4%)	1	12	44	16
放置可	男	48 (25.3%)	1	5	26	16
	女	13 (15.1%)	0	2	7	4
	計	61 (22.1%)	1	7	33	20
要経過観察	男	68 (35.8%)	2	3	31	32
	女	32 (37.2%)	0	0	21	11
	計	100 (36.2%)	2	3	52	43
要精密検査	男	28 (14.7%)	0	0	15	13
	女	12 (14.0%)	0	0	7	5
	計	40 (14.5%)	0	0	22	18
要治療	男	0 (0.0%)	0	0	0	0
	女	0 (0.0%)	0	0	0	0
	計	0 (0.0%)	0	0	0	0
治療中	男	2 (1.1%)	0	0	0	2
	女	0 (0.0%)	0	0	0	0
	計	2 (0.7%)	0	0	0	2
合計	男	190	4	12	100	74
	女	86	0	10	51	25
	計	276	4	22	151	99

市民健診眼底検査所見

所見	総数		40-49歳	50-59歳	60-69歳	70-74歳
	男	女				
細動脈狭細化	男	13 (6.8%)	1	1	4	7
	女	2 (2.3%)	0	0	2	0
	計	15 (5.4%)	1	1	6	7
細動脈口径不同	男	1 (0.5%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	0	1	0
網膜白斑	男	22 (11.6%)	0	2	8	12
	女	5 (5.8%)	0	0	2	3
	計	27 (9.8%)	0	2	10	15
細動脈反射増強	男	66 (34.7%)	2	6	33	25
	女	25 (29.1%)	0	2	16	7
	計	91 (33.0%)	2	8	49	32
動静脈交叉現象	男	23 (12.1%)	1	1	14	7
	女	9 (10.5%)	0	0	3	6
	計	32 (11.6%)	1	1	17	13
点状出血	男	1 (0.5%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	0	1	0
斑状出血	男	1 (0.5%)	0	0	1	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	0	1	0
白内障の疑い	男	34 (17.9%)	0	0	16	18
	女	21 (24.4%)	0	0	13	8
	計	55 (19.9%)	0	0	29	26
視神経乳頭異常の疑い	男	3 (1.6%)	0	0	0	3
	女	1 (1.2%)	0	0	0	1
	計	4 (1.4%)	0	0	0	4
光凝固後	男	1 (0.5%)	0	0	1	0
	女	1 (1.2%)	0	0	1	0
	計	2 (0.7%)	0	0	2	0
網膜有髄神経線維の疑い	男	2 (1.1%)	0	0	2	0
	女	0 (0.0%)	0	0	0	0
	計	2 (0.7%)	0	0	2	0
網脈絡膜瘢痕巣の疑い	男	1 (0.5%)	0	1	0	0
	女	0 (0.0%)	0	0	0	0
	計	1 (0.4%)	0	1	0	0
瞳孔の開き不十分	男	4 (2.1%)	0	0	1	3
	女	1 (1.2%)	0	0	1	0
	計	5 (1.8%)	0	0	2	3
その他の所見	男	6 (3.2%)	0	0	3	3
	女	7 (8.1%)	0	0	5	2
	計	13 (4.7%)	0	0	8	5
検診者総数	男	190	4	12	100	74
	女	86	0	10	51	25
	計	276	4	22	151	99

市民健診前立腺がん検診判定結果

判定	総数		50-59歳	60-69歳	70-79歳	80歳以上
	人数	割合	人数	人数	人数	人数
異常なし	5,097	(88.8%)	266	1,788	2,482	561
放置可	0	(0.0%)	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0
要精密検査	335	(5.8%)	5	89	183	58
要治療	0	(0.0%)	0	0	0	0
治療中	305	(5.3%)	3	58	178	66
合計	5,737		274	1,935	2,843	685

市民健診前立腺がん検診P S Aの年齢別平均値

検査項目	総数		50-59歳		60-69歳		70-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
P S A ng/mL	5,737	1.75	274	1.44	1,935	1.57	2,843	1.79	685	2.26

長寿スマイルチェック結果

判定		総数		65-69歳	70-79歳	80歳以上
		人数	割合	人数	人数	人数
該当	男	6,788	(91.7%)	2041	3811	936
	女	8,565	(88.4%)	3381	4375	809
	計	15,353	(89.8%)	5422	8,186	1745
非該当	男	617	(8.3%)	96	317	204
	女	1,127	(11.6%)	214	612	301
	計	1,744	(10.2%)	310	929	505
合計	男	7,405		2,137	4,128	1,140
	女	9,692		3,595	4,987	1,110
	計	17,097		5,732	9,115	2,250

長寿スマイルチェック基本チェックリスト

項目名称		総数		65-69歳	70-79歳	80歳以上
		人数	割合	人数	人数	人数
運動機能	男	319	(4.3%)	36	148	135
	女	747	(7.7%)	108	395	244
	計	1,066	(6.2%)	144	543	379
栄養状態	男	14	(0.2%)	1	8	5
	女	18	(0.2%)	2	8	8
	計	32	(0.2%)	3	16	13
口腔機能	男	380	(5.1%)	71	216	93
	女	568	(5.9%)	127	320	121
	計	948	(5.5%)	198	536	214
閉じこもり傾向	男	206	(2.8%)	30	96	80
	女	377	(3.9%)	70	184	123
	計	583	(3.4%)	100	280	203
ものわすれ	男	335	(4.5%)	61	170	104
	女	458	(4.7%)	92	236	130
	計	793	(4.6%)	153	406	234
うつ傾向	男	234	(3.2%)	33	117	84
	女	418	(4.3%)	66	227	125
	計	652	(3.8%)	99	344	209
検診者総数	男	7,405		2,137	4,128	1,140
	女	9,692		3,595	4,987	1,110
	計	17,097		5,732	9,115	2,250

児童・生徒を対象とした健診

児童・生徒の腎臓健診受診者の尿所見

検査項目	性別	総 数		
		受診者数	陽性者数	陽性率
尿 糖	男	22,113	29	0.1%
	女	21,497	21	0.1%
	計	43,610	50	0.1%
尿蛋白	男	22,113	270	1.2%
	女	21,497	225	1.0%
	計	43,610	495	1.1%
尿潜血	男	22,113	178	0.8%
	女	21,497	573	2.7%
	計	43,610	751	1.7%

児童・生徒の心臓検査所見 (経過観察者を除く)

判 定		人 数	
心臓の異常	心房中隔欠損	9	0.1%
	心室中隔欠損	29	0.2%
	肺動脈狭窄	14	0.1%
	動脈管開存	4	0.0%
	ファロー四徴	0	0.0%
	先天性心疾患(位置異常)	0	0.0%
	先天性心疾患(その他)	10	0.1%
	大動脈弁疾患	5	0.0%
	僧帽弁疾患	3	0.0%
	三尖弁疾患	4	0.0%
	心筋症	0	0.0%
	虚血性心疾患	0	0.0%
	心臓手術後	82	0.5%
	その他	9	0.1%
計	169	1.0%	
その他の異常	胸郭変形	0	0.0%
	先天性心疾患の自然閉鎖	34	0.2%
	川崎病後	213	1.3%
	高血圧	0	0.0%
	その他	10	0.1%
計	257	1.6%	
受診者数合計		16,317	

判 定		人 数	
心電図の異常	右室肥大	0	0.0%
	左室肥大	0	0.0%
	心筋障害	5	0.0%
	洞性頻脈	1	0.0%
	洞性徐脈	55	0.3%
	上室性期外収縮	21	0.1%
	心室性期外収縮	38	0.2%
	上室性・心室性期外収縮	0	0.0%
	第1度房室ブロック	24	0.1%
	第2度房室ブロック	5	0.0%
	房室解離	1	0.0%
	完全右脚ブロック	22	0.1%
	不完全右脚ブロック	26	0.2%
	ヘミブロック	0	0.0%
	刺激発生異常	254	1.6%
	W P W 症候群	22	0.1%
	P Q 短縮・L G L 症候群	0	0.0%
	Q T 延長症候群	7	0.0%
	その他	21	0.1%
	計	502	3.1%
X線検査の異常心拡大		0	0.0%

児童・生徒のすこやか検診(血液検査)結果

	性別	肥 満		血 清 ・ 脂 質			肝機能	貧 血			白 血 球		血小板
		肥満度	総コレステロール	中性脂肪	HDLコレステロール	動脈硬化指数	G P T	赤血球数	ヘモグロビン	ヘマトクリット	白血球数		血小板数
											4.3未満	15.1以上	
受診者	男	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,925
	女	1,774	1,775	1,775	1,775	1,775	1,775	1,774	1,774	1,774	1,774	1,774	1,774
	計	3,700	3,701	3,701	3,701	3,701	3,701	3,700	3,700	3,700	3,700	3,700	3,699
要経過観察者数 (%)	男	173 (9.0)	275 (14.3)	52 (2.7)	101 (5.2)	-	32 (1.7)	5 (0.3)	33 (1.7)	17 (0.9)	-	-	-
	女	150 (8.5)	215 (12.1)	30 (1.7)	100 (5.6)	-	17 (1.0)	8 (0.5)	34 (1.9)	15 (0.8)	-	-	-
	計	323 (8.7)	490 (13.2)	82 (2.2)	201 (5.4)	-	49 (1.3)	13 (0.4)	67 (1.8)	32 (0.9)	-	-	-
要精密検査数 (%)	男	68 (3.5)	47 (2.4)	32 (1.7)	0 (0.0)	34 (1.8)	44 (2.3)	0 (0.0)	1 (0.1)	5 (0.3)	19 (1.0)	4 (0.2)	7 (0.4)
	女	29 (1.6)	48 (2.7)	19 (1.1)	0 (0.0)	22 (1.2)	5 (0.3)	0 (0.0)	3 (0.2)	5 (0.3)	20 (1.1)	5 (0.3)	5 (0.3)
	計	97 (2.6)	95 (2.6)	51 (1.4)	0 (0.0)	56 (1.5)	49 (1.3)	0 (0.0)	4 (0.1)	10 (0.3)	39 (1.1)	9 (0.2)	12 (0.3)