

表9 上部消化管判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	11,689 (69.1%)	5	39	72	452	1,425	1,886	2,069	1,882	1,582	1,293	563	311	88	22
	女	6,963 (64.9%)	1	31	70	283	982	1,151	1,253	1,148	870	610	297	199	52	16
	計	18,652 (67.5%)	6	70	142	735	2,407	3,037	3,322	3,030	2,452	1,903	860	510	140	38
問題なし	男	2,332 (13.8%)	0	0	4	42	173	259	391	443	395	289	174	96	51	15
	女	1,902 (17.7%)	0	0	2	29	144	243	358	402	289	225	115	67	23	5
	計	4,234 (15.3%)	0	0	6	71	317	502	749	845	684	514	289	163	74	20
要経過観察	男	2,323 (13.7%)	0	1	1	26	134	210	303	424	398	377	213	146	69	21
	女	1,500 (14.0%)	0	0	0	19	95	189	273	297	221	203	116	60	22	5
	計	3,823 (13.8%)	0	1	1	45	229	399	576	721	619	580	329	206	91	26
要精密検査	男	520 (3.1%)	0	1	2	17	50	62	55	83	77	81	45	29	15	3
	女	345 (3.2%)	0	4	6	20	42	40	40	64	45	38	18	16	9	3
	計	865 (3.1%)	0	5	8	37	92	102	95	147	122	119	63	45	24	6
要治療	男	32 (0.2%)	0	0	0	2	5	6	5	5	3	3	1	1	1	0
	女	23 (0.2%)	0	0	0	0	2	1	5	8	2	3	2	0	0	0
	計	55 (0.2%)	0	0	0	2	7	7	10	13	5	6	3	1	1	0
治療中	男	13 (0.1%)	0	0	0	0	1	0	2	2	0	3	3	1	0	1
	女	4 (0.0%)	0	0	0	0	0	1	0	1	0	1	0	1	0	0
	計	17 (0.1%)	0	0	0	0	1	1	2	3	0	4	3	2	0	1
検診者総数	男	16,909	5	41	79	539	1,788	2,423	2,825	2,839	2,455	2,046	999	584	224	62
	女	10,737	1	35	78	351	1,265	1,625	1,929	1,920	1,427	1,080	548	343	106	29
	計	27,646	6	76	157	890	3,053	4,048	4,754	4,759	3,882	3,126	1,547	927	330	91

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
拡張	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	1	0
食道裂孔ヘルニア	男	114 (1.1%)	0	0	0	0	1	3	5	19	17	14	17	20	12	6
	女	53 (0.8%)	0	0	0	0	3	0	3	1	2	6	16	12	7	3
	計	167 (1.0%)	0	0	0	0	4	3	8	20	19	20	33	32	19	9
食道炎の疑い	男	95 (0.9%)	0	0	0	1	3	8	11	12	16	9	11	9	10	5
	女	22 (0.3%)	0	0	0	0	0	2	1	2	3	3	5	3	2	1
	計	117 (0.7%)	0	0	0	1	3	10	12	14	19	12	16	12	12	6
食道潰瘍の疑い	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
その他(食道所見)	男	15 (0.1%)	0	0	0	0	0	0	0	5	2	4	1	1	2	0
	女	3 (0.0%)	0	0	0	0	0	0	0	1	0	1	1	0	0	0
	計	18 (0.1%)	0	0	0	0	0	0	0	6	2	5	2	1	2	0
伸展不良	男	8 (0.1%)	0	0	0	0	0	1	0	1	1	2	0	2	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	8 (0.0%)	0	0	0	0	0	1	0	1	1	2	0	2	1	0
辺縁不整	男	16 (0.2%)	0	0	0	0	0	2	3	3	1	2	2	2	1	0
	女	3 (0.0%)	0	0	0	0	0	0	2	0	0	0	0	1	0	0
	計	19 (0.1%)	0	0	0	0	0	2	5	3	1	2	2	3	1	0
壁硬化	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
変形	男	69 (0.7%)	0	0	1	2	5	5	9	14	17	4	4	3	4	1
	女	4 (0.1%)	0	0	0	1	1	0	1	1	0	0	0	0	0	0
	計	73 (0.4%)	0	0	1	3	6	5	10	15	17	4	4	3	4	1
粘膜不整	男	21 (0.2%)	0	0	0	0	0	1	3	0	8	2	3	1	3	0
	女	12 (0.2%)	0	0	0	0	1	1	0	3	2	1	0	2	1	1
	計	33 (0.2%)	0	0	0	0	1	2	3	3	10	3	3	3	4	1
ニツシェ	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
レリー	男	14 (0.1%)	0	0	0	0	0	2	2	1	2	5	2	0	0	0

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
フ集中像	女	6 (0.1%)	0	0	0	0	2	0	1	0	1	0	0	0	1	1
	計	20 (0.1%)	0	0	0	0	2	2	3	1	3	5	2	0	1	1
バリウム斑	男	10 (0.1%)	0	0	0	0	0	1	2	0	2	2	1	1	1	0
	女	6 (0.1%)	0	0	0	1	2	0	0	2	1	0	0	0	0	0
	計	16 (0.1%)	0	0	0	1	2	1	2	2	3	2	1	1	1	0
胃炎の疑い	男	1,311 (12.6%)	0	2	0	18	80	102	133	176	193	176	169	150	89	23
	女	545 (8.5%)	0	0	1	6	25	42	61	79	58	84	88	67	25	9
	計	1,856 (11.0%)	0	2	1	24	105	144	194	255	251	260	257	217	114	32
胃潰瘍 瘢痕の 疑い	男	7 (0.1%)	0	0	0	0	0	0	0	1	1	1	2	2	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
	計	9 (0.1%)	0	0	0	0	0	0	0	2	1	1	3	2	0	0
胃潰瘍 の疑い	男	31 (0.3%)	0	0	1	0	4	1	6	5	5	3	4	1	1	0
	女	2 (0.0%)	0	0	0	1	0	1	0	0	0	0	0	0	0	0
	計	33 (0.2%)	0	0	1	1	4	2	6	5	5	3	4	1	1	0
粗大皺 壁の疑 い	男	10 (0.1%)	0	1	0	1	0	1	0	3	1	1	0	1	1	0
	女	4 (0.1%)	0	0	0	0	0	0	0	0	0	0	1	1	2	0
	計	14 (0.1%)	0	1	0	1	0	1	0	3	1	1	1	2	3	0
陥凹性 病変の 疑い	男	4 (0.0%)	0	0	0	0	0	0	1	0	2	0	1	0	0	0
	女	2 (0.0%)	0	0	0	0	1	0	1	0	0	0	0	0	0	0
	計	6 (0.0%)	0	0	0	0	1	0	2	0	2	0	1	0	0	0
憩室の 疑い	男	43 (0.4%)	0	0	1	1	4	3	5	5	4	6	4	5	3	2
	女	30 (0.5%)	0	0	0	1	0	3	5	5	3	5	4	3	0	1
	計	73 (0.4%)	0	0	1	2	4	6	10	10	7	11	8	8	3	3
術後胃	男	19 (0.2%)	0	0	0	0	0	0	1	3	3	3	1	7	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	19 (0.1%)	0	0	0	0	0	0	1	3	3	3	1	7	1	0
ピロリ 菌感染 疑い	男	45 (0.4%)	0	1	0	6	20	6	1	7	1	2	1	0	0	0
	女	26 (0.4%)	0	0	1	1	8	8	2	5	1	0	0	0	0	0
	計	71 (0.4%)	0	1	1	7	28	14	3	12	2	2	1	0	0	0
その他 (胃所 見)	男	54 (0.5%)	0	0	0	2	0	3	2	10	11	7	9	7	3	0
	女	34 (0.5%)	0	0	0	0	1	2	8	2	2	9	3	5	2	0
	計	88 (0.5%)	0	0	0	2	1	5	10	12	13	16	12	12	5	0
十二指 腸球部	男	226 (2.2%)	0	0	2	4	17	20	33	35	33	33	20	16	10	3
	女	20 (0.3%)	0	0	0	1	0	2	1	1	6	2	3	4	0	0

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
変形	計	246 (1.5%)	0	0	2	5	17	22	34	36	39	35	23	20	10	3	
狭窄	男	3 (0.0%)	0	0	0	0	0	0	1	0	0	2	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	3 (0.0%)	0	0	0	0	0	0	1	0	0	2	0	0	0	0	
十二指腸潰瘍の疑い	男	14 (0.1%)	0	0	1	0	1	0	2	4	1	2	0	3	0	0	
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
	計	16 (0.1%)	0	0	1	0	1	0	2	4	2	2	0	4	0	0	
十二指腸潰瘍癒痕の疑い	男	5 (0.0%)	0	0	0	0	1	0	1	0	1	2	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	5 (0.0%)	0	0	0	0	1	0	1	0	1	2	0	0	0	0	
十二指腸憩室の疑い	男	3 (0.0%)	0	0	0	0	0	0	0	1	0	2	0	0	0	0	
	女	6 (0.1%)	0	0	0	0	0	0	0	1	1	0	1	2	1	0	
	計	9 (0.1%)	0	0	0	0	0	0	0	2	1	2	1	2	1	0	
隆起性病変の疑い	男	1,161 (11.1%)	0	0	2	31	95	141	178	209	189	155	79	52	24	6	
	女	1,538 (24.1%)	0	0	2	25	127	206	291	307	238	187	96	40	17	2	
	計	2,699 (16.1%)	0	0	4	56	222	347	469	516	427	342	175	92	41	8	
造影不良	男	10 (0.1%)	0	0	0	0	1	3	2	2	1	1	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	計	11 (0.1%)	0	0	0	0	1	3	2	2	2	1	0	0	0	0	
その他(十二指腸所見)	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
検診者総数	男	10,420		5	31	66	473	1,213	1,412	1,639	1,614	1,360	1,118	732	493	210	54
	女	6,393		1	14	46	229	680	885	1,068	1,058	839	708	441	299	99	26
	計	16,813		6	45	112	702	1,893	2,297	2,707	2,672	2,199	1,826	1,173	792	309	80

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
食道裂孔ヘルニア	男	708 (26.4%)	0	0	1	11	44	79	130	149	128	105	45	13	1	2
	女	208 (11.0%)	0	0	0	1	14	31	33	56	30	28	9	6	0	0
	計	916 (20.1%)	0	0	1	12	58	110	163	205	158	133	54	19	1	2
逆流性食道炎	男	366 (13.7%)	0	0	0	2	17	41	75	88	54	60	21	6	2	0
	女	68 (3.6%)	0	0	0	0	4	5	10	14	15	11	8	1	0	0
	計	434 (9.5%)	0	0	0	2	21	46	85	102	69	71	29	7	2	0
バレット食道	男	53 (2.0%)	0	0	0	0	1	2	9	15	8	13	5	0	0	0
	女	23 (1.2%)	0	0	0	0	2	3	5	6	2	2	1	2	0	0
	計	76 (1.7%)	0	0	0	0	3	5	14	21	10	15	6	2	0	0
胃食道逆流症 (GERD)	男	323 (12.1%)	0	0	0	5	27	34	52	69	71	40	17	5	1	2
	女	84 (4.5%)	0	0	0	2	9	12	17	22	13	8	1	0	0	0
	計	407 (8.9%)	0	0	0	7	36	46	69	91	84	48	18	5	1	2
その他 (食道所見)	男	92 (3.4%)	0	0	0	0	4	9	18	15	20	22	3	1	0	0
	女	40 (2.1%)	0	0	0	0	4	2	9	10	5	6	2	2	0	0
	計	132 (2.9%)	0	0	0	0	8	11	27	25	25	28	5	3	0	0
慢性胃炎	男	8 (0.3%)	0	0	0	0	1	1	1	1	1	2	1	0	0	0
	女	12 (0.6%)	0	0	0	0	0	2	1	2	1	6	0	0	0	0
	計	20 (0.4%)	0	0	0	0	1	3	2	3	2	8	1	0	0	0
萎縮性胃炎	男	101 (3.8%)	0	0	0	3	6	10	14	25	20	14	6	3	0	0
	女	86 (4.6%)	0	0	0	0	7	10	14	22	8	10	8	7	0	0
	計	187 (4.1%)	0	0	0	3	13	20	28	47	28	24	14	10	0	0
びらん性胃炎	男	296 (11.1%)	0	0	0	2	21	32	51	73	49	48	14	4	2	0
	女	137 (7.3%)	0	0	0	1	7	24	30	25	20	17	10	3	0	0
	計	433 (9.5%)	0	0	0	3	28	56	81	98	69	65	24	7	2	0
胃潰瘍	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
胃潰瘍癒痕	男	25 (0.9%)	0	0	0	0	0	0	3	6	3	8	3	2	0	0
	女	11 (0.6%)	0	0	0	0	1	0	3	2	0	3	1	0	1	0
	計	36 (0.8%)	0	0	0	0	1	0	6	8	3	11	4	2	1	0
胃底腺ポリープ	男	796 (29.7%)	0	0	1	6	48	83	141	171	154	134	43	12	1	2
	女	823 (43.6%)	0	0	1	10	58	119	178	209	130	93	22	3	0	0
	計	1,619 (35.5%)	0	0	2	16	106	202	319	380	284	227	65	15	1	2
除菌後	男	356 (13.3%)	0	0	0	1	20	28	47	79	62	65	41	12	0	1

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	女	(%)															
除菌後 胃炎	女	215	(11.4%)	0	0	0	2	9	20	44	41	37	39	19	3	1	0
	計	571	(12.5%)	0	0	0	3	29	48	91	120	99	104	60	15	1	1
表層性 胃炎	男	43	(1.6%)	0	0	1	2	2	6	7	7	9	7	2	0	0	0
	女	27	(1.4%)	0	0	0	2	3	5	5	6	5	1	0	0	0	0
	計	70	(1.5%)	0	0	1	4	5	11	12	13	14	8	2	0	0	0
胃術後	男	7	(0.3%)	0	0	0	0	0	1	1	0	2	2	0	1	0	0
	女	5	(0.3%)	0	0	0	0	0	0	0	2	2	0	0	0	1	0
	計	12	(0.3%)	0	0	0	0	0	1	1	2	4	2	0	1	1	0
慢性活 動性胃 炎	男	42	(1.6%)	0	0	0	0	4	6	6	11	8	2	4	1	0	0
	女	23	(1.2%)	0	0	0	1	2	2	4	7	6	1	0	0	0	0
	計	65	(1.4%)	0	0	0	1	6	8	10	18	14	3	4	1	0	0
慢性非 活動性 胃炎	男	217	(8.1%)	0	0	0	4	7	14	21	41	47	54	19	7	1	2
	女	84	(4.5%)	0	0	0	0	3	7	16	23	20	11	2	2	0	0
	計	301	(6.6%)	0	0	0	4	10	21	37	64	67	65	21	9	1	2
良性び らん	男	31	(1.2%)	0	0	0	1	1	2	3	10	5	7	0	2	0	0
	女	21	(1.1%)	0	0	0	1	0	4	5	4	5	2	0	0	0	0
	計	52	(1.1%)	0	0	0	2	1	6	8	14	10	9	0	2	0	0
過形成 性ポ リープ	男	21	(0.8%)	0	0	0	0	1	0	4	1	10	5	0	0	0	0
	女	5	(0.3%)	0	0	0	0	0	1	0	1	3	0	0	0	0	0
	計	26	(0.6%)	0	0	0	0	1	1	4	2	13	5	0	0	0	0
その他 (胃所 見)	男	191	(7.1%)	0	0	0	0	14	18	26	39	33	32	22	5	1	1
	女	80	(4.2%)	0	0	0	0	9	11	10	20	11	13	5	1	0	0
	計	271	(5.9%)	0	0	0	0	23	29	36	59	44	45	27	6	1	1
十二指 腸潰瘍	男	4	(0.1%)	0	0	0	1	1	0	1	0	1	0	0	0	0	0
	女	5	(0.3%)	0	0	0	0	0	1	0	3	0	0	1	0	0	0
	計	9	(0.2%)	0	0	0	1	1	1	1	3	1	0	1	0	0	0
十二指 腸潰瘍 瘢痕	男	48	(1.8%)	0	0	0	0	1	4	7	4	12	8	10	2	0	0
	女	7	(0.4%)	0	0	0	0	0	0	0	2	3	1	0	1	0	0
	計	55	(1.2%)	0	0	0	0	1	4	7	6	15	9	10	3	0	0
ポリ ープ	男	71	(2.7%)	0	0	0	0	5	5	9	16	10	17	9	0	0	0
	女	54	(2.9%)	0	0	0	0	7	6	13	10	6	8	3	1	0	0
	計	125	(2.7%)	0	0	0	0	12	11	22	26	16	25	12	1	0	0
憩室	男	12	(0.4%)	0	0	0	0	0	0	2	2	3	2	2	1	0	0
	女	8	(0.4%)	0	0	0	0	2	0	3	2	0	1	0	0	0	0

表11 胃内視鏡検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	20 (0.4%)	0	0	0	0	2	0	5	4	3	3	2	1	0	0
粘膜下腫瘍	男	75 (2.8%)	0	0	0	0	5	8	9	19	12	17	4	1	0	0
	女	37 (2.0%)	0	0	0	0	2	3	10	10	4	4	2	2	0	0
	計	112 (2.5%)	0	0	0	0	7	11	19	29	16	21	6	3	0	0
十二指腸炎	男	95 (3.5%)	0	0	0	2	7	12	12	28	20	12	0	1	0	1
	女	18 (1.0%)	0	0	0	0	0	3	7	4	3	1	0	0	0	0
	計	113 (2.5%)	0	0	0	2	7	15	19	32	23	13	0	1	0	1
Brunner腺過形成	男	19 (0.7%)	0	0	0	0	0	0	3	6	4	2	3	1	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	20 (0.4%)	0	0	0	0	0	0	3	6	4	3	3	1	0	0
その他(十二指腸所見)	男	64 (2.4%)	0	0	0	0	4	1	9	16	14	8	9	3	0	0
	女	23 (1.2%)	0	0	0	0	1	2	6	7	4	2	0	0	1	0
	計	87 (1.9%)	0	0	0	0	5	3	15	23	18	10	9	3	1	0
検診者総数	男	2,678	0	1	4	45	214	320	469	580	462	376	154	42	5	6
	女	1,887	0	2	3	34	175	275	380	429	297	208	61	20	3	0
	計	4,565	0	3	7	79	389	595	849	1,009	759	584	215	62	8	6