

表17 腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	839 (10.8%)	0	5	21	158	177	163	148	80	49	24	12	1	1	0
	女	1,644 (27.2%)	0	12	46	163	265	281	324	283	162	73	23	10	1	1
	計	2,483 (18.0%)	0	17	67	321	442	444	472	363	211	97	35	11	2	1
問題なし	男	438 (5.6%)	0	1	4	53	72	64	80	79	50	22	5	6	2	0
	女	832 (13.7%)	0	5	11	35	77	131	182	163	119	72	26	8	3	0
	計	1,270 (9.2%)	0	6	15	88	149	195	262	242	169	94	31	14	5	0
要経過観察	男	6,147 (79.1%)	0	5	26	240	398	593	959	1,137	1,086	817	490	252	104	40
	女	3,357 (55.5%)	0	3	12	76	194	297	466	609	577	503	294	217	87	22
	計	9,504 (68.8%)	0	8	38	316	592	890	1,425	1,746	1,663	1,320	784	469	191	62
要精密検査	男	335 (4.3%)	0	0	0	4	14	24	39	63	62	55	38	21	11	4
	女	209 (3.5%)	0	0	0	7	12	18	25	37	25	29	16	24	11	5
	計	544 (3.9%)	0	0	0	11	26	42	64	100	87	84	54	45	22	9
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	14 (0.2%)	0	0	0	0	0	1	0	3	3	4	2	1	0	0
	女	9 (0.1%)	0	0	1	0	0	1	0	2	0	4	0	0	1	0
	計	23 (0.2%)	0	0	1	0	0	2	0	5	3	8	2	1	1	0
検診者総数	男	7,773	0	11	51	455	661	845	1,226	1,362	1,250	922	547	281	118	44
	女	6,051	0	20	70	281	548	728	997	1,094	883	681	359	259	103	28
	計	13,824	0	31	121	736	1,209	1,573	2,223	2,456	2,133	1,603	906	540	221	72

表18 腹部超音波検査所見

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝	男	3,221	(41.4%)	0	2	6	123	193	292	544	630	586	436	255	118	28	8
	女	1,186	(19.6%)	0	1	1	18	69	107	172	238	198	176	106	74	20	6
	計	4,407	(31.9%)	0	3	7	141	262	399	716	868	784	612	361	192	48	14
肝血管腫	男	399	(5.1%)	0	1	2	14	37	39	58	64	81	58	21	12	9	3
	女	428	(7.1%)	0	0	3	22	36	59	89	87	57	44	16	13	2	0
	計	827	(6.0%)	0	1	5	36	73	98	147	151	138	102	37	25	11	3
肝嚢胞	男	1,500	(19.3%)	0	0	0	17	43	95	204	296	299	252	159	90	36	9
	女	1,317	(21.8%)	0	0	0	16	36	89	178	292	239	224	102	94	38	9
	計	2,817	(20.4%)	0	0	0	33	79	184	382	588	538	476	261	184	74	18
肝内石 灰化・ 肝内結 石	男	147	(1.9%)	0	0	0	2	4	8	14	23	30	25	20	12	4	5
	女	64	(1.1%)	0	0	0	0	0	6	10	6	12	19	4	2	2	3
	計	211	(1.5%)	0	0	0	2	4	14	24	29	42	44	24	14	6	8
肝内胆 管拡張	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
肝臓描 出不良	男	251	(3.2%)	0	0	0	4	3	13	26	35	52	46	27	26	13	6
	女	18	(0.3%)	0	0	0	0	1	0	3	2	1	3	4	3	1	0
	計	269	(1.9%)	0	0	0	4	4	13	29	37	53	49	31	29	14	6
肝臓部 分切除 後	男	6	(0.1%)	0	0	0	0	0	0	2	1	1	1	0	1	0	0
	女	4	(0.1%)	0	0	0	0	2	0	1	0	0	0	1	0	0	0
	計	10	(0.1%)	0	0	0	0	2	0	3	1	1	1	1	1	0	0
慢性肝 障害疑 い	男	11	(0.1%)	0	0	1	0	0	0	0	1	3	3	2	1	0	0
	女	4	(0.1%)	0	0	0	0	0	0	0	1	1	0	1	0	1	0
	計	15	(0.1%)	0	0	1	0	0	0	0	2	4	3	3	1	1	0
慢性肝 障害	男	5	(0.1%)	0	0	0	0	0	0	0	0	1	2	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	1	2	2	0	0	0
肝腫瘍	男	14	(0.2%)	0	0	0	1	1	1	2	2	2	1	3	1	0	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	1	1	0	0	0	0
	計	17	(0.1%)	0	0	0	1	2	1	2	2	3	2	3	1	0	0
肝腫瘍 疑い	男	31	(0.4%)	0	0	0	2	2	4	5	5	8	1	3	1	0	0
	女	15	(0.2%)	0	0	0	2	1	5	0	3	2	1	0	1	0	0
	計	46	(0.3%)	0	0	0	4	3	9	5	8	10	2	3	2	0	0
肝嚢胞	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
性腫瘍 疑い	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0
胆道気腫	男	3 (0.0%)	0	0	0	0	0	0	0	1	1	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	0	1	1	1	0	0	1	0	0
肝血管異常	男	4 (0.1%)	0	0	0	0	0	0	0	0	0	1	2	1	0	0
	女	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	1	0	0
	計	7 (0.1%)	0	0	0	0	0	0	0	0	1	2	2	2	0	0
胆管過誤腫	男	15 (0.2%)	0	0	0	1	1	1	2	1	2	2	4	0	1	0
	女	16 (0.3%)	0	0	0	1	0	2	1	6	2	0	3	1	0	0
	計	31 (0.2%)	0	0	0	2	1	3	3	7	4	2	7	1	1	0
胆嚢切除後	男	254 (3.3%)	0	0	0	4	8	5	27	47	48	55	23	24	11	2
	女	156 (2.6%)	0	0	0	0	6	8	16	25	38	22	13	19	8	1
	計	410 (3.0%)	0	0	0	4	14	13	43	72	86	77	36	43	19	3
びまん性胆嚢壁肥厚	男	9 (0.1%)	0	0	0	0	0	0	1	2	3	0	2	1	0	0
	女	5 (0.1%)	0	0	0	0	0	0	0	0	2	2	0	0	1	0
	計	14 (0.1%)	0	0	0	0	0	0	1	2	5	2	2	1	1	0
胆嚢腺筋腫症	男	259 (3.3%)	0	0	0	2	2	15	27	43	57	58	29	19	6	1
	女	108 (1.8%)	0	0	1	0	8	6	9	19	15	24	10	14	1	1
	計	367 (2.7%)	0	0	1	2	10	21	36	62	72	82	39	33	7	2
胆嚢ポリープ	男	1,786 (23.0%)	0	0	9	80	121	193	299	374	321	203	98	58	23	7
	女	840 (13.9%)	0	2	7	18	60	111	145	147	152	102	46	30	19	1
	計	2,626 (19.0%)	0	2	16	98	181	304	444	521	473	305	144	88	42	8
胆嚢結石	男	541 (7.0%)	0	0	0	7	9	34	76	103	107	92	67	30	11	5
	女	286 (4.7%)	0	0	0	5	22	30	38	51	44	44	20	21	8	3
	計	827 (6.0%)	0	0	0	12	31	64	114	154	151	136	87	51	19	8
胆泥	男	46 (0.6%)	0	0	0	1	0	0	7	6	8	12	6	4	0	2
	女	47 (0.8%)	0	0	0	0	2	1	9	6	6	11	4	4	3	1
	計	93 (0.7%)	0	0	0	1	2	1	16	12	14	23	10	8	3	3
肝外胆管拡張	男	65 (0.8%)	0	0	0	1	1	1	1	7	13	12	9	12	7	1
	女	60 (1.0%)	0	0	0	0	0	2	4	5	9	11	6	11	11	1
	計	125 (0.9%)	0	0	0	1	1	3	5	12	22	23	15	23	18	2
胆嚢描出不良	男	65 (0.8%)	0	0	0	2	0	0	5	4	25	13	10	3	2	1
	女	17 (0.3%)	0	0	1	0	1	1	2	2	0	3	3	3	0	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)														
胆嚢描出不能	計	82 (0.6%)	0	0	1	2	1	1	7	6	25	16	13	6	2	2
	男	7 (0.1%)	0	0	0	0	1	0	0	2	2	0	0	1	0	1
	女	4 (0.1%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
胆嚢壁評価不良	計	11 (0.1%)	0	0	0	0	1	0	1	2	3	0	1	2	0	1
	男	29 (0.4%)	0	0	0	0	0	1	7	5	5	4	4	2	1	0
	女	21 (0.3%)	0	0	0	0	2	4	2	5	4	2	1	0	1	0
胆嚢腫大	計	50 (0.4%)	0	0	0	0	2	5	9	10	9	6	5	2	2	0
	男	16 (0.2%)	0	0	0	0	0	2	2	2	4	3	1	1	1	0
	女	10 (0.2%)	0	0	0	1	0	0	0	3	2	0	2	1	1	0
胆嚢腫瘍疑い	計	26 (0.2%)	0	0	0	1	0	2	2	5	6	3	3	2	2	0
	男	20 (0.3%)	0	0	0	0	1	0	3	5	4	4	2	1	0	0
	女	10 (0.2%)	0	0	0	0	2	0	5	0	2	0	1	0	0	0
膵管拡張	計	30 (0.2%)	0	0	0	0	3	0	8	5	6	4	3	1	0	0
	男	149 (1.9%)	0	0	0	0	5	5	10	19	25	29	28	15	9	4
	女	44 (0.7%)	0	0	0	0	0	1	3	7	2	7	6	10	5	3
膵嚢胞	計	193 (1.4%)	0	0	0	0	5	6	13	26	27	36	34	25	14	7
	男	20 (0.3%)	0	0	0	0	0	0	1	3	3	6	4	2	0	1
	女	35 (0.6%)	0	0	0	0	2	1	1	4	9	9	3	1	4	1
膵臓描出不良	計	55 (0.4%)	0	0	0	0	2	1	2	7	12	15	7	3	4	2
	男	4,983 (64.1%)	0	5	21	180	297	460	751	923	889	681	419	226	97	34
	女	1,687 (27.9%)	0	2	4	42	83	137	210	323	279	246	143	139	58	21
膵臓切除後	計	6,670 (48.2%)	0	7	25	222	380	597	961	1,246	1,168	927	562	365	155	55
	男	4 (0.1%)	0	0	0	0	0	0	0	0	1	1	1	1	0	0
	女	6 (0.1%)	0	0	0	0	0	0	1	1	1	3	0	0	0	0
膵腫瘍疑い	計	10 (0.1%)	0	0	0	0	0	1	1	1	4	1	1	1	0	0
	男	4 (0.1%)	0	0	0	0	1	0	0	0	0	3	0	0	0	0
	女	2 (0.0%)	0	0	0	1	0	0	0	0	0	0	0	1	0	0
膵腫瘤	計	6 (0.0%)	0	0	0	1	1	0	0	0	0	3	0	1	0	0
	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	3 (0.0%)	0	0	0	0	0	1	0	2	0	0	0	0	0	0
膵嚢胞性腫瘍疑い	計	4 (0.0%)	0	0	0	0	0	1	0	2	1	0	0	0	0	0
	男	11 (0.1%)	0	0	0	0	0	0	0	1	2	2	4	1	1	0
	女	14 (0.2%)	0	0	0	0	0	2	1	2	2	1	2	3	1	0
計	25 (0.2%)	0	0	0	0	0	2	1	3	4	3	6	4	2	0	

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
膵管内 乳頭粘 液性腫 瘍(Ⅰ)	男	3 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	女	10 (0.2%)	0	0	0	0	0	0	1	0	1	4	3	1	0	0
	計	13 (0.1%)	0	0	0	0	0	0	1	1	1	4	4	1	0	1
膵管内 乳頭粘 液性腫 瘍(Ⅱ)	男	13 (0.2%)	0	0	0	0	0	0	0	3	2	1	3	3	0	1
	女	12 (0.2%)	0	0	0	0	0	1	0	1	4	3	1	0	1	1
	計	25 (0.2%)	0	0	0	0	0	1	0	4	6	4	4	3	1	2
膵石ま たは膵 内石灰 化	男	2 (0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	女	6 (0.1%)	0	0	0	0	0	0	0	2	0	0	1	1	1	1
	計	8 (0.1%)	0	0	0	0	0	0	1	2	1	0	1	1	1	1
膵血管 異常	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
その他 (肝臓・ 胆嚢・ 膵臓所)	男	27 (0.3%)	0	0	0	1	2	3	1	5	6	4	3	1	1	0
	女	26 (0.4%)	0	0	0	0	0	3	7	3	4	3	4	2	0	0
	計	53 (0.4%)	0	0	0	1	2	6	8	8	10	7	7	3	1	0
腎臓の 変形	男	41 (0.5%)	0	0	0	1	1	0	1	6	11	14	4	1	1	1
	女	34 (0.6%)	0	0	1	0	2	2	2	5	8	5	4	3	2	0
	計	75 (0.5%)	0	0	1	1	3	2	3	11	19	19	8	4	3	1
腎血管 筋脂肪 腫	男	56 (0.7%)	0	0	0	1	3	6	6	14	10	7	6	2	1	0
	女	103 (1.7%)	0	0	0	0	7	3	13	27	28	14	7	4	0	0
	計	159 (1.2%)	0	0	0	1	10	9	19	41	38	21	13	6	1	0
腎嚢胞	男	1,868 (24.0%)	0	0	0	19	46	74	212	304	357	349	245	161	72	29
	女	734 (12.1%)	0	0	1	7	22	42	75	128	129	139	78	71	29	13
	計	2,602 (18.8%)	0	0	1	26	68	116	287	432	486	488	323	232	101	42
腎嚢胞 性腫瘍	男	326 (4.2%)	0	0	1	8	21	27	40	60	55	59	34	13	5	3
	女	132 (2.2%)	0	0	1	1	5	10	8	27	32	22	9	11	5	1
	計	458 (3.3%)	0	0	2	9	26	37	48	87	87	81	43	24	10	4
腎石灰 化又は 腎結石	男	1,178 (15.2%)	0	0	1	23	52	92	171	223	231	166	118	59	32	10
	女	500 (8.3%)	0	1	0	5	30	39	71	95	97	76	39	36	8	3
	計	1,678 (12.1%)	0	1	1	28	82	131	242	318	328	242	157	95	40	13
腎盂拡 張・水 腎症	男	30 (0.4%)	0	0	0	0	1	2	4	2	2	10	2	2	4	1
	女	18 (0.3%)	0	0	0	0	0	1	3	1	4	2	2	4	0	1
	計	48 (0.3%)	0	0	0	0	1	3	7	3	6	12	4	6	4	2
腎盂拡 張(腎	男	49 (0.6%)	0	0	1	1	1	1	4	5	9	12	7	4	3	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
尿管拡張を伴	女	67 (1.1%)	0	0	0	1	1	2	11	12	12	6	4	11	5	2
	計	116 (0.8%)	0	0	1	2	2	3	15	17	21	18	11	15	8	3
腎臓摘出後	男	17 (0.2%)	0	0	0	0	0	0	2	1	4	3	3	1	1	2
	女	8 (0.1%)	0	0	0	0	0	0	0	1	3	1	0	2	1	0
	計	25 (0.2%)	0	0	0	0	0	0	2	2	7	4	3	3	2	2
腎臓部分切除後	男	18 (0.2%)	0	0	0	0	0	1	3	3	2	3	3	2	0	1
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	20 (0.1%)	0	0	0	0	0	1	3	3	3	3	3	2	1	1
腎臓移植後	男	2 (0.0%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	女	2 (0.0%)	0	0	0	0	0	1	0	0	0	1	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	2	0	1	0	1	0	0	0	0
腎臓描出不能	男	4 (0.1%)	0	0	0	0	0	0	2	0	1	1	0	0	0	0
	女	9 (0.1%)	0	0	2	0	0	1	1	0	2	0	2	0	1	0
	計	13 (0.1%)	0	0	2	0	0	1	3	0	3	1	2	0	1	0
腎臓描出不良	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	4 (0.1%)	0	0	0	0	0	0	0	1	1	0	1	1	0	0
	計	5 (0.0%)	0	0	0	0	0	0	0	1	2	0	1	1	0	0
腎臓腫大	男	9 (0.1%)	0	0	0	0	1	1	1	3	1	2	0	0	0	0
	女	6 (0.1%)	0	0	0	0	2	0	2	2	0	0	0	0	0	0
	計	15 (0.1%)	0	0	0	0	3	1	3	5	1	2	0	0	0	0
腎臓萎縮	男	14 (0.2%)	0	0	0	0	1	1	2	4	1	3	0	1	0	1
	女	3 (0.0%)	0	0	0	0	0	1	1	1	0	0	0	0	0	0
	計	17 (0.1%)	0	0	0	0	1	2	3	5	1	3	0	1	0	1
腎腫瘍疑い	男	10 (0.1%)	0	0	0	0	0	1	0	1	3	2	2	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	11 (0.1%)	0	0	0	0	0	1	1	1	3	2	2	1	0	0
多発性腎嚢胞	男	15 (0.2%)	0	1	0	0	1	0	1	3	5	2	0	1	0	1
	女	7 (0.1%)	0	0	0	0	1	1	0	0	3	1	0	1	0	0
	計	22 (0.2%)	0	1	0	0	2	1	1	3	8	3	0	2	0	1
腎嚢胞性腫瘍疑い	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	1	0	1	0	0	0
腎盂結石または尿管	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0

表18 腹部超音波検査所見

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	人数	(%)														
結石	計	2	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	1	0	0
	男	25	(0.3%)	0	0	0	1	1	0	3	5	6	6	0	1	0	2
その他 (腎臓所見)	女	13	(0.2%)	0	0	0	0	0	2	4	3	3	0	0	0	0	1
	計	38	(0.3%)	0	0	0	1	1	2	7	8	9	6	0	1	0	3
副脾の 疑い	男	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
脾臓描 出不能	男	3	(0.0%)	0	0	0	0	0	0	0	0	0	2	1	0	0	0
	女	6	(0.1%)	0	0	0	0	0	1	0	1	1	1	0	2	0	0
	計	9	(0.1%)	0	0	0	0	0	1	0	1	1	3	1	2	0	0
脾腫瘍 疑い	男	3	(0.0%)	0	0	0	0	0	0	1	0	1	0	1	0	0	0
	女	5	(0.1%)	0	0	0	1	0	1	0	1	0	0	1	0	1	0
	計	8	(0.1%)	0	0	0	1	0	1	1	1	1	0	2	0	1	0
脾嚢胞	男	7	(0.1%)	0	0	0	0	0	0	4	0	2	0	0	1	0	0
	女	10	(0.2%)	0	0	1	2	0	2	3	0	0	1	0	1	0	0
	計	17	(0.1%)	0	0	1	2	0	2	7	0	2	1	0	2	0	0
副脾	男	269	(3.5%)	0	1	4	29	37	40	31	41	39	27	14	5	0	1
	女	286	(4.7%)	0	3	7	22	37	56	54	43	26	25	5	7	1	0
	計	555	(4.0%)	0	4	11	51	74	96	85	84	65	52	19	12	1	1
腹部大 動脈瘤	男	20	(0.3%)	0	0	0	0	0	0	0	1	1	4	5	6	1	2
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	21	(0.2%)	0	0	0	0	0	0	0	1	1	4	6	6	1	2
動脈硬 化	男	2,188	(28.1%)	0	0	0	0	4	22	125	291	490	506	386	230	96	38
	女	1,091	(18.0%)	0	0	0	0	5	9	52	89	195	260	187	181	91	22
	計	3,279	(23.7%)	0	0	0	0	9	31	177	380	685	766	573	411	187	60
脾臓切 除後	男	7	(0.1%)	0	0	0	0	0	0	1	4	0	1	1	0	0	0
	女	7	(0.1%)	0	0	0	0	0	1	2	1	2	0	0	1	0	0
	計	14	(0.1%)	0	0	0	0	0	1	3	5	2	1	1	1	0	0
脾腫大	男	7	(0.1%)	0	0	0	0	0	0	0	1	1	1	3	0	0	1
	女	7	(0.1%)	0	0	0	1	0	3	0	1	1	0	0	1	0	0
	計	14	(0.1%)	0	0	0	1	0	3	0	2	2	1	3	1	0	1
脾内石 灰化	男	8	(0.1%)	0	0	0	0	0	0	2	0	0	1	0	2	3	0
	女	5	(0.1%)	0	0	0	0	1	0	0	2	0	1	1	0	0	0
	計	13	(0.1%)	0	0	0	0	1	0	2	2	0	2	1	2	3	0

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脾血管異常	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
腹部大動脈治療後	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
腹部大動脈解離	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
貯留液	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	2 (0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
腹部腫瘍	男	4 (0.1%)	0	0	0	0	1	0	0	1	1	0	1	0	0	0	
	女	20 (0.3%)	0	0	0	0	0	2	6	4	1	2	0	2	2	1	
	計	24 (0.2%)	0	0	0	0	1	2	6	5	2	2	1	2	2	1	
その他 (脾臓・腹部大動脈・)	男	13 (0.2%)	0	0	0	0	0	0	1	1	5	3	2	1	0	0	
	女	14 (0.2%)	0	0	0	0	0	3	2	3	2	0	1	3	0	0	
	計	27 (0.2%)	0	0	0	0	0	3	3	4	7	3	3	4	0	0	
検診者 総数	男	7,773		0	11	51	455	661	845	1,226	1,362	1,250	922	547	281	118	44
	女	6,051		0	20	70	281	548	728	997	1,094	883	681	359	259	103	28
	計	13,824		0	31	121	736	1,209	1,573	2,223	2,456	2,133	1,603	906	540	221	72