

表83 V D T 健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	1,428 (72.0%)	11	119	145	139	165	186	200	203	143	94	20	3	0	0
	女	1,084 (77.1%)	2	152	102	117	99	177	159	141	83	45	6	1	0	0
	計	2,512 (74.1%)	13	271	247	256	264	363	359	344	226	139	26	4	0	0
要経過観察	男	307 (15.5%)	0	20	30	35	24	23	30	55	53	27	8	1	1	0
	女	173 (12.3%)	2	18	22	20	17	8	16	30	19	17	4	0	0	0
	計	480 (14.2%)	2	38	52	55	41	31	46	85	72	44	12	1	1	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	207 (10.4%)	0	5	7	13	14	17	38	42	35	25	10	1	0	0
	女	131 (9.3%)	0	8	7	12	8	19	16	25	19	16	0	1	0	0
	計	338 (10.0%)	0	13	14	25	22	36	54	67	54	41	10	2	0	0
要二次検査	男	42 (2.1%)	2	9	2	3	4	4	5	4	3	4	1	1	0	0
	女	18 (1.3%)	0	4	3	2	2	3	0	1	1	1	0	1	0	0
	計	60 (1.8%)	2	13	5	5	6	7	5	5	4	5	1	2	0	0
合計	男	1,984	13	153	184	190	207	230	273	304	234	150	39	6	1	0
	女	1,406	4	182	134	151	126	207	191	197	122	79	10	3	0	0
	計	3,390	17	335	318	341	333	437	464	501	356	229	49	9	1	0

表84 有機溶剤健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	413	(89.4%)	6	43	57	65	57	40	46	50	22	19	5	3	0	0
	女	68	(94.4%)	0	5	6	5	20	11	6	1	8	4	0	2	0	0
	計	481	(90.1%)	6	48	63	70	77	51	52	51	30	23	5	5	0	0
要経過観察	男	45	(9.7%)	0	7	3	4	5	2	4	6	3	4	5	2	0	0
	女	4	(5.6%)	0	1	0	1	0	0	0	1	1	0	0	0	0	0
	計	49	(9.2%)	0	8	3	5	5	2	4	7	4	4	5	2	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	3	(0.6%)	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.6%)	0	0	0	0	0	2	1	0	0	0	0	0	0	0
要二次検査	男	1	(0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
合計	男	462		6	50	60	69	62	44	51	57	25	23	10	5	0	0
	女	72		0	6	6	6	20	11	6	2	9	4	0	2	0	0
	計	534		6	56	66	75	82	55	57	59	34	27	10	7	0	0

表85 特定化学物質管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	1,179 (95.7%)	20	150	136	165	127	123	190	127	61	43	26	11	0	0
	女	42 (97.7%)	1	4	6	1	7	9	2	3	5	4	0	0	0	0
	計	1,221 (95.8%)	21	154	142	166	134	132	192	130	66	47	26	11	0	0
要経過観察	男	46 (3.7%)	0	4	4	10	9	3	1	9	2	0	4	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	46 (3.6%)	0	4	4	10	9	3	1	9	2	0	4	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4 (0.3%)	0	0	0	0	0	0	2	2	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4 (0.3%)	0	0	0	0	0	0	2	2	0	0	0	0	0	0
要二次検査	男	3 (0.2%)	0	0	0	1	1	1	0	0	0	0	0	0	0	0
	女	1 (2.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	4 (0.3%)	0	0	0	1	1	2	0	0	0	0	0	0	0	0
合計	男	1,232	20	154	140	176	137	127	193	138	63	43	30	11	0	0
	女	43	1	4	6	1	7	10	2	3	5	4	0	0	0	0
	計	1,275	21	158	146	177	144	137	195	141	68	47	30	11	0	0

表86 じん肺・アスベスト健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	339	(97.4%)	10	30	33	55	38	31	48	34	27	16	9	4	2	2
	女	13	(92.9%)	1	0	3	1	1	0	1	2	3	0	1	0	0	0
	計	352	(97.2%)	11	30	36	56	39	31	49	36	30	16	10	4	2	2
要経過観察	男	6	(1.7%)	0	0	1	1	0	1	0	1	2	0	0	0	0	0
	女	1	(7.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7	(1.9%)	0	0	1	1	0	1	0	2	2	0	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要二次検査	男	3	(0.9%)	0	0	0	0	1	0	1	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.8%)	0	0	0	0	1	0	1	1	0	0	0	0	0	0
合計	男	348		10	30	34	56	39	32	49	36	29	16	9	4	2	2
	女	14		1	0	3	1	1	0	1	3	3	0	1	0	0	0
	計	362		11	30	37	57	40	32	50	39	32	16	10	4	2	2

表87 騒音・高気圧業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	418 (82.9%)	16	115	70	87	33	10	57	21	6	2	1	0	0	0
	女	2 (100.0%)	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	計	420 (83.0%)	16	115	70	87	33	12	57	21	6	2	1	0	0	0
要経過観察	男	85 (16.9%)	1	5	5	5	11	5	26	18	2	4	3	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	85 (16.8%)	1	5	5	5	11	5	26	18	2	4	3	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (0.2%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	504	17	120	75	93	44	15	83	39	8	6	4	0	0	0
	女	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	計	506	17	120	75	93	44	17	83	39	8	6	4	0	0	0

表88 有害光線健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	248	(94.3%)	9	54	36	39	23	12	39	26	5	3	2	0	0	0
	女	1	(100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	249	(94.3%)	9	54	36	39	23	13	39	26	5	3	2	0	0	0
要経過観察	男	11	(4.2%)	0	2	1	3	1	0	1	1	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	11	(4.2%)	0	2	1	3	1	0	1	1	2	0	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4	(1.5%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(1.5%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
要二次検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	263		9	57	37	42	24	12	40	29	8	3	2	0	0	0
	女	1		0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	264		9	57	37	42	24	13	40	29	8	3	2	0	0	0

表89 電離放射線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	139	(93.3%)	0	14	15	22	17	14	16	11	17	9	4	0	0	0
	女	101	(79.5%)	0	7	8	9	13	15	13	18	12	6	0	0	0	0
	計	240	(87.0%)	0	21	23	31	30	29	29	29	29	15	4	0	0	0
要経過観察	男	5	(3.4%)	0	0	0	1	0	2	0	2	0	0	0	0	0	0
	女	22	(17.3%)	0	3	2	4	1	4	4	3	0	1	0	0	0	0
	計	27	(9.8%)	0	3	2	5	1	6	4	5	0	1	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	2	(1.3%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.7%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
要二次検査	男	3	(2.0%)	0	0	1	0	1	1	0	0	0	0	0	0	0	0
	女	4	(3.1%)	0	0	0	1	1	1	0	1	0	0	0	0	0	0
	計	7	(2.5%)	0	0	1	1	2	2	0	1	0	0	0	0	0	0
合計	男	149		0	14	16	23	18	17	16	13	19	9	4	0	0	0
	女	127		0	10	10	14	15	20	17	22	12	7	0	0	0	0
	計	276		0	24	26	37	33	37	33	35	31	16	4	0	0	0

表90 深夜業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	159	(62.8%)	7	51	28	26	12	5	17	9	2	1	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	159	(62.6%)	7	51	28	26	12	5	17	9	2	1	1	0	0	0
要経過観察	男	67	(26.5%)	2	6	6	14	10	2	12	13	1	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	67	(26.4%)	2	6	6	14	10	2	12	13	1	0	0	1	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	24	(9.5%)	0	0	0	0	1	0	7	2	3	5	4	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	24	(9.4%)	0	0	0	0	1	0	7	2	3	5	4	2	0	0
要二次検査	男	3	(1.2%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
	女	1	(100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	4	(1.6%)	0	0	0	1	0	1	1	1	0	0	0	0	0	0
合計	男	253		9	57	34	41	23	7	37	25	6	6	5	3	0	0
	女	1		0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	254		9	57	34	41	23	8	37	25	6	6	5	3	0	0