

表3 総合判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	2,367	(6.6%)	79	432	433	328	248	205	203	169	124	77	29	15	17	8
	女	3,513	(10.3%)	91	557	518	447	403	417	343	267	134	121	75	86	36	18
	計	5,880	(8.4%)	170	989	951	775	651	622	546	436	258	198	104	101	53	26
問題なし	男	3,484	(9.7%)	100	591	669	490	439	400	317	201	122	61	35	27	20	12
	女	4,720	(13.8%)	52	605	688	567	580	593	575	434	255	165	88	71	33	14
	計	8,204	(11.7%)	152	1,196	1,357	1,057	1,019	993	892	635	377	226	123	98	53	26
要経過観察	男	13,013	(36.2%)	82	740	1,152	1,277	1,436	1,624	1,848	1,575	1,203	851	507	371	226	121
	女	12,793	(37.5%)	63	685	934	963	1,166	1,553	1,783	1,777	1,358	1,080	625	481	219	106
	計	25,806	(36.8%)	145	1,425	2,086	2,240	2,602	3,177	3,631	3,352	2,561	1,931	1,132	852	445	227
要精密検査	男	5,774	(16.1%)	40	281	456	477	645	775	776	730	542	436	253	199	119	45
	女	5,178	(15.2%)	27	265	250	341	509	697	829	739	547	391	245	214	80	44
	計	10,952	(15.6%)	67	546	706	818	1,154	1,472	1,605	1,469	1,089	827	498	413	199	89
要治療	男	705	(2.0%)	0	27	31	46	59	92	115	111	78	65	34	26	11	10
	女	388	(1.1%)	1	5	12	13	29	43	69	62	53	45	26	16	8	6
	計	1,093	(1.6%)	1	32	43	59	88	135	184	173	131	110	60	42	19	16
治療中	男	10,563	(29.4%)	1	22	49	109	281	488	985	1,446	1,638	1,795	1,431	1,175	717	426
	女	7,556	(22.1%)	2	33	48	69	124	288	540	920	1,029	1,158	1,040	1,227	687	391
	計	18,119	(25.9%)	3	55	97	178	405	776	1,525	2,366	2,667	2,953	2,471	2,402	1,404	817
検診者総数	男	35,906		302	2,093	2,790	2,727	3,108	3,584	4,244	4,232	3,707	3,285	2,289	1,813	1,110	622
	女	34,148		236	2,150	2,450	2,400	2,811	3,591	4,139	4,199	3,376	2,960	2,099	2,095	1,063	579
	計	70,054		538	4,243	5,240	5,127	5,919	7,175	8,383	8,431	7,083	6,245	4,388	3,908	2,173	1,201

表4 人間ドックコース受診者の総合判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
問題なし	男	2 (1.5%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0
	女	6 (7.3%)	0	0	0	0	0	3	2	1	0	0	0	0	0	0
	計	8 (3.7%)	0	0	0	0	0	3	3	2	0	0	0	0	0	0
要経過観察	男	42 (31.1%)	0	0	0	0	1	5	7	10	14	5	0	0	0	0
	女	32 (39.0%)	0	0	0	0	0	8	7	5	8	3	1	0	0	0
	計	74 (34.1%)	0	0	0	0	1	13	14	15	22	8	1	0	0	0
要精密検査	男	30 (22.2%)	0	0	0	1	2	4	3	9	6	3	0	1	0	1
	女	27 (32.9%)	0	0	1	0	0	2	6	7	9	2	0	0	0	0
	計	57 (26.3%)	0	0	1	1	2	6	9	16	15	5	0	1	0	1
要治療	男	5 (3.7%)	0	0	0	0	0	0	2	1	1	0	1	0	0	0
	女	3 (3.7%)	0	0	0	0	1	0	0	1	1	0	0	0	0	0
	計	8 (3.7%)	0	0	0	0	1	0	2	2	2	0	1	0	0	0
治療中	男	56 (41.5%)	0	0	0	1	0	2	2	13	15	16	3	2	1	1
	女	14 (17.1%)	0	0	0	0	0	0	0	2	7	4	1	0	0	0
	計	70 (32.3%)	0	0	0	1	0	2	2	15	22	20	4	2	1	1
検診者総数	男	135	0	0	0	2	3	11	15	34	36	24	4	3	1	2
	女	82	0	0	1	0	1	13	15	16	25	9	2	0	0	0
	計	217	0	0	1	2	4	24	30	50	61	33	6	3	1	2

表5 胸部検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	27,405 (89.9%)	228	1,576	2,115	2,045	2,429	2,954	3,417	3,315	2,749	2,481	1,747	1,331	691	327
	女	26,125 (91.2%)	184	1,649	1,768	1,686	2,122	2,906	3,403	3,378	2,683	2,327	1,607	1,467	676	269
	計	53,530 (90.5%)	412	3,225	3,883	3,731	4,551	5,860	6,820	6,693	5,432	4,808	3,354	2,798	1,367	596
問題なし	男	2,195 (7.2%)	2	21	30	51	58	121	194	246	264	292	264	265	226	161
	女	1,930 (6.7%)	2	42	59	55	53	110	132	196	193	252	228	301	186	121
	計	4,125 (7.0%)	4	63	89	106	111	231	326	442	457	544	492	566	412	282
要経過観察	男	573 (1.9%)	0	2	5	10	15	29	50	64	76	81	68	77	55	41
	女	341 (1.2%)	1	2	2	2	12	20	35	44	42	45	51	49	24	12
	計	914 (1.5%)	1	4	7	12	27	49	85	108	118	126	119	126	79	53
要精密検査	男	292 (1.0%)	0	1	2	6	12	19	24	29	39	36	41	30	34	19
	女	244 (0.9%)	0	1	0	0	10	12	25	32	28	32	33	42	20	9
	計	536 (0.9%)	0	2	2	6	22	31	49	61	67	68	74	72	54	28
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	9 (0.0%)	0	0	0	0	0	0	0	1	3	1	2	1	0	1
	女	5 (0.0%)	0	0	0	0	0	0	0	1	3	1	0	0	0	0
	計	14 (0.0%)	0	0	0	0	0	0	0	2	6	2	2	1	0	1
検診者総数	男	30,474	230	1,600	2,152	2,112	2,514	3,123	3,685	3,655	3,131	2,891	2,122	1,704	1,006	549
	女	28,645	187	1,694	1,829	1,743	2,197	3,048	3,595	3,651	2,949	2,657	1,919	1,859	906	411
	計	59,119	417	3,294	3,981	3,855	4,711	6,171	7,280	7,306	6,080	5,548	4,041	3,563	1,912	960

表6 胸部X線検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
肺門陰影拡大	男	9 (0.0%)	0	0	0	1	1	1	0	1	0	1	0	1	0	3
	女	8 (0.0%)	0	0	0	0	0	1	1	1	1	0	1	1	1	1
	計	17 (0.0%)	0	0	0	1	1	2	1	2	1	1	1	2	1	4
線状陰影	男	238 (0.8%)	0	0	2	3	5	9	18	28	23	38	23	30	35	24
	女	142 (0.5%)	0	0	3	2	2	5	5	23	13	16	18	28	16	11
	計	380 (0.6%)	0	0	5	5	7	14	23	51	36	54	41	58	51	35
带状陰影	男	174 (0.6%)	0	0	3	3	6	7	18	15	23	21	30	24	13	11
	女	106 (0.4%)	1	1	1	1	3	6	9	6	5	18	19	24	8	4
	計	280 (0.5%)	1	1	4	4	9	13	27	21	28	39	49	48	21	15
索状陰影	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	4 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	2	0	0
	計	6 (0.0%)	0	0	0	0	0	0	0	0	1	3	0	2	0	0
微細斑点状陰影	男	22 (0.1%)	0	0	0	0	0	1	0	1	2	1	1	6	5	5
	女	17 (0.1%)	0	0	0	0	1	0	0	0	3	1	2	6	3	1
	計	39 (0.1%)	0	0	0	0	1	1	0	1	5	2	3	12	8	6
粒状陰影	男	13 (0.0%)	0	0	0	1	0	0	1	2	3	1	2	1	1	1
	女	10 (0.0%)	0	0	0	0	0	0	0	2	0	0	7	0	0	1
	計	23 (0.0%)	0	0	0	1	0	0	1	4	3	1	9	1	1	2
結節陰影	男	247 (0.8%)	0	2	1	4	8	12	20	23	28	34	36	29	32	18
	女	245 (0.9%)	0	0	0	1	8	14	25	37	25	34	30	40	23	8
	計	492 (0.8%)	0	2	1	5	16	26	45	60	53	68	66	69	55	26
円形陰影	男	5 (0.0%)	0	0	1	0	0	0	0	1	1	0	1	0	1	0
	女	3 (0.0%)	0	0	1	0	1	0	0	0	0	0	1	0	0	0
	計	8 (0.0%)	0	0	2	0	1	0	0	1	1	0	2	0	1	0
塊状陰影	男	7 (0.0%)	0	0	0	0	0	0	1	0	2	0	2	1	0	1
	女	5 (0.0%)	0	0	0	0	0	0	0	1	1	0	2	1	0	0
	計	12 (0.0%)	0	0	0	0	0	0	1	1	3	0	4	2	0	1
浸潤陰影	男	127 (0.4%)	0	0	1	2	5	6	9	9	16	14	21	13	15	16
	女	96 (0.3%)	1	1	1	0	2	1	10	7	8	12	20	17	9	7
	計	223 (0.4%)	1	1	2	2	7	7	19	16	24	26	41	30	24	23
網目状陰影	男	13 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	3	6	2
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	15 (0.0%)	0	0	0	0	0	0	0	0	2	1	0	3	7	2
石灰化	男	200 (0.7%)	0	0	3	4	4	10	18	12	15	20	28	31	25	30

表6 胸部X線検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
胸椎側弯	男	372 (1.2%)	2	11	12	17	15	24	34	39	38	52	37	38	37	16
	女	799 (2.8%)	2	36	44	42	36	59	68	78	67	76	79	102	68	42
	計	1,171 (2.0%)	4	47	56	59	51	83	102	117	105	128	116	140	105	58
その他(肺所見)	男	152 (0.5%)	0	0	1	1	2	8	11	15	15	13	18	28	22	18
	女	112 (0.4%)	1	1	1	2	3	3	4	5	6	11	11	30	19	15
	計	264 (0.4%)	1	1	2	3	5	11	15	20	21	24	29	58	41	33
心陰影拡大	男	35 (0.1%)	0	1	1	2	1	2	0	2	3	3	4	5	7	4
	女	25 (0.1%)	0	0	1	0	0	0	1	0	2	3	2	8	5	3
	計	60 (0.1%)	0	1	2	2	1	2	1	2	5	6	6	13	12	7
右胸心	男	1 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.0%)	0	1	0	0	1	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	1	1	0	1	0	0	0	0	0	0	0	0	0
右大動脈弓	男	21 (0.1%)	0	1	1	4	0	0	1	4	3	4	2	1	0	0
	女	12 (0.0%)	0	1	1	1	1	0	1	2	1	2	0	1	1	0
	計	33 (0.1%)	0	2	2	5	1	0	2	6	4	6	2	2	1	0
大動脈	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
石灰沈着	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	2
大動脈蛇行	男	24 (0.1%)	0	0	0	0	0	0	0	1	1	3	3	4	6	6
	女	20 (0.1%)	0	0	0	0	0	0	0	0	0	2	0	7	7	4
	計	44 (0.1%)	0	0	0	0	0	0	0	1	1	5	3	11	13	10
その他(心所見)	男	9 (0.0%)	0	0	0	0	1	0	0	1	0	2	2	1	2	0
	女	2 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	0	0
	計	11 (0.0%)	0	0	0	0	1	0	1	1	0	2	3	1	2	0
検診者総数	男	30,493	230	1,601	2,154	2,112	2,517	3,123	3,689	3,662	3,134	2,890	2,120	1,705	1,006	550
	女	28,641	187	1,694	1,829	1,743	2,196	3,048	3,596	3,649	2,948	2,656	1,919	1,859	906	411
	計	59,134	417	3,295	3,983	3,855	4,713	6,171	7,285	7,311	6,082	5,546	4,039	3,564	1,912	961

表7 胸部CT検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
線状陰影	男	37 (3.9%)	0	0	0	0	0	2	6	8	8	7	5	0	1	0
	女	11 (3.4%)	0	0	0	0	2	0	0	1	0	3	2	3	0	0
	計	48 (3.7%)	0	0	0	0	2	2	6	9	8	10	7	3	1	0
带状陰影	男	15 (1.6%)	0	0	0	0	0	2	2	4	2	3	2	0	0	0
	女	6 (1.8%)	0	0	0	0	1	1	0	0	0	3	1	0	0	0
	計	21 (1.6%)	0	0	0	0	1	3	2	4	2	6	3	0	0	0
結節陰影	男	155 (16.1%)	0	0	1	2	1	4	23	30	37	29	14	10	3	1
	女	48 (14.7%)	0	0	0	0	2	6	9	14	6	4	2	2	1	2
	計	203 (15.8%)	0	0	1	2	3	10	32	44	43	33	16	12	4	3
塊状陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
浸潤陰影	男	18 (1.9%)	0	0	0	0	0	0	1	2	5	5	3	1	1	0
	女	4 (1.2%)	0	0	0	0	0	0	1	1	0	0	1	0	1	0
	計	22 (1.7%)	0	0	0	0	0	0	2	3	5	5	4	1	2	0
網目状陰影	男	3 (0.3%)	0	0	0	0	0	0	0	0	0	1	1	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.2%)	0	0	0	0	0	0	0	0	0	1	1	0	0	1
石灰化陰影	男	17 (1.8%)	0	0	0	0	0	1	1	2	2	6	3	0	1	1
	女	6 (1.8%)	0	0	0	0	0	1	0	0	1	0	0	0	1	3
	計	23 (1.8%)	0	0	0	0	0	2	1	2	3	6	3	0	2	4
空洞陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
嚢胞陰影	男	111 (11.6%)	0	0	0	0	5	8	16	12	30	21	9	4	5	1
	女	9 (2.8%)	0	0	0	0	0	1	2	1	3	2	0	0	0	0
	計	120 (9.3%)	0	0	0	0	5	9	18	13	33	23	9	4	5	1
気腫性変化	男	9 (0.9%)	0	0	0	0	0	1	0	0	4	1	2	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	9 (0.7%)	0	0	0	0	0	1	0	0	4	1	2	1	0	0
すりガラス状陰影	男	35 (3.6%)	0	0	0	0	0	3	1	5	9	7	5	2	1	2
	女	18 (5.5%)	0	0	0	0	0	1	2	3	9	0	1	1	1	0
	計	53 (4.1%)	0	0	0	0	0	4	3	8	18	7	6	3	2	2
結核陰影	男	5 (0.5%)	0	0	0	0	0	0	1	2	0	1	0	0	1	0

表7 胸部CT検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	性別	割合	人数	人数	人数	人数	人数	人数	人数	人数	人数	人数	人数	人数	人数	人数
肋伏陰影	女	2 (0.6%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0
	計	7 (0.5%)	0	0	0	0	0	0	1	2	0	2	0	0	2	0
胸膜肥厚	男	21 (2.2%)	0	0	0	0	0	0	3	1	6	3	3	2	3	0
	女	17 (5.2%)	0	0	0	0	0	0	2	6	3	2	1	2	1	0
	計	38 (3.0%)	0	0	0	0	0	0	5	7	9	5	4	4	4	0
胸膜癒着	男	9 (0.9%)	0	0	0	0	0	0	0	1	4	1	1	1	1	0
	女	3 (0.9%)	0	0	0	0	0	0	0	0	1	0	0	1	1	0
	計	12 (0.9%)	0	0	0	0	0	0	0	1	5	1	1	2	2	0
肺気腫	男	7 (0.7%)	0	0	0	0	0	0	1	0	1	1	4	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7 (0.5%)	0	0	0	0	0	0	1	0	1	1	4	0	0	0
その他 (胸部CT所見)	男	152 (15.8%)	0	0	0	0	2	6	14	25	39	28	13	18	6	1
	女	35 (10.7%)	0	0	0	0	0	0	8	8	6	6	0	7	0	0
	計	187 (14.5%)	0	0	0	0	2	6	22	33	45	34	13	25	6	1
検診者 総数	男	960		6	9	14	33	62	133	177	232	124	87	50	26	7
	女	326		0	1	0	1	21	28	61	74	61	28	15	23	8
	計	1,286		0	7	9	15	54	90	194	251	293	152	102	73	34

表8 喀痰細胞診検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
B1 (C I a s s I (異	男	5 (7.5%)	0	0	0	0	0	1	0	1	1	1	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5 (6.2%)	0	0	0	0	0	1	0	1	1	1	1	0	0	0
B2 (C I a s s II (悪	男	62 (92.5%)	0	0	0	0	3	1	3	8	7	9	7	7	10	7
	女	14 (100.0%)	0	0	0	0	0	1	3	4	4	2	0	0	0	0
	計	76 (93.8%)	0	0	0	0	3	2	6	12	11	11	7	7	10	7
検診者 総数	男	67	0	0	0	0	3	2	3	9	8	10	8	7	10	7
	女	14	0	0	0	0	0	1	3	4	4	2	0	0	0	0
	計	81	0	0	0	0	3	3	6	13	12	12	8	7	10	7

表9 上部消化管判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	11,689 (69.1%)	5	39	72	452	1,425	1,886	2,069	1,882	1,582	1,293	563	311	88	22
	女	6,963 (64.9%)	1	31	70	283	982	1,151	1,253	1,148	870	610	297	199	52	16
	計	18,652 (67.5%)	6	70	142	735	2,407	3,037	3,322	3,030	2,452	1,903	860	510	140	38
問題なし	男	2,332 (13.8%)	0	0	4	42	173	259	391	443	395	289	174	96	51	15
	女	1,902 (17.7%)	0	0	2	29	144	243	358	402	289	225	115	67	23	5
	計	4,234 (15.3%)	0	0	6	71	317	502	749	845	684	514	289	163	74	20
要経過観察	男	2,323 (13.7%)	0	1	1	26	134	210	303	424	398	377	213	146	69	21
	女	1,500 (14.0%)	0	0	0	19	95	189	273	297	221	203	116	60	22	5
	計	3,823 (13.8%)	0	1	1	45	229	399	576	721	619	580	329	206	91	26
要精密検査	男	520 (3.1%)	0	1	2	17	50	62	55	83	77	81	45	29	15	3
	女	345 (3.2%)	0	4	6	20	42	40	40	64	45	38	18	16	9	3
	計	865 (3.1%)	0	5	8	37	92	102	95	147	122	119	63	45	24	6
要治療	男	32 (0.2%)	0	0	0	2	5	6	5	5	3	3	1	1	1	0
	女	23 (0.2%)	0	0	0	0	2	1	5	8	2	3	2	0	0	0
	計	55 (0.2%)	0	0	0	2	7	7	10	13	5	6	3	1	1	0
治療中	男	13 (0.1%)	0	0	0	0	1	0	2	2	0	3	3	1	0	1
	女	4 (0.0%)	0	0	0	0	0	1	0	1	0	1	0	1	0	0
	計	17 (0.1%)	0	0	0	0	1	1	2	3	0	4	3	2	0	1
検診者総数	男	16,909	5	41	79	539	1,788	2,423	2,825	2,839	2,455	2,046	999	584	224	62
	女	10,737	1	35	78	351	1,265	1,625	1,929	1,920	1,427	1,080	548	343	106	29
	計	27,646	6	76	157	890	3,053	4,048	4,754	4,759	3,882	3,126	1,547	927	330	91

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
拡張	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	1	0
食道裂孔ヘルニア	男	114 (1.1%)	0	0	0	0	1	3	5	19	17	14	17	20	12	6
	女	53 (0.8%)	0	0	0	0	3	0	3	1	2	6	16	12	7	3
	計	167 (1.0%)	0	0	0	0	4	3	8	20	19	20	33	32	19	9
食道炎の疑い	男	95 (0.9%)	0	0	0	1	3	8	11	12	16	9	11	9	10	5
	女	22 (0.3%)	0	0	0	0	0	2	1	2	3	3	5	3	2	1
	計	117 (0.7%)	0	0	0	1	3	10	12	14	19	12	16	12	12	6
食道潰瘍の疑い	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
その他(食道所見)	男	15 (0.1%)	0	0	0	0	0	0	0	5	2	4	1	1	2	0
	女	3 (0.0%)	0	0	0	0	0	0	0	1	0	1	1	0	0	0
	計	18 (0.1%)	0	0	0	0	0	0	0	6	2	5	2	1	2	0
伸展不良	男	8 (0.1%)	0	0	0	0	0	1	0	1	1	2	0	2	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	8 (0.0%)	0	0	0	0	0	1	0	1	1	2	0	2	1	0
辺縁不整	男	16 (0.2%)	0	0	0	0	0	2	3	3	1	2	2	2	1	0
	女	3 (0.0%)	0	0	0	0	0	0	2	0	0	0	0	1	0	0
	計	19 (0.1%)	0	0	0	0	0	2	5	3	1	2	2	3	1	0
壁硬化	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	0	0
変形	男	69 (0.7%)	0	0	1	2	5	5	9	14	17	4	4	3	4	1
	女	4 (0.1%)	0	0	0	1	1	0	1	1	0	0	0	0	0	0
	計	73 (0.4%)	0	0	1	3	6	5	10	15	17	4	4	3	4	1
粘膜不整	男	21 (0.2%)	0	0	0	0	0	1	3	0	8	2	3	1	3	0
	女	12 (0.2%)	0	0	0	0	1	1	0	3	2	1	0	2	1	1
	計	33 (0.2%)	0	0	0	0	1	2	3	3	10	3	3	3	4	1
ニツシェ	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
レリー	男	14 (0.1%)	0	0	0	0	0	2	2	1	2	5	2	0	0	0

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
フ集中像	女	6 (0.1%)	0	0	0	0	2	0	1	0	1	0	0	0	1	1
	計	20 (0.1%)	0	0	0	0	2	2	3	1	3	5	2	0	1	1
バリウム斑	男	10 (0.1%)	0	0	0	0	0	1	2	0	2	2	1	1	1	0
	女	6 (0.1%)	0	0	0	1	2	0	0	2	1	0	0	0	0	0
	計	16 (0.1%)	0	0	0	1	2	1	2	2	3	2	1	1	1	0
胃炎の疑い	男	1,311 (12.6%)	0	2	0	18	80	102	133	176	193	176	169	150	89	23
	女	545 (8.5%)	0	0	1	6	25	42	61	79	58	84	88	67	25	9
	計	1,856 (11.0%)	0	2	1	24	105	144	194	255	251	260	257	217	114	32
胃潰瘍 瘢痕の 疑い	男	7 (0.1%)	0	0	0	0	0	0	0	1	1	1	2	2	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
	計	9 (0.1%)	0	0	0	0	0	0	0	2	1	1	3	2	0	0
胃潰瘍 の疑い	男	31 (0.3%)	0	0	1	0	4	1	6	5	5	3	4	1	1	0
	女	2 (0.0%)	0	0	0	1	0	1	0	0	0	0	0	0	0	0
	計	33 (0.2%)	0	0	1	1	4	2	6	5	5	3	4	1	1	0
粗大皺 壁の疑 い	男	10 (0.1%)	0	1	0	1	0	1	0	3	1	1	0	1	1	0
	女	4 (0.1%)	0	0	0	0	0	0	0	0	0	0	1	1	2	0
	計	14 (0.1%)	0	1	0	1	0	1	0	3	1	1	1	2	3	0
陥凹性 病変の 疑い	男	4 (0.0%)	0	0	0	0	0	0	1	0	2	0	1	0	0	0
	女	2 (0.0%)	0	0	0	0	1	0	1	0	0	0	0	0	0	0
	計	6 (0.0%)	0	0	0	0	1	0	2	0	2	0	1	0	0	0
憩室の 疑い	男	43 (0.4%)	0	0	1	1	4	3	5	5	4	6	4	5	3	2
	女	30 (0.5%)	0	0	0	1	0	3	5	5	3	5	4	3	0	1
	計	73 (0.4%)	0	0	1	2	4	6	10	10	7	11	8	8	3	3
術後胃	男	19 (0.2%)	0	0	0	0	0	0	1	3	3	3	1	7	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	19 (0.1%)	0	0	0	0	0	0	1	3	3	3	1	7	1	0
ピロリ 菌感染 疑い	男	45 (0.4%)	0	1	0	6	20	6	1	7	1	2	1	0	0	0
	女	26 (0.4%)	0	0	1	1	8	8	2	5	1	0	0	0	0	0
	計	71 (0.4%)	0	1	1	7	28	14	3	12	2	2	1	0	0	0
その他 (胃所 見)	男	54 (0.5%)	0	0	0	2	0	3	2	10	11	7	9	7	3	0
	女	34 (0.5%)	0	0	0	0	1	2	8	2	2	9	3	5	2	0
	計	88 (0.5%)	0	0	0	2	1	5	10	12	13	16	12	12	5	0
十二指 腸球部	男	226 (2.2%)	0	0	2	4	17	20	33	35	33	33	20	16	10	3
	女	20 (0.3%)	0	0	0	1	0	2	1	1	6	2	3	4	0	0

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
変形	計	246 (1.5%)	0	0	2	5	17	22	34	36	39	35	23	20	10	3	
狭窄	男	3 (0.0%)	0	0	0	0	0	0	1	0	0	2	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	3 (0.0%)	0	0	0	0	0	0	1	0	0	2	0	0	0	0	
十二指腸潰瘍の疑い	男	14 (0.1%)	0	0	1	0	1	0	2	4	1	2	0	3	0	0	
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0	
	計	16 (0.1%)	0	0	1	0	1	0	2	4	2	2	0	4	0	0	
十二指腸潰瘍癒痕の疑い	男	5 (0.0%)	0	0	0	0	1	0	1	0	1	2	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	5 (0.0%)	0	0	0	0	1	0	1	0	1	2	0	0	0	0	
十二指腸憩室の疑い	男	3 (0.0%)	0	0	0	0	0	0	0	1	0	2	0	0	0	0	
	女	6 (0.1%)	0	0	0	0	0	0	0	1	1	0	1	2	1	0	
	計	9 (0.1%)	0	0	0	0	0	0	0	2	1	2	1	2	1	0	
隆起性病変の疑い	男	1,161 (11.1%)	0	0	2	31	95	141	178	209	189	155	79	52	24	6	
	女	1,538 (24.1%)	0	0	2	25	127	206	291	307	238	187	96	40	17	2	
	計	2,699 (16.1%)	0	0	4	56	222	347	469	516	427	342	175	92	41	8	
造影不良	男	10 (0.1%)	0	0	0	0	1	3	2	2	1	1	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	計	11 (0.1%)	0	0	0	0	1	3	2	2	2	1	0	0	0	0	
その他(十二指腸所見)	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
検診者総数	男	10,420		5	31	66	473	1,213	1,412	1,639	1,614	1,360	1,118	732	493	210	54
	女	6,393		1	14	46	229	680	885	1,068	1,058	839	708	441	299	99	26
	計	16,813		6	45	112	702	1,893	2,297	2,707	2,672	2,199	1,826	1,173	792	309	80

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
食道裂孔ヘルニア	男	708 (26.4%)	0	0	1	11	44	79	130	149	128	105	45	13	1	2
	女	208 (11.0%)	0	0	0	1	14	31	33	56	30	28	9	6	0	0
	計	916 (20.1%)	0	0	1	12	58	110	163	205	158	133	54	19	1	2
逆流性食道炎	男	366 (13.7%)	0	0	0	2	17	41	75	88	54	60	21	6	2	0
	女	68 (3.6%)	0	0	0	0	4	5	10	14	15	11	8	1	0	0
	計	434 (9.5%)	0	0	0	2	21	46	85	102	69	71	29	7	2	0
バレット食道	男	53 (2.0%)	0	0	0	0	1	2	9	15	8	13	5	0	0	0
	女	23 (1.2%)	0	0	0	0	2	3	5	6	2	2	1	2	0	0
	計	76 (1.7%)	0	0	0	0	3	5	14	21	10	15	6	2	0	0
胃食道逆流症 (GERD)	男	323 (12.1%)	0	0	0	5	27	34	52	69	71	40	17	5	1	2
	女	84 (4.5%)	0	0	0	2	9	12	17	22	13	8	1	0	0	0
	計	407 (8.9%)	0	0	0	7	36	46	69	91	84	48	18	5	1	2
その他 (食道所見)	男	92 (3.4%)	0	0	0	0	4	9	18	15	20	22	3	1	0	0
	女	40 (2.1%)	0	0	0	0	4	2	9	10	5	6	2	2	0	0
	計	132 (2.9%)	0	0	0	0	8	11	27	25	25	28	5	3	0	0
慢性胃炎	男	8 (0.3%)	0	0	0	0	1	1	1	1	1	2	1	0	0	0
	女	12 (0.6%)	0	0	0	0	0	2	1	2	1	6	0	0	0	0
	計	20 (0.4%)	0	0	0	0	1	3	2	3	2	8	1	0	0	0
萎縮性胃炎	男	101 (3.8%)	0	0	0	3	6	10	14	25	20	14	6	3	0	0
	女	86 (4.6%)	0	0	0	0	7	10	14	22	8	10	8	7	0	0
	計	187 (4.1%)	0	0	0	3	13	20	28	47	28	24	14	10	0	0
びらん性胃炎	男	296 (11.1%)	0	0	0	2	21	32	51	73	49	48	14	4	2	0
	女	137 (7.3%)	0	0	0	1	7	24	30	25	20	17	10	3	0	0
	計	433 (9.5%)	0	0	0	3	28	56	81	98	69	65	24	7	2	0
胃潰瘍	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
胃潰瘍癒痕	男	25 (0.9%)	0	0	0	0	0	0	3	6	3	8	3	2	0	0
	女	11 (0.6%)	0	0	0	0	1	0	3	2	0	3	1	0	1	0
	計	36 (0.8%)	0	0	0	0	1	0	6	8	3	11	4	2	1	0
胃底腺ポリープ	男	796 (29.7%)	0	0	1	6	48	83	141	171	154	134	43	12	1	2
	女	823 (43.6%)	0	0	1	10	58	119	178	209	130	93	22	3	0	0
	計	1,619 (35.5%)	0	0	2	16	106	202	319	380	284	227	65	15	1	2
除菌後	男	356 (13.3%)	0	0	0	1	20	28	47	79	62	65	41	12	0	1

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	女	(%)															
除菌後 胃炎	女	215	(11.4%)	0	0	0	2	9	20	44	41	37	39	19	3	1	0
	計	571	(12.5%)	0	0	0	3	29	48	91	120	99	104	60	15	1	1
表層性 胃炎	男	43	(1.6%)	0	0	1	2	2	6	7	7	9	7	2	0	0	0
	女	27	(1.4%)	0	0	0	2	3	5	5	6	5	1	0	0	0	0
	計	70	(1.5%)	0	0	1	4	5	11	12	13	14	8	2	0	0	0
胃術後	男	7	(0.3%)	0	0	0	0	0	1	1	0	2	2	0	1	0	0
	女	5	(0.3%)	0	0	0	0	0	0	0	2	2	0	0	0	1	0
	計	12	(0.3%)	0	0	0	0	0	1	1	2	4	2	0	1	1	0
慢性活 動性胃 炎	男	42	(1.6%)	0	0	0	0	4	6	6	11	8	2	4	1	0	0
	女	23	(1.2%)	0	0	0	1	2	2	4	7	6	1	0	0	0	0
	計	65	(1.4%)	0	0	0	1	6	8	10	18	14	3	4	1	0	0
慢性非 活動性 胃炎	男	217	(8.1%)	0	0	0	4	7	14	21	41	47	54	19	7	1	2
	女	84	(4.5%)	0	0	0	0	3	7	16	23	20	11	2	2	0	0
	計	301	(6.6%)	0	0	0	4	10	21	37	64	67	65	21	9	1	2
良性び らん	男	31	(1.2%)	0	0	0	1	1	2	3	10	5	7	0	2	0	0
	女	21	(1.1%)	0	0	0	1	0	4	5	4	5	2	0	0	0	0
	計	52	(1.1%)	0	0	0	2	1	6	8	14	10	9	0	2	0	0
過形成 性ポ リープ	男	21	(0.8%)	0	0	0	0	1	0	4	1	10	5	0	0	0	0
	女	5	(0.3%)	0	0	0	0	0	1	0	1	3	0	0	0	0	0
	計	26	(0.6%)	0	0	0	0	1	1	4	2	13	5	0	0	0	0
その他 (胃所 見)	男	191	(7.1%)	0	0	0	0	14	18	26	39	33	32	22	5	1	1
	女	80	(4.2%)	0	0	0	0	9	11	10	20	11	13	5	1	0	0
	計	271	(5.9%)	0	0	0	0	23	29	36	59	44	45	27	6	1	1
十二指 腸潰瘍	男	4	(0.1%)	0	0	0	1	1	0	1	0	1	0	0	0	0	0
	女	5	(0.3%)	0	0	0	0	0	1	0	3	0	0	1	0	0	0
	計	9	(0.2%)	0	0	0	1	1	1	1	3	1	0	1	0	0	0
十二指 腸潰瘍 癒痕	男	48	(1.8%)	0	0	0	0	1	4	7	4	12	8	10	2	0	0
	女	7	(0.4%)	0	0	0	0	0	0	0	2	3	1	0	1	0	0
	計	55	(1.2%)	0	0	0	0	1	4	7	6	15	9	10	3	0	0
ポリ ープ	男	71	(2.7%)	0	0	0	0	5	5	9	16	10	17	9	0	0	0
	女	54	(2.9%)	0	0	0	0	7	6	13	10	6	8	3	1	0	0
	計	125	(2.7%)	0	0	0	0	12	11	22	26	16	25	12	1	0	0
憩室	男	12	(0.4%)	0	0	0	0	0	0	2	2	3	2	2	1	0	0
	女	8	(0.4%)	0	0	0	0	2	0	3	2	0	1	0	0	0	0

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
粘膜下 腫瘍	計	20	(0.4%)	0	0	0	0	2	0	5	4	3	3	2	1	0	0
	男	75	(2.8%)	0	0	0	0	5	8	9	19	12	17	4	1	0	0
	女	37	(2.0%)	0	0	0	0	2	3	10	10	4	4	2	2	0	0
	計	112	(2.5%)	0	0	0	0	7	11	19	29	16	21	6	3	0	0
十二指 腸炎	男	95	(3.5%)	0	0	0	2	7	12	12	28	20	12	0	1	0	1
	女	18	(1.0%)	0	0	0	0	0	3	7	4	3	1	0	0	0	0
	計	113	(2.5%)	0	0	0	2	7	15	19	32	23	13	0	1	0	1
Brun ner 腺過 形成	男	19	(0.7%)	0	0	0	0	0	0	3	6	4	2	3	1	0	0
	女	1	(0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	20	(0.4%)	0	0	0	0	0	0	3	6	4	3	3	1	0	0
その他 (十二指 腸所見)	男	64	(2.4%)	0	0	0	0	4	1	9	16	14	8	9	3	0	0
	女	23	(1.2%)	0	0	0	0	1	2	6	7	4	2	0	0	1	0
	計	87	(1.9%)	0	0	0	0	5	3	15	23	18	10	9	3	1	0
検診者 総数	男	2,678		0	1	4	45	214	320	469	580	462	376	154	42	5	6
	女	1,887		0	2	3	34	175	275	380	429	297	208	61	20	3	0
	計	4,565		0	3	7	79	389	595	849	1,009	759	584	215	62	8	6

表12-1 ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		男	4479	70	1.6	0	0	0.0	5	0	0.0	9	0	0.0	12	0	0.0	445	10	2.2	799	13	1.6	837	6	0.7	794	11	1.4	808	5	0.6	590	18	3.1	119	3	2.5	49	3	6.1	9	0	0.0	3	1
女	2635	60	2.3	0	0	0.0	12	2	16.7	20	1	5.0	72	5	6.9	453	11	2.4	514	9	1.8	536	4	0.7	477	13	2.7	320	5	1.6	166	6	3.6	43	3	7.0	19	1	5.3	2	0	0.0	1	0	0.0	
計	7114	130	1.8	0	0	0.0	17	2	11.8	29	1	3.4	84	5	6.0	898	21	2.3	1313	22	1.7	1373	10	0.7	1271	24	1.9	1128	10	0.9	756	24	3.2	162	6	3.7	68	4	5.9	11	0	0.0	4	1	25.0	

表12-2 ヘリコバクターピロリ抗体検査検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		男	635	119	18.7	0	0	0.0	4	0	0.0	5	0	0.0	64	10	15.6	46	12	26.1	158	31	19.6	85	12	14.1	102	18	17.6	97	16	16.5	38	9	23.7	19	4	21.1	15	6	40.0	1	0	0.0	1	1
女	701	127	18.1	0	0	0.0	17	3	17.6	26	5	19.2	100	16	16.0	123	17	13.8	106	16	15.1	99	21	21.2	86	19	22.1	73	13	17.8	32	8	25.0	20	3	15.0	14	5	35.7	3	1	33.3	2	0	0.0	
計	1336	246	18.4	0	0	0.0	21	3	14.3	31	5	16.1	164	26	15.9	169	29	17.2	264	47	17.8	184	33	17.9	188	37	19.7	170	29	17.1	70	17	24.3	39	7	17.9	29	11	37.9	4	1	25.0	3	1	33.3	

表13 心電図判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	21,244 (73.2%)	167	1,122	1,526	1,615	2,243	2,578	3,004	2,851	2,275	1,914	1,158	656	107	28
	女	19,693 (78.7%)	130	1,211	1,277	1,389	1,966	2,473	2,831	2,751	2,119	1,730	933	740	98	45
	計	40,937 (75.7%)	297	2,333	2,803	3,004	4,209	5,051	5,835	5,602	4,394	3,644	2,091	1,396	205	73
問題なし	男	3,064 (10.6%)	41	264	262	202	337	374	369	334	325	251	188	92	20	5
	女	1,909 (7.6%)	10	89	114	108	184	220	260	268	242	205	100	79	19	11
	計	4,973 (9.2%)	51	353	376	310	521	594	629	602	567	456	288	171	39	16
要経過観察	男	3,514 (12.1%)	4	55	97	129	189	299	389	481	514	573	372	303	77	32
	女	2,939 (11.7%)	4	42	90	114	162	262	402	446	425	391	263	230	40	68
	計	6,453 (11.9%)	8	97	187	243	351	561	791	927	939	964	635	533	117	100
要精密検査	男	279 (1.0%)	3	6	6	4	12	21	31	36	46	39	31	31	9	4
	女	136 (0.5%)	0	5	3	5	7	15	18	19	8	17	10	18	6	5
	計	415 (0.8%)	3	11	9	9	19	36	49	55	54	56	41	49	15	9
要治療	男	2 (0.0%)	0	0	0	0	0	1	0	0	0	0	1	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	1	0	0	0	0	1	0	0	0
治療中	男	937 (3.2%)	0	4	1	2	8	31	47	109	153	212	181	136	38	15
	女	340 (1.4%)	1	2	3	2	5	13	21	48	43	48	47	62	23	22
	計	1,277 (2.4%)	1	6	4	4	13	44	68	157	196	260	228	198	61	37
検診者総数	男	29,040	215	1,451	1,892	1,952	2,789	3,304	3,840	3,811	3,313	2,989	1,931	1,218	251	84
	女	25,017	145	1,349	1,487	1,618	2,324	2,983	3,532	3,532	2,837	2,391	1,353	1,129	186	151
	計	54,057	360	2,800	3,379	3,570	5,113	6,287	7,372	7,343	6,150	5,380	3,284	2,347	437	235

表14 安静心電図検査所見

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	(%)														
洞性徐脈	男	602	(2.1%)	7	63	46	38	54	70	57	69	65	46	39	34	11	3
	女	235	(0.9%)	0	6	21	9	15	17	32	36	43	29	12	12	2	1
	計	837	(1.5%)	7	69	67	47	69	87	89	105	108	75	51	46	13	4
洞性頻脈	男	213	(0.7%)	0	9	7	8	23	17	27	33	35	31	16	6	1	0
	女	177	(0.7%)	0	8	13	10	22	14	27	20	21	20	9	6	3	4
	計	390	(0.7%)	0	17	20	18	45	31	54	53	56	51	25	12	4	4
洞性不整脈	男	39	(0.1%)	2	7	6	3	6	3	4	2	0	1	0	5	0	0
	女	21	(0.1%)	2	4	7	0	3	0	0	4	0	1	0	0	0	0
	計	60	(0.1%)	4	11	13	3	9	3	4	6	0	2	0	5	0	0
右軸偏位(100°以上)	男	292	(1.0%)	8	28	35	26	32	42	32	29	26	21	8	2	2	1
	女	292	(1.2%)	4	23	25	27	38	37	50	42	21	12	9	2	0	2
	計	584	(1.1%)	12	51	60	53	70	79	82	71	47	33	17	4	2	3
左軸偏位(-30°以下)	男	540	(1.9%)	1	11	9	22	21	44	62	59	99	94	59	49	7	3
	女	264	(1.1%)	0	6	7	7	24	21	32	50	35	33	19	16	4	10
	計	804	(1.5%)	1	17	16	29	45	65	94	109	134	127	78	65	11	13
不定軸	男	49	(0.2%)	0	1	4	5	5	4	4	10	6	2	6	2	0	0
	女	53	(0.2%)	0	3	2	3	4	11	11	7	5	3	2	1	1	0
	計	102	(0.2%)	0	4	6	8	9	15	15	17	11	5	8	3	1	0
第一度房室ブロック	男	285	(1.0%)	0	6	9	7	14	16	21	25	31	33	52	49	16	6
	女	91	(0.4%)	0	1	2	2	7	5	8	9	12	10	7	8	3	17
	計	376	(0.7%)	0	7	11	9	21	21	29	34	43	43	59	57	19	23
第二度房室ブロック	男	9	(0.0%)	2	1	2	0	0	0	0	1	0	1	0	2	0	0
	女	4	(0.0%)	0	0	0	0	0	0	0	1	2	0	0	0	1	0
	計	13	(0.0%)	2	1	2	0	0	0	0	2	2	1	0	2	1	0
WPW症候群	男	40	(0.1%)	0	6	3	3	3	7	4	2	6	5	1	0	0	0
	女	30	(0.1%)	1	1	4	2	5	2	3	3	3	2	4	0	0	0
	計	70	(0.1%)	1	7	7	5	8	9	7	5	9	7	5	0	0	0
PQ短縮	男	7	(0.0%)	2	0	2	1	0	2	0	0	0	0	0	0	0	0
	女	17	(0.1%)	0	0	1	0	1	5	2	3	2	2	1	0	0	0
	計	24	(0.0%)	2	0	3	1	1	7	2	3	2	2	1	0	0	0
不完全右脚ブロック	男	668	(2.3%)	7	38	58	31	78	88	91	84	63	64	44	17	3	2
	女	339	(1.4%)	0	8	12	12	19	28	46	48	57	51	27	23	5	3
	計	1,007	(1.9%)	7	46	70	43	97	116	137	132	120	115	71	40	8	5
完全右	男	757	(2.6%)	0	6	8	20	36	42	74	80	105	144	98	106	23	15

表14 安静心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	女	(%)															
脚ブロック	女	297	(1.2%)	2	5	4	5	19	24	29	40	41	40	31	40	6	11
	計	1,054	(1.9%)	2	11	12	25	55	66	103	120	146	184	129	146	29	26
完全左脚ブロック	男	20	(0.1%)	0	0	0	0	0	0	1	0	6	4	6	3	0	0
	女	20	(0.1%)	0	0	0	0	0	0	0	2	3	1	4	5	2	3
計	40	(0.1%)	0	0	0	0	0	0	0	1	2	9	5	10	8	2	3
上室性期外収縮	男	285	(1.0%)	0	4	5	4	13	15	19	26	49	39	43	42	15	11
	女	210	(0.8%)	0	7	4	5	13	14	21	26	21	36	23	18	6	16
計	495	(0.9%)	0	11	9	9	26	29	40	52	70	75	66	60	21	27	
心室性期外収縮	男	431	(1.5%)	0	11	6	5	17	24	44	55	64	74	54	50	19	8
	女	282	(1.1%)	0	9	13	12	16	31	48	34	28	40	25	12	6	8
計	713	(1.3%)	0	20	19	17	33	55	92	89	92	114	79	62	25	16	
心房細動	男	129	(0.4%)	0	0	0	0	1	2	4	12	18	19	27	32	11	3
	女	24	(0.1%)	0	0	0	0	0	0	0	0	0	2	3	9	4	6
計	153	(0.3%)	0	0	0	0	1	2	4	12	18	21	30	41	15	9	
心房粗動	男	3	(0.0%)	0	0	0	0	0	1	0	0	0	1	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
計	3	(0.0%)	0	0	0	0	0	1	0	0	0	1	1	0	0	0	
ST低下	男	16	(0.1%)	0	0	0	1	0	1	2	2	2	4	2	1	1	0
	女	23	(0.1%)	0	0	0	0	3	1	2	4	1	4	5	2	0	1
計	39	(0.1%)	0	0	0	1	3	2	4	6	3	8	7	3	1	1	
ST異常	男	298	(1.0%)	1	2	4	6	8	20	25	27	52	57	50	26	13	7
	女	311	(1.2%)	2	5	5	7	10	32	37	42	39	37	29	41	9	16
計	609	(1.1%)	3	7	9	13	18	52	62	69	91	94	79	67	22	23	
異常Q波	男	534	(1.8%)	3	13	13	21	31	26	40	81	90	94	66	37	15	4
	女	321	(1.3%)	1	5	8	8	17	23	45	38	46	44	19	32	7	28
計	855	(1.6%)	4	18	21	29	48	49	85	119	136	138	85	69	22	32	
R波増高不良	男	186	(0.6%)	0	3	7	12	26	24	25	18	26	22	8	9	6	0
	女	554	(2.2%)	2	8	29	46	47	92	121	100	51	27	15	6	7	3
計	740	(1.4%)	2	11	36	58	73	116	146	118	77	49	23	15	13	3	
陰性T波	男	238	(0.8%)	0	2	12	2	6	24	27	42	33	36	28	20	5	1
	女	234	(0.9%)	0	4	13	13	14	15	18	36	38	41	19	13	4	6
計	472	(0.9%)	0	6	25	15	20	39	45	78	71	77	47	33	9	7	
平低T	男	693	(2.4%)	1	6	17	17	24	46	78	103	116	125	78	61	16	5
	女	940	(3.8%)	1	15	25	42	44	66	96	152	137	133	98	88	9	34

表14 安静心電図検査所見

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計		(%)														
T波増高	計	1,633	(3.0%)	2	21	42	59	68	112	174	255	253	258	176	149	25	39
	男	280	(1.0%)	9	40	24	21	26	45	27	25	25	16	14	7	0	1
	女	7	(0.0%)	0	0	0	0	0	0	1	1	1	3	0	1	0	0
	計	287	(0.5%)	9	40	24	21	26	45	28	26	26	19	14	8	0	1
ST上昇	男	79	(0.3%)	0	2	5	10	15	13	10	8	3	4	9	0	0	0
	女	13	(0.1%)	0	0	0	0	0	1	1	4	3	2	1	1	0	0
	計	92	(0.2%)	0	2	5	10	15	14	11	12	6	6	10	1	0	0
早期再分極	男	2	(0.0%)	1	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	1	0	0	0	0	1	0	0	0	0	0	0	0	0
QT延長	男	126	(0.4%)	0	0	1	1	5	6	14	14	29	30	9	12	2	3
	女	99	(0.4%)	0	1	0	2	3	10	10	13	11	10	9	16	2	12
	計	225	(0.4%)	0	1	1	3	8	16	24	27	40	40	18	28	4	15
QT短縮	男	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
低電位差	男	11	(0.0%)	0	0	0	0	1	2	2	1	1	3	1	0	0	0
	女	10	(0.0%)	0	1	1	0	0	1	1	2	2	0	2	0	0	0
	計	21	(0.0%)	0	1	1	0	1	3	3	3	3	3	3	0	0	0
右胸心	男	4	(0.0%)	0	0	0	0	0	0	0	0	1	0	1	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(0.0%)	0	0	0	0	0	0	0	0	1	0	1	2	0	0
人工ペースメーカー調律	男	24	(0.1%)	0	1	0	0	1	0	2	3	1	5	3	4	1	3
	女	9	(0.0%)	0	0	0	0	1	1	2	0	0	2	1	1	1	0
	計	33	(0.1%)	0	1	0	0	2	1	4	3	1	7	4	5	2	3
III. a V fのQ波	男	186	(0.6%)	0	1	7	9	5	12	25	27	33	43	17	7	0	0
	女	70	(0.3%)	0	0	0	1	1	3	7	10	9	17	11	7	4	0
	計	256	(0.5%)	0	1	7	10	6	15	32	37	42	60	28	14	4	0
左室高電位	男	1,239	(4.3%)	8	87	81	56	80	140	136	161	149	142	109	71	14	5
	女	332	(1.3%)	0	0	2	3	5	14	25	54	55	62	40	54	10	8
	計	1,571	(2.9%)	8	87	83	59	85	154	161	215	204	204	149	125	24	13
右室高電位	男	18	(0.1%)	0	1	3	2	0	2	5	2	0	2	1	0	0	0
	女	14	(0.1%)	0	0	2	0	0	1	2	2	4	0	2	0	0	1
	計	32	(0.1%)	0	1	5	2	0	3	7	4	4	2	3	0	0	1

表14 安静心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
ブルガ ダ型S T上昇 c o v	男	17 (0.1%)	0	0	1	1	3	3	4	2	0	3	0	0	0	0
	女	3 (0.0%)	0	0	0	0	0	1	0	1	1	0	0	0	0	0
	計	20 (0.0%)	0	0	1	1	3	4	4	3	1	3	0	0	0	0
ブルガ ダ型S T上昇 s a d	男	20 (0.1%)	0	0	0	2	1	2	4	7	2	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	20 (0.0%)	0	0	0	2	1	2	4	7	2	0	0	2	0	0
完全房 室ブ ロック	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	4 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	1	0	2
	計	4 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	1	0	2
R S R パター ン	男	605 (2.1%)	6	25	43	43	69	72	82	62	65	54	54	22	6	2
	女	486 (1.9%)	2	13	21	24	49	51	73	71	67	57	23	29	6	0
	計	1,091 (2.0%)	8	38	64	67	118	123	155	133	132	111	77	51	12	2
左脚前 枝ブ ロック	男	144 (0.5%)	0	0	4	2	2	9	8	10	21	32	22	19	13	2
	女	104 (0.4%)	0	1	4	1	1	6	16	13	13	15	12	13	2	7
	計	248 (0.5%)	0	1	8	3	3	15	24	23	34	47	34	32	15	9
冠状静 脈洞調 律	男	42 (0.1%)	3	3	3	5	4	2	6	6	4	4	1	1	0	0
	女	103 (0.4%)	1	12	7	11	12	20	9	9	6	8	2	6	0	0
	計	145 (0.3%)	4	15	10	16	16	22	15	15	10	12	3	7	0	0
確定で きない 不整脈	男	3 (0.0%)	0	1	0	0	1	0	0	1	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	計	4 (0.0%)	0	1	0	0	1	0	0	1	0	0	0	1	0	0
右房性 P (拡 大)	男	114 (0.4%)	0	2	6	7	10	16	10	15	20	14	9	3	0	2
	女	139 (0.6%)	0	4	3	2	11	11	19	24	28	22	9	4	2	0
	計	253 (0.5%)	0	6	9	9	21	27	29	39	48	36	18	7	2	2
左房性 P (拡 大)	男	100 (0.3%)	0	1	2	6	10	15	13	14	13	13	10	3	0	0
	女	49 (0.2%)	0	2	1	6	4	2	9	3	11	2	4	1	3	1
	計	149 (0.3%)	0	3	3	12	14	17	22	17	24	15	14	4	3	1
その他 (安静心 電図所 見)	男	407 (1.4%)	0	0	1	1	5	21	23	56	69	104	69	46	8	4
	女	209 (0.8%)	0	5	1	2	2	11	15	34	28	28	34	30	12	7
	計	616 (1.1%)	0	5	2	3	7	32	38	90	97	132	103	76	20	11
検診者 総数	男	29,050	215	1,451	1,892	1,953	2,791	3,305	3,842	3,812	3,314	2,990	1,931	1,219	251	84
	女	25,026	145	1,349	1,487	1,618	2,324	2,984	3,534	3,533	2,839	2,393	1,353	1,130	186	151
	計	54,076	360	2,800	3,379	3,571	5,115	6,289	7,376	7,345	6,153	5,383	3,284	2,349	437	235

表15 マスター負荷心電図検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
陽性ST-Tの変化(ダブル)	男	1	(0.6%)	0	0	0	0	0	1	0	0	0	0	0	0	0	
	女	2	(2.4%)	0	0	0	0	0	0	0	1	0	1	0	0	0	
	計	3	(1.2%)	0	0	0	0	0	1	0	1	0	1	0	0	0	
疑陽性ST-Tの変化(ダブル)	男	4	(2.3%)	0	0	0	0	1	2	1	0	0	0	0	0	0	
	女	6	(7.1%)	0	0	0	0	1	1	2	1	1	0	0	0	0	
	計	10	(3.9%)	0	0	0	0	1	1	3	3	1	1	0	0	0	
不整脈の出現(ダブル)	男	10	(5.8%)	0	1	0	0	1	0	3	4	1	0	0	0	0	
	女	8	(9.4%)	0	0	0	0	1	1	0	4	2	0	0	0	0	
	計	18	(7.0%)	0	1	0	0	2	1	3	8	3	0	0	0	0	
検診者総数	男	171		0	27	13	3	3	11	16	37	30	20	5	3	1	2
	女	85		0	0	1	0	1	12	16	18	25	11	1	0	0	0
	計	256		0	27	14	3	4	23	32	55	55	31	6	3	1	2

表16 自転車エルゴメータ負荷心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
不整脈 の出現	男	26	(6.7%)	0	0	1	1	0	4	0	0	11	7	1	1	0	0
	女	16	(8.3%)	0	0	0	2	0	1	2	1	6	1	2	1	0	0
	計	42	(7.3%)	0	0	1	3	0	5	2	1	17	8	3	2	0	0
S T - T の変 化	男	14	(3.6%)	0	1	0	2	0	3	0	1	3	3	1	0	0	0
	女	16	(8.3%)	0	0	0	3	0	6	1	1	2	2	1	0	0	0
	計	30	(5.2%)	0	1	0	5	0	9	1	2	5	5	2	0	0	0
血圧の 変化	男	156	(40.4%)	0	8	4	18	2	25	8	19	46	21	3	2	0	0
	女	42	(21.8%)	0	0	0	4	0	6	3	5	15	7	1	0	0	1
	計	198	(34.2%)	0	8	4	22	2	31	11	24	61	28	4	2	0	1
検診者 総数	男	386		0	27	13	75	4	67	15	33	86	54	6	5	1	0
	女	193		1	0	2	42	1	46	18	18	42	15	4	3	0	1
	計	579		1	27	15	117	5	113	33	51	128	69	10	8	1	1

表17 腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	839 (10.8%)	0	5	21	158	177	163	148	80	49	24	12	1	1	0
	女	1,644 (27.2%)	0	12	46	163	265	281	324	283	162	73	23	10	1	1
	計	2,483 (18.0%)	0	17	67	321	442	444	472	363	211	97	35	11	2	1
問題なし	男	438 (5.6%)	0	1	4	53	72	64	80	79	50	22	5	6	2	0
	女	832 (13.7%)	0	5	11	35	77	131	182	163	119	72	26	8	3	0
	計	1,270 (9.2%)	0	6	15	88	149	195	262	242	169	94	31	14	5	0
要経過観察	男	6,147 (79.1%)	0	5	26	240	398	593	959	1,137	1,086	817	490	252	104	40
	女	3,357 (55.5%)	0	3	12	76	194	297	466	609	577	503	294	217	87	22
	計	9,504 (68.8%)	0	8	38	316	592	890	1,425	1,746	1,663	1,320	784	469	191	62
要精密検査	男	335 (4.3%)	0	0	0	4	14	24	39	63	62	55	38	21	11	4
	女	209 (3.5%)	0	0	0	7	12	18	25	37	25	29	16	24	11	5
	計	544 (3.9%)	0	0	0	11	26	42	64	100	87	84	54	45	22	9
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	14 (0.2%)	0	0	0	0	0	1	0	3	3	4	2	1	0	0
	女	9 (0.1%)	0	0	1	0	0	1	0	2	0	4	0	0	1	0
	計	23 (0.2%)	0	0	1	0	0	2	0	5	3	8	2	1	1	0
検診者総数	男	7,773	0	11	51	455	661	845	1,226	1,362	1,250	922	547	281	118	44
	女	6,051	0	20	70	281	548	728	997	1,094	883	681	359	259	103	28
	計	13,824	0	31	121	736	1,209	1,573	2,223	2,456	2,133	1,603	906	540	221	72

表18 腹部超音波検査所見

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝	男	3,221	(41.4%)	0	2	6	123	193	292	544	630	586	436	255	118	28	8
	女	1,186	(19.6%)	0	1	1	18	69	107	172	238	198	176	106	74	20	6
	計	4,407	(31.9%)	0	3	7	141	262	399	716	868	784	612	361	192	48	14
肝血管腫	男	399	(5.1%)	0	1	2	14	37	39	58	64	81	58	21	12	9	3
	女	428	(7.1%)	0	0	3	22	36	59	89	87	57	44	16	13	2	0
	計	827	(6.0%)	0	1	5	36	73	98	147	151	138	102	37	25	11	3
肝嚢胞	男	1,500	(19.3%)	0	0	0	17	43	95	204	296	299	252	159	90	36	9
	女	1,317	(21.8%)	0	0	0	16	36	89	178	292	239	224	102	94	38	9
	計	2,817	(20.4%)	0	0	0	33	79	184	382	588	538	476	261	184	74	18
肝内石 灰化・ 肝内結 石	男	147	(1.9%)	0	0	0	2	4	8	14	23	30	25	20	12	4	5
	女	64	(1.1%)	0	0	0	0	0	6	10	6	12	19	4	2	2	3
	計	211	(1.5%)	0	0	0	2	4	14	24	29	42	44	24	14	6	8
肝内胆 管拡張	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
肝臓描 出不良	男	251	(3.2%)	0	0	0	4	3	13	26	35	52	46	27	26	13	6
	女	18	(0.3%)	0	0	0	0	1	0	3	2	1	3	4	3	1	0
	計	269	(1.9%)	0	0	0	4	4	13	29	37	53	49	31	29	14	6
肝臓部 分切除 後	男	6	(0.1%)	0	0	0	0	0	0	2	1	1	1	0	1	0	0
	女	4	(0.1%)	0	0	0	0	2	0	1	0	0	0	1	0	0	0
	計	10	(0.1%)	0	0	0	0	2	0	3	1	1	1	1	1	0	0
慢性肝 障害疑 い	男	11	(0.1%)	0	0	1	0	0	0	0	1	3	3	2	1	0	0
	女	4	(0.1%)	0	0	0	0	0	0	0	1	1	0	1	0	1	0
	計	15	(0.1%)	0	0	1	0	0	0	0	2	4	3	3	1	1	0
慢性肝 障害	男	5	(0.1%)	0	0	0	0	0	0	0	0	1	2	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	1	2	2	0	0	0
肝腫瘍	男	14	(0.2%)	0	0	0	1	1	1	2	2	2	1	3	1	0	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	1	1	0	0	0	0
	計	17	(0.1%)	0	0	0	1	2	1	2	2	3	2	3	1	0	0
肝腫瘍 疑い	男	31	(0.4%)	0	0	0	2	2	4	5	5	8	1	3	1	0	0
	女	15	(0.2%)	0	0	0	2	1	5	0	3	2	1	0	1	0	0
	計	46	(0.3%)	0	0	0	4	3	9	5	8	10	2	3	2	0	0
肝嚢胞	男	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
性腫瘍 疑い	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0
胆道気腫	男	3 (0.0%)	0	0	0	0	0	0	0	1	1	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	0	1	1	1	0	0	1	0	0
肝血管異常	男	4 (0.1%)	0	0	0	0	0	0	0	0	0	1	2	1	0	0
	女	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	1	0	0
	計	7 (0.1%)	0	0	0	0	0	0	0	0	1	2	2	2	0	0
胆管過誤腫	男	15 (0.2%)	0	0	0	1	1	1	2	1	2	2	4	0	1	0
	女	16 (0.3%)	0	0	0	1	0	2	1	6	2	0	3	1	0	0
	計	31 (0.2%)	0	0	0	2	1	3	3	7	4	2	7	1	1	0
胆嚢切除後	男	254 (3.3%)	0	0	0	4	8	5	27	47	48	55	23	24	11	2
	女	156 (2.6%)	0	0	0	0	6	8	16	25	38	22	13	19	8	1
	計	410 (3.0%)	0	0	0	4	14	13	43	72	86	77	36	43	19	3
びまん性胆嚢壁肥厚	男	9 (0.1%)	0	0	0	0	0	0	1	2	3	0	2	1	0	0
	女	5 (0.1%)	0	0	0	0	0	0	0	0	2	2	0	0	1	0
	計	14 (0.1%)	0	0	0	0	0	0	1	2	5	2	2	1	1	0
胆嚢腺筋腫症	男	259 (3.3%)	0	0	0	2	2	15	27	43	57	58	29	19	6	1
	女	108 (1.8%)	0	0	1	0	8	6	9	19	15	24	10	14	1	1
	計	367 (2.7%)	0	0	1	2	10	21	36	62	72	82	39	33	7	2
胆嚢ポリープ	男	1,786 (23.0%)	0	0	9	80	121	193	299	374	321	203	98	58	23	7
	女	840 (13.9%)	0	2	7	18	60	111	145	147	152	102	46	30	19	1
	計	2,626 (19.0%)	0	2	16	98	181	304	444	521	473	305	144	88	42	8
胆嚢結石	男	541 (7.0%)	0	0	0	7	9	34	76	103	107	92	67	30	11	5
	女	286 (4.7%)	0	0	0	5	22	30	38	51	44	44	20	21	8	3
	計	827 (6.0%)	0	0	0	12	31	64	114	154	151	136	87	51	19	8
胆泥	男	46 (0.6%)	0	0	0	1	0	0	7	6	8	12	6	4	0	2
	女	47 (0.8%)	0	0	0	0	2	1	9	6	6	11	4	4	3	1
	計	93 (0.7%)	0	0	0	1	2	1	16	12	14	23	10	8	3	3
肝外胆管拡張	男	65 (0.8%)	0	0	0	1	1	1	1	7	13	12	9	12	7	1
	女	60 (1.0%)	0	0	0	0	0	2	4	5	9	11	6	11	11	1
	計	125 (0.9%)	0	0	0	1	1	3	5	12	22	23	15	23	18	2
胆嚢描出不良	男	65 (0.8%)	0	0	0	2	0	0	5	4	25	13	10	3	2	1
	女	17 (0.3%)	0	0	1	0	1	1	2	2	0	3	3	3	0	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)														
胆嚢描出不能	計	82 (0.6%)	0	0	1	2	1	1	7	6	25	16	13	6	2	2
	男	7 (0.1%)	0	0	0	0	1	0	0	2	2	0	0	1	0	1
	女	4 (0.1%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
胆嚢壁評価不良	計	11 (0.1%)	0	0	0	0	1	0	1	2	3	0	1	2	0	1
	男	29 (0.4%)	0	0	0	0	0	1	7	5	5	4	4	2	1	0
	女	21 (0.3%)	0	0	0	0	2	4	2	5	4	2	1	0	1	0
胆嚢腫大	計	50 (0.4%)	0	0	0	0	2	5	9	10	9	6	5	2	2	0
	男	16 (0.2%)	0	0	0	0	0	2	2	2	4	3	1	1	1	0
	女	10 (0.2%)	0	0	0	1	0	0	0	3	2	0	2	1	1	0
胆嚢腫瘍疑い	計	26 (0.2%)	0	0	0	1	0	2	2	5	6	3	3	2	2	0
	男	20 (0.3%)	0	0	0	0	1	0	3	5	4	4	2	1	0	0
	女	10 (0.2%)	0	0	0	0	2	0	5	0	2	0	1	0	0	0
膵管拡張	計	30 (0.2%)	0	0	0	0	3	0	8	5	6	4	3	1	0	0
	男	149 (1.9%)	0	0	0	0	5	5	10	19	25	29	28	15	9	4
	女	44 (0.7%)	0	0	0	0	0	1	3	7	2	7	6	10	5	3
膵嚢胞	計	193 (1.4%)	0	0	0	0	5	6	13	26	27	36	34	25	14	7
	男	20 (0.3%)	0	0	0	0	0	0	1	3	3	6	4	2	0	1
	女	35 (0.6%)	0	0	0	0	2	1	1	4	9	9	3	1	4	1
膵臓描出不良	計	55 (0.4%)	0	0	0	0	2	1	2	7	12	15	7	3	4	2
	男	4,983 (64.1%)	0	5	21	180	297	460	751	923	889	681	419	226	97	34
	女	1,687 (27.9%)	0	2	4	42	83	137	210	323	279	246	143	139	58	21
膵臓切除後	計	6,670 (48.2%)	0	7	25	222	380	597	961	1,246	1,168	927	562	365	155	55
	男	4 (0.1%)	0	0	0	0	0	0	0	0	1	1	1	1	0	0
	女	6 (0.1%)	0	0	0	0	0	0	1	1	1	3	0	0	0	0
膵腫瘍疑い	計	10 (0.1%)	0	0	0	0	0	1	1	1	4	1	1	1	0	0
	男	4 (0.1%)	0	0	0	0	1	0	0	0	0	3	0	0	0	0
	女	2 (0.0%)	0	0	0	1	0	0	0	0	0	0	0	1	0	0
膵腫瘤	計	6 (0.0%)	0	0	0	1	1	0	0	0	0	3	0	1	0	0
	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	3 (0.0%)	0	0	0	0	0	1	0	2	0	0	0	0	0	0
膵嚢胞性腫瘍疑い	計	4 (0.0%)	0	0	0	0	0	1	0	2	1	0	0	0	0	0
	男	11 (0.1%)	0	0	0	0	0	0	0	1	2	2	4	1	1	0
	女	14 (0.2%)	0	0	0	0	0	2	1	2	2	1	2	3	1	0
計	25 (0.2%)	0	0	0	0	0	2	1	3	4	3	6	4	2	0	

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
膵管内 乳頭粘 液性腫 瘍(Ⅰ)	男	3 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	1
	女	10 (0.2%)	0	0	0	0	0	0	1	0	1	4	3	1	0	0
	計	13 (0.1%)	0	0	0	0	0	0	1	1	1	4	4	1	0	1
膵管内 乳頭粘 液性腫 瘍(Ⅱ)	男	13 (0.2%)	0	0	0	0	0	0	0	3	2	1	3	3	0	1
	女	12 (0.2%)	0	0	0	0	0	1	0	1	4	3	1	0	1	1
	計	25 (0.2%)	0	0	0	0	0	1	0	4	6	4	4	3	1	2
膵石ま たは膵 内石灰 化	男	2 (0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	女	6 (0.1%)	0	0	0	0	0	0	0	2	0	0	1	1	1	1
	計	8 (0.1%)	0	0	0	0	0	0	1	2	1	0	1	1	1	1
膵血管 異常	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
その他 (肝臓・ 胆嚢・ 膵臓所)	男	27 (0.3%)	0	0	0	1	2	3	1	5	6	4	3	1	1	0
	女	26 (0.4%)	0	0	0	0	0	3	7	3	4	3	4	2	0	0
	計	53 (0.4%)	0	0	0	1	2	6	8	8	10	7	7	3	1	0
腎臓の 変形	男	41 (0.5%)	0	0	0	1	1	0	1	6	11	14	4	1	1	1
	女	34 (0.6%)	0	0	1	0	2	2	2	5	8	5	4	3	2	0
	計	75 (0.5%)	0	0	1	1	3	2	3	11	19	19	8	4	3	1
腎血管 筋脂肪 腫	男	56 (0.7%)	0	0	0	1	3	6	6	14	10	7	6	2	1	0
	女	103 (1.7%)	0	0	0	0	7	3	13	27	28	14	7	4	0	0
	計	159 (1.2%)	0	0	0	1	10	9	19	41	38	21	13	6	1	0
腎嚢胞	男	1,868 (24.0%)	0	0	0	19	46	74	212	304	357	349	245	161	72	29
	女	734 (12.1%)	0	0	1	7	22	42	75	128	129	139	78	71	29	13
	計	2,602 (18.8%)	0	0	1	26	68	116	287	432	486	488	323	232	101	42
腎嚢胞 性腫瘍	男	326 (4.2%)	0	0	1	8	21	27	40	60	55	59	34	13	5	3
	女	132 (2.2%)	0	0	1	1	5	10	8	27	32	22	9	11	5	1
	計	458 (3.3%)	0	0	2	9	26	37	48	87	87	81	43	24	10	4
腎石灰 化又は 腎結石	男	1,178 (15.2%)	0	0	1	23	52	92	171	223	231	166	118	59	32	10
	女	500 (8.3%)	0	1	0	5	30	39	71	95	97	76	39	36	8	3
	計	1,678 (12.1%)	0	1	1	28	82	131	242	318	328	242	157	95	40	13
腎盂拡 張・水 腎症	男	30 (0.4%)	0	0	0	0	1	2	4	2	2	10	2	2	4	1
	女	18 (0.3%)	0	0	0	0	0	1	3	1	4	2	2	4	0	1
	計	48 (0.3%)	0	0	0	0	1	3	7	3	6	12	4	6	4	2
腎盂拡 張(腎	男	49 (0.6%)	0	0	1	1	1	1	4	5	9	12	7	4	3	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
尿管拡張を伴	女	67 (1.1%)	0	0	0	1	1	2	11	12	12	6	4	11	5	2
	計	116 (0.8%)	0	0	1	2	2	3	15	17	21	18	11	15	8	3
腎臓摘出後	男	17 (0.2%)	0	0	0	0	0	0	2	1	4	3	3	1	1	2
	女	8 (0.1%)	0	0	0	0	0	0	0	1	3	1	0	2	1	0
	計	25 (0.2%)	0	0	0	0	0	0	2	2	7	4	3	3	2	2
腎臓部分切除後	男	18 (0.2%)	0	0	0	0	0	1	3	3	2	3	3	2	0	1
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	20 (0.1%)	0	0	0	0	0	1	3	3	3	3	3	2	1	1
腎臓移植後	男	2 (0.0%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	女	2 (0.0%)	0	0	0	0	0	1	0	0	0	1	0	0	0	0
	計	4 (0.0%)	0	0	0	0	0	2	0	1	0	1	0	0	0	0
腎臓描出不能	男	4 (0.1%)	0	0	0	0	0	0	2	0	1	1	0	0	0	0
	女	9 (0.1%)	0	0	2	0	0	1	1	0	2	0	2	0	1	0
	計	13 (0.1%)	0	0	2	0	0	1	3	0	3	1	2	0	1	0
腎臓描出不良	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	4 (0.1%)	0	0	0	0	0	0	0	1	1	0	1	1	0	0
	計	5 (0.0%)	0	0	0	0	0	0	0	1	2	0	1	1	0	0
腎臓腫大	男	9 (0.1%)	0	0	0	0	1	1	1	3	1	2	0	0	0	0
	女	6 (0.1%)	0	0	0	0	2	0	2	2	0	0	0	0	0	0
	計	15 (0.1%)	0	0	0	0	3	1	3	5	1	2	0	0	0	0
腎臓萎縮	男	14 (0.2%)	0	0	0	0	1	1	2	4	1	3	0	1	0	1
	女	3 (0.0%)	0	0	0	0	0	1	1	1	0	0	0	0	0	0
	計	17 (0.1%)	0	0	0	0	1	2	3	5	1	3	0	1	0	1
腎腫瘍疑い	男	10 (0.1%)	0	0	0	0	0	1	0	1	3	2	2	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	11 (0.1%)	0	0	0	0	0	1	1	1	3	2	2	1	0	0
多発性腎嚢胞	男	15 (0.2%)	0	1	0	0	1	0	1	3	5	2	0	1	0	1
	女	7 (0.1%)	0	0	0	0	1	1	0	0	3	1	0	1	0	0
	計	22 (0.2%)	0	1	0	0	2	1	1	3	8	3	0	2	0	1
腎嚢胞性腫瘍疑い	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	1	0	1	0	0	0
腎盂結石または尿管	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
結石	計	2	(0.0%)	0	0	0	0	0	1	0	0	0	0	1	0	0	
	男	25	(0.3%)	0	0	0	1	1	0	3	5	6	6	0	1	0	2
その他 (腎臓所見)	女	13	(0.2%)	0	0	0	0	0	2	4	3	0	0	0	0	1	
	計	38	(0.3%)	0	0	0	1	1	2	7	8	9	6	0	1	0	3
副脾の 疑い	男	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	
脾臓描 出不能	男	3	(0.0%)	0	0	0	0	0	0	0	0	2	1	0	0	0	
	女	6	(0.1%)	0	0	0	0	0	1	0	1	1	0	2	0	0	
	計	9	(0.1%)	0	0	0	0	0	1	0	1	3	1	2	0	0	
脾腫瘍 疑い	男	3	(0.0%)	0	0	0	0	0	1	0	1	0	1	0	0	0	
	女	5	(0.1%)	0	0	0	1	0	1	0	1	0	1	0	1	0	
	計	8	(0.1%)	0	0	0	1	0	1	1	1	0	2	0	1	0	
脾嚢胞	男	7	(0.1%)	0	0	0	0	0	4	0	2	0	0	1	0	0	
	女	10	(0.2%)	0	0	1	2	0	2	3	0	1	0	1	0	0	
	計	17	(0.1%)	0	0	1	2	0	2	7	0	2	1	0	2	0	
副脾	男	269	(3.5%)	0	1	4	29	37	40	31	41	39	27	14	5	0	1
	女	286	(4.7%)	0	3	7	22	37	56	54	43	26	25	5	7	1	0
	計	555	(4.0%)	0	4	11	51	74	96	85	84	65	52	19	12	1	1
腹部大 動脈瘤	男	20	(0.3%)	0	0	0	0	0	0	0	1	1	4	5	6	1	2
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	21	(0.2%)	0	0	0	0	0	0	0	1	1	4	6	6	1	2
動脈硬 化	男	2,188	(28.1%)	0	0	0	0	4	22	125	291	490	506	386	230	96	38
	女	1,091	(18.0%)	0	0	0	0	5	9	52	89	195	260	187	181	91	22
	計	3,279	(23.7%)	0	0	0	0	9	31	177	380	685	766	573	411	187	60
脾臓切 除後	男	7	(0.1%)	0	0	0	0	0	1	4	0	1	1	0	0	0	
	女	7	(0.1%)	0	0	0	0	0	1	2	1	2	0	0	1	0	
	計	14	(0.1%)	0	0	0	0	0	1	3	5	2	1	1	1	0	
脾腫大	男	7	(0.1%)	0	0	0	0	0	0	0	1	1	1	3	0	0	1
	女	7	(0.1%)	0	0	0	1	0	3	0	1	1	0	0	1	0	0
	計	14	(0.1%)	0	0	0	1	0	3	0	2	2	1	3	1	0	1
脾内石 灰化	男	8	(0.1%)	0	0	0	0	0	0	2	0	1	0	2	3	0	
	女	5	(0.1%)	0	0	0	0	1	0	0	2	0	1	1	0	0	
	計	13	(0.1%)	0	0	0	0	1	0	2	2	0	2	1	2	3	

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脾血管異常	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
腹部大動脈治療後	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0	
腹部大動脈解離	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0	
貯留液	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	2 (0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
	計	2 (0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0	
腹部腫瘍	男	4 (0.1%)	0	0	0	0	1	0	0	1	1	0	1	0	0	0	
	女	20 (0.3%)	0	0	0	0	0	2	6	4	1	2	0	2	2	1	
	計	24 (0.2%)	0	0	0	0	1	2	6	5	2	2	1	2	2	1	
その他 (脾臓・腹部大動脈・)	男	13 (0.2%)	0	0	0	0	0	0	1	1	5	3	2	1	0	0	
	女	14 (0.2%)	0	0	0	0	0	3	2	3	2	0	1	3	0	0	
	計	27 (0.2%)	0	0	0	0	0	3	3	4	7	3	3	4	0	0	
検診者 総数	男	7,773		0	11	51	455	661	845	1,226	1,362	1,250	922	547	281	118	44
	女	6,051		0	20	70	281	548	728	997	1,094	883	681	359	259	103	28
	計	13,824		0	31	121	736	1,209	1,573	2,223	2,456	2,133	1,603	906	540	221	72

表19 眼底写真判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	5,721 (54.1%)	2	19	63	476	720	942	1,078	1,043	710	469	153	44	2	0
	女	4,698 (61.8%)	0	16	68	318	574	732	953	935	600	343	104	49	5	1
	計	10,419 (57.3%)	2	35	131	794	1,294	1,674	2,031	1,978	1,310	812	257	93	7	1
問題なし	男	61 (0.6%)	0	0	1	0	3	9	9	11	17	5	6	0	0	0
	女	33 (0.4%)	0	0	0	0	1	3	5	5	9	5	0	4	1	0
	計	94 (0.5%)	0	0	1	0	4	12	14	16	26	10	6	4	1	0
要経過観察	男	3,638 (34.4%)	0	0	0	8	41	126	357	622	747	795	487	379	60	16
	女	2,112 (27.8%)	0	0	0	10	25	61	172	330	361	455	351	298	38	11
	計	5,750 (31.6%)	0	0	0	18	66	187	529	952	1,108	1,250	838	677	98	27
要精密検査	男	677 (6.4%)	0	2	0	5	21	38	45	87	109	88	134	128	13	7
	女	469 (6.2%)	0	0	0	3	8	18	37	43	61	83	88	119	7	2
	計	1,146 (6.3%)	0	2	0	8	29	56	82	130	170	171	222	247	20	9
要治療	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
治療中	男	484 (4.6%)	0	0	0	3	7	11	47	68	103	116	63	44	13	9
	女	285 (3.8%)	0	0	0	2	2	20	16	38	66	57	36	36	12	0
	計	769 (4.2%)	0	0	0	5	9	31	63	106	169	173	99	80	25	9
検診者総数	男	10,582	2	21	64	492	792	1,126	1,536	1,831	1,687	1,473	843	595	88	32
	女	7,598	0	16	68	333	610	834	1,183	1,351	1,098	943	579	506	63	14
	計	18,180	2	37	132	825	1,402	1,960	2,719	3,182	2,785	2,416	1,422	1,101	151	46

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
細動脈 狭細化	男	35 (0.3%)	0	0	0	0	1	1	5	6	7	9	5	1	0	0
	女	20 (0.3%)	0	0	0	0	0	1	5	1	6	5	0	2	0	0
	計	55 (0.3%)	0	0	0	0	1	2	10	7	13	14	5	3	0	0
細動脈 口径不 同	男	42 (0.4%)	0	0	0	0	1	0	4	9	9	12	2	5	0	0
	女	31 (0.4%)	0	0	0	0	0	2	3	5	4	9	4	4	0	0
	計	73 (0.4%)	0	0	0	0	1	2	7	14	13	21	6	9	0	0
眼底出 血	男	36 (0.3%)	0	0	0	0	1	5	6	2	7	4	5	6	0	0
	女	19 (0.3%)	0	0	0	0	0	0	2	2	7	3	2	3	0	0
	計	55 (0.3%)	0	0	0	0	1	5	8	4	14	7	7	9	0	0
眼底出 血の疑 い	男	42 (0.4%)	0	0	0	1	0	1	7	9	12	3	5	3	1	0
	女	53 (0.7%)	0	0	0	0	1	2	11	4	12	8	8	7	0	0
	計	95 (0.5%)	0	0	0	1	1	3	18	13	24	11	13	10	1	0
細動脈 反射増 強	男	908 (8.6%)	0	0	0	1	5	19	83	168	201	206	122	83	20	0
	女	633 (8.3%)	0	0	0	1	4	13	46	111	89	160	110	86	12	1
	計	1,541 (8.5%)	0	0	0	2	9	32	129	279	290	366	232	169	32	1
動静脈 交叉現 象	男	2,210 (20.9%)	0	0	0	3	16	63	192	409	488	498	316	188	26	11
	女	1,238 (16.3%)	0	0	0	3	10	25	89	209	228	300	206	152	13	3
	計	3,448 (19.0%)	0	0	0	6	26	88	281	618	716	798	522	340	39	14
毛細血 管瘤 (赤色 点)	男	5 (0.0%)	0	0	0	0	0	0	0	2	0	1	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5 (0.0%)	0	0	0	0	0	0	0	2	0	1	1	1	0	0
新生血 管	男	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
静脈拡 張	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
点状出 血	男	71 (0.7%)	0	0	0	0	4	9	4	15	12	17	6	4	0	0
	女	9 (0.1%)	0	0	0	0	0	1	1	2	0	1	1	3	0	0
	計	80 (0.4%)	0	0	0	0	4	10	5	17	12	18	7	7	0	0
斑状出 血	男	37 (0.3%)	0	0	0	0	1	3	6	9	5	6	2	4	0	1
	女	14 (0.2%)	0	0	0	0	0	3	2	3	2	1	1	1	1	0
	計	51 (0.3%)	0	0	0	0	1	6	8	12	7	7	3	5	1	1
網膜白	男	66 (0.6%)	0	0	0	0	1	4	9	11	12	12	7	8	1	1

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	計														
網膜白 斑	女	29 (0.4%)	0	0	0	1	1	3	5	4	5	1	5	2	2	0
	計	95 (0.5%)	0	0	0	1	2	7	14	15	17	13	12	10	3	1
白内障 の疑い	男	905 (8.5%)	0	0	0	1	0	8	9	22	60	173	252	312	50	18
	女	661 (8.7%)	0	0	0	0	1	2	8	18	42	118	176	254	33	9
	計	1,566 (8.6%)	0	0	0	1	1	10	17	40	102	291	428	566	83	27
視神経 乳頭異 常	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
視神経 乳頭異 常の疑 い	男	552 (5.2%)	0	1	0	3	18	33	66	96	122	99	61	39	9	5
	女	245 (3.2%)	0	0	0	1	4	17	26	39	52	50	35	17	4	0
	計	797 (4.4%)	0	1	0	4	22	50	92	135	174	149	96	56	13	5
光凝固 後	男	16 (0.2%)	0	0	0	0	0	0	1	1	3	6	3	2	0	0
	女	6 (0.1%)	0	0	0	0	0	1	0	2	1	0	0	2	0	0
	計	22 (0.1%)	0	0	0	0	0	1	1	3	4	6	3	4	0	0
網膜有 髄神経 線維の 疑い	男	57 (0.5%)	0	0	1	0	2	5	8	8	16	5	6	4	2	0
	女	22 (0.3%)	0	0	0	0	1	1	4	2	5	6	0	3	0	0
	計	79 (0.4%)	0	0	1	0	3	6	12	10	21	11	6	7	2	0
網脈絡 膜痕 巣の疑 い	男	52 (0.5%)	0	0	0	2	2	3	8	7	9	12	7	1	0	1
	女	22 (0.3%)	0	0	0	0	1	1	3	7	4	2	2	2	0	0
	計	74 (0.4%)	0	0	0	2	3	4	11	14	13	14	9	3	0	1
瞳孔の 開き不 充分	男	314 (3.0%)	0	0	0	2	2	4	18	24	40	89	50	67	14	4
	女	146 (1.9%)	0	0	0	2	2	1	11	11	21	23	34	35	6	0
	計	460 (2.5%)	0	0	0	4	4	5	29	35	61	112	84	102	20	4
黄斑部 異常の 疑い	男	480 (4.5%)	0	0	0	1	6	14	49	68	110	92	69	59	12	0
	女	206 (2.7%)	0	0	0	1	1	4	6	25	40	50	36	38	5	0
	計	686 (3.8%)	0	0	0	2	7	18	55	93	150	142	105	97	17	0
右眼の み撮影	男	30 (0.3%)	0	0	0	0	1	0	2	5	6	7	1	7	1	0
	女	9 (0.1%)	0	0	0	0	0	0	1	0	1	2	4	1	0	0
	計	39 (0.2%)	0	0	0	0	1	0	3	5	7	9	5	8	1	0
左眼の み撮影	男	24 (0.2%)	0	0	0	1	1	0	0	2	3	6	2	7	1	1
	女	9 (0.1%)	0	0	0	0	0	0	1	0	1	1	3	3	0	0
	計	33 (0.2%)	0	0	0	1	1	0	1	2	4	7	5	10	1	1
硝子体 閃輝融 解の疑	男	32 (0.3%)	0	0	0	0	0	1	2	0	10	5	7	7	0	0
	女	15 (0.2%)	0	0	0	0	0	1	2	1	3	2	3	2	1	0

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
網膜神経線維層欠損の疑い	計	47 (0.3%)	0	0	0	0	0	2	4	1	13	7	10	9	1	0	
	男	531 (5.0%)	0	1	0	4	10	35	54	91	131	95	67	31	8	4	
	女	256 (3.4%)	0	0	0	6	8	27	36	45	49	44	18	18	5	0	
ドルーゼン	計	787 (4.3%)	0	1	0	10	18	62	90	136	180	139	85	49	13	4	
	男	9 (0.1%)	0	0	0	0	0	0	0	0	1	3	1	2	2	0	
	女	24 (0.3%)	0	0	0	0	0	0	0	0	1	2	5	11	5	0	
その他 (眼底写真所見)	計	33 (0.2%)	0	0	0	0	0	0	0	0	2	5	6	13	7	0	
	男	210 (2.0%)	0	0	0	0	10	10	29	43	55	32	18	8	4	1	
	女	139 (1.8%)	0	0	0	1	4	10	18	25	33	22	13	11	2	0	
検診者 総数	計	349 (1.9%)	0	0	0	1	14	20	47	68	88	54	31	19	6	1	
	男	10,591		2	23	67	493	792	1,126	1,536	1,832	1,689	1,473	843	595	88	32
	女	7,598		0	16	68	333	610	834	1,183	1,351	1,098	943	579	506	63	14
	計	18,189		2	39	135	826	1,402	1,960	2,719	3,183	2,787	2,416	1,422	1,101	151	46

表21 肺機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	4,751 (93.1%)	11	93	153	307	419	582	756	866	727	427	206	125	57	22
	女	3,001 (94.8%)	2	21	79	156	296	386	508	569	397	263	149	116	50	9
	計	7,752 (93.8%)	13	114	232	463	715	968	1,264	1,435	1,124	690	355	241	107	31
問題なし	男	306 (6.0%)	1	3	1	11	16	16	28	52	65	43	33	17	15	5
	女	143 (4.5%)	0	3	4	5	13	15	19	22	16	14	8	15	6	3
	計	449 (5.4%)	1	6	5	16	29	31	47	74	81	57	41	32	21	8
要経過観察	男	33 (0.6%)	0	0	0	0	0	2	4	3	4	9	3	2	3	3
	女	13 (0.4%)	0	1	0	0	0	0	3	2	1	1	2	3	0	0
	計	46 (0.6%)	0	1	0	0	0	2	7	5	5	10	5	5	3	3
要精密検査	男	12 (0.2%)	0	0	0	0	0	1	2	0	3	1	1	2	2	0
	女	5 (0.2%)	0	0	0	0	0	1	0	1	1	2	0	0	0	0
	計	17 (0.2%)	0	0	0	0	0	2	2	1	4	3	1	2	2	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	1	0
	計	3 (0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	1	0
検診者総数	男	5,103	12	96	154	318	435	601	790	922	799	480	243	146	77	30
	女	3,164	2	25	83	161	309	402	530	595	415	280	159	134	57	12
	計	8,267	14	121	237	479	744	1,003	1,320	1,517	1,214	760	402	280	134	42

表22 肺機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
肺機能検査 肺活量%	男	5018	106.8	12	103.7	97	104.9	166	107.7	322	107.4	427	108.6	590	109.1	776	109.2	909	108.3	774	106.4	463	104.1	233	102.5	144	98.3	75	92.7	30	92.1
	女	3054	105.7	2	89.0	25	97.5	83	101.6	161	104.7	297	106.2	384	107.1	510	108.4	577	106.4	389	106.2	268	103.1	157	103.3	132	102.3	57	98.9	12	104.3
	計	8072	106.4	14	101.6	122	103.4	249	105.7	483	106.5	724	107.6	974	108.3	1286	108.9	1486	107.5	1163	106.3	731	103.7	390	102.8	276	100.2	132	95.4	42	95.6
肺機能検査 一秒率%	男	5018	80.4	12	80.3	97	84.5	166	83.9	322	83.3	427	82.7	590	81.8	776	80.6	909	79.8	774	79.4	463	78.4	233	78.0	144	77.4	75	77.0	30	76.7
	女	3054	81.6	2	89.6	25	86.3	83	84.9	161	85.0	297	83.5	384	83.0	510	81.6	577	81.1	389	80.6	268	80.3	157	79.1	132	78.5	57	77.1	12	76.8
	計	8072	80.9	14	81.6	122	84.8	249	84.2	483	83.9	724	83.0	974	82.2	1286	81.0	1486	80.3	1163	79.8	731	79.1	390	78.4	276	77.9	132	77.0	42	76.7

表23 聴力判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	25,536 (85.3%)	228	1,716	2,341	2,348	2,679	3,186	3,558	3,337	2,699	2,085	970	317	59	13
	女	23,087 (93.7%)	139	1,666	1,972	1,877	2,199	2,872	3,350	3,285	2,476	1,941	813	408	81	8
	計	48,623 (89.1%)	367	3,382	4,313	4,225	4,878	6,058	6,908	6,622	5,175	4,026	1,783	725	140	21
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	4,403 (14.7%)	2	21	25	53	105	179	377	510	627	866	831	586	167	54
	女	1,543 (6.3%)	4	23	28	28	46	71	116	136	217	247	256	273	78	20
	計	5,946 (10.9%)	6	44	53	81	151	250	493	646	844	1,113	1,087	859	245	74
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	29,939	230	1,737	2,366	2,401	2,784	3,365	3,935	3,847	3,326	2,951	1,801	903	226	67
	女	24,630	143	1,689	2,000	1,905	2,245	2,943	3,466	3,421	2,693	2,188	1,069	681	159	28
	計	54,569	373	3,426	4,366	4,306	5,029	6,308	7,401	7,268	6,019	5,139	2,870	1,584	385	95

表24 聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差	平均値	標準偏差		
聴力 5 O O H z d B	男	135	22.6	0	0.0	0	0.0	0	0.0	2	17.5	3	28.3	11	20.0	15	22.0	34	22.5	36	22.4	24	21.3	4	16.3	3	30.0	1	90.0	2	27.5
	女	82	22.1	0	0.0	0	0.0	1	20.0	0	0.0	1	40.0	13	18.5	15	21.7	16	21.9	25	23.0	9	23.3	2	25.0	0	0.0	0	0.0	0	0.0
	計	217	22.4	0	0.0	0	0.0	1	20.0	2	17.5	4	31.3	24	19.2	30	21.8	50	22.3	61	22.6	33	21.8	6	19.2	3	30.0	1	90.0	2	27.5
聴力 1 K H z d B	男	135	16.3	0	0.0	0	0.0	0	0.0	2	10.0	3	18.3	11	13.6	15	16.0	34	14.7	36	17.4	24	15.6	4	12.5	3	25.0	1	70.0	2	20.0
	女	82	15.4	0	0.0	0	0.0	1	10.0	0	0.0	1	25.0	13	13.1	15	13.7	16	13.4	25	17.8	9	17.8	2	17.5	0	0.0	0	0.0	0	0.0
	計	217	16.0	0	0.0	0	0.0	1	10.0	2	10.0	4	20.0	24	13.3	30	14.8	50	14.3	61	17.5	33	16.2	6	14.2	3	25.0	1	70.0	2	20.0
聴力 2 K H z d B	男	135	19.2	0	0.0	0	0.0	0	0.0	2	15.0	3	16.7	11	17.3	15	16.0	34	15.7	36	20.8	24	21.0	4	17.5	3	26.7	1	70.0	2	32.5
	女	82	16.5	0	0.0	0	0.0	1	5.0	0	0.0	1	25.0	13	13.9	15	15.7	16	13.1	25	19.0	9	19.4	2	25.0	0	0.0	0	0.0	0	0.0
	計	217	18.2	0	0.0	0	0.0	1	5.0	2	15.0	4	18.8	24	15.4	30	15.8	50	14.9	61	20.1	33	20.6	6	20.0	3	26.7	1	70.0	2	32.5
聴力 4 K H z d B	男	135	20.4	0	0.0	0	0.0	0	0.0	2	2.5	3	21.7	11	17.7	15	22.0	34	14.4	36	20.6	24	26.5	4	20.0	3	23.3	1	90.0	2	30.0
	女	82	14.6	0	0.0	0	0.0	1	0.0	0	0.0	1	20.0	13	10.4	15	13.3	16	11.6	25	16.8	9	21.1	2	22.5	0	0.0	0	0.0	0	0.0
	計	217	18.2	0	0.0	0	0.0	1	0.0	2	2.5	4	21.3	24	13.8	30	17.7	50	13.5	61	19.0	33	25.0	6	20.8	3	23.3	1	90.0	2	30.0
聴力 5 O O H z d B	男	135	20.9	0	0.0	0	0.0	0	0.0	2	17.5	3	16.7	11	16.4	15	18.7	34	19.9	36	21.5	24	22.7	4	13.8	3	33.3	1	70.0	2	25.0
	女	82	20.5	0	0.0	0	0.0	1	5.0	0	0.0	1	25.0	13	18.5	15	22.0	16	19.7	25	20.4	9	23.3	2	22.5	0	0.0	0	0.0	0	0.0
	計	217	20.7	0	0.0	0	0.0	1	5.0	2	17.5	4	18.8	24	17.5	30	20.3	50	19.8	61	21.1	33	22.9	6	16.7	3	33.3	1	70.0	2	25.0
聴力 1 K H z d B	男	135	15.2	0	0.0	0	0.0	0	0.0	2	7.5	3	11.7	11	10.0	15	12.0	34	14.0	36	17.1	24	18.5	4	13.8	3	21.7	1	15.0	2	20.0
	女	82	13.0	0	0.0	0	0.0	1	10.0	0	0.0	1	25.0	13	10.8	15	11.7	16	11.3	25	14.0	9	18.9	2	7.5	0	0.0	0	0.0	0	0.0
	計	217	14.4	0	0.0	0	0.0	1	10.0	2	7.5	4	15.0	24	10.4	30	11.8	50	13.1	61	15.8	33	18.6	6	11.7	3	21.7	1	15.0	2	20.0
聴力 2 K H z d B	男	135	17.5	0	0.0	0	0.0	0	0.0	2	7.5	3	13.3	11	15.9	15	15.3	34	14.3	36	18.8	24	21.0	4	20.0	3	23.3	1	25.0	2	30.0
	女	82	15.7	0	0.0	0	0.0	1	5.0	0	0.0	1	25.0	13	9.6	15	18.0	16	11.6	25	17.2	9	23.9	2	17.5	0	0.0	0	0.0	0	0.0
	計	217	16.8	0	0.0	0	0.0	1	5.0	2	7.5	4	16.3	24	12.5	30	16.7	50	13.4	61	18.1	33	21.8	6	19.2	3	23.3	1	25.0	2	30.0
聴力 4 K H z d B	男	135	23.5	0	0.0	0	0.0	0	0.0	2	5.0	3	13.3	11	24.1	15	20.3	34	17.2	36	26.5	24	30.0	4	21.3	3	35.0	1	50.0	2	25.0
	女	82	16.4	0	0.0	0	0.0	1	0.0	0	0.0	1	5.0	13	8.9	15	15.7	16	13.8	25	19.2	9	28.9	2	15.0	0	0.0	0	0.0	0	0.0
	計	217	20.8	0	0.0	0	0.0	1	0.0	2	5.0	4	11.3	24	15.8	30	18.0	50	16.1	61	23.5	33	29.7	6	19.2	3	35.0	1	50.0	2	25.0

表24-1 精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
精密聴力 250 Hz dB	男	289	31.9	9	33.9	60	32.2	48	29.1	50	30.5	28	31.3	8	35.0	48	33.1	28	33.8	4	36.3	3	36.7	3	36.7	0	0.0	0	0.0	0	0.0
	女	1	35.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	35.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	31.9	9	33.9	60	32.2	48	29.1	50	30.5	28	31.3	9	35.0	48	33.1	28	33.8	4	36.3	3	36.7	3	36.7	0	0.0	0	0.0	0	0.0
精密聴力 500 Hz dB	男	289	29.5	9	32.2	60	28.3	48	27.1	50	29.6	28	29.1	8	33.8	48	30.5	28	31.6	4	27.5	3	36.7	3	35.0	0	0.0	0	0.0	0	0.0
	女	1	30.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	30.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	29.5	9	32.2	60	28.3	48	27.1	50	29.6	28	29.1	9	33.3	48	30.5	28	31.6	4	27.5	3	36.7	3	35.0	0	0.0	0	0.0	0	0.0
精密聴力 1Kd B	男	289	16.3	9	12.2	60	14.9	48	12.4	50	14.5	28	15.2	8	23.8	48	19.4	28	22.1	4	16.3	3	23.3	3	26.7	0	0.0	0	0.0	0	0.0
	女	1	15.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	15.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	16.3	9	12.2	60	14.9	48	12.4	50	14.5	28	15.2	9	22.8	48	19.4	28	22.1	4	16.3	3	23.3	3	26.7	0	0.0	0	0.0	0	0.0
精密聴力 2Kd B	男	289	15.6	9	11.7	60	13.5	48	10.4	50	14.0	28	13.4	8	20.6	48	19.9	28	24.6	4	17.5	3	21.7	3	26.7	0	0.0	0	0.0	0	0.0
	女	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	15.6	9	11.7	60	13.5	48	10.4	50	14.0	28	13.4	9	19.4	48	19.9	28	24.6	4	17.5	3	21.7	3	26.7	0	0.0	0	0.0	0	0.0
精密聴力 4Kd B	男	289	14.3	9	5.6	60	8.4	48	4.9	50	9.8	28	15.0	8	13.8	48	25.7	28	30.2	4	15.0	3	16.7	3	41.7	0	0.0	0	0.0	0	0.0
	女	1	5.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	14.2	9	5.6	60	8.4	48	4.9	50	9.8	28	15.0	9	12.8	48	25.7	28	30.2	4	15.0	3	16.7	3	41.7	0	0.0	0	0.0	0	0.0
精密聴力 8Kd B	男	289	16.7	9	3.3	60	11.3	48	10.6	50	9.7	28	17.0	8	19.4	48	24.4	28	30.4	4	31.3	3	53.3	3	60.0	0	0.0	0	0.0	0	0.0
	女	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	16.7	9	3.3	60	11.3	48	10.6	50	9.7	28	17.0	9	19.4	48	24.4	28	30.4	4	31.3	3	53.3	3	60.0	0	0.0	0	0.0	0	0.0
精密聴力 250 Hz dB	男	289	30.7	9	30.0	60	30.3	48	28.1	50	29.9	28	30.5	8	32.5	48	32.3	28	32.0	4	37.5	3	33.3	3	40.0	0	0.0	0	0.0	0	0.0
	女	1	35.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	35.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	30.7	9	30.0	60	30.3	48	28.1	50	29.9	28	30.5	9	32.8	48	32.3	28	32.0	4	37.5	3	33.3	3	40.0	0	0.0	0	0.0	0	0.0
精密聴力 500 Hz dB	男	289	28.5	9	28.3	60	28.6	48	25.6	50	28.8	28	27.5	8	33.1	48	29.1	28	29.5	4	31.3	3	33.3	3	35.0	0	0.0	0	0.0	0	0.0
	女	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	28.5	9	28.3	60	28.6	48	25.6	50	28.8	28	27.5	9	32.2	48	29.1	28	29.5	4	31.3	3	33.3	3	35.0	0	0.0	0	0.0	0	0.0
精密聴力 1Kd B	男	289	15.0	9	13.9	60	13.0	48	12.2	50	13.5	28	14.6	8	23.8	48	17.1	28	19.1	4	17.5	3	21.7	3	28.3	0	0.0	0	0.0	0	0.0
	女	1	15.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	15.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	15.0	9	13.9	60	13.0	48	12.2	50	13.5	28	14.6	9	22.8	48	17.1	28	19.1	4	17.5	3	21.7	3	28.3	0	0.0	0	0.0	0	0.0
精密聴	男	289	14.4	9	11.7	60	10.8	48	9.3	50	13.2	28	12.7	8	18.1	48	21.3	28	20.5	4	18.8	3	18.3	3	26.7	0	0.0	0	0.0	0	0.0

表24-1 精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
カ H z B 2 K d	女	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	14.4	9	11.7	60	10.8	48	9.3	50	13.2	28	12.7	9	17.2	48	21.3	28	20.5	4	18.8	3	18.3	3	26.7	0	0.0	0	0.0	0	0.0
精密 カ H z B 4 K d	男	289	15.0	9	5.6	60	5.6	48	7.2	50	10.2	28	14.8	8	22.5	48	29.8	28	28.8	4	25.0	3	15.0	3	43.3	0	0.0	0	0.0	0	0.0
	女	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	15.0	9	5.6	60	5.6	48	7.2	50	10.2	28	14.8	9	21.1	48	29.8	28	28.8	4	25.0	3	15.0	3	43.3	0	0.0	0	0.0	0	0.0
精密 カ H z B 8 K d	男	289	15.3	9	6.7	60	6.8	48	10.8	50	8.7	28	15.4	8	20.0	48	27.1	28	26.8	4	22.5	3	18.3	3	68.3	0	0.0	0	0.0	0	0.0
	女	1	5.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	290	15.2	9	6.7	60	6.8	48	10.8	50	8.7	28	15.4	9	18.3	48	27.1	28	26.8	4	22.5	3	18.3	3	68.3	0	0.0	0	0.0	0	0.0

表25 血圧判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	18,557 (53.7%)	239	1,845	2,370	2,119	2,259	2,285	2,222	1,747	1,238	951	538	401	222	121
	女	22,110 (68.9%)	173	1,972	2,235	2,034	2,325	2,802	2,903	2,576	1,884	1,423	791	616	250	126
	計	40,667 (61.0%)	412	3,817	4,605	4,153	4,584	5,087	5,125	4,323	3,122	2,374	1,329	1,017	472	247
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	8,230 (23.8%)	25	217	371	499	650	835	1,121	1,193	989	857	606	464	265	138
	女	5,192 (16.2%)	7	54	81	127	212	407	658	751	694	701	566	546	273	115
	計	13,422 (20.1%)	32	271	452	626	862	1,242	1,779	1,944	1,683	1,558	1,172	1,010	538	253
要精密検査	男	798 (2.3%)	0	3	12	19	44	83	127	140	113	98	58	49	38	14
	女	460 (1.4%)	0	2	1	12	28	31	60	71	57	52	60	43	23	20
	計	1,258 (1.9%)	0	5	13	31	72	114	187	211	170	150	118	92	61	34
要治療	男	167 (0.5%)	0	1	2	4	8	23	37	37	20	17	13	3	1	1
	女	84 (0.3%)	0	0	2	0	3	5	19	21	13	6	5	4	4	2
	計	251 (0.4%)	0	1	4	4	11	28	56	58	33	23	18	7	5	3
治療中	男	6,807 (19.7%)	1	1	6	28	99	222	535	851	1,076	1,201	1,016	876	560	335
	女	4,266 (13.3%)	0	3	4	9	32	97	252	518	546	648	607	781	474	295
	計	11,073 (16.6%)	1	4	10	37	131	319	787	1,369	1,622	1,849	1,623	1,657	1,034	630
検診者総数	男	34,559	265	2,067	2,761	2,669	3,060	3,448	4,042	3,968	3,436	3,124	2,231	1,793	1,086	609
	女	32,112	180	2,031	2,323	2,182	2,600	3,342	3,892	3,937	3,194	2,830	2,029	1,990	1,024	558
	計	66,671	445	4,098	5,084	4,851	5,660	6,790	7,934	7,905	6,630	5,954	4,260	3,783	2,110	1,167

表26 血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時 血圧最大 mmHg	男	34940	126.3	274	119.5	2133	120.1	2816	120.1	2738	121.0	3097	122.3	3464	123.5	4086	125.8	4006	127.5	3446	129.2	3135	130.5	2249	133.3	1800	133.8	1087	134.3	609	134.3
	女	32250	120.0	181	111.9	2058	110.5	2331	109.9	2193	111.1	2619	112.8	3355	115.6	3909	119.1	3951	121.6	3202	123.1	2839	126.3	2034	130.0	1996	132.1	1024	134.5	558	134.5
	計	67190	123.3	455	116.5	4191	115.4	5147	115.5	4931	116.6	5716	118.0	6819	119.6	7995	122.5	7957	124.5	6648	126.3	5974	128.5	4283	131.7	3796	132.9	2111	134.4	1167	134.4
安静時 血圧最小 mmHg	男	34940	78.3	274	67.5	2133	68.9	2816	71.0	2738	73.7	3097	76.2	3464	78.4	4086	80.9	4006	82.3	3446	82.7	3135	82.1	2249	81.4	1800	79.9	1087	77.8	609	75.1
	女	32250	73.1	181	66.6	2058	67.0	2331	67.4	2193	69.0	2619	70.1	3355	71.8	3909	73.9	3951	75.4	3202	76.1	2839	76.6	2034	76.9	1996	76.0	1024	75.0	558	72.8
	計	67190	75.8	455	67.1	4191	68.0	5147	69.4	4931	71.7	5716	73.4	6819	75.2	7995	77.5	7957	78.9	6648	79.5	5974	79.5	4283	79.3	3796	77.8	2111	76.5	1167	74.0

表27 眼圧検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
眼圧 右 mmHg	男	4176	15.1	1	17.0	2	15.0	31	15.1	381	15.6	444	15.4	486	15.2	632	15.2	703	15.0	733	15.0	444	14.9	241	14.5	66	14.1	8	14.3	4	13.8
	女	3076	15.3	0	0.0	4	17.8	41	15.6	236	15.3	307	15.5	383	15.5	470	15.3	581	15.4	504	15.1	370	14.9	131	15.4	42	15.0	6	15.7	1	14.0
	計	7252	15.2	1	17.0	6	16.8	72	15.4	617	15.5	751	15.4	869	15.4	1102	15.2	1284	15.2	1237	15.1	814	14.9	372	14.8	108	14.4	14	14.9	5	13.8
眼圧 左 mmHg	男	4177	15.3	1	17.0	2	15.0	31	15.1	381	15.6	445	15.4	486	15.3	631	15.3	704	15.2	732	15.3	444	15.2	242	14.9	66	14.5	8	14.9	4	12.3
	女	3076	15.5	0	0.0	4	16.0	41	15.5	236	15.3	307	15.6	383	15.7	470	15.5	581	15.7	504	15.4	370	15.3	131	15.6	42	15.1	6	16.3	1	14.0
	計	7253	15.4	1	17.0	6	15.7	72	15.3	617	15.5	752	15.5	869	15.5	1101	15.4	1285	15.4	1236	15.3	814	15.3	373	15.1	108	14.7	14	15.5	5	12.6

表28 内科診察判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	32,633 (98.1%)	241	1,852	2,392	2,386	2,836	3,326	3,897	3,871	3,393	3,055	2,157	1,696	997	534
	女	29,715 (97.4%)	140	1,717	1,979	1,878	2,325	3,111	3,691	3,787	3,084	2,748	1,955	1,920	973	407
	計	62,348 (97.8%)	381	3,569	4,371	4,264	5,161	6,437	7,588	7,658	6,477	5,803	4,112	3,616	1,970	941
問題なし	男	12 (0.0%)	0	0	0	1	0	0	1	2	2	1	1	1	2	1
	女	7 (0.0%)	0	0	0	0	0	1	1	2	0	0	0	2	1	0
	計	19 (0.0%)	0	0	0	1	0	1	2	4	2	1	1	3	3	1
要経過観察	男	331 (1.0%)	0	4	5	5	17	26	30	37	40	36	31	43	27	30
	女	550 (1.8%)	0	8	17	22	41	75	82	75	73	56	41	32	15	13
	計	881 (1.4%)	0	12	22	27	58	101	112	112	113	92	72	75	42	43
要精密検査	男	145 (0.4%)	0	2	5	2	3	9	5	12	13	12	21	25	23	13
	女	156 (0.5%)	0	11	4	3	9	11	17	8	14	13	16	14	19	17
	計	301 (0.5%)	0	13	9	5	12	20	22	20	27	25	37	39	42	30
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	140 (0.4%)	0	1	1	1	2	5	6	9	11	12	20	23	31	18
	女	82 (0.3%)	1	3	2	6	6	6	6	10	8	5	6	13	4	6
	計	222 (0.3%)	1	4	3	7	8	11	12	19	19	17	26	36	35	24
検診者総数	男	33,261	241	1,859	2,403	2,395	2,858	3,366	3,939	3,931	3,459	3,116	2,230	1,788	1,080	596
	女	30,510	141	1,739	2,002	1,909	2,381	3,204	3,797	3,882	3,179	2,822	2,018	1,981	1,012	443
	計	63,771	382	3,598	4,405	4,304	5,239	6,570	7,736	7,813	6,638	5,938	4,248	3,769	2,092	1,039

表29 内科診察検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
軽度の腰痛症状	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0	
	男	10 (0.0%)	0	0	0	0	2	4	0	0	3	0	0	1	0	0	
	女	27 (0.1%)	0	1	1	2	1	0	7	5	6	2	2	0	0	0	
中等度の腰痛症状	計	37 (0.1%)	0	1	1	2	3	4	7	5	9	2	2	1	0	0	
	男	4 (0.0%)	0	0	0	0	1	0	3	0	0	0	0	0	0	0	
	女	18 (0.1%)	0	0	2	0	2	1	4	3	2	1	2	1	0	0	
前屈制限・前屈時疼痛	計	22 (0.0%)	0	0	2	0	3	1	7	3	2	1	2	1	0	0	
	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	8 (0.0%)	0	0	0	0	1	1	3	0	2	1	0	0	0	0	
後屈制限・後屈時疼痛	計	8 (0.0%)	0	0	0	0	1	1	3	0	2	1	0	0	0	0	
	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	6 (0.0%)	0	0	0	0	1	1	2	1	0	1	0	0	0	0	
下肢しびれ・知覚異常	計	6 (0.0%)	0	0	0	0	1	1	2	1	0	1	0	0	0	0	
	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	女	7 (0.0%)	0	0	0	0	0	2	1	2	2	0	0	0	0	0	
膝蓋腱反射異常	計	8 (0.0%)	0	0	0	0	0	3	1	2	2	0	0	0	0	0	
	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
アキレス腱反射異常	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
その他(内科診察所見)	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	男	39 (0.1%)	0	0	2	1	2	4	6	2	5	7	5	2	3	0	
	女	46 (0.2%)	0	3	1	3	3	8	4	5	5	4	2	5	3	0	
検診者総数	計	86 (0.1%)	0	3	3	5	5	12	10	7	10	11	7	7	6	0	
	男	33,261		241	1,859	2,403	2,395	2,858	3,366	3,939	3,931	3,459	3,116	2,230	1,788	1,080	596
	女	30,510		141	1,739	2,002	1,909	2,381	3,204	3,797	3,882	3,179	2,822	2,018	1,981	1,012	443
計	63,771		382	3,598	4,405	4,304	5,239	6,570	7,736	7,813	6,638	5,938	4,248	3,769	2,092	1,039	

表32 乳房判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	11,469	(80.8%)	12	255	375	526	830	1,385	1,622	1,718	1,433	1,302	804	777	311	119
問題なし	2,006	(14.1%)	0	56	156	217	306	247	315	281	166	116	63	56	21	6
要経過観察	100	(0.7%)	0	2	6	7	6	14	17	10	15	13	5	4	1	0
要精密検査	598	(4.2%)	0	3	5	13	34	86	125	99	87	65	31	32	11	7
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	17	(0.1%)	0	0	0	0	0	0	4	4	8	1	0	0	0	0
合計	14190		12	316	542	763	1176	1732	2083	2112	1709	1497	903	869	344	132

表33 乳房触診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
乳腺症	1	(0.4%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
乳腺症の疑い	3	(1.3%)	0	0	0	0	0	0	1	2	0	0	0	0	0	0
良性乳腺腫瘍 その他	4	(1.7%)	0	0	0	0	0	1	3	0	0	0	0	0	0	0
(乳房触診所見)	2	(0.9%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0
検診者 総数	229		0	0	3	18	23	34	34	30	39	19	17	7	4	1

表34-1 マンモグラフィー検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
カテゴリー1	9,923	(90.9%)	1	20	44	118	365	1,325	1,647	1,731	1,414	1,266	784	781	307	120
カテゴリー2	412	(3.8%)	0	0	2	4	10	45	75	78	61	61	36	23	14	3
カテゴリー3	566	(5.2%)	0	2	0	7	29	84	118	96	88	63	31	33	9	6
カテゴリー4	13	(0.1%)	0	0	0	0	1	0	3	2	2	2	2	0	1	0
カテゴリー5	3	(0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	1
腫瘍	236	(2.2%)	0	2	0	3	11	25	47	45	39	26	14	15	6	3
石灰化	341	(3.1%)	0	0	1	4	10	40	67	63	47	48	27	20	12	2
非対称性	460	(4.2%)	0	0	1	6	19	68	87	77	75	55	33	23	9	7
構築の乱れ	24	(0.2%)	0	0	0	0	1	3	4	3	5	6	2	0	0	0
その他 (マンモグラ)	13	(0.1%)	0	0	0	0	0	4	0	2	1	2	1	2	1	0
検診者 総数	10917		1	22	46	129	405	1454	1843	1907	1566	1393	853	837	331	130

表34-2 乳房超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
カテゴリー1	3,167	(64.6%)	11	238	335	432	562	302	324	328	240	193	100	77	23	2
カテゴリー2	1,693	(34.6%)	0	58	161	216	304	217	269	219	118	66	25	33	6	1
カテゴリー3	38	(0.8%)	0	1	5	8	4	2	7	4	2	4	0	0	1	0
嚢胞	1,462	(29.8%)	0	56	142	177	265	188	245	189	95	56	18	26	4	1
濃縮嚢胞	28	(0.6%)	0	0	0	3	4	2	5	6	2	4	1	1	0	0
混合性病変	19	(0.4%)	0	0	1	2	3	1	5	4	2	0	1	0	0	0
充実性病変	35	(0.7%)	0	0	1	6	3	3	9	4	4	3	1	0	1	0
乳腺内低エコー域	5	(0.1%)	0	1	0	0	2	0	0	0	1	1	0	0	0	0
乳管拡張	92	(1.9%)	0	0	10	14	18	9	13	15	2	7	3	1	0	0
粗大高エコー	21	(0.4%)	0	0	0	3	1	2	1	2	6	0	3	3	0	0
線維腺腫	303	(6.2%)	0	7	34	46	61	43	47	33	17	8	5	1	1	0
過誤腫	4	(0.1%)	0	0	0	1	1	1	1	0	0	0	0	0	0	0
脂肪腫	7	(0.1%)	0	0	4	0	0	1	2	0	0	0	0	0	0	0
乳管内病変	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
乳房手術後	34	(0.7%)	0	0	0	1	2	0	3	10	11	2	1	2	2	0
その他(乳房超音波検査者総数)	14	(0.3%)	0	0	0	3	1	4	2	1	1	0	1	1	0	0
検査者総数	4899		11	297	501	656	871	521	600	551	360	263	125	110	30	3

表35 婦人科判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	11,767	(89.5%)	15	384	595	715	1,018	1,380	1,553	1,703	1,424	1,287	716	667	230	80
問題なし	589	(4.5%)	1	10	11	22	41	48	107	88	76	72	34	49	20	10
要経過観察	445	(3.4%)	1	25	29	36	46	66	102	68	34	17	9	7	3	2
要精密検査	348	(2.6%)	1	25	38	31	31	42	71	52	35	11	6	4	0	1
要治療	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
治療中	2	(0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0
合計	13152		18	444	673	804	1136	1536	1834	1912	1569	1387	765	727	253	94

表36 婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
外陰異常疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
外陰炎	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
萎縮性 膣炎	6	(0.0%)	0	0	0	0	0	0	0	0	1	1	1	0	2	1
バルト リン腺 異常	4	(0.0%)	0	0	0	0	0	1	1	0	0	2	0	0	0	0
バルト リン腺 異常疑い	2	(0.0%)	0	0	0	0	0	1	0	0	1	0	0	0	0	0
子宮 部びら ち	241	(1.8%)	1	10	15	22	37	43	57	28	16	9	1	2	0	0
子宮 部びら ち	1	(0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
頸管粘 膜ポ リープ	83	(0.6%)	0	0	0	1	5	11	23	15	14	8	4	1	1	0
頸管粘 膜ポ リープ	65	(0.5%)	0	0	1	1	3	11	20	16	9	3	1	0	0	0
子宮頸 部腫瘍	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
子宮体 部腫瘍	119	(0.9%)	0	0	0	2	4	13	45	38	10	7	0	0	0	0
子宮体 部腫瘍 疑い	84	(0.6%)	0	1	1	1	6	16	20	23	12	3	0	1	0	0
卵巣腫 瘍疑い	5	(0.0%)	0	0	0	0	0	0	1	1	2	0	0	1	0	0
子宮下 垂	17	(0.1%)	0	0	0	0	0	0	0	1	3	1	4	4	1	3
子宮下 垂疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
子宮全 摘後	3	(0.0%)	0	0	0	0	0	1	0	0	1	0	0	1	0	0
子宮術 後	312	(2.4%)	0	0	0	0	3	4	42	51	52	54	33	46	18	9

表36 婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
その他 (婦人科 診察所)	8	(0.1%)	0	0	0	0	2	0	1	1	2	2	0	0	0	0
検診者 総数	13150		18	444	673	804	1135	1536	1834	1911	1569	1387	765	727	253	94

表37 子宮頸部細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
NILM (異 常か)	12,911	(98.2%)	17	420	638	773	1,107	1,510	1,800	1,886	1,551	1,378	761	724	253	93
トリコ モナス	4	(0.0%)	0	0	1	0	0	1	1	0	1	0	0	0	0	0
カンジ ダ	215	(1.6%)	1	27	34	29	31	31	42	13	5	0	1	1	0	0
ASC -US	175	(1.3%)	1	22	29	24	17	20	21	19	13	6	3	0	0	0
ASC -H	25	(0.2%)	0	0	2	2	3	3	4	2	3	1	1	3	0	1
LSIL	23	(0.2%)	0	2	4	2	3	2	5	3	2	0	0	0	0	0
HSIL	15	(0.1%)	0	0	0	3	4	1	3	2	0	2	0	0	0	0
AGC	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
AIS	1	(0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
その他 (子宮頸 部細胞 診者 総数)	6	(0.0%)	0	0	0	0	0	1	2	1	2	0	0	0	0	0
検診者 総数	13151		18	444	673	804	1135	1536	1834	1912	1569	1387	765	727	253	94

表37-1 HPV検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
陰性	130	(90.9%)	0	0	1	43	43	12	12	12	3	2	1	1	0	0
陽性	13	(9.1%)	0	0	0	7	3	0	0	1	0	2	0	0	0	0
16型 陰性	139	(97.2%)	0	0	1	46	46	12	12	13	3	4	1	1	0	0
16型 陽性	4	(2.8%)	0	0	0	4	0	0	0	0	0	0	0	0	0	0
18型 陰性	142	(99.3%)	0	0	1	50	45	12	12	13	3	4	1	1	0	0
18型 陽性	1	(0.7%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
その他 のハイ リスク	133	(93.0%)	0	0	1	46	43	12	12	12	3	2	1	1	0	0
その他 のハイ リスク	10	(7.0%)	0	0	0	4	3	0	0	1	0	2	0	0	0	0
検診者 総数	143		0	0	1	50	46	12	12	13	3	4	1	1	0	0

表38 便潜血判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	20,882 (95.6%)	7	39	91	585	2,015	2,699	3,249	3,269	2,874	2,541	1,586	1,136	521	270
	女	17,996 (96.6%)	3	53	120	431	1,680	2,386	2,868	2,897	2,339	2,036	1,327	1,161	489	206
	計	38,878 (96.1%)	10	92	211	1,016	3,695	5,085	6,117	6,166	5,213	4,577	2,913	2,297	1,010	476
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	8 (0.0%)	0	0	0	1	0	1	1	2	0	1	1	1	0	0
	女	5 (0.0%)	0	0	0	0	0	3	0	1	0	1	0	0	0	0
	計	13 (0.0%)	0	0	0	1	0	4	1	3	0	2	1	1	0	0
要精密検査	男	922 (4.2%)	0	2	1	15	65	98	86	130	130	121	109	84	54	27
	女	630 (3.4%)	0	3	6	14	67	93	89	93	79	50	47	57	20	12
	計	1,552 (3.8%)	0	5	7	29	132	191	175	223	209	171	156	141	74	39
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	20 (0.1%)	0	0	0	0	1	4	3	5	3	3	1	0	0	0
	女	7 (0.0%)	0	0	0	0	0	2	1	2	0	1	1	0	0	0
	計	27 (0.1%)	0	0	0	0	1	6	4	7	3	4	2	0	0	0
検診者総数	男	21,832	7	41	92	601	2,081	2,802	3,339	3,406	3,007	2,666	1,697	1,221	575	297
	女	18,638	3	56	126	445	1,747	2,484	2,958	2,993	2,418	2,088	1,375	1,218	509	218
	計	40,470	10	97	218	1,046	3,828	5,286	6,297	6,399	5,425	4,754	3,072	2,439	1,084	515

表39 便潜血検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		便潜血(一日法)	男	175	6	3.4	1	0	0.0	3	1	33.3	8	0	0.0	17	1	5.9	16	0	0.0	17	0	0.0	16	0	0.0	23	1	4.3	11	0	0.0	18	1	5.6	28	2	7.1	17	0	0.0	0	0	0.0	0
	女	297	10	3.4	1	0	0.0	2	0	0.0	3	0	0.0	10	0	0.0	24	0	0.0	36	1	2.8	45	2	4.4	34	0	0.0	37	1	2.7	58	2	3.4	20	2	10.0	25	2	8.0	2	0	0.0	0	0	0.0
	計	472	16	3.4	2	0	0.0	5	1	20.0	11	0	0.0	27	1	3.7	40	0	0.0	53	1	1.9	61	2	3.3	57	1	1.8	48	1	2.1	76	3	3.9	48	4	8.3	42	2	4.8	2	0	0.0	0	0	0.0
便潜血(二日法)	男	21657	944	4.4	6	0	0.0	38	1	2.6	84	1	1.2	584	15	2.6	2065	66	3.2	2785	103	3.7	3323	90	2.7	3383	136	4.0	2996	133	4.4	2648	124	4.7	1669	109	6.5	1204	85	7.1	575	54	9.4	297	27	9.1
	女	18341	632	3.4	2	0	0.0	54	3	5.6	123	6	4.9	435	14	3.2	1723	67	3.9	2448	97	4.0	2913	88	3.0	2959	96	3.2	2381	78	3.3	2030	50	2.5	1355	46	3.4	1193	55	4.6	507	20	3.9	218	12	5.5
	計	39998	1576	3.9	8	0	0.0	92	4	4.3	207	7	3.4	1019	29	2.8	3788	133	3.5	5233	200	3.8	6236	178	2.9	6342	232	3.7	5377	211	3.9	4678	174	3.7	3024	155	5.1	2397	140	5.8	1082	74	6.8	515	39	7.6

表40 脂質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	12,597 (37.8%)	174	1,193	1,346	1,159	1,216	1,230	1,261	1,138	1,004	943	687	601	403	242
	女	14,739 (47.1%)	112	1,404	1,486	1,346	1,657	2,025	2,038	1,577	921	736	490	485	275	187
	計	27,336 (42.3%)	286	2,597	2,832	2,505	2,873	3,255	3,299	2,715	1,925	1,679	1,177	1,086	678	429
問題なし	男	7,680 (23.0%)	27	286	534	563	759	838	997	946	801	701	499	391	215	123
	女	6,290 (20.1%)	18	245	327	365	434	599	843	950	792	658	407	371	192	89
	計	13,970 (21.6%)	45	531	861	928	1,193	1,437	1,840	1,896	1,593	1,359	906	762	407	212
要経過観察	男	7,964 (23.9%)	18	308	539	618	716	945	1,107	1,086	823	689	448	363	214	90
	女	5,864 (18.7%)	21	190	305	282	331	496	720	893	822	705	453	390	155	101
	計	13,828 (21.4%)	39	498	844	900	1,047	1,441	1,827	1,979	1,645	1,394	901	753	369	191
要精密検査	男	1,186 (3.6%)	14	80	96	108	121	171	174	134	95	91	45	32	13	12
	女	790 (2.5%)	9	65	66	64	60	61	72	106	105	62	54	34	19	13
	計	1,976 (3.1%)	23	145	162	172	181	232	246	240	200	153	99	66	32	25
要治療	男	188 (0.6%)	0	8	9	15	16	32	33	25	19	17	8	4	1	1
	女	170 (0.5%)	1	3	3	5	8	13	21	28	23	33	14	11	4	3
	計	358 (0.6%)	1	11	12	20	24	45	54	53	42	50	22	15	5	4
治療中	男	3,735 (11.2%)	0	3	13	32	80	142	339	562	630	643	525	389	237	140
	女	3,436 (11.0%)	0	7	8	9	20	58	133	306	483	598	588	688	373	165
	計	7,171 (11.1%)	0	10	21	41	100	200	472	868	1,113	1,241	1,113	1,077	610	305
検診者総数	男	33,350	233	1,878	2,537	2,495	2,908	3,358	3,911	3,891	3,372	3,084	2,212	1,780	1,083	608
	女	31,289	161	1,914	2,195	2,071	2,510	3,252	3,827	3,860	3,146	2,792	2,006	1,979	1,018	558
	計	64,639	394	3,792	4,732	4,566	5,418	6,610	7,738	7,751	6,518	5,876	4,218	3,759	2,101	1,166

表41 脂質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総コレステロールmg/dL	男	22191	197.5	121	165.6	877	176.2	1262	186.4	1368	191.3	2252	197.1	2661	201.7	3113	203.0	3139	202.7	2636	199.3	2400	199.6	1427	195.6	725	192.7	154	186.5	56	183.1
	女	17783	202.6	85	177.7	799	181.2	973	184.9	1046	186.8	1827	187.8	2335	192.9	2766	202.0	2767	213.3	2115	220.3	1660	219.1	752	215.6	484	207.3	95	198.2	79	188.0
	計	39974	199.8	206	170.6	1676	178.6	2235	185.8	2414	189.3	4079	193.0	4996	197.6	5879	202.5	5906	207.7	4751	208.7	4060	207.6	2179	202.5	1209	198.6	249	191.0	135	186.0
中性脂肪mg/dL	男	33369	112.2	233	74.5	1881	79.0	2539	92.8	2499	102.5	2911	111.4	3359	118.0	3913	121.1	3892	126.2	3373	121.0	3085	120.1	2212	115.3	1781	108.6	1083	104.4	608	100.6
	女	31301	81.6	162	66.1	1916	64.1	2195	67.1	2071	70.9	2510	73.0	3253	72.6	3829	78.4	3861	85.3	3148	91.1	2794	91.4	2006	94.4	1980	97.3	1018	95.3	558	100.5
	計	64670	97.4	395	71.1	3797	71.5	4734	80.9	4570	88.2	5421	93.6	6612	95.7	7742	100.0	7753	105.8	6521	106.5	5879	106.5	4218	105.3	3761	102.7	2101	100.0	1166	100.5
HDLコレステロールmg/dL	男	33368	56.5	232	55.7	1881	55.5	2539	55.0	2499	54.5	2911	55.4	3359	56.3	3913	56.3	3892	56.4	3373	57.7	3085	58.2	2212	58.2	1781	57.5	1083	57.5	608	57.4
	女	31301	67.6	162	63.2	1916	65.3	2195	66.3	2071	65.3	2510	65.4	3253	66.3	3829	67.9	3861	70.0	3148	70.4	2794	70.3	2006	68.7	1980	66.6	1018	66.3	558	61.9
	計	64669	61.9	394	58.8	3797	60.4	4734	60.2	4570	59.4	5421	60.0	6612	61.2	7742	62.0	7753	63.2	6521	63.9	5879	63.9	4218	63.2	3761	62.3	2101	61.8	1166	59.6
LDLコレステロールmg/dL	男	33367	116.1	232	93.1	1881	104.0	2539	111.8	2499	116.3	2910	118.8	3359	121.3	3913	122.1	3892	120.8	3373	117.1	3085	115.9	2212	112.4	1781	111.4	1083	108.6	608	105.4
	女	31297	114.0	162	97.4	1913	97.9	2195	100.6	2071	103.5	2510	104.9	3253	108.2	3829	114.0	3860	121.4	3148	126.2	2794	125.2	2006	123.1	1980	119.4	1018	114.7	558	109.6
	計	64664	115.1	394	94.9	3794	100.9	4734	106.6	4570	110.5	5420	112.4	6612	114.8	7742	118.1	7752	121.1	6521	121.5	5879	120.3	4218	117.5	3761	115.6	2101	111.6	1166	107.4

表42 糖尿病判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	21,683 (62.8%)	238	1,901	2,480	2,281	2,429	2,557	2,618	2,264	1,733	1,314	823	579	297	169
	女	23,538 (73.3%)	172	1,954	2,225	2,044	2,331	2,901	3,144	2,923	2,045	1,589	959	745	325	181
	計	45,221 (67.8%)	410	3,855	4,705	4,325	4,760	5,458	5,762	5,187	3,778	2,903	1,782	1,324	622	350
問題なし	男	6,950 (20.1%)	22	133	228	305	428	611	863	946	879	852	601	506	373	203
	女	5,644 (17.6%)	5	63	69	103	187	331	558	712	782	819	673	733	385	224
	計	12,594 (18.9%)	27	196	297	408	615	942	1,421	1,658	1,661	1,671	1,274	1,239	758	427
要経過観察	男	2,542 (7.4%)	2	19	34	49	102	121	261	340	348	383	332	276	163	112
	女	1,488 (4.6%)	1	8	12	17	36	59	99	156	179	224	193	250	165	89
	計	4,030 (6.0%)	3	27	46	66	138	180	360	496	527	607	525	526	328	201
要精密検査	男	389 (1.1%)	0	1	5	4	11	18	37	53	51	72	54	44	26	13
	女	148 (0.5%)	0	0	0	1	8	7	8	14	14	19	13	34	19	11
	計	537 (0.8%)	0	1	5	5	19	25	45	67	65	91	67	78	45	24
要治療	男	350 (1.0%)	0	3	5	12	22	29	49	57	40	38	31	31	15	18
	女	138 (0.4%)	0	0	6	4	9	10	13	17	24	14	8	16	11	6
	計	488 (0.7%)	0	3	11	16	31	39	62	74	64	52	39	47	26	24
治療中	男	2,635 (7.6%)	0	6	8	18	67	113	213	308	387	464	390	356	211	94
	女	1,145 (3.6%)	0	6	10	13	28	34	70	113	147	164	182	212	119	47
	計	3,780 (5.7%)	0	12	18	31	95	147	283	421	534	628	572	568	330	141
検診者総数	男	34,549	262	2,063	2,760	2,669	3,059	3,449	4,041	3,968	3,438	3,123	2,231	1,792	1,085	609
	女	32,101	178	2,031	2,322	2,182	2,599	3,342	3,892	3,935	3,191	2,829	2,028	1,990	1,024	558
	計	66,650	440	4,094	5,082	4,851	5,658	6,791	7,933	7,903	6,629	5,952	4,259	3,782	2,109	1,167

表43 糖尿病検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
血糖 mg/dL	33374	99.4	233	90.7	1881	90.2	2539	91.0	2499	92.4	2911	94.9	3361	96.3	3913	98.5	3893	101.2	3375	102.7	3084	105.2	2213	107.9	1781	108.2	1083	107.1	608	107.8
	31294	93.9	162	88.7	1914	87.6	2195	87.9	2071	88.7	2509	90.3	3253	91.3	3828	92.3	3861	93.8	3146	96.5	2793	97.8	2006	99.7	1980	101.2	1018	102.0	558	105.1
	計	64668	96.7	395	89.9	3795	88.9	4734	89.6	4570	90.7	5420	92.8	6614	93.8	7741	95.5	7754	97.5	6521	99.7	5877	101.7	4219	104.0	3761	104.5	2101	104.6	1166
HbA 1c (NGSP) %	18154	5.4	83	5.1	680	5.0	1097	5.1	1180	5.2	1269	5.3	1803	5.3	2179	5.4	2237	5.5	2093	5.5	1578	5.6	1138	5.7	1233	5.8	1002	5.8	582	5.8
	16862	5.4	52	5.1	539	5.1	802	5.1	794	5.1	1044	5.2	1692	5.2	2007	5.3	2094	5.4	1772	5.5	1602	5.6	1416	5.6	1614	5.7	950	5.7	484	5.7
	計	35016	5.4	135	5.1	1219	5.0	1899	5.1	1974	5.1	2313	5.2	3495	5.3	4186	5.3	4331	5.4	3865	5.5	3180	5.6	2554	5.7	2847	5.7	1952	5.8	1066

表44 糖負荷試験判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	70-79歳	80歳以上
	男	女														
正常型	男	77 (65.3%)	0	0	0	1	3	9	11	21	15	13	1	1	1	1
	女	61 (78.2%)	0	0	1	0	0	13	13	9	18	6	1	0	0	0
	計	138 (70.4%)	0	0	1	1	3	22	24	30	33	19	2	1	1	1
境界型	男	40 (33.9%)	0	0	0	0	0	1	4	10	13	8	2	1	0	1
	女	17 (21.8%)	0	0	0	0	1	0	2	7	3	3	1	0	0	0
	計	57 (29.1%)	0	0	0	0	1	1	6	17	16	11	3	1	0	1
糖尿病型	男	1 (0.8%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.5%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
合計	男	118	0	0	0	1	3	10	15	32	28	21	3	2	1	2
	女	78	0	0	1	0	1	13	15	16	21	9	2	0	0	0
	計	196	0	0	1	1	4	23	30	48	49	30	5	2	1	2

表45 尿糖検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		男	34907	1921	5.5	271	0	0.0	2129	14	0.7	2815	19	0.7	2738	28	1.0	3096	69	2.2	3462	113	3.3	4083	197	4.8	4003	288	7.2	3438	287	8.3	3132	304	9.7	2247	246	10.9	1798	200	11.1	1086	108	9.9	609	48
女	32232	672	2.1	179	0	0.0	2058	5	0.2	2330	12	0.5	2193	12	0.5	2617	30	1.1	3354	28	0.8	3909	62	1.6	3948	97	2.5	3199	101	3.2	2836	92	3.2	2033	91	4.5	1995	82	4.1	1024	48	4.7	557	12	2.2	
計	67139	2593	3.9	450	0	0.0	4187	19	0.5	5145	31	0.6	4931	40	0.8	5713	99	1.7	6816	141	2.1	7992	259	3.2	7951	385	4.8	6637	388	5.8	5968	396	6.6	4280	337	7.9	3793	282	7.4	2110	156	7.4	1166	60	5.1	

表46 痛風判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	17,943 (70.9%)	101	839	1,167	1,150	1,824	2,095	2,445	2,402	2,096	1,938	1,153	583	116	34
	女	20,374 (97.3%)	91	1,108	1,358	1,261	2,094	2,609	3,111	3,051	2,357	1,860	814	499	87	74
	計	38,317 (82.8%)	192	1,947	2,525	2,411	3,918	4,704	5,556	5,453	4,453	3,798	1,967	1,082	203	108
問題なし	男	3,635 (14.4%)	20	148	254	279	397	469	542	523	417	319	168	75	16	8
	女	338 (1.6%)	2	8	8	14	20	30	34	67	69	51	23	10	1	1
	計	3,973 (8.6%)	22	156	262	293	417	499	576	590	486	370	191	85	17	9
要経過観察	男	1,489 (5.9%)	4	48	117	133	190	217	240	216	139	109	48	24	3	1
	女	159 (0.8%)	0	10	12	14	15	23	13	25	21	12	8	3	1	2
	計	1,648 (3.6%)	4	58	129	147	205	240	253	241	160	121	56	27	4	3
要精密検査	男	314 (1.2%)	0	11	24	28	48	49	46	48	26	18	11	4	1	0
	女	9 (0.0%)	0	0	0	0	2	0	1	1	5	0	0	0	0	0
	計	323 (0.7%)	0	11	24	28	50	49	47	49	31	18	11	4	1	0
要治療	男	78 (0.3%)	0	6	5	13	12	7	13	11	5	5	1	0	0	0
	女	3 (0.0%)	0	0	0	0	1	1	0	0	1	0	0	0	0	0
	計	81 (0.2%)	0	6	5	13	13	8	13	11	6	5	1	0	0	0
治療中	男	1,866 (7.4%)	0	4	17	30	84	106	218	312	361	346	255	102	20	11
	女	53 (0.3%)	0	0	1	2	3	2	1	11	6	12	9	3	2	1
	計	1,919 (4.1%)	0	4	18	32	87	108	219	323	367	358	264	105	22	12
検診者総数	男	25,325	125	1,056	1,584	1,633	2,555	2,943	3,504	3,512	3,044	2,735	1,636	788	156	54
	女	20,936	93	1,126	1,379	1,291	2,135	2,665	3,160	3,155	2,459	1,935	854	515	91	78
	計	46,261	218	2,182	2,963	2,924	4,690	5,608	6,664	6,667	5,503	4,670	2,490	1,303	247	132

表47 尿酸検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
尿酸 mg/ dL	25325	6.2	125	6.2	1056	6.2	1584	6.3	1633	6.4	2555	6.4	2943	6.3	3504	6.3	3512	6.2	3044	6.1	2735	6.0	1636	5.9	788	5.9	156	5.6	54	5.8
	20936	4.6	93	4.5	1126	4.5	1379	4.4	1291	4.4	2135	4.5	2665	4.4	3160	4.5	3155	4.8	2459	4.9	1935	4.9	854	4.9	515	4.9	91	4.8	78	4.8
	46261	5.5	218	5.5	2182	5.3	2963	5.4	2924	5.6	4690	5.5	5608	5.4	6664	5.5	6667	5.5	5503	5.6	4670	5.5	2490	5.6	1303	5.5	247	5.3	132	5.2

表48 肝機能・血清蛋白判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	17,058 (50.2%)	154	1,204	1,371	1,297	1,469	1,545	1,804	1,716	1,558	1,438	1,236	1,134	722	410
	女	23,219 (73.6%)	133	1,586	1,738	1,624	1,934	2,538	2,845	2,639	2,061	1,930	1,506	1,531	806	348
	計	40,277 (61.5%)	287	2,790	3,109	2,921	3,403	4,083	4,649	4,355	3,619	3,368	2,742	2,665	1,528	758
問題なし	男	7,777 (22.9%)	37	382	592	609	686	809	939	984	886	778	486	354	161	74
	女	4,624 (14.7%)	19	256	303	267	364	468	593	633	594	497	259	241	93	37
	計	12,401 (18.9%)	56	638	895	876	1,050	1,277	1,532	1,617	1,480	1,275	745	595	254	111
要経過観察	男	4,523 (13.3%)	31	186	319	306	381	449	586	622	507	459	277	167	138	95
	女	2,300 (7.3%)	6	52	137	139	153	158	255	355	307	220	151	124	85	158
	計	6,823 (10.4%)	37	238	456	445	534	607	841	977	814	679	428	291	223	253
要精密検査	男	3,846 (11.3%)	18	177	344	337	418	537	566	494	353	300	142	90	51	19
	女	1,041 (3.3%)	5	41	50	63	78	115	115	206	139	102	58	39	22	8
	計	4,887 (7.5%)	23	218	394	400	496	652	681	700	492	402	200	129	73	27
要治療	男	44 (0.1%)	0	10	11	8	4	5	4	1	1	0	0	0	0	0
	女	12 (0.0%)	0	0	1	3	3	2	1	1	0	1	0	0	0	0
	計	56 (0.1%)	0	10	12	11	7	7	5	2	1	1	0	0	0	0
治療中	男	748 (2.2%)	0	3	9	26	37	56	95	135	119	125	81	41	11	10
	女	332 (1.1%)	0	1	6	9	12	15	43	53	50	42	33	47	14	7
	計	1,080 (1.6%)	0	4	15	35	49	71	138	188	169	167	114	88	25	17
検診者総数	男	33,996	240	1,962	2,646	2,583	2,995	3,401	3,994	3,952	3,424	3,100	2,222	1,786	1,083	608
	女	31,528	163	1,936	2,235	2,105	2,544	3,296	3,852	3,887	3,151	2,792	2,007	1,982	1,020	558
	計	65,524	403	3,898	4,881	4,688	5,539	6,697	7,846	7,839	6,575	5,892	4,229	3,768	2,103	1,166

表49 肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総ビリルビン mg/dL	男	14030	1.1	77	1.0	787	1.1	1264	1.1	1227	1.1	1306	1.1	1534	1.1	1787	1.1	1918	1.0	1691	1.1	1410	1.1	655	1.0	251	1.1	91	1.1	32	1.0
	女	10473	0.9	47	1.0	791	0.9	1006	0.9	891	0.9	976	0.9	1259	0.9	1467	0.9	1504	0.9	1134	0.9	823	0.9	317	0.9	183	1.0	64	0.9	11	0.9
	計	24503	1.0	124	1.0	1578	1.0	2270	1.0	2118	1.0	2282	1.0	2793	1.0	3254	1.0	3422	1.0	2825	1.0	2233	1.0	972	1.0	434	1.0	155	1.0	43	1.0
AST (GOT) U/L	男	33472	24.7	236	22.6	1908	23.8	2559	25.0	2509	24.8	2922	24.8	3365	24.8	3920	25.0	3904	24.8	3376	24.4	3085	25.1	2216	24.4	1781	24.5	1083	24.5	608	24.5
	女	31330	20.9	162	17.9	1919	17.9	2199	18.4	2073	18.7	2514	19.1	3260	19.4	3829	19.9	3862	22.0	3153	22.7	2796	22.9	2006	23.2	1980	23.8	1019	23.7	558	23.3
	計	64802	22.9	398	20.7	3827	20.8	4758	21.9	4582	22.0	5436	22.2	6625	22.1	7749	22.5	7766	23.4	6529	23.6	5881	24.1	4222	23.8	3761	24.1	2102	24.1	1166	23.9
ALT (GPT) U/L	男	33472	28.3	236	24.3	1908	27.0	2559	31.6	2509	32.6	2922	31.7	3365	31.2	3920	30.7	3904	28.7	3376	26.6	3085	25.9	2216	23.6	1781	22.7	1083	20.8	608	18.9
	女	31330	18.3	162	14.5	1919	14.3	2199	15.4	2073	16.4	2514	17.2	3260	17.1	3829	17.8	3862	20.4	3153	20.8	2796	20.4	2006	19.9	1980	19.6	1019	18.3	558	15.9
	計	64802	23.4	398	20.3	3827	20.6	4758	24.1	4582	25.3	5436	25.0	6625	24.2	7749	24.3	7766	24.5	6529	23.8	5881	23.3	4222	21.8	3761	21.0	2102	19.6	1166	17.5
アルブミン U/L	男	23216	71.2	101	96.8	882	73.2	1381	70.2	1436	69.8	2398	70.7	2733	71.1	3236	71.4	3255	71.6	2779	70.9	2559	70.7	1530	70.6	732	72.2	140	70.9	54	75.4
	女	18182	65.4	49	71.7	832	56.9	1079	56.5	1042	58.8	1851	57.4	2362	56.5	2790	60.1	2804	70.9	2198	75.6	1731	75.6	762	76.6	463	77.6	90	75.8	129	90.4
	計	41398	68.6	150	88.6	1714	65.2	2460	64.2	2478	65.2	4249	64.9	5095	64.3	6026	66.2	6059	71.2	4977	73.0	4290	72.7	2292	72.6	1195	74.3	230	72.8	183	86.0
コリンエステラーゼ U/L	男	5167	362.2	14	355.6	268	358.4	512	366.6	487	372.7	440	373.2	485	366.5	628	366.6	674	369.4	740	356.3	556	349.2	280	342.2	75	316.2	6	318.3	2	332.5
	女	4260	322.1	8	345.8	281	290.0	475	287.5	384	300.5	382	304.0	459	305.3	583	310.0	600	342.6	534	361.8	390	361.4	121	367.3	42	344.5	1	328.0	0	0.0
	計	9427	344.1	22	352.1	549	323.4	987	328.5	871	340.9	822	341.0	944	336.7	1211	339.3	1274	356.8	1274	358.6	946	354.3	401	349.8	117	326.4	7	319.7	2	332.5
LDH U/L	男	13329	182.2	76	190.6	728	185.9	1184	180.1	1130	177.9	1237	178.5	1467	178.1	1715	180.5	1838	184.7	1631	183.1	1348	187.0	623	184.8	236	187.4	84	194.5	32	209.5
	女	9715	176.1	42	189.3	683	165.0	948	161.8	812	161.5	949	163.0	1181	168.2	1362	173.6	1388	185.0	1040	193.0	767	194.8	299	196.9	173	205.5	60	202.5	11	226.8
	計	23044	179.6	118	190.2	1411	175.8	2132	172.0	1942	171.0	2186	171.8	2648	173.7	3077	177.5	3226	184.8	2671	186.9	2115	189.8	922	188.7	409	195.1	144	197.8	43	213.9
γ-GT (γ-GTP) U/L	男	33435	44.5	233	23.9	1893	27.3	2548	34.3	2504	38.3	2921	42.2	3363	47.9	3920	50.8	3904	53.0	3376	51.0	3085	50.1	2216	46.2	1781	39.9	1083	35.8	608	31.1
	女	31217	25.0	162	17.8	1870	17.2	2188	18.4	2056	19.8	2500	22.0	3245	23.7	3823	25.2	3861	29.9	3153	30.6	2796	29.5	2006	27.4	1980	26.2	1019	23.4	558	21.5
	計	64652	35.1	395	21.4	3763	22.3	4736	27.0	4560	29.9	5421	32.9	6608	36.1	7743	38.1	7765	41.5	6529	41.2	5881	40.3	4222	37.3	3761	32.7	2102	29.8	1166	26.5
LAP U/L	男	3298	53.3	0	0.0	0	0.0	29	53.6	200	54.5	288	55.7	412	53.8	526	54.9	639	53.1	637	52.6	350	51.5	139	49.9	49	50.1	15	46.2	14	46.5
	女	2081	48.0	0	0.0	3	38.0	44	46.1	112	48.2	221	46.0	259	45.0	345	45.8	415	48.5	354	50.8	222	50.9	73	48.3	25	51.4	5	44.8	3	55.7
	計	5379	51.2	0	0.0	3	38.0	73	49.1	312	52.3	509	51.5	671	50.4	871	51.3	1054	51.3	991	52.0	572	51.2	212	49.3	74	50.5	20	45.9	17	48.1
総蛋白 g/dL	男	14738	7.3	108	7.5	871	7.5	1354	7.5	1332	7.4	1375	7.3	1576	7.2	1903	7.2	1984	7.2	1726	7.1	1419	7.2	681	7.2	273	7.2	93	7.1	43	7.0
	女	11159	7.2	77	7.5	811	7.4	1025	7.3	929	7.3	1035	7.2	1330	7.2	1548	7.2	1577	7.2	1213	7.2	871	7.2	345	7.2	200	7.2	73	7.1	125	6.7
	計	25897	7.2	185	7.5	1682	7.5	2379	7.4	2261	7.3	2410	7.3	2906	7.2	3451	7.2	3561	7.2	2939	7.2	2290	7.2	1026	7.2	473	7.2	166	7.1	168	6.8
アルブ	男	15359	4.5	88	4.9	788	4.9	1250	4.8	1224	4.7	1282	4.6	1523	4.6	1769	4.5	1900	4.4	1681	4.4	1394	4.4	635	4.3	243	4.3	996	4.3	586	4.2

表49 肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	
ミン g/d L	12003	4.4	77	4.6	811	4.6	1013	4.5	910	4.4	991	4.4	1266	4.4	1465	4.3	1510	4.3	1140	4.4	824	4.3	322	4.3	185	4.2	944	4.3	545	4.1	
	27362	4.5	165	4.8	1599	4.7	2263	4.7	2134	4.6	2273	4.5	2789	4.5	3234	4.4	3410	4.4	2821	4.4	2218	4.4	957	4.3	428	4.3	1940	4.3	1131	4.1	
A/G 比	男	4859	1.7	25	1.8	193	1.9	312	1.8	359	1.8	348	1.8	516	1.7	673	1.7	773	1.7	759	1.6	556	1.6	226	1.5	82	1.5	23	1.5	14	1.4
	女	4072	1.6	35	1.6	216	1.7	262	1.6	308	1.6	354	1.6	493	1.5	616	1.5	686	1.6	572	1.6	351	1.5	118	1.5	51	1.5	7	1.5	3	1.3
	計	8931	1.6	60	1.7	409	1.8	574	1.7	667	1.7	702	1.7	1009	1.6	1289	1.6	1459	1.6	1331	1.6	907	1.6	344	1.5	133	1.5	30	1.5	17	1.4
蛋白分 画アル ブミン %	男	13	62.3	0	0.0	0	0.0	0	0.0	0	0.0	3	63.3	2	63.0	1	66.0	2	61.1	4	61.8	1	58.5	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	61.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	61.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	62.5	0	0.0		
	計	15	62.2	0	0.0	0	0.0	0	0.0	0	0.0	3	63.3	3	62.4	1	66.0	2	61.1	4	61.8	1	58.5	0	0.0	0	0.0	1	62.5	0	0.0
蛋白分 画α1 グロ ブリン %	男	13	3.4	0	0.0	0	0.0	0	0.0	0	0.0	3	3.4	2	3.4	1	3.1	2	3.2	4	3.6	1	3.5	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	3.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	0	0.0		
	計	15	3.4	0	0.0	0	0.0	0	0.0	0	0.0	3	3.4	3	3.7	1	3.1	2	3.2	4	3.6	1	3.5	0	0.0	0	0.0	1	3.0	0	0.0
蛋白分 画α2 グロ ブリン %	男	13	8.0	0	0.0	0	0.0	0	0.0	0	0.0	3	7.9	2	7.1	1	8.6	2	7.6	4	8.8	1	7.5	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	9.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	9.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	9.4	0	0.0		
	計	15	8.2	0	0.0	0	0.0	0	0.0	0	0.0	3	7.9	3	7.7	1	8.6	2	7.6	4	8.8	1	7.5	0	0.0	0	0.0	1	9.4	0	0.0
蛋白分 画γ グロ ブリン %	男	13	15.6	0	0.0	0	0.0	0	0.0	0	0.0	3	14.6	2	16.8	1	12.5	2	16.5	4	15.6	1	18.3	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	14.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	15.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	13.8	0	0.0		
	計	15	15.5	0	0.0	0	0.0	0	0.0	0	0.0	3	14.6	3	16.2	1	12.5	2	16.5	4	15.6	1	18.3	0	0.0	0	0.0	1	13.8	0	0.0
蛋白分 画β1 グロ ブリン %	男	13	5.9	0	0.0	0	0.0	0	0.0	0	0.0	3	6.0	2	5.4	1	5.3	2	5.9	4	6.1	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	5.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	6.0	0	0.0		
	計	15	5.9	0	0.0	0	0.0	0	0.0	0	0.0	3	6.0	3	5.3	1	5.3	2	5.9	4	6.1	1	6.7	0	0.0	0	0.0	1	6.0	0	0.0
蛋白分 画β2 グロ ブリン %	男	13	4.8	0	0.0	0	0.0	0	0.0	0	0.0	3	4.8	2	4.5	1	4.5	2	5.8	4	4.2	1	5.5	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	5.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.3	0	0.0		
	計	15	4.8	0	0.0	0	0.0	0	0.0	0	0.0	3	4.8	3	4.6	1	4.5	2	5.8	4	4.2	1	5.5	0	0.0	0	0.0	1	5.3	0	0.0
αフェ トブ ロ ン 定 量 ng/ mL	男	1227	3.4	0	0.0	1	1.9	5	2.0	67	3.1	94	3.0	154	3.1	161	3.3	203	3.4	233	3.6	129	3.6	96	3.7	54	3.4	21	3.1	9	2.8
	女	485	4.2	0	0.0	1	2.0	3	4.0	15	4.5	22	11.0	61	2.8	57	3.6	98	3.8	82	4.7	68	4.3	43	4.1	27	3.9	6	4.2	2	2.6
	計	1712	3.6	0	0.0	2	2.0	8	2.8	82	3.3	116	4.5	215	3.0	218	3.3	301	3.6	315	3.9	197	3.9	139	3.9	81	3.6	27	3.3	11	2.8

表50 肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		H B s 抗原	男	2899	10	0.3	33	0	0.0	101	0	0.0	134	0	0.0	214	0	0.0	317	3	0.9	323	0	0.0	411	1	0.2	394	0	0.0	514	4	0.8	277	2	0.7	128	0	0.0	41	0	0.0	9	0	0.0	3
	女	2229	8	0.4	44	0	0.0	116	0	0.0	140	0	0.0	173	0	0.0	262	2	0.8	287	2	0.7	328	0	0.0	332	2	0.6	279	1	0.4	159	1	0.6	69	0	0.0	33	0	0.0	5	0	0.0	2	0	0.0
	計	5128	18	0.4	77	0	0.0	217	0	0.0	274	0	0.0	387	0	0.0	579	5	0.9	610	2	0.3	739	1	0.1	726	2	0.3	793	5	0.6	436	3	0.7	197	0	0.0	74	0	0.0	14	0	0.0	5	0	0.0
H C V 抗体の検出	男	1297	7	0.5	12	0	0.0	71	0	0.0	112	0	0.0	65	0	0.0	192	0	0.0	102	1	1.0	154	0	0.0	146	0	0.0	191	1	0.5	154	4	2.6	60	1	1.7	29	0	0.0	6	0	0.0	3	0	0.0
	女	1154	7	0.6	8	0	0.0	104	0	0.0	117	0	0.0	62	1	1.6	147	1	0.7	123	0	0.0	150	1	0.7	169	0	0.0	127	2	1.6	79	1	1.3	37	0	0.0	25	1	4.0	4	0	0.0	2	0	0.0
	計	2451	14	0.6	20	0	0.0	175	0	0.0	229	0	0.0	127	1	0.8	339	1	0.3	225	1	0.4	304	1	0.3	315	0	0.0	318	3	0.9	233	5	2.1	97	1	1.0	54	1	1.9	10	0	0.0	5	0	0.0

表51 貧血・血球数判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	23,761 (78.7%)	185	1,478	2,125	2,075	2,350	2,632	2,999	2,882	2,495	2,228	1,416	692	163	41
	女	18,754 (70.7%)	113	1,425	1,596	1,442	1,591	1,937	2,279	2,521	2,253	1,817	969	647	111	53
	計	42,515 (75.0%)	298	2,903	3,721	3,517	3,941	4,569	5,278	5,403	4,748	4,045	2,385	1,339	274	94
問題なし	男	4,008 (13.3%)	34	311	316	320	381	449	539	578	450	364	172	76	14	4
	女	2,129 (8.0%)	16	132	142	122	160	215	281	371	269	220	111	66	13	11
	計	6,137 (10.8%)	50	443	458	442	541	664	820	949	719	584	283	142	27	15
要経過観察	男	1,589 (5.3%)	8	65	53	59	97	137	182	219	213	233	157	112	38	16
	女	3,676 (13.9%)	18	252	355	359	469	496	546	406	241	214	131	116	23	50
	計	5,265 (9.3%)	26	317	408	418	566	633	728	625	454	447	288	228	61	66
要精密検査	男	715 (2.4%)	7	24	43	39	59	70	94	99	96	84	50	32	9	9
	女	1,491 (5.6%)	13	98	87	127	174	263	323	182	77	56	28	28	11	24
	計	2,206 (3.9%)	20	122	130	166	233	333	417	281	173	140	78	60	20	33
要治療	男	15 (0.0%)	0	0	0	1	2	1	1	2	0	1	0	2	0	5
	女	50 (0.2%)	0	2	1	2	6	14	18	3	3	1	0	0	0	0
	計	65 (0.1%)	0	2	1	3	8	15	19	5	3	2	0	2	0	5
治療中	男	96 (0.3%)	0	0	0	1	4	3	8	9	18	20	15	13	4	1
	女	427 (1.6%)	1	9	16	21	35	78	115	88	16	23	8	6	6	5
	計	523 (0.9%)	1	9	16	22	39	81	123	97	34	43	23	19	10	6
検診者総数	男	30,184	234	1,878	2,537	2,495	2,893	3,292	3,823	3,789	3,272	2,930	1,810	927	228	76
	女	26,527	161	1,918	2,197	2,073	2,435	3,003	3,562	3,571	2,859	2,331	1,247	863	164	143
	計	56,711	395	3,796	4,734	4,568	5,328	6,295	7,385	7,360	6,131	5,261	3,057	1,790	392	219

表52 貧血・血球数検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 方 /μL	男	30237	489.4	233	517.6	1889	515.9	2552	509.8	2503	504.2	2897	498.7	3295	492.9	3828	489.5	3792	485.0	3274	478.9	2931	472.6	1810	465.3	929	459.5	228	452.2	76	421.9
	女	26534	436.6	162	457.5	1920	442.6	2197	438.6	2073	437.1	2435	434.0	3003	434.7	3563	434.6	3572	439.5	2860	439.9	2332	436.2	1247	433.7	864	429.2	163	423.0	143	387.1
	計	56771	464.7	395	493.0	3809	478.9	4749	476.8	4576	473.8	5332	469.1	6298	465.1	7391	463.1	7364	462.9	6134	460.7	5263	456.5	3057	452.4	1793	444.9	391	440.0	219	399.2
ヘモグロビン d /L	男	30237	15.0	233	15.3	1889	15.4	2552	15.3	2503	15.1	2897	15.1	3295	15.0	3828	15.0	3792	15.0	3274	14.9	2931	14.8	1810	14.6	929	14.4	228	14.2	76	13.3
	女	26534	13.0	162	13.3	1920	13.0	2197	12.9	2073	12.8	2435	12.7	3003	12.7	3563	12.8	3572	13.1	2860	13.3	2332	13.2	1247	13.2	864	13.1	163	12.9	143	11.9
	計	56771	14.0	395	14.5	3809	14.2	4749	14.2	4576	14.1	5332	14.0	6298	13.9	7391	13.9	7364	14.1	6134	14.1	5263	14.1	3057	14.0	1793	13.8	391	13.6	219	12.4
ヘマトクリット %	男	28438	44.5	195	45.5	1585	45.6	2317	45.3	2311	44.9	2768	44.8	3136	44.6	3638	44.6	3623	44.5	3077	44.3	2834	44.0	1756	43.6	910	43.1	214	42.5	74	39.8
	女	25142	39.4	139	40.4	1571	39.4	1990	39.2	1885	39.0	2317	38.7	2889	38.8	3430	39.0	3468	39.9	2791	40.3	2278	40.2	1235	40.1	847	39.8	159	39.3	143	36.7
	計	53580	42.1	334	43.4	3156	42.5	4307	42.5	4196	42.3	5085	42.0	6025	41.8	7068	41.9	7091	42.3	5868	42.4	5112	42.3	2991	42.1	1757	41.5	373	41.1	217	37.8
MCV fL	男	3944	91.4	11	89.2	72	88.6	105	89.4	243	88.7	351	89.9	482	90.5	608	91.2	706	91.7	708	92.5	390	93.1	169	93.9	71	93.3	14	95.4	14	94.9
	女	2947	90.7	2	80.6	37	90.7	82	89.3	166	89.4	310	89.6	368	89.4	502	90.1	554	90.6	483	91.7	289	92.7	104	92.6	40	93.2	8	93.5	2	93.8
	計	6891	91.1	13	87.8	109	89.3	187	89.4	409	89.0	661	89.7	850	90.0	1110	90.7	1260	91.2	1191	92.2	679	92.9	273	93.4	111	93.3	22	94.7	16	94.8
MCH pg	男	3935	30.7	11	29.9	71	29.9	104	30.1	242	29.9	351	30.2	480	30.5	607	30.6	706	30.8	705	31.0	390	31.2	169	31.4	71	31.3	14	31.4	14	31.3
	女	2938	29.8	2	26.5	37	29.9	80	29.5	166	29.5	307	29.4	367	29.3	502	29.5	551	29.8	483	30.1	289	30.5	104	30.4	40	30.5	8	30.4	2	30.4
	計	6873	30.3	13	29.4	108	29.9	184	29.8	408	29.7	658	29.8	847	30.0	1109	30.1	1257	30.3	1188	30.6	679	30.9	273	31.0	111	31.0	22	31.1	16	31.2
MCH %	男	3933	33.6	11	33.5	71	33.7	104	33.7	242	33.7	351	33.6	480	33.7	606	33.6	705	33.6	705	33.5	390	33.5	169	33.4	71	33.6	14	32.9	14	32.9
	女	2938	32.8	2	32.8	37	33.0	80	33.0	166	33.0	307	32.8	367	32.7	502	32.6	551	32.8	483	32.8	289	32.9	104	32.8	40	32.7	8	32.5	2	32.4
	計	6871	33.2	13	33.4	108	33.5	184	33.4	408	33.4	658	33.2	847	33.3	1108	33.2	1256	33.2	1188	33.2	679	33.2	273	33.2	111	33.2	22	32.8	16	32.9
血清鉄 μg /dL	男	4166	113.2	32	107.9	133	111.4	165	117.4	329	113.9	377	115.4	460	114.1	648	114.5	722	110.4	679	112.9	377	114.1	154	109.6	57	114.4	18	100.1	15	99.7
	女	2574	100.0	1	94.0	22	98.1	71	101.5	141	99.3	260	96.4	340	102.3	422	97.2	500	99.1	426	102.4	246	102.4	93	101.8	36	103.3	13	91.5	3	95.0
	計	6740	108.1	33	107.5	155	109.5	236	112.6	470	109.5	637	107.6	800	109.1	1070	107.7	1222	105.8	1105	108.8	623	109.5	247	106.7	93	110.1	31	96.5	18	98.9
白血球 数 千 /μL	男	25431	5.9	136	6.3	1064	6.0	1617	5.9	1661	5.9	2546	5.8	2928	5.8	3495	5.9	3510	5.9	3046	5.9	2740	5.8	1656	5.7	809	5.8	163	5.6	60	6.7
	女	21211	5.6	92	6.7	1163	6.3	1403	6.1	1317	6.1	2154	5.8	2655	5.7	3145	5.6	3142	5.3	2466	5.2	1967	5.2	901	5.2	557	5.5	112	5.4	137	5.8
	計	46642	5.7	228	6.5	2227	6.1	3020	6.0	2978	6.0	4700	5.8	5583	5.8	6640	5.8	6652	5.6	5512	5.6	4707	5.5	2557	5.6	1366	5.7	275	5.5	197	6.1
血小板 数 万 /μL	男	8375	24.5	31	24.2	309	24.7	503	25.1	594	25.6	743	25.3	877	25.4	1196	25.1	1295	25.0	1196	24.0	815	23.0	460	22.4	223	21.9	88	20.9	45	22.1
	女	7053	25.6	15	30.2	254	26.1	427	26.3	415	26.2	686	26.1	808	26.2	1015	26.6	1091	26.1	907	25.0	705	24.3	328	23.6	193	23.4	77	22.3	132	22.5
	計	15428	25.0	46	26.1	563	25.3	930	25.6	1009	25.9	1429	25.7	1685	25.8	2211	25.8	2386	25.5	2103	24.4	1520	23.6	788	22.9	416	22.6	165	21.6	177	22.4

表53 炎症反応判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	3,280 (93.5%)	11	29	58	199	285	411	517	613	620	335	131	46	12	13
	女	1,928 (92.6%)	0	3	42	101	216	249	333	379	315	191	69	21	7	2
	計	5,208 (93.2%)	11	32	100	300	501	660	850	992	935	526	200	67	19	15
問題なし	男	184 (5.2%)	0	7	1	13	19	13	24	37	36	19	9	3	2	1
	女	116 (5.6%)	0	0	1	6	14	16	12	30	21	8	5	3	0	0
	計	300 (5.4%)	0	7	2	19	33	29	36	67	57	27	14	6	2	1
要経過観察	男	11 (0.3%)	0	0	0	0	2	2	2	1	3	0	1	0	0	0
	女	6 (0.3%)	0	0	0	2	0	0	1	0	1	0	1	1	0	0
	計	17 (0.3%)	0	0	0	2	2	2	3	1	4	0	2	1	0	0
要精密検査	男	32 (0.9%)	0	2	0	2	3	4	4	6	4	4	3	0	0	0
	女	32 (1.5%)	0	0	1	3	2	5	6	1	11	2	0	1	0	0
	計	64 (1.1%)	0	2	1	5	5	9	10	7	15	6	3	1	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	3,507	11	38	59	214	309	430	547	657	663	358	144	49	14	14
	女	2,082	0	3	44	112	232	270	352	410	348	201	75	26	7	2
	計	5,589	11	41	103	326	541	700	899	1,067	1,011	559	219	75	21	16

表54 炎症反応検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		CRP	男	3506	227	6.5	11	0	0.0	38	9	23.7	59	1	1.7	214	15	7.0	309	24	7.8	430	19	4.4	546	30	5.5	657	44	6.7	663	43	6.5	358	23	6.4	144	13	9.0	49	3	6.1	14	2	14.3	14
CRP	女	2081	154	7.4	0	0	0.0	3	0	0.0	44	2	4.5	112	11	9.8	232	16	6.9	270	21	7.8	352	19	5.4	410	31	7.6	348	33	9.5	201	10	5.0	74	6	8.1	26	5	19.2	7	0	0.0	2	0	0.0
CRP	計	5587	381	6.8	11	0	0.0	41	9	22.0	103	3	2.9	326	26	8.0	541	40	7.4	700	40	5.7	898	49	5.5	1067	75	7.0	1011	76	7.5	559	33	5.9	218	19	8.7	75	8	10.7	21	2	9.5	16	1	6.3
血沈1時間	男	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0			
血沈1時間	女	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0			
血沈1時間	計	2	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0			

表55 腎機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	24,615 (71.3%)	215	1,774	2,375	2,307	2,605	2,806	3,027	2,808	2,139	1,785	1,207	881	490	196
	女	22,126 (68.9%)	135	1,585	1,847	1,762	1,961	2,427	2,679	2,614	2,068	1,768	1,324	1,198	545	213
	計	46,741 (70.1%)	350	3,359	4,222	4,069	4,566	5,233	5,706	5,422	4,207	3,553	2,531	2,079	1,035	409
問題なし	男	2,859 (8.3%)	36	221	285	256	277	306	366	298	296	247	143	83	34	11
	女	3,460 (10.8%)	35	331	340	293	396	456	516	390	269	215	98	70	16	35
	計	6,319 (9.5%)	71	552	625	549	673	762	882	688	565	462	241	153	50	46
要経過観察	男	5,847 (16.9%)	7	52	81	85	139	284	551	744	852	928	719	666	442	297
	女	5,598 (17.4%)	7	84	103	93	196	389	601	821	767	747	547	628	385	230
	計	11,445 (17.2%)	14	136	184	178	335	673	1,152	1,565	1,619	1,675	1,266	1,294	827	527
要精密検査	男	558 (1.6%)	4	11	18	11	19	27	49	57	52	80	72	59	56	43
	女	557 (1.7%)	2	28	26	25	37	55	68	69	45	49	33	41	30	49
	計	1,115 (1.7%)	6	39	44	36	56	82	117	126	97	129	105	100	86	92
要治療	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	2
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	2
治療中	男	662 (1.9%)	0	5	2	10	19	24	48	61	97	83	88	102	63	60
	女	359 (1.1%)	0	3	6	9	9	15	28	40	42	49	26	53	48	31
	計	1,021 (1.5%)	0	8	8	19	28	39	76	101	139	132	114	155	111	91
検診者総数	男	34,543	262	2,063	2,761	2,669	3,059	3,447	4,041	3,968	3,436	3,123	2,229	1,791	1,085	609
	女	32,100	179	2,031	2,322	2,182	2,599	3,342	3,892	3,934	3,191	2,828	2,028	1,990	1,024	558
	計	66,643	441	4,094	5,083	4,851	5,658	6,789	7,933	7,902	6,627	5,951	4,257	3,781	2,109	1,167

表56 腎機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
尿素窒 g/dL	男	23432	14.1	116	12.9	917	13.2	1402	13.0	1453	13.0	2395	13.3	2759	13.5	3250	13.8	3290	14.1	2787	14.6	2578	15.0	1549	15.7	743	16.7	139	17.6	54	22.7
	女	18336	12.4	80	11.1	847	10.7	1071	10.6	1049	10.7	1885	11.0	2379	11.3	2821	11.8	2799	12.9	2202	13.6	1740	14.1	778	14.8	464	15.4	92	16.3	129	20.1
	計	41768	13.4	196	12.2	1764	12.0	2473	12.0	2502	12.0	4280	12.3	5138	12.5	6071	12.8	6089	13.5	4989	14.2	4318	14.7	2327	15.4	1207	16.2	231	17.1	183	20.9
クレア チニン mg/dL	男	28694	0.9	125	0.9	1030	0.9	1561	0.9	1634	0.9	2559	0.9	3053	0.9	3619	0.9	3636	0.9	3179	1.0	2918	1.0	2073	1.0	1684	1.0	1029	1.0	594	1.0
	女	26620	0.7	89	0.7	1039	0.7	1277	0.7	1246	0.6	2182	0.7	2999	0.7	3540	0.7	3612	0.7	2907	0.7	2558	0.7	1828	0.7	1839	0.7	958	0.7	546	0.8
	計	55314	0.8	214	0.8	2069	0.8	2838	0.8	2880	0.8	4741	0.8	6052	0.8	7159	0.8	7248	0.8	6086	0.9	5476	0.8	3901	0.8	3523	0.8	1987	0.9	1140	0.9

表57 尿検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		尿蛋白定性	男	35091	2955	8.4	274	40	14.6	2144	220	10.3	2835	238	8.4	2769	198	7.2	3117	227	7.3	3481	235	6.8	4102	344	8.4	4030	316	7.8	3449	321	9.3	3140	273	8.7	2255	199	8.8	1800	157	8.7	1086	113	10.4	609
	女	32259	1450	4.5	180	24	13.3	2059	184	8.9	2333	178	7.6	2196	121	5.5	2627	148	5.6	3358	137	4.1	3910	164	4.2	3949	114	2.9	3201	100	3.1	2837	85	3.0	2033	36	1.8	1995	64	3.2	1024	40	3.9	557	55	9.9
	計	67350	4405	6.5	454	64	14.1	4203	404	9.6	5168	416	8.0	4965	319	6.4	5744	375	6.5	6839	372	5.4	8012	508	6.3	7979	430	5.4	6650	421	6.3	5977	358	6.0	4288	235	5.5	3795	221	5.8	2110	153	7.3	1166	129	11.1
尿潜血	男	25449	2172	8.5	137	7	5.1	1068	53	5.0	1620	111	6.9	1673	111	6.6	2611	157	6.0	2957	229	7.7	3529	296	8.4	3514	306	8.7	3038	284	9.3	2710	317	11.7	1608	185	11.5	773	96	12.4	154	10	6.5	57	10	17.5
	女	20796	4552	21.9	90	14	15.6	1112	238	21.4	1383	300	21.7	1300	285	21.9	2163	423	19.6	2652	608	22.9	3124	760	24.3	3112	697	22.4	2403	467	19.4	1879	402	21.4	840	184	21.9	509	111	21.8	100	22	22.0	129	41	31.8
	計	46245	6724	14.5	227	21	9.3	2180	291	13.3	3003	411	13.7	2973	396	13.3	4774	580	12.1	5609	837	14.9	6653	1056	15.9	6626	1003	15.1	5441	751	13.8	4589	719	15.7	2448	369	15.1	1282	207	16.1	254	32	12.6	186	51	27.4

表58 膵機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	12,930 (90.3%)	80	735	1,141	1,193	1,201	1,422	1,725	1,819	1,584	1,215	532	191	66	26
	女	8,722 (89.7%)	39	631	882	747	868	1,083	1,235	1,241	898	657	252	140	40	9
	計	21,652 (90.0%)	119	1,366	2,023	1,940	2,069	2,505	2,960	3,060	2,482	1,872	784	331	106	35
問題なし	男	326 (2.3%)	1	15	27	23	28	50	48	48	47	26	10	3	0	0
	女	170 (1.7%)	0	8	17	11	16	17	26	27	26	9	6	5	2	0
	計	496 (2.1%)	1	23	44	34	44	67	74	75	73	35	16	8	2	0
要経過観察	男	1,013 (7.1%)	4	23	69	55	80	77	131	133	148	151	80	38	19	5
	女	797 (8.2%)	3	49	57	44	49	75	116	126	112	84	35	25	19	3
	計	1,810 (7.5%)	7	72	126	99	129	152	247	259	260	235	115	63	38	8
要精密検査	男	44 (0.3%)	0	0	4	1	3	2	7	6	7	9	3	1	0	1
	女	29 (0.3%)	0	1	2	1	3	4	2	9	1	4	0	1	1	0
	計	73 (0.3%)	0	1	6	2	6	6	9	15	8	13	3	2	1	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	11 (0.1%)	0	0	1	0	0	1	1	1	2	3	2	0	0	0
	女	9 (0.1%)	0	0	0	0	1	1	2	2	3	0	0	0	0	0
	計	20 (0.1%)	0	0	1	0	1	2	3	3	5	3	2	0	0	0
検診者総数	男	14,324	85	773	1,242	1,272	1,312	1,552	1,912	2,007	1,788	1,404	627	233	85	32
	女	9,727	42	689	958	803	937	1,180	1,381	1,405	1,040	754	293	171	62	12
	計	24,051	127	1,462	2,200	2,075	2,249	2,732	3,293	3,412	2,828	2,158	920	404	147	44

表59 肺機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
血清アミラーゼ	男	14324	77.5	85	73.0	773	74.1	1242	75.0	1272	74.3	1312	76.5	1552	73.5	1912	77.5	2007	76.5	1788	79.2	1404	83.1	627	84.0	233	88.3	85	94.0	32	90.3
	女	9727	80.7	42	80.7	689	79.0	958	79.4	803	78.7	937	78.4	1180	80.6	1381	78.9	1405	80.9	1040	81.8	754	86.2	293	83.1	171	87.3	62	97.2	12	89.1
	計	24051	78.8	127	75.6	1462	76.4	2200	76.9	2075	76.0	2249	77.3	2732	76.6	3293	78.1	3412	78.3	2828	80.1	2158	84.2	920	83.7	404	87.9	147	95.4	44	90.0

表60 電解質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	2,391 (90.8%)	8	28	32	126	189	286	389	487	436	248	99	37	12	14
	女	1,243 (85.5%)	0	3	8	56	130	170	218	218	197	119	47	22	6	49
	計	3,634 (88.9%)	8	31	40	182	319	456	607	705	633	367	146	59	18	63
問題なし	男	166 (6.3%)	2	10	6	10	5	12	32	25	27	21	4	7	3	2
	女	151 (10.4%)	0	0	0	7	9	9	25	31	25	25	7	2	2	9
	計	317 (7.8%)	2	10	6	17	14	21	57	56	52	46	11	9	5	11
要経過観察	男	76 (2.9%)	1	1	2	2	3	6	11	7	17	12	6	3	2	3
	女	57 (3.9%)	0	0	0	5	2	3	1	11	13	6	5	2	1	8
	計	133 (3.3%)	1	1	2	7	5	9	12	18	30	18	11	5	3	11
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	2,633	11	39	40	138	197	304	432	519	480	281	109	47	17	19
	女	1,453	0	3	8	68	141	182	245	260	236	150	59	26	9	66
	計	4,086	11	42	48	206	338	486	677	779	716	431	168	73	26	85

表61 電解質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ナトリウム mEq/L	男	2631	142.0	11	140.8	39	141.2	39	141.7	138	141.7	197	141.9	304	141.9	432	142.1	519	142.1	480	142.0	281	142.1	109	142.0	46	141.6	17	142.2	19	140.4
	女	1451	141.5	0	0.0	3	141.0	8	140.3	68	140.8	141	140.6	182	140.7	244	141.0	260	141.8	236	142.7	150	142.9	59	142.5	25	142.4	9	141.7	66	139.6
	計	4082	141.8	11	140.8	42	141.2	47	141.5	206	141.4	338	141.3	486	141.4	676	141.7	779	142.0	716	142.2	431	142.4	168	142.2	71	141.9	26	142.0	85	139.8
カリウム mEq/L	男	2633	4.2	11	4.3	39	4.3	40	4.2	138	4.1	197	4.2	304	4.2	432	4.2	519	4.2	480	4.3	281	4.3	109	4.3	47	4.4	17	4.5	19	4.5
	女	1451	4.2	0	0.0	3	3.9	8	4.1	68	4.1	141	4.2	182	4.2	244	4.2	260	4.2	236	4.2	150	4.2	59	4.3	25	4.3	9	4.1	66	4.4
	計	4084	4.2	11	4.3	42	4.3	48	4.2	206	4.1	338	4.2	486	4.2	676	4.2	779	4.2	716	4.2	431	4.3	168	4.3	72	4.4	26	4.3	85	4.4
クローム mg/L	男	2631	105.0	11	102.6	39	103.0	39	103.5	138	104.4	197	104.7	304	105.0	432	105.2	519	105.1	480	105.0	281	105.3	109	105.2	46	105.4	17	105.9	19	104.8
	女	1451	105.4	0	0.0	3	105.0	8	105.3	68	105.5	141	105.3	182	105.2	244	105.5	260	105.5	236	105.7	150	106.0	59	105.5	25	105.6	9	105.4	66	103.9
	計	4082	105.2	11	102.6	42	103.2	47	103.8	206	104.8	338	104.9	486	105.1	676	105.3	779	105.3	716	105.3	431	105.5	168	105.3	71	105.5	26	105.7	85	104.1
無機リン mg/L	男	2584	3.2	11	3.7	39	3.5	40	3.4	137	3.3	193	3.3	301	3.2	427	3.2	508	3.1	474	3.1	273	3.1	109	3.1	44	3.1	14	3.1	14	3.2
	女	1372	3.5	0	0.0	3	3.5	8	3.6	68	3.6	141	3.5	180	3.4	241	3.4	258	3.6	234	3.7	150	3.7	59	3.6	23	3.6	5	3.5	2	3.9
	計	3956	3.3	11	3.7	42	3.5	48	3.4	205	3.4	334	3.4	481	3.3	668	3.3	766	3.3	708	3.3	423	3.3	168	3.3	67	3.3	19	3.2	16	3.3
カルシウム mg/dL	男	2590	9.4	11	9.9	39	9.8	40	9.8	137	9.6	193	9.5	301	9.5	427	9.4	510	9.4	476	9.4	274	9.4	109	9.4	45	9.4	14	9.4	14	9.4
	女	1377	9.4	0	0.0	3	9.3	8	9.3	68	9.4	141	9.3	180	9.3	244	9.3	258	9.4	235	9.5	150	9.5	59	9.5	23	9.4	6	9.7	2	9.5
	計	3967	9.4	11	9.9	42	9.8	48	9.7	205	9.5	334	9.4	481	9.4	671	9.4	768	9.4	711	9.4	424	9.4	168	9.4	68	9.4	20	9.5	16	9.4
マグネシウム mg/dL	男	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	2.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	0	0.0
	計	2	2.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	0	0.0	0	0.0	1	1.9	0	0.0	0	0.0

表62 その他の血液検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	4,291 (94.8%)	20	78	125	242	292	503	626	745	677	463	307	148	44	21
	女	3,205 (95.0%)	35	123	119	185	269	376	465	556	444	325	166	108	29	5
	計	7,496 (94.9%)	55	201	244	427	561	879	1,091	1,301	1,121	788	473	256	73	26
問題なし	男	75 (1.7%)	3	8	5	1	5	6	8	11	6	10	9	3	0	0
	女	47 (1.4%)	0	1	0	2	4	2	6	9	7	10	5	1	0	0
	計	122 (1.5%)	3	9	5	3	9	8	14	20	13	20	14	4	0	0
要経過観察	男	99 (2.2%)	2	10	10	7	2	3	7	8	15	9	9	7	6	4
	女	68 (2.0%)	0	1	0	0	3	7	8	14	14	6	9	4	1	1
	計	167 (2.1%)	2	11	10	7	5	10	15	22	29	15	18	11	7	5
要精密検査	男	60 (1.3%)	0	0	2	0	2	5	2	9	17	7	9	4	3	0
	女	46 (1.4%)	0	1	1	5	1	3	6	10	2	11	2	1	1	2
	計	106 (1.3%)	0	1	3	5	3	8	8	19	19	18	11	5	4	2
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	9 (0.3%)	0	0	0	1	0	1	1	0	1	2	3	0	0	0
	計	9 (0.1%)	0	0	0	1	0	1	1	0	1	2	3	0	0	0
検診者総数	男	4,525	25	96	142	250	301	517	643	773	715	489	334	162	53	25
	女	3,375	35	126	120	193	277	389	486	589	468	354	185	114	31	8
	計	7,900	60	222	262	443	578	906	1,129	1,362	1,183	843	519	276	84	33

表63 その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上					
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率									
		CEA	男	1317	31	2.4	0	0	0.0	0	0	0.0	28	1	3.6	51	0	0.0	63	1	1.6	153	0	0.0	168	3	1.8	270	4	1.5	254	10	3.9	149	4	2.7	110	3	2.7	46	4	8.7	18	1	5.6	7	0	0.0	
CEA	女	931	4	0.4	0	0	0.0	1	0	0.0	41	0	0.0	40	0	0.0	59	0	0.0	111	0	0.0	135	0	0.0	222	2	0.9	149	0	0.0	90	0	0.0	39	1	2.6	31	0	0.0	9	0	0.0	4	1	25.0			
CEA	計	2248	35	1.6	0	0	0.0	1	0	0.0	69	1	1.4	91	0	0.0	122	1	0.8	264	0	0.0	303	3	1.0	492	6	1.2	403	10	2.5	239	4	1.7	149	4	2.7	77	4	5.2	27	1	3.7	11	1	9.1			
RF	男	2497	125	5.0	12	1	8.3	54	0	0.0	76	1	1.3	136	4	2.9	171	8	4.7	287	13	4.5	389	11	2.8	452	18	4.0	348	23	6.6	301	20	6.6	160	17	10.6	77	7	9.1	20	2	10.0	14	0	0.0			
RF	女	1939	114	5.9	35	0	0.0	121	2	1.7	71	1	1.4	121	3	2.5	178	8	4.5	224	5	2.2	287	12	4.2	299	24	8.0	263	18	6.8	194	22	11.3	91	14	15.4	45	5	11.1	8	0	0.0	2	0	0.0			
RF	計	4436	239	5.4	47	1	2.1	175	2	1.1	147	2	1.4	257	7	2.7	349	16	4.6	511	18	3.5	676	23	3.4	751	42	5.6	611	41	6.7	495	42	8.5	251	31	12.4	122	12	9.8	28	2	7.1	16	0	0.0			
CPK	男	122	46	37.7	11	4	36.4	39	18	46.2	34	15	44.1	13	4	30.8	7	1	14.3	3	0	0.0	4	2	50.0	5	2	40.0	5	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0			
CPK	女	2	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0			
CPK	計	124	46	37.1	11	4	36.4	39	18	46.2	34	15	44.1	13	4	30.8	7	1	14.3	4	0	0.0	4	2	50.0	5	2	40.0	5	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0
CA19-9	男	1413	10	0.7	0	0	0.0	1	0	0.0	7	0	0.0	68	0	0.0	95	0	0.0	157	1	0.6	178	0	0.0	226	1	0.4	255	2	0.8	156	1	0.6	150	3	2.0	81	2	2.5	27	0	0.0	12	0	0.0			
CA19-9	女	713	12	1.7	0	0	0.0	2	0	0.0	4	0	0.0	24	1	4.2	30	0	0.0	81	1	1.2	91	1	1.1	146	2	1.4	111	0	0.0	98	4	4.1	65	1	1.5	47	1	2.1	12	1	8.3	2	0	0.0			
CA19-9	計	2126	22	1.0	0	0	0.0	3	0	0.0	11	0	0.0	92	1	1.1	125	0	0.0	238	2	0.8	269	1	0.4	372	3	0.8	366	2	0.5	254	5	2.0	215	4	1.9	128	3	2.3	39	1	2.6	14	0	0.0			
CA125	男	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0			
CA125	女	744	16	2.2	0	0	0.0	6	1	16.7	12	0	0.0	33	4	12.1	31	0	0.0	88	2	2.3	104	5	4.8	135	2	1.5	106	1	0.9	110	1	0.9	65	0	0.0	45	0	0.0	9	0	0.0	0	0	0.0			
CA125	計	744	16	2.2	0	0	0.0	6	1	16.7	12	0	0.0	33	4	12.1	31	0	0.0	88	2	2.3	104	5	4.8	135	2	1.5	106	1	0.9	110	1	0.9	65	0	0.0	45	0	0.0	9	0	0.0	0	0	0.0			
シフラ	男	335	3	0.9	0	0	0.0	0	0	0.0	0	0	0.0	4	0	0.0	13	0	0.0	27	0	0.0	42	0	0.0	59	0	0.0	49	1	2.0	45	1	2.2	53	1	1.9	24	0	0.0	11	0	0.0	8	0	0.0			
シフラ	女	118	0	0.0	0	0	0.0	0	0	0.0	2	0	0.0	0	0	0.0	4	0	0.0	9	0	0.0	13	0	0.0	27	0	0.0	18	0	0.0	20	0	0.0	12	0	0.0	12	0	0.0	1	0	0.0	0	0	0.0			
シフラ	計	453	3	0.7	0	0	0.0	0	0	0.0	2	0	0.0	4	0	0.0	17	0	0.0	36	0	0.0	55	0	0.0	86	0	0.0	67	1	1.5	65	1	1.5	65	1	1.5	36	0	0.0	12	0	0.0	8	0	0.0			
PROGRP	男	336	3	0.9	0	0	0.0	0	0	0.0	0	0	0.0	4	0	0.0	12	0	0.0	27	0	0.0	42	0	0.0	59	1	1.7	50	0	0.0	45	0	0.0	53	1	1.9	24	0	0.0	11	0	0.0	9	1	11.1			
PROGRP	女	119	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	4	0	0.0	10	0	0.0	13	0	0.0	28	0	0.0	18	0	0.0	20	0	0.0	12	0	0.0	12	0	0.0	1	0	0.0	0	0	0.0			

表63 その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
HP	計	455	3	0.7	0	0	0.0	0	0	0.0	1	0	0.0	4	0	0.0	16	0	0.0	37	0	0.0	55	0	0.0	87	1	1.1	68	0	0.0	65	0	0.0	65	1	1.5	36	0	0.0	12	0	0.0	9	1	11.1

表63 (2) その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		NT- P r o b e n P	男	207	17	8.2	0	0	0.0	2	0	0.0	2	0	0.0	3	0	0.0	6	0	0.0	15	0	0.0	27	1	3.7	26	1	3.8	30	1	3.3	29	1	3.4	31	3	9.7	19	2	10.5	11	5	45.5	6
	女	185	16	8.6	0	0	0.0	0	0	0.0	2	0	0.0	3	0	0.0	9	0	0.0	17	1	5.9	25	1	4.0	25	1	4.0	24	3	12.5	34	4	11.8	21	3	14.3	19	1	5.3	5	1	20.0	1	1	100.0
	計	392	33	8.4	0	0	0.0	2	0	0.0	4	0	0.0	6	0	0.0	15	0	0.0	32	1	3.1	52	2	3.8	51	2	3.9	54	4	7.4	63	5	7.9	52	6	11.5	38	3	7.9	16	6	37.5	7	4	57.1

表95 その他の血液検査検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上				
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女			
CEAng/mL	男	1317	1.9	0	0.0	0	0.0	28	1.8	51	1.6	63	1.7	153	1.7	168	1.7	270	1.8	254	2.0	149	1.9	110	2.1	46	2.4	18	2.3	7	2.1		
	女	931	1.4	0	0.0	1	0.3	41	0.9	40	0.7	59	1.0	111	1.1	135	1.1	222	1.5	149	1.5	90	1.6	39	2.0	31	1.8	9	1.7	4	3.3		
	計	2248	1.7	0	0.0	1	0.3	69	1.3	91	1.2	122	1.4	264	1.4	303	1.4	492	1.7	403	1.8	239	1.8	149	2.0	77	2.2	27	2.1	11	2.6		
RFIU/mL	男	2497	13.8	12	12.4	54	10.1	76	11.4	136	11.6	171	14.3	287	13.6	389	11.4	452	12.7	348	16.2	301	14.5	160	17.8	77	15.8	20	24.3	14	10.0		
	女	1939	15.3	35	10.3	121	11.2	71	14.2	121	11.6	178	17.5	224	12.2	287	13.6	299	15.6	263	14.1	194	21.2	91	24.1	45	21.8	8	10.0	2	10.0		
	計	4436	14.4	47	10.8	175	10.9	147	12.8	257	11.6	349	15.9	511	13.0	676	12.3	751	13.9	611	15.3	495	17.1	251	20.1	122	18.0	28	20.2	16	10.0		
CPKU/L	男	122	377.9	11	369.8	39	267.8	34	693.9	13	278.0	7	163.7	3	128.7	4	237.3	5	261.2	5	108.0	1	64.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女	2	103.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	131.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	75.0	0	0.0		
	計	124	373.5	11	369.8	39	267.8	34	693.9	13	278.0	7	163.7	4	129.3	4	237.3	5	261.2	5	108.0	1	64.0	0	0.0	0	0.0	1	75.0	0	0.0		
CA19-9U/mL	男	1413	9.2	0	0.0	1	9.0	7	6.0	68	5.9	95	7.8	157	7.8	178	7.8	226	8.3	255	9.7	156	9.3	150	12.5	81	12.9	27	11.6	12	13.2		
	女	713	10.6	0	0.0	2	13.5	4	14.0	24	11.3	30	8.6	81	9.9	91	9.3	146	10.3	111	9.3	98	11.9	65	12.1	47	12.0	12	17.9	2	5.5		
	計	2126	9.7	0	0.0	3	12.0	11	8.9	92	7.3	125	8.0	238	8.5	269	8.3	372	9.1	366	9.6	254	10.3	215	12.4	128	12.5	39	13.6	14	12.1		
CA125U/mL	男	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		
	女	744	13.4	0	0.0	6	19.2	12	14.8	33	22.1	31	12.8	88	15.7	104	15.4	135	10.4	106	18.1	110	9.5	65	10.1	45	10.1	9	11.3	0	0.0		
	計	744	13.4	0	0.0	6	19.2	12	14.8	33	22.1	31	12.8	88	15.7	104	15.4	135	10.4	106	18.1	110	9.5	65	10.1	45	10.1	9	11.3	0	0.0		
シフラng/mL	男	335	1.3	0	0.0	0	0.0	0	0.0	4	0.9	13	0.9	27	1.0	42	1.1	59	1.1	49	1.2	45	1.4	53	1.4	24	1.7	11	1.5	8	2.1		
	女	118	1.1	0	0.0	0	0.0	2	1.3	0	0.0	4	1.0	9	0.9	13	0.9	27	1.1	18	1.3	20	1.2	12	1.0	12	1.3	1	1.8	0	0.0		
	計	453	1.2	0	0.0	0	0.0	2	1.3	4	0.9	17	0.9	36	1.0	55	1.0	86	1.1	67	1.2	65	1.4	65	1.3	36	1.6	12	1.5	8	2.1		
ProGRPpg/mL	男	336	38.9	0	0.0	0	0.0	0	0.0	4	36.0	12	34.7	27	32.5	42	32.9	59	37.1	50	35.8	45	44.0	53	43.5	24	45.6	11	36.9	9	54.9		
	女	119	38.9	0	0.0	0	0.0	1	32.1	0	0.0	4	31.4	10	33.2	13	38.2	28	40.5	18	41.9	20	37.9	12	39.0	12	38.5	1	65.5	0	0.0		
	計	455	38.9	0	0.0	0	0.0	1	32.1	4	36.0	16	33.8	37	32.7	55	34.1	87	38.2	68	37.4	65	42.2	65	42.7	36	43.2	12	39.3	9	54.9		
NT-proBNPpg/mL	男	207	58.0	0	0.0	2	15.5	2	5.5	3	33.0	6	18.7	15	12.9	27	31.7	26	32.5	30	36.2	29	41.5	31	70.3	19	145.5	11	137.6	6	183.2		
	女	185	63.8	0	0.0	0	0.0	2	58.0	3	22.7	9	56.7	17	45.5	25	55.0	25	45.5	24	59.6	34	63.5	21	73.8	19	71.6	5	112.6	1	764.0		
	計	392	60.7	0	0.0	2	15.5	4	31.8	6	27.8	15	41.5	32	30.2	52	42.9	51	38.9	54	46.6	63	53.4	52	71.7	38	108.5	16	129.8	7	266.1		

表64 前立腺検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	6,674	(93.4%)	0	3	11	30	55	125	210	1,273	1,278	1,154	881	801	574	279
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	22	(0.3%)	0	0	0	0	0	0	0	0	3	4	4	8	2	1
要精密検査	307	(4.3%)	0	0	0	0	2	1	3	21	39	51	52	54	51	33
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	139	(1.9%)	0	0	0	1	0	0	2	8	20	38	31	23	9	7
合計	7142		0	3	11	31	57	126	215	1302	1340	1247	968	886	636	320

表65 P S A検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/ ml	7142	1.52	0	0	3	0.77	11	1.02	31	1.1	57	1.18	126	0.93	215	1.08	1302	1.13	1340	1.36	1247	1.54	968	1.71	886	1.84	636	1.94	320	2.07

表66 骨密度検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	180 (49.7%)	0	1	0	2	3	7	6	11	9	17	35	45	36	8
	女	864 (36.6%)	0	7	28	35	61	61	96	192	137	91	67	64	16	9
	計	1,044 (38.3%)	0	8	28	37	64	68	102	203	146	108	102	109	52	17
問題なし	男	27 (7.5%)	0	0	1	1	4	3	5	3	6	4	0	0	0	0
	女	285 (12.1%)	0	4	19	28	32	77	84	41	0	0	0	0	0	0
	計	312 (11.5%)	0	4	20	29	36	80	89	44	6	4	0	0	0	0
要経過観察	男	127 (35.1%)	0	0	0	0	3	4	10	8	9	15	22	19	26	11
	女	884 (37.4%)	0	1	5	11	41	43	55	115	170	141	108	146	37	11
	計	1,011 (37.1%)	0	1	5	11	44	47	65	123	179	156	130	165	63	22
要精密検査	男	23 (6.4%)	0	0	0	0	0	0	2	2	2	3	5	6	1	2
	女	230 (9.7%)	0	0	1	1	2	3	2	18	31	54	37	54	22	5
	計	253 (9.3%)	0	0	1	1	2	3	4	20	33	57	42	60	23	7
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	5 (1.4%)	0	0	0	0	0	0	0	0	0	1	1	2	1	0
	女	99 (4.2%)	0	0	0	1	0	1	1	5	5	9	16	34	19	8
	計	104 (3.8%)	0	0	0	1	0	1	1	5	5	10	17	36	20	8
検診者総数	男	362	0	1	1	3	10	14	23	24	26	40	63	72	64	21
	女	2,362	0	12	53	76	136	185	238	371	343	295	228	298	94	33
	計	2,724	0	13	54	79	146	199	261	395	369	335	291	370	158	54

表67 超音波骨密度検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
超音波骨密度若年比較%	男	362	93.1	0	0.0	1	113.0	1	92.0	3	103.0	10	94.5	14	96.2	23	92.0	24	96.1	26	92.9	40	91.8	63	93.1	72	92.7	64	92.6	21	90.9
	女	2362	91.5	0	0.0	12	101.5	53	103.0	76	99.9	136	98.2	185	97.1	238	97.4	371	95.0	343	90.2	295	87.0	228	86.1	298	84.9	94	83.3	33	84.1
	計	2724	91.7	0	0.0	13	102.4	54	102.8	79	100.0	146	98.0	199	97.0	261	96.9	395	95.1	369	90.4	335	87.6	291	87.6	370	86.4	158	87.1	54	86.7
超音波骨密度同年比較%	男	362	102.2	0	0.0	1	109.0	1	89.0	3	102.3	10	95.8	14	98.6	23	95.1	24	100.9	26	99.0	40	99.4	63	102.9	72	103.5	64	106.4	21	106.4
	女	2362	101.4	0	0.0	12	101.4	53	102.7	76	100.3	136	98.2	185	97.1	238	99.1	371	101.8	343	101.9	295	101.3	228	102.6	298	103.4	94	105.0	33	108.8
	計	2724	101.5	0	0.0	13	102.0	54	102.5	79	100.4	146	98.0	199	97.2	261	98.8	395	101.7	369	101.7	335	101.0	291	102.7	370	103.4	158	105.6	54	107.9
超音波骨密度OSI×10 ⁰ 万	男	362	2.7	0	0.0	1	3.3	1	2.7	3	3.0	10	2.8	14	2.8	23	2.7	24	2.8	26	2.7	40	2.7	63	2.7	72	2.7	64	2.7	21	2.7
	女	2362	2.5	0	0.0	12	2.7	53	2.8	76	2.7	136	2.7	185	2.6	238	2.6	371	2.6	343	2.4	295	2.4	228	2.3	298	2.3	94	2.3	33	2.3
	計	2724	2.5	0	0.0	13	2.8	54	2.8	79	2.7	146	2.7	199	2.6	261	2.6	395	2.6	369	2.5	335	2.4	291	2.4	370	2.4	158	2.4	54	2.4

表68 動脈硬化検査判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	301 (21.4%)	0	0	2	49	14	92	56	52	24	10	1	1	0	0
	女	199 (21.9%)	0	0	1	12	17	36	39	44	33	12	2	3	0	0
	計	500 (21.6%)	0	0	3	61	31	128	95	96	57	22	3	4	0	0
問題なし	男	322 (22.9%)	0	0	0	4	6	43	39	90	80	34	14	10	1	1
	女	235 (25.8%)	0	0	0	0	2	12	38	58	52	45	18	7	3	0
	計	557 (24.1%)	0	0	0	4	8	55	77	148	132	79	32	17	4	1
要経過観察	男	700 (49.8%)	0	0	0	2	2	49	56	136	184	118	74	44	30	5
	女	442 (48.6%)	0	0	0	1	3	13	27	67	86	86	70	59	26	4
	計	1,142 (49.3%)	0	0	0	3	5	62	83	203	270	204	144	103	56	9
要精密検査	男	71 (5.1%)	0	0	0	0	1	1	3	6	15	10	17	7	9	2
	女	33 (3.6%)	0	0	0	0	0	0	1	1	2	4	9	7	7	2
	計	104 (4.5%)	0	0	0	0	1	1	4	7	17	14	26	14	16	4
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	11 (0.8%)	0	0	0	0	0	0	0	1	3	1	2	2	1	1
	女	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	計	12 (0.5%)	0	0	0	0	0	0	0	1	3	1	2	3	1	1
検診者総数	男	1,405	0	0	2	55	23	185	154	285	306	173	108	64	41	9
	女	910	0	0	1	13	22	61	105	170	173	147	99	77	36	6
	計	2,315	0	0	3	68	45	246	259	455	479	320	207	141	77	15

表69 頸部動脈超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
頸動脈の内腔狭窄あり(面)	男	30	(2.1%)	0	0	0	0	0	0	2	9	9	4	4	1	1	
	女	2	(0.2%)	0	0	0	0	0	0	0	1	0	0	1	0	0	
	計	32	(1.4%)	0	0	0	0	0	0	2	10	9	4	5	1	1	
頸動脈の高度狭窄あり(面)	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1	(0.1%)	0	0	0	0	0	1	0	0	0	0	0	0	0	
	計	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	
総頸動脈内径拡大	男	1	(0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	
頸動脈描出不良	男	31	(2.2%)	0	0	0	0	4	4	7	7	6	1	1	0	1	
	女	21	(2.3%)	0	0	0	0	2	3	4	2	3	2	2	2	0	
	計	52	(2.2%)	0	0	0	0	6	7	11	9	9	3	3	2	1	
低輝度不均質型プラーク	男	2	(0.1%)	0	0	0	0	0	0	0	0	1	1	0	0	0	
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	2	(0.1%)	0	0	0	0	0	0	0	0	1	1	0	0	0	
総頸動脈壁肥厚	男	31	(2.2%)	0	0	0	0	0	0	1	7	7	5	5	6	0	
	女	4	(0.4%)	0	0	0	0	0	0	0	1	0	1	1	1	0	
	計	35	(1.5%)	0	0	0	0	0	0	1	8	7	6	6	7	0	
プラークを認めます	男	1,060	(75.4%)	0	0	0	6	9	82	93	220	276	156	107	62	40	9
	女	675	(74.2%)	0	0	0	0	5	22	63	120	133	129	90	71	36	6
	計	1,735	(74.9%)	0	0	0	6	14	104	156	340	409	285	197	133	76	15
その他(頸部超音波所見)	男	32	(2.3%)	0	0	0	0	0	0	3	9	9	4	4	1	2	
	女	4	(0.4%)	0	0	0	0	0	2	0	1	0	0	1	0	0	
	計	36	(1.6%)	0	0	0	0	0	2	3	10	9	4	5	1	2	
検診者総数	男	1,405		0	0	2	55	23	185	154	285	306	173	108	64	41	9
	女	910		0	0	1	13	22	61	105	170	173	147	99	77	36	6
	計	2,315		0	0	3	68	45	246	259	455	479	320	207	141	77	15

表70 頸部動脈超音波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
頸部超音波計測最大IMT右	男	1405	1.4	0	0.0	0	0.0	2	0.9	55	0.9	23	1.1	185	1.1	154	1.2	285	1.3	306	1.4	173	1.5	108	1.8	64	1.8	41	1.8	9	2.0
	女	910	1.3	0	0.0	0	0.0	1	0.9	13	0.8	22	0.9	61	1.0	105	1.1	170	1.2	173	1.3	147	1.3	99	1.4	77	1.6	36	1.7	6	1.8
	計	2315	1.3	0	0.0	0	0.0	3	0.9	68	0.8	45	1.0	246	1.1	259	1.2	455	1.3	479	1.4	320	1.4	207	1.6	141	1.7	77	1.8	15	1.9
頸部超音波計測最大IMT左	男	1405	1.5	0	0.0	0	0.0	2	0.8	55	0.9	23	1.0	185	1.1	154	1.3	285	1.4	306	1.5	173	1.7	108	1.9	64	1.8	41	2.0	9	2.2
	女	910	1.3	0	0.0	0	0.0	1	0.9	13	0.8	22	1.0	61	1.0	105	1.2	170	1.3	173	1.3	147	1.4	99	1.5	77	1.6	36	1.6	6	1.6
	計	2315	1.4	0	0.0	0	0.0	3	0.8	68	0.9	45	1.0	246	1.1	259	1.2	455	1.3	479	1.4	320	1.5	207	1.7	141	1.7	77	1.8	15	1.9

表71 血圧脈波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI 検査 右	男	858	1.1	0	0.0	0	0.0	1	1.1	50	1.1	14	1.1	140	1.1	97	1.1	193	1.1	159	1.1	78	1.2	59	1.1	34	1.2	27	1.2	6	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	11	1.1	10	1.1	45	1.1	52	1.1	93	1.1	104	1.1	99	1.1	74	1.1	57	1.1	24	1.1	4	1.1
	計	1431	1.1	0	0.0	0	0.0	1	1.1	61	1.1	24	1.1	185	1.1	149	1.1	286	1.1	263	1.1	177	1.1	133	1.1	91	1.1	51	1.2	10	1.1
ABI 検査 左	男	859	1.1	0	0.0	0	0.0	1	1.1	50	1.1	14	1.1	141	1.1	97	1.1	193	1.1	159	1.1	78	1.2	59	1.1	34	1.2	27	1.1	6	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	11	1.1	10	1.1	45	1.1	52	1.1	93	1.1	104	1.1	99	1.1	74	1.1	57	1.1	24	1.1	4	1.1
	計	1432	1.1	0	0.0	0	0.0	1	1.1	61	1.1	24	1.1	186	1.1	149	1.1	286	1.1	263	1.1	177	1.1	133	1.1	91	1.1	51	1.1	10	1.1
PWV 検査 cm/s 右	男	856	1390.1	0	0.0	0	0.0	1	1051.0	50	1162.5	14	1257.6	140	1258.4	97	1289.6	193	1348.3	158	1439.8	78	1477.5	58	1608.0	34	1657.1	27	1765.1	6	1943.7
	女	573	1425.9	0	0.0	0	0.0	0	0.0	11	1136.5	10	1246.9	45	1167.0	52	1243.4	93	1301.0	104	1395.7	99	1456.3	74	1565.3	57	1672.2	24	1897.5	4	1970.0
	計	1429	1404.4	0	0.0	0	0.0	1	1051.0	61	1157.8	24	1253.1	185	1236.2	149	1273.5	286	1332.9	262	1422.3	177	1465.7	132	1584.0	91	1666.6	51	1827.4	10	1954.2
PWV 検査 cm/s 左	男	858	1379.0	0	0.0	0	0.0	1	1038.0	50	1142.7	14	1239.1	141	1246.6	97	1277.0	193	1332.1	158	1439.5	78	1472.5	59	1582.9	34	1675.1	27	1733.7	6	1919.3
	女	573	1425.9	0	0.0	0	0.0	0	0.0	11	1135.7	10	1221.2	45	1159.0	52	1236.3	93	1294.0	104	1398.8	99	1452.8	74	1575.9	57	1686.3	24	1880.0	4	2102.0
	計	1431	1397.8	0	0.0	0	0.0	1	1038.0	61	1141.4	24	1231.7	186	1225.4	149	1262.8	286	1319.7	262	1423.3	177	1461.5	133	1579.0	91	1682.1	51	1802.6	10	1992.4

表92 甲状腺判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	65 (45.5%)	0	0	0	5	1	8	13	17	5	7	7	1	1	0
	女	139 (30.4%)	0	0	5	8	10	20	28	27	20	16	1	2	2	0
	計	204 (34.0%)	0	0	5	13	11	28	41	44	25	23	8	3	3	0
問題なし	男	1 (0.7%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	1 (0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	0	0	1	1	0	0	0	0	0	0
要経過観察	男	57 (39.9%)	0	0	1	1	0	2	7	5	9	9	9	6	6	2
	女	218 (47.7%)	0	0	1	4	14	18	38	35	37	30	20	13	7	1
	計	275 (45.8%)	0	0	2	5	14	20	45	40	46	39	29	19	13	3
要精密検査	男	19 (13.3%)	0	0	0	1	0	1	3	3	2	4	4	0	0	1
	女	97 (21.2%)	0	1	0	1	7	5	18	19	14	13	10	5	2	2
	計	116 (19.3%)	0	1	0	2	7	6	21	22	16	17	14	5	2	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (0.7%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	2 (0.4%)	0	0	0	0	0	1	0	0	0	0	0	1	0	0
	計	3 (0.5%)	0	0	0	0	0	2	0	0	0	0	0	1	0	0
検診者総数	男	143	0	0	1	7	1	12	24	25	16	20	20	7	7	3
	女	457	0	1	6	13	31	44	84	82	71	59	31	21	11	3
	計	600	0	1	7	20	32	56	108	107	87	79	51	28	18	6

表93 甲状腺超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
副甲状腺腫大あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
甲状腺腫大あり	男	1 (0.9%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	16 (4.1%)	0	0	0	0	1	1	4	2	2	4	1	1	0	0
	計	17 (3.3%)	0	0	0	0	1	2	4	2	2	4	1	1	0	0
充実性腫瘍あり	男	28 (23.9%)	0	0	0	1	0	2	3	3	4	5	4	3	1	2
	女	121 (30.9%)	0	0	0	1	6	3	18	26	21	21	12	8	3	2
	計	149 (29.3%)	0	0	0	2	6	5	21	29	25	26	16	11	4	4
嚢胞性病変あり	男	63 (53.8%)	0	0	1	1	0	1	9	7	8	11	12	5	5	3
	女	245 (62.5%)	0	0	1	5	14	18	39	42	44	33	25	13	9	2
	計	308 (60.5%)	0	0	2	6	14	19	48	49	52	44	37	18	14	5
嚢胞性病変あり(充実部あり)	男	4 (3.4%)	0	0	0	1	0	0	0	0	0	1	0	2	0	0
	女	9 (2.3%)	0	0	0	1	1	0	1	0	3	1	1	1	0	0
	計	13 (2.6%)	0	0	0	2	1	0	1	0	3	2	1	3	0	0
甲状腺実質粗雑	男	3 (2.6%)	0	0	0	0	0	1	1	0	0	1	0	0	0	0
	女	42 (10.7%)	0	0	0	1	2	4	8	5	4	9	3	5	1	0
	計	45 (8.8%)	0	0	0	1	2	5	9	5	4	10	3	5	1	0
その他(甲状腺超音波所見)	男	33 (28.2%)	0	0	0	2	0	2	3	3	5	6	4	5	1	2
	女	140 (35.7%)	0	0	0	2	8	3	19	27	27	23	14	11	3	3
	計	173 (34.0%)	0	0	0	4	8	5	22	30	32	29	18	16	4	5
検診者総数	男	117	0	0	1	6	0	10	19	21	12	16	17	7	5	3
	女	392	0	0	4	11	29	37	70	67	59	52	30	20	10	3
	計	509	0	0	5	17	29	47	89	88	71	68	47	27	15	6

表94 甲状腺機能検査検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
TSH μIU/mL	男	78	1.7	0	0.0	0	0.0	0	0.0	4	2.0	1	0.8	7	1.8	13	1.2	12	1.7	10	1.4	13	1.4	12	2.3	3	1.9	2	2.9	1	4.1
	女	216	1.8	0	0.0	1	0.1	6	1.9	7	1.9	14	1.5	23	1.6	48	1.7	44	1.7	30	2.0	21	1.5	7	3.0	6	2.4	9	2.6	0	0.0
	計	294	1.8	0	0.0	1	0.1	6	1.9	11	1.9	15	1.4	30	1.6	61	1.6	56	1.7	40	1.9	34	1.4	19	2.6	9	2.2	11	2.6	1	4.1
FT3 pg/mL	男	77	3.2	0	0.0	0	0.0	0	0.0	3	3.2	1	3.6	7	3.1	13	3.5	12	3.0	10	3.3	13	3.2	12	2.9	3	3.1	2	3.1	1	2.5
	女	216	2.9	0	0.0	1	2.9	6	2.7	7	3.0	14	3.0	23	2.9	48	2.9	44	2.8	30	3.0	21	2.9	7	3.0	6	2.8	9	3.1	0	0.0
	計	293	3.0	0	0.0	1	2.9	6	2.7	10	3.1	15	3.0	30	2.9	61	3.0	56	2.9	40	3.1	34	3.0	19	3.0	9	2.9	11	3.1	1	2.5
FT4 ng/dL	男	77	1.3	0	0.0	0	0.0	0	0.0	3	1.5	1	1.2	7	1.3	13	1.5	12	1.2	10	1.4	13	1.3	12	1.1	3	1.2	2	1.0	1	1.4
	女	216	1.2	0	0.0	1	1.6	6	1.3	7	1.3	14	1.2	23	1.3	48	1.2	44	1.2	30	1.2	21	1.2	7	1.1	6	1.2	9	1.2	0	0.0
	計	293	1.3	0	0.0	1	1.6	6	1.3	10	1.3	15	1.2	30	1.3	61	1.3	56	1.2	40	1.3	34	1.3	19	1.1	9	1.2	11	1.1	1	1.4

表72 脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	425 (62.4%)	0	0	1	6	10	36	65	92	114	59	24	10	8	0
	女	224 (60.9%)	0	0	1	1	10	14	49	55	41	33	12	5	3	0
	計	649 (61.9%)	0	0	2	7	20	50	114	147	155	92	36	15	11	0
問題なし	男	96 (14.1%)	0	0	0	0	0	4	11	14	18	12	16	12	6	3
	女	48 (13.0%)	0	0	0	0	1	1	4	4	10	3	7	9	8	1
	計	144 (13.7%)	0	0	0	0	1	5	15	18	28	15	23	21	14	4
要経過観察	男	75 (11.0%)	0	0	0	0	0	1	8	12	26	15	6	6	1	0
	女	39 (10.6%)	0	0	0	1	1	0	4	9	10	5	3	4	2	0
	計	114 (10.9%)	0	0	0	1	1	1	12	21	36	20	9	10	3	0
要精密検査	男	62 (9.1%)	0	0	0	0	0	4	7	15	17	12	5	2	0	0
	女	53 (14.4%)	0	0	0	0	0	2	9	16	13	7	2	4	0	0
	計	115 (11.0%)	0	0	0	0	0	6	16	31	30	19	7	6	0	0
要治療	男	20 (2.9%)	0	0	0	0	0	1	3	2	8	3	3	0	0	0
	女	4 (1.1%)	0	0	0	0	0	0	0	0	2	1	1	0	0	0
	計	24 (2.3%)	0	0	0	0	0	1	3	2	10	4	4	0	0	0
治療中	男	3 (0.4%)	0	0	0	0	0	0	0	1	1	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	1	1	1	0	0	0	0
検診者総数	男	681	0	0	1	6	10	46	94	136	184	102	54	30	15	3
	女	368	0	0	1	2	12	17	66	84	76	49	25	22	13	1
	計	1,049	0	0	2	8	22	63	160	220	260	151	79	52	28	4

表73 頭部MRI検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
脳萎縮	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
無症候性脳梗塞巣	男	100 (14.7%)	0	0	0	0	0	1	2	10	27	17	19	15	6	3
	女	65 (17.7%)	0	0	0	0	0	0	2	8	15	9	9	13	8	1
	計	165 (15.7%)	0	0	0	0	0	1	4	18	42	26	28	28	14	4
脳内異常陰影	男	9 (1.3%)	0	0	0	0	0	1	2	3	1	2	0	0	0	0
	女	2 (0.5%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	計	11 (1.0%)	0	0	0	0	0	1	3	3	1	3	0	0	0	0
中耳炎症所見	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
副鼻腔炎	男	61 (9.0%)	0	0	0	0	0	4	9	10	17	9	7	5	0	0
	女	15 (4.1%)	0	0	0	0	1	1	2	1	6	2	2	0	0	0
	計	76 (7.2%)	0	0	0	0	1	5	11	11	23	11	9	5	0	0
くも膜嚢胞	男	9 (1.3%)	0	0	0	0	0	1	3	2	2	1	0	0	0	0
	女	3 (0.8%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	計	12 (1.1%)	0	0	0	0	0	1	4	3	3	1	0	0	0	0
海綿状血管腫	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
微小脳出血	男	6 (0.9%)	0	0	0	0	0	0	1	2	1	0	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	6 (0.6%)	0	0	0	0	0	0	1	2	1	0	1	1	0	0
その他(頭部MRI所見)	男	31 (4.6%)	0	0	0	0	0	0	4	5	10	5	3	4	0	0
	女	16 (4.3%)	0	0	0	3	0	0	2	4	4	1	2	0	0	0
	計	47 (4.5%)	0	0	0	3	0	0	6	9	14	6	5	4	0	0
検診者総数	男	681	0	0	1	6	10	46	94	136	184	102	54	30	15	3
	女	368	0	0	1	2	12	17	66	84	76	49	25	22	13	1
	計	1,049	0	0	2	8	22	63	160	220	260	151	79	52	28	4

表74 頭頸部MRA検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
脳動脈硬化	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	計	1 (0.1%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
脳動脈瘤	男	24 (3.5%)	0	0	0	0	0	1	4	4	9	4	2	0	0	0	
	女	24 (6.5%)	0	0	0	0	0	1	6	8	3	1	1	4	0	0	
	計	48 (4.6%)	0	0	0	0	0	2	10	12	12	5	3	4	0	0	
脳動脈狭窄	男	8 (1.2%)	0	0	0	0	0	0	1	1	2	1	0	3	0	0	
	女	5 (1.4%)	0	0	0	0	0	1	1	2	1	0	0	0	0	0	
	計	13 (1.2%)	0	0	0	0	0	1	2	3	3	1	0	3	0	0	
内頸動脈蛇行	男	21 (3.1%)	0	0	0	0	0	0	1	3	5	4	6	1	1	0	
	女	13 (3.5%)	0	0	0	0	0	0	0	1	3	1	1	3	4	0	
	計	34 (3.2%)	0	0	0	0	0	0	1	4	8	5	7	4	5	0	
脳底動脈蛇行	男	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	計	2 (0.2%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0	
遺残性三叉動脈	男	2 (0.3%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0	
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
	計	3 (0.3%)	0	0	0	0	0	0	1	0	1	0	0	1	0	0	
頸部内頸動脈狭窄	男	2 (0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0	
	女	1 (0.3%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
	計	3 (0.3%)	0	0	0	0	0	0	0	0	1	1	0	0	1	0	
脳動静脈奇形	男	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0	
遺残性舌下神経動脈	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
その他(頭頸部MRA所見)	男	40 (5.9%)	0	0	0	0	0	2	3	8	14	7	3	3	0	0	
	女	30 (8.2%)	0	0	0	0	1	0	2	7	10	5	2	2	1	0	
	計	70 (6.7%)	0	0	0	0	1	2	5	15	24	12	5	5	1	0	
検診者総数	男	681		0	0	1	6	10	46	94	136	184	102	54	30	15	3
	女	368		0	0	1	2	12	17	66	84	76	49	25	22	13	1
	計	1,049		0	0	2	8	22	63	160	220	260	151	79	52	28	4

表77 心理検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
抑うつ 状態	男	7 (31.8%)	0	0	0	0	0	1	3	1	0	1	0	0	1	0
	女	1 (20.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	8 (29.6%)	0	0	0	0	0	2	3	1	0	1	0	0	1	0
検診者 総数	男	22	0	0	0	1	1	1	5	7	0	5	0	1	1	0
	女	5	0	0	0	0	0	2	0	2	0	0	0	0	0	1
	計	27	0	0	0	1	1	3	5	9	0	5	0	1	1	1

表79 肥満やせ判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	18,421 (53.3%)	194	1,412	1,742	1,502	1,680	1,838	1,983	1,815	1,663	1,481	1,084	889	709	429
	女	20,035 (62.6%)	120	1,415	1,521	1,320	1,624	2,088	2,436	2,300	1,894	1,716	1,282	1,309	702	308
	計	38,456 (57.8%)	314	2,827	3,263	2,822	3,304	3,926	4,419	4,115	3,557	3,197	2,366	2,198	1,411	737
問題なし	男	1,322 (3.8%)	31	203	159	117	125	122	92	93	86	100	73	46	45	30
	女	5,180 (16.2%)	29	405	510	454	483	540	554	631	549	437	238	200	105	45
	計	6,502 (9.8%)	60	608	669	571	608	662	646	724	635	537	311	246	150	75
要経過観察	男	14,794 (42.8%)	38	448	860	1,050	1,255	1,488	1,966	2,060	1,686	1,543	1,074	858	329	139
	女	6,768 (21.2%)	32	211	291	408	493	714	902	1,006	751	677	507	476	209	91
	計	21,562 (32.4%)	70	659	1,151	1,458	1,748	2,202	2,868	3,066	2,437	2,220	1,581	1,334	538	230
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	34,537	263	2,063	2,761	2,669	3,060	3,448	4,041	3,968	3,435	3,124	2,231	1,793	1,083	598
	女	31,983	181	2,031	2,322	2,182	2,600	3,342	3,892	3,937	3,194	2,830	2,027	1,985	1,016	444
	計	66,520	444	4,094	5,083	4,851	5,660	6,790	7,933	7,905	6,629	5,954	4,258	3,778	2,099	1,042

表80 身体計測検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 cm	男	34893	170.2	272	170.7	2128	171.1	2803	171.4	2730	171.7	3095	171.7	3464	171.7	4084	171.4	4006	171.0	3445	170.1	3135	169.2	2249	167.7	1800	166.0	1084	164.5	598	162.4
	女	32122	157.2	182	157.2	2058	157.9	2331	158.6	2193	158.5	2619	158.7	3355	158.7	3909	158.5	3951	158.0	3202	157.4	2839	156.0	2032	154.8	1991	152.6	1016	151.1	444	148.7
	計	67015	163.9	454	165.3	4186	164.6	5134	165.6	4923	165.8	5714	165.7	6819	165.3	7993	165.1	7957	164.5	6647	164.0	5974	163.0	4281	161.5	3791	159.0	2100	158.0	1042	156.6
体重 kg	男	35067	69.9	275	64.4	2143	66.5	2823	69.4	2759	71.0	3116	71.6	3483	71.7	4103	72.8	4029	72.3	3452	70.9	3143	69.2	2257	67.2	1802	65.1	1084	63.0	598	60.7
	女	32147	55.0	182	54.6	2059	52.5	2333	53.3	2196	55.1	2629	55.9	3359	56.4	3910	57.0	3952	56.8	3204	55.6	2840	54.7	2032	53.9	1991	52.5	1016	50.9	444	49.6
	計	67214	62.8	457	60.5	4202	59.6	5156	62.1	4955	64.0	5745	64.4	6842	64.2	8013	65.1	7981	64.7	6656	63.6	5983	62.3	4289	60.9	3793	58.5	2100	57.2	1042	56.0
体重 BMI (体格 指数)	男	34893	24.1	272	22.1	2128	22.7	2803	23.6	2730	24.1	3095	24.3	3464	24.3	4084	24.8	4006	24.7	3445	24.5	3135	24.1	2249	23.9	1800	23.6	1084	23.3	598	23.0
	女	32121	22.3	182	22.1	2058	21.0	2330	21.2	2193	21.9	2619	22.2	3355	22.4	3909	22.7	3951	22.7	3202	22.5	2839	22.5	2032	22.5	1991	22.6	1016	22.3	444	22.4
	計	67014	23.2	454	22.1	4186	21.9	5133	22.5	4923	23.1	5714	23.3	6819	23.4	7993	23.7	7957	23.8	6647	23.5	5974	23.4	4281	23.2	3791	23.1	2100	22.8	1042	22.8
体脂肪 率%	男	3727	22.1	11	12.7	78	15.9	95	17.2	242	21.2	314	21.3	436	21.6	557	22.5	681	22.8	653	22.9	372	22.8	164	22.8	91	22.7	20	20.8	13	21.7
	女	2723	31.0	1	34.0	19	29.1	76	27.6	154	29.5	262	29.5	352	30.7	445	30.6	527	31.8	449	31.9	251	31.6	117	31.2	59	33.5	7	35.6	4	32.5
	計	6450	25.8	12	14.5	97	18.5	171	21.8	396	24.5	576	25.0	788	25.7	1002	26.1	1208	26.7	1102	26.6	623	26.3	281	26.3	150	26.9	27	24.7	17	24.2
腹囲 cm	男	31509	83.8	205	73.9	1709	77.1	2358	80.5	2370	82.5	2893	83.3	3353	83.6	3970	85.2	3928	85.5	3363	85.5	3066	85.0	2222	84.7	1787	84.6	220	84.9	65	85.3
	女	27766	77.8	121	71.0	1420	70.7	1622	72.4	1618	74.9	2210	76.1	3161	76.9	3742	78.0	3800	79.1	3117	79.7	2771	80.1	2011	80.8	1985	81.3	157	81.8	31	82.8
	計	59275	81.0	326	72.8	3129	74.2	3980	77.2	3988	79.4	5103	80.2	6514	80.4	7712	81.7	7728	82.4	6480	82.7	5837	82.7	4233	82.8	3772	82.9	377	83.6	96	84.5

表81 特定健診判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
該当	男	4,430	(17.4%)	1	8	31	59	199	362	558	717	676	733	570	467	41	8
	女	922	(4.0%)	0	1	5	8	32	46	83	151	144	153	137	153	6	3
	計	5,352	(11.1%)	1	9	36	67	231	408	641	868	820	886	707	620	47	11
予備群 該当	男	3,571	(14.1%)	2	29	85	141	326	409	548	586	452	436	278	243	27	9
	女	984	(4.3%)	0	4	3	6	57	104	143	192	165	134	96	75	4	1
	計	4,555	(9.5%)	2	33	88	147	383	513	691	778	617	570	374	318	31	10
非該当	男	15,581	(61.4%)	82	568	770	836	1,642	2,071	2,147	1,973	1,711	1,585	1,161	928	79	28
	女	18,812	(82.5%)	30	363	463	517	1,486	2,492	2,909	2,927	2,348	2,117	1,523	1,552	71	14
	計	34,393	(71.4%)	112	931	1,233	1,353	3,128	4,563	5,056	4,900	4,059	3,702	2,684	2,480	150	42
判定不能	男	1,812	(7.1%)	2	52	78	57	43	39	33	30	36	29	18	4	860	531
	女	2,088	(9.2%)	2	124	149	123	110	94	76	65	35	31	10	1	856	412
	計	3,900	(8.1%)	4	176	227	180	153	133	109	95	71	60	28	5	1,716	943
合計	男	25,394		87	657	964	1,093	2,210	2,881	3,286	3,306	2,875	2,783	2,027	1,642	1,007	576
	女	22,806		32	492	620	654	1,685	2,736	3,211	3,335	2,692	2,435	1,766	1,781	937	430
	計	48,200		119	1,149	1,584	1,747	3,895	5,617	6,497	6,641	5,567	5,218	3,793	3,423	1,944	1,006

表82 体力測定検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
全身反応時間 m秒	男	391	346.6	0	0.0	27	322.0	13	326.3	75	349.9	4	326.3	68	345.1	15	329.1	34	336.1	88	351.2	54	350.2	6	460.0	5	356.8	2	429.0	0	0.0
	女	195	395.0	1	358.0	0	0.0	2	435.0	42	407.8	2	540.0	46	380.2	18	383.8	19	387.8	42	389.3	15	393.2	4	451.3	3	410.0	0	0.0	1	540.0
	計	586	362.7	1	358.0	27	322.0	15	340.8	117	370.7	6	397.5	114	359.3	33	359.0	53	354.7	130	363.5	69	359.5	10	456.5	8	376.8	2	429.0	1	540.0
立位体前屈 cm	男	390	0.1	0	0.0	27	1.4	13	4.9	75	-0.3	4	5.1	68	-0.4	15	-0.8	34	0.3	87	-0.4	54	-0.2	6	-3.5	5	-0.8	2	10.8	0	0.0
	女	194	4.9	1	13.0	0	0.0	1	27.0	42	5.3	2	-2.3	46	3.5	18	4.2	19	5.9	42	5.5	15	4.7	4	4.4	3	7.3	0	0.0	1	4.5
	計	584	1.7	1	13.0	27	1.4	14	6.5	117	1.7	6	2.7	114	1.2	33	1.9	53	2.3	129	1.5	69	0.8	10	-0.4	8	2.3	2	10.8	1	4.5
上体おこし 回	男	379	18.2	0	0.0	27	26.9	13	26.5	74	19.9	4	19.3	66	19.2	15	17.5	33	17.0	85	15.1	52	14.9	5	15.6	4	10.8	1	0.0	0	0.0
	女	192	10.0	1	17.0	0	0.0	1	18.0	42	13.4	2	5.5	46	11.9	18	10.4	19	8.1	41	7.4	14	6.8	4	6.3	3	0.7	0	0.0	1	0.0
	計	571	15.4	1	17.0	27	26.9	14	25.9	116	17.5	6	14.7	112	16.2	33	13.6	52	13.7	126	12.6	66	13.1	9	11.4	7	6.4	1	0.0	1	0.0
閉眼片足立ち 秒	男	392	39.0	0	0.0	27	54.4	13	105.5	75	61.2	4	26.5	68	50.1	15	54.7	34	31.2	89	19.0	54	12.7	6	7.7	5	6.8	2	4.0	0	0.0
	女	194	33.4	1	105.0	0	0.0	2	8.0	42	52.0	2	46.5	46	41.0	18	38.1	19	30.3	41	17.3	15	10.0	4	8.5	3	9.0	0	0.0	1	1.0
	計	586	37.1	1	105.0	27	54.4	15	92.5	117	57.9	6	33.2	114	46.5	33	45.7	53	30.9	130	18.5	69	12.1	10	8.0	8	7.6	2	4.0	1	1.0
最大酸素摂取量 L/kg	男	380	31.8	0	0.0	27	38.5	13	38.5	75	33.5	4	31.4	66	33.3	15	32.0	32	33.2	83	28.5	53	28.8	6	23.8	5	24.8	1	26.8	0	0.0
	女	188	27.3	1	27.2	0	0.0	2	29.5	41	30.2	1	17.0	46	27.4	17	28.2	18	27.2	41	25.9	13	25.5	4	20.7	3	22.4	0	0.0	1	14.2
	計	568	30.3	1	27.2	27	38.5	15	37.3	116	32.3	5	28.5	112	30.8	32	30.0	50	31.1	124	27.6	66	28.1	10	22.6	8	23.9	1	26.8	1	14.2

表83 V D T 健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	1,428 (72.0%)	11	119	145	139	165	186	200	203	143	94	20	3	0	0
	女	1,084 (77.1%)	2	152	102	117	99	177	159	141	83	45	6	1	0	0
	計	2,512 (74.1%)	13	271	247	256	264	363	359	344	226	139	26	4	0	0
要経過観察	男	307 (15.5%)	0	20	30	35	24	23	30	55	53	27	8	1	1	0
	女	173 (12.3%)	2	18	22	20	17	8	16	30	19	17	4	0	0	0
	計	480 (14.2%)	2	38	52	55	41	31	46	85	72	44	12	1	1	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	207 (10.4%)	0	5	7	13	14	17	38	42	35	25	10	1	0	0
	女	131 (9.3%)	0	8	7	12	8	19	16	25	19	16	0	1	0	0
	計	338 (10.0%)	0	13	14	25	22	36	54	67	54	41	10	2	0	0
要二次検査	男	42 (2.1%)	2	9	2	3	4	4	5	4	3	4	1	1	0	0
	女	18 (1.3%)	0	4	3	2	2	3	0	1	1	1	0	1	0	0
	計	60 (1.8%)	2	13	5	5	6	7	5	5	4	5	1	2	0	0
合計	男	1,984	13	153	184	190	207	230	273	304	234	150	39	6	1	0
	女	1,406	4	182	134	151	126	207	191	197	122	79	10	3	0	0
	計	3,390	17	335	318	341	333	437	464	501	356	229	49	9	1	0

表84 有機溶剤健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	413 (89.4%)	6	43	57	65	57	40	46	50	22	19	5	3	0	0
	女	68 (94.4%)	0	5	6	5	20	11	6	1	8	4	0	2	0	0
	計	481 (90.1%)	6	48	63	70	77	51	52	51	30	23	5	5	0	0
要経過観察	男	45 (9.7%)	0	7	3	4	5	2	4	6	3	4	5	2	0	0
	女	4 (5.6%)	0	1	0	1	0	0	0	1	1	0	0	0	0	0
	計	49 (9.2%)	0	8	3	5	5	2	4	7	4	4	5	2	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	3 (0.6%)	0	0	0	0	0	2	1	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.6%)	0	0	0	0	0	2	1	0	0	0	0	0	0	0
要二次検査	男	1 (0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
合計	男	462	6	50	60	69	62	44	51	57	25	23	10	5	0	0
	女	72	0	6	6	6	20	11	6	2	9	4	0	2	0	0
	計	534	6	56	66	75	82	55	57	59	34	27	10	7	0	0

表85 特定化学物質管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	1,179 (95.7%)	20	150	136	165	127	123	190	127	61	43	26	11	0	0
	女	42 (97.7%)	1	4	6	1	7	9	2	3	5	4	0	0	0	0
	計	1,221 (95.8%)	21	154	142	166	134	132	192	130	66	47	26	11	0	0
要経過観察	男	46 (3.7%)	0	4	4	10	9	3	1	9	2	0	4	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	46 (3.6%)	0	4	4	10	9	3	1	9	2	0	4	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4 (0.3%)	0	0	0	0	0	0	2	2	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4 (0.3%)	0	0	0	0	0	0	2	2	0	0	0	0	0	0
要二次検査	男	3 (0.2%)	0	0	0	1	1	1	0	0	0	0	0	0	0	0
	女	1 (2.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	4 (0.3%)	0	0	0	1	1	2	0	0	0	0	0	0	0	0
合計	男	1,232	20	154	140	176	137	127	193	138	63	43	30	11	0	0
	女	43	1	4	6	1	7	10	2	3	5	4	0	0	0	0
	計	1,275	21	158	146	177	144	137	195	141	68	47	30	11	0	0

表86 じん肺・アスベスト健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	339	(97.4%)	10	30	33	55	38	31	48	34	27	16	9	4	2	2
	女	13	(92.9%)	1	0	3	1	1	0	1	2	3	0	1	0	0	0
	計	352	(97.2%)	11	30	36	56	39	31	49	36	30	16	10	4	2	2
要経過観察	男	6	(1.7%)	0	0	1	1	0	1	0	1	2	0	0	0	0	0
	女	1	(7.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7	(1.9%)	0	0	1	1	0	1	0	2	2	0	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要二次検査	男	3	(0.9%)	0	0	0	0	1	0	1	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.8%)	0	0	0	0	1	0	1	1	0	0	0	0	0	0
合計	男	348		10	30	34	56	39	32	49	36	29	16	9	4	2	2
	女	14		1	0	3	1	1	0	1	3	3	0	1	0	0	0
	計	362		11	30	37	57	40	32	50	39	32	16	10	4	2	2

表87 騒音・高気圧業務健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	418 (82.9%)	16	115	70	87	33	10	57	21	6	2	1	0	0	0
	女	2 (100.0%)	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	計	420 (83.0%)	16	115	70	87	33	12	57	21	6	2	1	0	0	0
要経過観察	男	85 (16.9%)	1	5	5	5	11	5	26	18	2	4	3	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	85 (16.8%)	1	5	5	5	11	5	26	18	2	4	3	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (0.2%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	504	17	120	75	93	44	15	83	39	8	6	4	0	0	0
	女	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0
	計	506	17	120	75	93	44	17	83	39	8	6	4	0	0	0

表88 有害光線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	248	(94.3%)	9	54	36	39	23	12	39	26	5	3	2	0	0	0
	女	1	(100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	249	(94.3%)	9	54	36	39	23	13	39	26	5	3	2	0	0	0
要経過観察	男	11	(4.2%)	0	2	1	3	1	0	1	1	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	11	(4.2%)	0	2	1	3	1	0	1	1	2	0	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4	(1.5%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(1.5%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
要二次検査	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	263		9	57	37	42	24	12	40	29	8	3	2	0	0	0
	女	1		0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	264		9	57	37	42	24	13	40	29	8	3	2	0	0	0

表89 電離放射線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	139	(93.3%)	0	14	15	22	17	14	16	11	17	9	4	0	0	0
	女	101	(79.5%)	0	7	8	9	13	15	13	18	12	6	0	0	0	0
	計	240	(87.0%)	0	21	23	31	30	29	29	29	29	15	4	0	0	0
要経過観察	男	5	(3.4%)	0	0	0	1	0	2	0	2	0	0	0	0	0	0
	女	22	(17.3%)	0	3	2	4	1	4	4	3	0	1	0	0	0	0
	計	27	(9.8%)	0	3	2	5	1	6	4	5	0	1	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	2	(1.3%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.7%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
要二次検査	男	3	(2.0%)	0	0	1	0	1	1	0	0	0	0	0	0	0	0
	女	4	(3.1%)	0	0	0	1	1	1	0	1	0	0	0	0	0	0
	計	7	(2.5%)	0	0	1	1	2	2	0	1	0	0	0	0	0	0
合計	男	149		0	14	16	23	18	17	16	13	19	9	4	0	0	0
	女	127		0	10	10	14	15	20	17	22	12	7	0	0	0	0
	計	276		0	24	26	37	33	37	33	35	31	16	4	0	0	0

表90 深夜業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	159	(62.8%)	7	51	28	26	12	5	17	9	2	1	1	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	159	(62.6%)	7	51	28	26	12	5	17	9	2	1	1	0	0	0
要経過観察	男	67	(26.5%)	2	6	6	14	10	2	12	13	1	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	67	(26.4%)	2	6	6	14	10	2	12	13	1	0	0	1	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	24	(9.5%)	0	0	0	0	1	0	7	2	3	5	4	2	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	24	(9.4%)	0	0	0	0	1	0	7	2	3	5	4	2	0	0
要二次検査	男	3	(1.2%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
	女	1	(100.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	4	(1.6%)	0	0	0	1	0	1	1	1	0	0	0	0	0	0
合計	男	253		9	57	34	41	23	7	37	25	6	6	5	3	0	0
	女	1		0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	254		9	57	34	41	23	8	37	25	6	6	5	3	0	0

表91 精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	問題なし	経過観察	治療中	要治療
視 機 能	107	78	72.9%	21 26.9%	20 25.6%	28 35.9%	0 0.0%	9 11.5%
肺 機 能	17	12	70.6%	1 8.3%	2 16.7%	5 41.7%	1 8.3%	3 25.0%
血 圧	1,509	807	53.5%	63 7.8%	56 6.9%	278 34.4%	30 3.7%	380 47.1%
脂 質	2,334	1,206	51.7%	147 12.2%	169 14.0%	449 37.2%	58 4.8%	383 31.8%
糖 尿 病	1,025	608	59.3%	29 4.8%	14 2.3%	267 43.9%	77 12.7%	221 36.3%
痛 風	404	217	53.7%	12 5.5%	11 5.1%	80 36.9%	10 4.6%	104 47.9%
肝機能・血清蛋白	4,943	3,005	60.8%	330 11.0%	439 14.6%	1,869 62.2%	167 5.6%	200 6.7%
甲 状 腺 検 査	116	100	86.2%	1 1.0%	12 12.0%	71 71.0%	6 6.0%	10 10.0%
膵 機 能	73	55	75.3%	17 30.9%	19 34.5%	19 34.5%	0 0.0%	0 0.0%
腎 機 能	1,117	718	64.3%	129 18.0%	141 19.6%	288 40.1%	91 12.7%	69 9.6%
貧血・血球数	2,271	1,331	58.6%	370 27.8%	240 18.0%	316 23.7%	42 3.2%	363 27.3%
炎症反応	64	36	56.3%	25 69.4%	5 13.9%	6 16.7%	0 0.0%	0 0.0%
電 解 質	2	2	100.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%
そ の 他	106	72	67.9%	21 29.2%	19 26.4%	24 33.3%	3 4.2%	5 6.9%
便 潜 血	1,552	1,059	68.2%	223 21.1%	194 18.3%	181 17.1%	3 0.3%	458 43.2%
眼 底 検 査	1,148	834	72.6%	107 12.8%	279 33.5%	281 33.7%	27 3.2%	140 16.8%
胸 部 検 査	536	450	84.0%	149 33.1%	101 22.4%	136 30.2%	24 5.3%	40 8.9%
心 電 図	417	274	65.7%	40 14.6%	74 27.0%	93 33.9%	11 4.0%	56 20.4%
上 部 消 化 管	920	712	77.4%	93 13.1%	163 22.9%	134 18.8%	3 0.4%	319 44.8%
腹 部 超 音 波	544	434	79.8%	55 12.7%	105 24.2%	226 52.1%	8 1.8%	40 9.2%
内 科 診 察	301	203	67.4%	36 17.7%	39 19.2%	77 37.9%	10 4.9%	41 20.2%
乳 房 検 査	598	554	92.6%	269 48.6%	148 26.7%	96 17.3%	3 0.5%	38 6.9%
婦 人 科 検 査	349	293	84.0%	16 5.5%	23 7.8%	184 62.8%	2 0.7%	68 23.2%
前 立 腺 検 査	307	251	81.8%	21 8.4%	14 5.6%	160 63.7%	21 8.4%	35 13.9%
骨 密 度	253	149	58.9%	25 16.8%	11 7.4%	52 34.9%	2 1.3%	59 39.6%
動 脈 硬 化 検 査	104	87	83.7%	3 3.4%	16 18.4%	34 39.1%	17 19.5%	17 19.5%
脳 検 査	139	120	86.3%	39 32.5%	23 19.2%	41 34.2%	1 0.8%	16 13.3%
睡眠時無呼吸検査	41	28	68.3%	0 0.0%	0 0.0%	2 7.1%	1 3.6%	25 89.3%

腹 部 検 査	1	0	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
けんぼ肝炎検査	5	2	40.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%

表95 総合判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	54 (2.9%)	1	2	1	3	5	5	6	10	13	8
	女	68 (2.1%)	7	11	9	7	7	4	5	8	8	2
	計	122 (2.4%)	8	13	10	10	12	9	11	18	21	10
問題なし	男	41 (2.2%)	2	4	0	3	2	5	2	8	10	5
	女	195 (6.2%)	6	5	8	19	17	29	29	35	36	11
	計	236 (4.7%)	8	9	8	22	19	34	31	43	46	16
要経過観察	男	422 (22.7%)	3	4	11	13	10	12	40	98	99	132
	女	952 (30.1%)	2	15	18	23	42	68	143	246	233	162
	計	1,374 (27.4%)	5	19	29	36	52	80	183	344	332	294
要精密検査	男	198 (10.7%)	1	2	1	3	4	7	12	54	43	71
	女	253 (8.0%)	0	4	2	3	13	19	35	60	54	63
	計	451 (9.0%)	1	6	3	6	17	26	47	114	97	134
要治療	男	38 (2.0%)	0	0	1	0	2	3	6	6	11	9
	女	63 (2.0%)	0	0	2	2	4	7	9	17	15	7
	計	101 (2.0%)	0	0	3	2	6	10	15	23	26	16
治療中	男	1,103 (59.4%)	0	1	2	13	18	19	61	240	320	429
	女	1,632 (51.6%)	0	2	4	9	31	44	178	411	465	488
	計	2,735 (54.5%)	0	3	6	22	49	63	239	651	785	917
検診者総数	男	1,856	7	13	16	35	41	51	127	416	496	654
	女	3,163	15	37	43	63	114	171	399	777	811	733
	計	5,019	22	50	59	98	155	222	526	1,193	1,307	1,387

表98 市民健診メタボ判定結果

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	該当	男	165 (9.1%)	0	2	2	7	13	13	31	95	2
女		100 (3.2%)	0	1	2	3	6	5	23	58	2	0
計		265 (5.3%)	0	3	4	10	19	18	54	153	4	0
予備群 該当	男	90 (5.0%)	0	2	2	2	7	6	16	55	0	0
	女	74 (2.3%)	0	0	2	3	8	4	15	42	0	0
	計	164 (3.3%)	0	2	4	5	15	10	31	97	0	0
非該当	男	431 (23.7%)	7	9	12	25	19	28	73	255	2	1
	女	1,451 (46.0%)	15	33	39	57	99	162	359	677	8	2
	計	1,882 (37.9%)	22	42	51	82	118	190	432	932	10	3
判定不能	男	1,129 (62.2%)	0	0	0	0	0	0	1	1	484	643
	女	1,532 (48.5%)	0	0	0	0	0	0	1	0	801	730
	計	2,661 (53.5%)	0	0	0	0	0	0	2	1	1,285	1,373
合計	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表96 市民健診肥満判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,168 (64.4%)	3	6	5	19	14	25	61	225	351	459
	女	2,145 (67.9%)	10	21	26	36	61	114	280	521	561	515
	計	3,313 (66.6%)	13	27	31	55	75	139	341	746	912	974
問題なし	男	87 (4.8%)	1	1	2	2	3	2	4	11	23	38
	女	414 (13.1%)	4	6	4	11	25	33	42	95	108	86
	計	501 (10.1%)	5	7	6	13	28	35	46	106	131	124
要経過観察	男	560 (30.9%)	3	6	9	13	22	20	56	170	114	147
	女	598 (18.9%)	1	7	13	16	27	24	76	161	142	131
	計	1,158 (23.3%)	4	13	22	29	49	44	132	331	256	278
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
検診者総数	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表97 市民健診身体計測検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 c m	男	1815	164.1	7	169.9	13	169.7	16	168.8	34	169.0	39	168.6	47	169.1	121	167.0	406	165.6	488	163.9	644	161.7
	女	3157	151.5	15	158.7	34	157.6	43	158.2	63	157.8	113	155.6	171	155.9	398	153.7	777	152.2	811	150.5	732	147.8
	計	4972	156.1	22	162.3	47	160.9	59	161.1	97	161.7	152	158.9	218	158.8	519	156.8	1183	156.8	1299	155.6	1376	154.3
体重 k g	男	1815	62.6	7	67.6	13	66.8	16	70.3	34	71.0	39	69.5	47	66.0	121	66.6	406	63.9	488	62.1	644	59.9
	女	3157	50.6	15	50.8	34	54.7	43	57.3	63	55.1	113	52.8	171	51.8	398	52.3	777	51.4	811	49.8	732	48.2
	計	4972	55.0	22	56.2	47	58.0	59	60.9	97	60.7	152	57.1	218	54.8	519	55.6	1183	55.7	1299	54.4	1376	53.7
体重 B M I (体格 指数)	男	1815	23.2	7	23.3	13	23.3	16	24.6	34	24.7	39	24.4	47	23.1	121	23.9	406	23.3	488	23.1	644	22.9
	女	3157	22.0	15	20.2	34	22.1	43	22.9	63	22.2	113	21.8	171	21.3	398	22.2	777	22.2	811	22.0	732	22.0
	計	4972	22.5	22	21.2	47	22.4	59	23.4	97	23.1	152	22.5	218	21.7	519	22.6	1183	22.6	1299	22.4	1376	22.4
腹囲 c m	男	686	84.1	7	80.7	13	82.1	16	84.2	34	86.0	39	87.3	47	83.6	120	84.6	405	83.7	4	82.7	1	80.6
	女	1625	79.8	15	72.1	34	76.6	43	80.0	63	78.4	113	77.9	171	77.8	397	80.1	777	80.7	10	82.5	2	87.0
	計	2311	81.1	22	74.9	47	78.1	59	81.2	97	81.0	152	80.3	218	79.0	517	81.2	1182	81.7	14	82.5	3	84.9

表99 市民健診血圧判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	332 (18.3%)	6	12	12	17	14	13	26	72	76	84
	女	897 (28.4%)	15	28	35	42	62	95	131	205	176	108
	計	1,229 (24.7%)	21	40	47	59	76	108	157	277	252	192
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	男	508 (28.0%)	1	0	4	9	9	12	37	128	129	179
	女	906 (28.7%)	0	6	8	15	30	45	126	239	244	193
	計	1,414 (28.4%)	1	6	12	24	39	57	163	367	373	372
要精密検査	男	81 (4.5%)	0	0	0	0	1	3	7	21	22	27
	女	136 (4.3%)	0	0	0	1	4	4	16	33	36	42
	計	217 (4.4%)	0	0	0	1	5	7	23	54	58	69
要治療	男	20 (1.1%)	0	0	0	0	0	2	5	2	7	4
	女	23 (0.7%)	0	0	0	0	0	1	2	6	10	4
	計	43 (0.9%)	0	0	0	0	0	3	7	8	17	8
治療中	男	874 (48.2%)	0	1	0	8	15	17	46	183	254	350
	女	1,195 (37.9%)	0	0	0	5	17	26	123	294	345	385
	計	2,069 (41.6%)	0	1	0	13	32	43	169	477	599	735
検診者総数	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表100 市民健診血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時 血圧最大 mmHg	男	1815	138.7	7	122.4	13	122.4	16	119.6	34	127.1	39	127.7	47	137.6	121	139.4	406	138.0	488	139.5	644	140.8
	女	3157	135.2	15	107.7	34	114.8	43	118.9	63	123.5	113	125.6	171	126.4	398	134.9	777	136.1	811	136.8	732	139.6
	計	4972	136.5	22	112.4	47	116.9	59	119.1	97	124.8	152	126.1	218	128.8	519	136.0	1183	136.7	1299	137.8	1376	140.2
安静時 血圧最小 mmHg	男	1815	74.2	7	72.7	13	73.1	16	74.8	34	79.8	39	78.6	47	81.1	121	80.6	406	76.3	488	73.9	644	70.9
	女	3157	72.9	15	66.2	34	70.0	43	72.9	63	74.4	113	75.6	171	73.6	398	74.2	777	73.9	811	72.8	732	70.7
	計	4972	73.4	22	68.3	47	70.9	59	73.4	97	76.3	152	76.4	218	75.2	519	75.7	1183	74.7	1299	73.2	1376	70.8

表101 市民健診肝機能・血清蛋白判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,236 (68.0%)	5	7	10	22	21	31	77	279	335	449
	女	2,635 (83.3%)	15	35	41	53	90	135	327	639	697	603
	計	3,871 (77.7%)	20	42	51	75	111	166	404	918	1,032	1,052
問題なし	男	253 (13.9%)	1	2	1	2	7	10	23	62	68	77
	女	256 (8.1%)	0	2	2	8	10	22	43	75	55	39
	計	509 (10.2%)	1	4	3	10	17	32	66	137	123	116
要経過観察	男	189 (10.4%)	0	2	2	4	2	3	11	29	59	77
	女	162 (5.1%)	0	0	0	1	2	4	11	27	45	72
	計	351 (7.0%)	0	2	2	5	4	7	22	56	104	149
要精密検査	男	108 (5.9%)	1	2	2	6	7	3	10	30	17	30
	女	79 (2.5%)	0	0	0	1	9	8	13	27	9	12
	計	187 (3.8%)	1	2	2	7	16	11	23	57	26	42
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
治療中	男	31 (1.7%)	0	0	1	1	2	0	1	6	9	11
	女	30 (0.9%)	0	0	0	0	3	2	5	8	5	7
	計	61 (1.2%)	0	0	1	1	5	2	6	14	14	18
検診者総数	男	1,817	7	13	16	35	39	47	122	406	488	644
	女	3,163	15	37	43	63	114	171	399	777	811	733
	計	4,980	22	50	59	98	153	218	521	1,183	1,299	1,377

表102 市民健診肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
AST (GOT) U/L	男	1815	25.1	7	42.3	13	25.6	16	26.3	34	28.0	39	26.7	47	25.5	121	24.8	406	24.7	488	24.3	644	25.4
	女	3157	23.6	15	18.6	34	17.8	43	18.5	63	20.4	113	25.8	171	22.9	398	23.2	777	24.2	811	23.3	732	24.1
	計	4972	24.1	22	26.1	47	20.0	59	20.6	97	23.0	152	26.0	218	23.5	519	23.6	1183	24.4	1299	23.7	1376	24.7
ALT (GPT) U/L	男	1815	21.3	7	30.4	13	33.2	16	31.2	34	32.3	39	23.8	47	24.3	121	24.1	406	22.2	488	19.9	644	19.8
	女	3157	18.3	15	13.6	34	14.4	43	15.7	63	17.9	113	21.5	171	19.6	398	19.5	777	19.6	811	17.5	732	17.0
	計	4972	19.4	22	19.0	47	19.6	59	19.9	97	22.9	152	22.1	218	20.6	519	20.6	1183	20.5	1299	18.4	1376	18.3
γ-GT (γ-GTP) U/L	男	1815	37.3	7	38.0	13	37.0	16	44.9	34	55.1	39	61.4	47	42.3	121	49.5	406	38.4	488	35.2	644	32.9
	女	3157	25.1	15	17.5	34	20.1	43	23.7	63	26.9	113	38.0	171	28.4	398	27.0	777	27.6	811	22.4	732	21.8
	計	4972	29.5	22	24.0	47	24.7	59	29.5	97	36.7	152	44.0	218	31.4	519	32.2	1183	31.3	1299	27.2	1376	27.0
アルブミン g/dL	男	1134	4.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.6	1	4.2	488	4.3	644	4.2
	女	1544	4.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.4	0	0.0	811	4.3	732	4.2
	計	2678	4.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.5	1	4.2	1299	4.3	1376	4.2

表103 市民健診腎機能判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	846 (46.6%)	6	13	16	27	26	34	72	214	221	217
	女	1,846 (58.5%)	15	33	40	53	91	132	272	461	456	293
	計	2,692 (54.1%)	21	46	56	80	117	166	344	675	677	510
問題なし	男	38 (2.1%)	0	0	0	2	2	1	3	14	8	8
	女	27 (0.9%)	0	0	0	1	1	1	3	4	11	6
	計	65 (1.3%)	0	0	0	3	3	2	6	18	19	14
要経過観察	男	686 (37.8%)	1	0	0	4	8	10	39	144	193	287
	女	1,073 (34.0%)	0	1	2	8	19	33	112	279	296	323
	計	1,759 (35.4%)	1	1	2	12	27	43	151	423	489	610
要精密検査	男	162 (8.9%)	0	0	0	0	2	2	2	18	39	99
	女	166 (5.3%)	0	0	0	0	1	2	8	25	40	90
	計	328 (6.6%)	0	0	0	0	3	4	10	43	79	189
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	83 (4.6%)	0	0	0	1	1	0	5	16	27	33
	女	45 (1.4%)	0	0	1	1	1	3	3	8	8	20
	計	128 (2.6%)	0	0	1	2	2	3	8	24	35	53
検診者総数	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表104 市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	1811	200	11.0	7	1	14.3	13	0	0.0	16	0	0.0	34	3	8.8	39	4	10.3	47	4	8.5	121	15	12.4	406	41	10.1	486	48	9.9	642	84	13.1
	女	3153	104	3.3	15	0	0.0	34	1	2.9	43	0	0.0	63	1	1.6	113	3	2.7	171	2	1.2	398	9	2.3	777	15	1.9	810	33	4.1	729	40	5.5
	計	4964	304	6.1	22	1	4.5	47	1	2.1	59	0	0.0	97	4	4.1	152	7	4.6	218	6	2.8	519	24	4.6	1183	56	4.7	1296	81	6.3	1371	124	9.0

表105 市民健診腎機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
クレアチニン mg/dL	男	1815	1.0	7	0.9	13	0.8	16	0.8	34	0.9	39	1.0	47	0.9	121	1.0	406	0.9	488	1.0	644	1.0
	女	3157	0.7	15	0.6	34	0.7	43	0.7	63	0.7	113	0.7	171	0.7	398	0.7	777	0.7	811	0.7	732	0.8
	計	4972	0.8	22	0.7	47	0.7	59	0.7	97	0.8	152	0.8	218	0.7	519	0.8	1183	0.8	1299	0.8	1376	0.9

表106 市民健診脂質判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	709 (39.1%)	2	3	5	11	15	17	31	135	195	295
	女	905 (28.7%)	11	17	23	23	38	48	83	195	231	236
	計	1,614 (32.5%)	13	20	28	34	53	65	114	330	426	531
問題なし	男	393 (21.7%)	4	7	5	5	5	14	32	95	114	112
	女	701 (22.2%)	3	9	8	20	25	41	100	166	165	164
	計	1,094 (22.0%)	7	16	13	25	30	55	132	261	279	276
要経過観察	男	336 (18.5%)	1	0	4	12	9	9	31	92	79	99
	女	650 (20.6%)	1	5	8	12	32	46	97	176	155	118
	計	986 (19.8%)	2	5	12	24	41	55	128	268	234	217
要精密検査	男	82 (4.5%)	0	2	0	2	2	2	3	14	23	34
	女	91 (2.9%)	0	1	1	3	4	9	17	22	19	15
	計	173 (3.5%)	0	3	1	5	6	11	20	36	42	49
要治療	男	4 (0.2%)	0	0	0	0	2	0	0	2	0	0
	女	30 (1.0%)	0	0	1	1	3	4	5	11	5	0
	計	34 (0.7%)	0	0	1	1	5	4	5	13	5	0
治療中	男	291 (16.0%)	0	1	2	4	6	5	24	68	77	104
	女	780 (24.7%)	0	2	2	4	11	23	96	207	236	199
	計	1,071 (21.5%)	0	3	4	8	17	28	120	275	313	303
検診者総数	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表107 市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂 肪 g/d L	男	1815	108.7	7	103.0	13	79.6	16	120.9	34	148.7	39	113.2	47	129.3	121	115.9	406	112.2	488	108.1	644	102.0
	女	3157	100.1	15	92.2	34	67.8	43	82.1	63	93.9	113	89.9	171	89.4	398	103.3	777	106.3	811	99.2	732	100.1
	計	4972	103.2	22	95.6	47	71.1	59	92.6	97	113.1	152	95.9	218	98.0	519	106.2	1183	108.3	1299	102.5	1376	101.0
HDL コレス テル g/d L	男	1815	57.0	7	60.3	13	60.0	16	52.4	34	51.2	39	55.9	47	58.8	121	58.2	406	57.5	488	57.2	644	56.6
	女	3157	67.2	15	62.5	34	65.8	43	67.3	63	69.5	113	73.5	171	73.4	398	68.7	777	66.4	811	67.1	732	64.7
	計	4972	63.4	22	61.8	47	64.2	59	63.3	97	63.1	152	69.0	218	70.3	519	66.3	1183	63.4	1299	63.3	1376	60.9
LDL コレス テル g/d L	男	1815	109.4	7	115.3	13	108.3	16	125.1	34	120.6	39	116.0	47	116.6	121	120.1	406	114.9	488	108.8	644	102.5
	女	3157	120.7	15	104.3	34	114.6	43	118.5	63	124.5	113	126.1	171	130.3	398	127.7	777	123.3	811	118.4	732	113.9
	計	4972	116.6	22	107.8	47	112.8	59	120.3	97	123.1	152	123.5	218	127.3	519	125.9	1183	120.5	1299	114.8	1376	108.6

表108 市民健診糖尿病判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	620 (34.2%)	6	10	10	16	21	19	49	139	161	189
	女	1,366 (43.3%)	12	28	37	45	66	97	180	342	317	242
	計	1,986 (39.9%)	18	38	47	61	87	116	229	481	478	431
問題なし	男	559 (30.8%)	1	1	4	10	8	14	43	129	148	201
	女	1,094 (34.7%)	3	4	5	13	32	55	135	260	295	292
	計	1,653 (33.2%)	4	5	9	23	40	69	178	389	443	493
要経過観察	男	251 (13.8%)	0	2	1	5	4	8	14	48	73	96
	女	376 (11.9%)	0	2	1	0	6	14	51	91	114	97
	計	627 (12.6%)	0	4	2	5	10	22	65	139	187	193
要精密検査	男	55 (3.0%)	0	0	0	0	1	0	2	13	14	25
	女	48 (1.5%)	0	0	0	0	2	0	3	13	12	18
	計	103 (2.1%)	0	0	0	0	3	0	5	26	26	43
要治療	男	46 (2.5%)	0	0	1	0	0	1	3	6	13	22
	女	37 (1.2%)	0	0	0	1	1	2	4	10	5	14
	計	83 (1.7%)	0	0	1	1	1	3	7	16	18	36
治療中	男	284 (15.6%)	0	0	0	3	5	5	10	71	79	111
	女	236 (7.5%)	0	0	0	4	6	3	25	61	68	69
	計	520 (10.5%)	0	0	0	7	11	8	35	132	147	180
検診者総数	男	1,815	7	13	16	34	39	47	121	406	488	644
	女	3,157	15	34	43	63	113	171	398	777	811	732
	計	4,972	22	47	59	97	152	218	519	1,183	1,299	1,376

表109 市民健診糖尿病検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血糖 mg/ dL	男	1815	106.9	7	91.7	13	96.2	16	101.6	34	100.0	39	103.7	47	106.8	121	101.4	406	105.5	488	107.1	644	109.6
	女	3157	100.2	15	88.3	34	88.4	43	90.4	63	95.0	113	96.4	171	95.9	398	98.4	777	100.4	811	100.8	732	103.7
	計	4972	102.6	22	89.4	47	90.5	59	93.4	97	96.8	152	98.3	218	98.3	519	99.1	1183	102.2	1299	103.1	1376	106.4
HbA 1c (NG SP) %	男	1815	5.7	7	5.2	13	5.2	16	5.6	34	5.3	39	5.5	47	5.6	121	5.5	406	5.7	488	5.7	644	5.8
	女	3157	5.6	15	5.3	34	5.3	43	5.2	63	5.5	113	5.5	171	5.4	398	5.6	777	5.6	811	5.6	732	5.6
	計	4972	5.6	22	5.3	47	5.3	59	5.3	97	5.4	152	5.5	218	5.5	519	5.5	1183	5.6	1299	5.6	1376	5.7

表110 市民健診尿糖検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿糖定性	男	1811	151	8.3	7	0	0.0	13	0	0.0	16	1	6.3	34	2	5.9	39	7	17.9	47	4	8.5	121	7	5.8	406	36	8.9	486	40	8.2	642	54	8.4
	女	3153	75	2.4	15	0	0.0	34	0	0.0	43	0	0.0	63	2	3.2	113	2	1.8	171	3	1.8	398	12	3.0	777	17	2.2	810	20	2.5	729	19	2.6
	計	4964	226	4.6	22	0	0.0	47	0	0.0	59	1	1.7	97	4	4.1	152	9	5.9	218	7	3.2	519	19	3.7	1183	53	4.5	1296	60	4.6	1371	73	5.3

表113 市民健診貧血・血球数判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	13 (76.5%)	0	0	1	3	2	2	1	4	0	0
	女	110 (76.4%)	3	2	2	11	16	18	24	34	0	0
	計	123 (76.4%)	3	2	3	14	18	20	25	38	0	0
問題なし	男	1 (5.9%)	0	0	0	0	0	0	0	0	1	0
	女	7 (4.9%)	0	0	0	2	0	1	3	1	0	0
	計	8 (5.0%)	0	0	0	2	0	1	3	1	1	0
要経過観察	男	1 (5.9%)	0	0	0	0	1	0	0	0	0	0
	女	19 (13.2%)	0	3	3	1	0	2	4	6	0	0
	計	20 (12.4%)	0	3	3	1	1	2	4	6	0	0
要精密検査	男	1 (5.9%)	0	0	0	0	0	0	0	1	0	0
	女	4 (2.8%)	0	3	0	0	0	0	1	0	0	0
	計	5 (3.1%)	0	3	0	0	0	0	1	1	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.7%)	0	0	1	0	0	0	0	0	0	0
	計	1 (0.6%)	0	0	1	0	0	0	0	0	0	0
治療中	男	1 (5.9%)	0	0	0	0	0	0	0	1	0	0
	女	3 (2.1%)	0	0	1	0	1	0	1	0	0	0
	計	4 (2.5%)	0	0	1	0	1	0	1	1	0	0
検診者総数	男	17	0	0	1	3	3	2	1	6	1	0
	女	144	3	8	7	14	17	21	33	41	0	0
	計	161	3	8	8	17	20	23	34	47	1	0

表114 市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 万/ μ L	男	17	452.4	0	0.0	0	0.0	1	523.0	3	442.0	3	446.0	2	473.5	1	465.0	6	427.2	1	529.0	0	0.0
	女	144	429.9	3	423.7	8	409.0	7	411.9	14	459.7	17	434.7	21	424.8	33	430.9	41	427.2	0	0.0	0	0.0
	計	161	432.3	3	423.7	8	409.0	8	425.8	17	456.6	20	436.4	23	429.0	34	431.9	47	427.2	1	529.0	0	0.0
ヘモグロビン g/dL	男	17	14.2	0	0.0	0	0.0	1	15.9	3	14.4	3	13.5	2	15.4	1	13.9	6	13.4	1	16.7	0	0.0
	女	144	13.0	3	12.8	8	11.6	7	11.6	14	13.5	17	13.2	21	13.1	33	13.1	41	13.1	0	0.0	0	0.0
	計	161	13.1	3	12.8	8	11.6	8	12.2	17	13.6	20	13.2	23	13.3	34	13.1	47	13.1	1	16.7	0	0.0
ヘマトクリット %	男	17	42.4	0	0.0	0	0.0	1	47.7	3	42.1	3	40.6	2	44.5	1	43.2	6	40.2	1	51.3	0	0.0
	女	144	39.4	3	38.8	8	35.9	7	36.0	14	41.0	17	39.7	21	39.6	33	39.8	41	39.7	0	0.0	0	0.0
	計	161	39.7	3	38.8	8	35.9	8	37.5	17	41.2	20	39.9	23	40.0	34	39.9	47	39.7	1	51.3	0	0.0

表115 市民健診心電図判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	135 (57.2%)	0	0	2	6	7	15	23	81	1	0
	女	265 (66.8%)	2	2	3	11	11	22	73	140	0	1
	計	400 (63.2%)	2	2	5	17	18	37	96	221	1	1
問題なし	男	24 (10.2%)	0	0	1	1	0	1	6	15	0	0
	女	34 (8.6%)	0	0	0	1	1	2	12	18	0	0
	計	58 (9.2%)	0	0	1	2	1	3	18	33	0	0
要経過観察	男	55 (23.3%)	0	0	0	1	1	7	10	36	0	0
	女	84 (21.2%)	0	0	0	0	5	10	17	52	0	0
	計	139 (22.0%)	0	0	0	1	6	17	27	88	0	0
要精密検査	男	8 (3.4%)	0	0	0	0	0	0	3	5	0	0
	女	10 (2.5%)	0	0	0	0	0	2	1	7	0	0
	計	18 (2.8%)	0	0	0	0	0	2	4	12	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	14 (5.9%)	0	0	0	0	2	1	2	9	0	0
	女	4 (1.0%)	0	0	0	0	1	1	0	2	0	0
	計	18 (2.8%)	0	0	0	0	3	2	2	11	0	0
検診者総数	男	236	0	0	3	8	10	24	44	146	1	0
	女	397	2	2	3	12	18	37	103	219	0	1
	計	633	2	2	6	20	28	61	147	365	1	1

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
洞性徐脈	男	6 (2.5%)	0	0	0	0	0	0	3	3	0	0
	女	1 (0.3%)	0	0	0	0	0	0	1	0	0	0
	計	7 (1.1%)	0	0	0	0	0	0	4	3	0	0
洞性頻脈	男	4 (1.7%)	0	0	0	0	0	0	3	1	0	0
	女	10 (2.5%)	0	0	0	0	0	0	3	7	0	0
	計	14 (2.2%)	0	0	0	0	0	0	6	8	0	0
洞性不整脈	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
右軸偏位(100°以上)	男	2 (0.8%)	0	0	0	1	0	0	0	1	0	0
	女	2 (0.5%)	0	0	0	0	0	0	1	1	0	0
	計	4 (0.6%)	0	0	0	1	0	0	1	2	0	0
左軸偏位(-30°以下)	男	15 (6.4%)	0	0	1	0	0	1	5	8	0	0
	女	14 (3.5%)	0	0	0	1	1	0	4	8	0	0
	計	29 (4.6%)	0	0	1	1	1	1	9	16	0	0
第一度房室ブロック	男	9 (3.8%)	0	0	0	0	0	1	1	7	0	0
	女	4 (1.0%)	0	0	0	0	0	0	0	4	0	0
	計	13 (2.1%)	0	0	0	0	0	1	1	11	0	0
P Q短縮	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	1	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	1	0	0	0
不完全右脚ブロック	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	5 (1.3%)	0	0	0	0	0	2	1	2	0	0
	計	6 (0.9%)	0	0	0	0	0	2	1	3	0	0
完全右脚ブロック	男	13 (5.5%)	0	0	0	0	0	1	3	9	0	0
	女	11 (2.8%)	0	0	0	0	0	1	4	6	0	0
	計	24 (3.8%)	0	0	0	0	0	2	7	15	0	0
完全左脚ブロック	男	1 (0.4%)	0	0	0	0	0	0	1	0	0	0
	女	2 (0.5%)	0	0	0	0	0	0	0	2	0	0
	計	3 (0.5%)	0	0	0	0	0	0	1	2	0	0
上室性期外収縮	男	4 (1.7%)	0	0	0	1	0	0	0	3	0	0
	女	5 (1.3%)	0	0	0	0	0	0	0	5	0	0
	計	9 (1.4%)	0	0	0	1	0	0	0	8	0	0
心室性	男	9 (3.8%)	0	0	0	0	0	0	2	7	0	0

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	期外収縮	女	9 (2.3%)	0	0	0	0	1	1	1	6	0
	計	18 (2.8%)	0	0	0	0	1	1	3	13	0	0
心房細動	男	4 (1.7%)	0	0	0	0	0	0	1	3	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0
	計	5 (0.8%)	0	0	0	0	0	1	1	3	0	0
ST低下	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
ST異常	男	8 (3.4%)	0	0	0	0	0	1	2	5	0	0
	女	22 (5.5%)	0	0	0	0	1	2	6	13	0	0
	計	30 (4.7%)	0	0	0	0	1	3	8	18	0	0
異常Q波	男	8 (3.4%)	0	0	0	0	0	3	1	4	0	0
	女	8 (2.0%)	0	0	0	0	0	1	1	6	0	0
	計	16 (2.5%)	0	0	0	0	0	4	2	10	0	0
R波増高不良	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	3 (0.8%)	0	0	0	0	1	1	0	1	0	0
	計	3 (0.5%)	0	0	0	0	1	1	0	1	0	0
陰性T波	男	8 (3.4%)	0	0	0	0	1	2	4	1	0	0
	女	3 (0.8%)	0	0	0	0	0	0	1	2	0	0
	計	11 (1.7%)	0	0	0	0	1	2	5	3	0	0
平低T	男	18 (7.6%)	0	0	0	0	0	2	2	14	0	0
	女	18 (4.5%)	0	0	0	0	0	3	4	11	0	0
	計	36 (5.7%)	0	0	0	0	0	5	6	25	0	0
T波増高	男	2 (0.8%)	0	0	0	0	0	0	0	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	0	0	0	2	0	0
QT延長	男	3 (1.3%)	0	0	0	0	1	0	1	1	0	0
	女	4 (1.0%)	0	0	0	0	0	0	2	2	0	0
	計	7 (1.1%)	0	0	0	0	1	0	3	3	0	0
人工ペースメーカー調律	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
III. a V f の	男	1 (0.4%)	0	0	0	0	0	0	1	0	0	0
	女	5 (1.3%)	0	0	0	0	0	0	0	5	0	0

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)										
Q波	計	6 (0.9%)	0	0	0	0	0	0	1	5	0	0
左室高 電位	男	15 (6.4%)	0	0	0	0	0	2	4	9	0	0
	女	20 (5.0%)	0	0	0	0	1	1	5	13	0	0
	計	35 (5.5%)	0	0	0	0	1	3	9	22	0	0
R S R パターン	男	3 (1.3%)	0	0	0	0	0	1	0	2	0	0
	女	11 (2.8%)	0	0	0	0	2	0	1	8	0	0
	計	14 (2.2%)	0	0	0	0	2	1	1	10	0	0
左脚前 枝ブ ロック	男	4 (1.7%)	0	0	0	0	0	0	1	3	0	0
	女	2 (0.5%)	0	0	0	0	0	0	0	2	0	0
	計	6 (0.9%)	0	0	0	0	0	0	1	5	0	0
冠状静 脈洞調 律	男	1 (0.4%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
右房性 P (拡 大)	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	6 (1.5%)	0	0	0	0	1	3	0	2	0	0
	計	6 (0.9%)	0	0	0	0	1	3	0	2	0	0
左房性 P (拡 大)	男	3 (1.3%)	0	0	0	0	0	0	2	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	3 (0.5%)	0	0	0	0	0	0	2	1	0	0
その他 (安静心 電図所 見)	男	5 (2.1%)	0	0	0	0	2	0	0	3	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0
	計	6 (0.9%)	0	0	0	0	2	1	0	3	0	0
検診者 総数	男	236	0	0	3	8	10	24	44	146	1	0
	女	397	2	2	3	12	18	37	103	219	0	1
	計	633	2	2	6	20	28	61	147	365	1	1

表117 市民健診眼底写真判定結果

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	33 (17.6%)	0	0	1	4	1	4	10	13	0	0
	女	92 (29.2%)	0	1	2	6	6	16	29	32	0	0
	計	125 (24.9%)	0	1	3	10	7	20	39	45	0	0
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	男	134 (71.3%)	0	0	0	2	5	10	23	94	0	0
	女	178 (56.5%)	0	0	0	2	3	8	47	117	0	1
	計	312 (62.0%)	0	0	0	4	8	18	70	211	0	1
要精密検査	男	20 (10.6%)	0	0	0	0	1	2	4	13	0	0
	女	40 (12.7%)	0	0	1	0	2	2	8	26	0	1
	計	60 (11.9%)	0	0	1	0	3	4	12	39	0	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (0.5%)	0	0	0	0	0	0	0	1	0	0
	女	5 (1.6%)	0	0	0	0	0	0	1	4	0	0
	計	6 (1.2%)	0	0	0	0	0	0	1	5	0	0
検診者総数	男	188	0	0	1	6	7	16	37	121	0	0
	女	315	0	1	3	8	11	26	85	179	0	2
	計	503	0	1	4	14	18	42	122	300	0	2

表118 市民健診眼底検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	細動脈口径不同	男	1 (0.5%)	0	0	0	0	0	0	0	1	0
	女	3 (1.0%)	0	0	0	0	0	0	2	1	0	0
	計	4 (0.8%)	0	0	0	0	0	0	2	2	0	0
網膜白斑	男	1 (0.5%)	0	0	0	0	0	0	0	1	0	0
	女	6 (1.9%)	0	0	0	0	0	0	1	4	0	1
	計	7 (1.4%)	0	0	0	0	0	0	1	5	0	1
眼底出血	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	1	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	1	0	0	0	0	0	0	0
眼底出血の疑い	男	2 (1.1%)	0	0	0	0	0	0	1	1	0	0
	女	1 (0.3%)	0	0	0	0	0	0	1	0	0	0
	計	3 (0.6%)	0	0	0	0	0	0	2	1	0	0
細動脈反射増強	男	34 (18.1%)	0	0	0	0	0	3	8	23	0	0
	女	46 (14.6%)	0	0	0	2	2	3	9	30	0	0
	計	80 (15.9%)	0	0	0	2	2	6	17	53	0	0
動静脈交叉現象	男	99 (52.7%)	0	0	0	2	5	9	18	65	0	0
	女	105 (33.3%)	0	0	0	2	3	6	32	62	0	0
	計	204 (40.6%)	0	0	0	4	8	15	50	127	0	0
点状出血	男	1 (0.5%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
斑状出血	男	1 (0.5%)	0	0	0	0	0	0	0	1	0	0
	女	2 (0.6%)	0	0	0	0	0	0	1	1	0	0
	計	3 (0.6%)	0	0	0	0	0	0	1	2	0	0
白内障の疑い	男	35 (18.6%)	0	0	0	0	0	0	3	32	0	0
	女	78 (24.8%)	0	0	0	0	0	2	15	59	0	2
	計	113 (22.5%)	0	0	0	0	0	2	18	91	0	2
視神経乳頭異常	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
視神経乳頭異常の疑い	男	9 (4.8%)	0	0	0	0	0	2	4	3	0	0
	女	5 (1.6%)	0	0	0	0	0	0	1	4	0	0
	計	14 (2.8%)	0	0	0	0	0	2	5	7	0	0
網膜有硝子体	男	1 (0.5%)	0	0	0	0	0	0	1	0	0	0

表118 市民健診眼底検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
随神経線維の疑い	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	1	0	0	0
瞳孔の開き不 充分	男	9 (4.8%)	0	0	0	0	0	2	0	7	0	0
	女	12 (3.8%)	0	0	0	0	1	0	1	10	0	0
計	21 (4.2%)	0	0	0	0	1	2	1	17	0	0	
黄斑部異常の疑い	男	10 (5.3%)	0	0	0	0	0	1	0	9	0	0
	女	13 (4.1%)	0	0	0	0	0	0	3	10	0	0
計	23 (4.6%)	0	0	0	0	0	1	3	19	0	0	
網膜神経線維層欠損の疑い	男	4 (2.1%)	0	0	0	0	1	0	1	2	0	0
	女	7 (2.2%)	0	0	0	0	2	0	2	3	0	0
計	11 (2.2%)	0	0	0	0	3	0	3	5	0	0	
ドルーゼン	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	2	0	0
計	2 (0.4%)	0	0	0	0	0	0	0	2	0	0	
その他 (眼底写真所見)	男	1 (0.5%)	0	0	0	0	0	1	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
計	2 (0.4%)	0	0	0	0	0	0	1	0	1	0	
検診者 総数	男	188	0	0	1	6	7	16	37	121	0	0
	女	315	0	1	3	8	11	26	85	179	0	2
計	503		0	1	4	14	18	42	122	300	0	2

表119 結核・肺がん胸部X線判定結果

判定		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
異常なし	男	1,088	(65.3%)	0	8	13	28	26	31	87	278	286	331	
	女	2,128	(74.5%)	0	32	35	46	89	131	303	543	549	400	
	計	3,216	(71.1%)	0	40	48	74	115	162	390	821	835	731	
異常所見も精密検査不要	男	430	(25.8%)	0	1	2	5	7	9	25	74	113	194	
	女	582	(20.4%)	0	2	4	5	4	24	55	134	154	200	
	計	1,012	(22.4%)	0	3	6	10	11	33	80	208	267	394	
要精密検査	結核の疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
		女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
		計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	結核以外の疑い	男	28	(1.7%)	0	0	0	0	0	0	0	7	13	8
		女	31	(1.1%)	0	0	0	0	1	1	2	2	8	17
		計	59	(1.3%)	0	0	0	0	1	1	2	9	21	25
	肺がんの疑い	男	81	(4.9%)	0	1	0	1	3	4	1	23	19	29
		女	91	(3.2%)	0	1	0	2	1	5	8	20	26	28
		計	172	(3.8%)	0	2	0	3	4	9	9	43	45	57
定期的に健診を要す	男	37	(2.2%)	0	1	0	0	0	0	2	4	10	20	
	女	25	(0.9%)	0	0	0	0	0	0	2	6	9	8	
	計	62	(1.4%)	0	1	0	0	0	0	4	10	19	28	
治療中	男	3	(0.2%)	0	0	0	0	0	0	0	0	2	1	
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	
	計	3	(0.1%)	0	0	0	0	0	0	0	0	2	1	
合計	男	1,667		0	11	15	34	36	44	115	386	443	583	
	女	2,857		0	35	39	53	95	161	370	705	746	653	
	計	4,524		0	46	54	87	131	205	485	1,091	1,189	1,236	

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
心陰影 拡大	男	39 (2.3%)	0	0	0	0	0	0	1	5	16	17
	女	41 (1.4%)	0	0	0	0	0	0	0	8	15	18
	計	80 (1.8%)	0	0	0	0	0	0	1	13	31	35
肺門陰 影拡大	男	12 (0.7%)	0	0	0	0	0	0	0	3	6	3
	女	4 (0.1%)	0	0	0	0	0	0	0	2	1	1
	計	16 (0.4%)	0	0	0	0	0	0	0	5	7	4
肺紋理 増強	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	3 (0.1%)	0	0	0	0	0	0	0	1	1	1
	計	3 (0.1%)	0	0	0	0	0	0	0	1	1	1
線状陰 影	男	48 (2.9%)	0	0	0	1	0	0	1	15	16	15
	女	51 (1.8%)	0	0	0	0	0	1	7	12	18	13
	計	99 (2.2%)	0	0	0	1	0	1	8	27	34	28
带状陰 影	男	30 (1.8%)	0	0	0	2	0	0	0	7	6	15
	女	39 (1.4%)	0	0	0	0	0	2	1	11	20	5
	計	69 (1.5%)	0	0	0	2	0	2	1	18	26	20
大動脈 蛇行	男	13 (0.8%)	0	0	0	0	0	0	0	3	1	9
	女	28 (1.0%)	0	0	0	0	0	1	0	4	5	18

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)											
	計	41	(0.9%)	0	0	0	0	0	1	0	7	6	27
微細斑 点状陰 影	男	30	(1.8%)	0	0	0	0	2	0	1	6	11	10
	女	39	(1.4%)	0	0	0	0	0	1	2	11	12	13
	計	69	(1.5%)	0	0	0	0	2	1	3	17	23	23
粒状陰 影	男	4	(0.2%)	0	0	0	0	0	0	0	2	0	2
	女	8	(0.3%)	0	0	0	0	0	0	1	2	2	3
	計	12	(0.3%)	0	0	0	0	0	0	1	4	2	5
結節陰 影	男	105	(6.3%)	0	1	0	0	4	3	4	23	26	44
	女	123	(4.3%)	0	1	0	1	1	8	16	26	31	39
	計	228	(5.0%)	0	2	0	1	5	11	20	49	57	83
円形陰 影	男	1	(0.1%)	0	0	0	0	0	0	0	0	1	0
	女	1	(0.0%)	0	0	0	0	0	0	1	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	0	1	0
塊状陰 影	男	8	(0.5%)	0	0	0	1	0	0	0	2	2	3
	女	7	(0.2%)	0	0	0	0	0	0	0	2	1	4
	計	15	(0.3%)	0	0	0	1	0	0	0	4	3	7
	男	43	(2.6%)	0	0	1	0	1	2	2	7	13	17

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	性別	人数	割合										
浸潤陰影	女	46	(1.6%)	0	0	0	0	0	2	2	7	13	22
	計	89	(2.0%)	0	0	1	0	1	4	4	14	26	39
網目状陰影	男	23	(1.4%)	0	0	0	0	0	0	1	3	5	14
	女	7	(0.2%)	0	0	0	0	0	0	0	0	1	6
	計	30	(0.7%)	0	0	0	0	0	0	1	3	6	20
石灰化陰影	男	69	(4.1%)	0	0	0	0	0	2	2	5	25	35
	女	80	(2.8%)	0	0	0	0	0	2	7	11	20	40
	計	149	(3.3%)	0	0	0	0	0	4	9	16	45	75
空洞陰影	男	4	(0.2%)	0	0	0	0	0	0	0	2	2	0
	女	6	(0.2%)	0	0	0	1	1	0	2	2	0	0
	計	10	(0.2%)	0	0	0	1	1	0	2	4	2	0
嚢胞陰影	男	16	(1.0%)	0	0	0	0	1	0	4	3	3	5
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0
	計	19	(0.4%)	0	0	0	0	1	0	4	5	4	5
無気肺陰影	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	女	3	(0.1%)	0	0	0	0	0	0	1	0	1	1
	計	3	(0.1%)	0	0	0	0	0	0	1	0	1	1

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女											
気腫様陰影	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	
	女	2	(0.1%)	0	0	0	0	1	0	0	1	0	
	計	2	(0.0%)	0	0	0	0	1	0	0	1	0	
胸膜肥厚	男	96	(5.8%)	0	1	0	0	3	1	3	19	22	47
	女	113	(4.0%)	0	0	0	1	1	3	14	32	37	25
	計	209	(4.6%)	0	1	0	1	4	4	17	51	59	72
胸膜癒着	男	68	(4.1%)	0	0	0	0	1	1	6	9	18	33
	女	37	(1.3%)	0	0	0	0	0	4	9	12	12	
	計	105	(2.3%)	0	0	0	0	1	1	10	18	30	45
胸水陰影	男	7	(0.4%)	0	0	0	0	0	0	1	0	3	3
	女	3	(0.1%)	0	0	0	0	0	0	0	1	0	2
	計	10	(0.2%)	0	0	0	0	0	0	1	1	3	5
上葉縮小	男	7	(0.4%)	0	1	0	0	0	0	0	3	2	1
	女	4	(0.1%)	0	0	0	0	0	1	0	2	0	1
	計	11	(0.2%)	0	1	0	0	0	1	0	5	2	2
横隔膜高位	男	37	(2.2%)	0	0	0	1	0	0	1	3	9	23
	女	26	(0.9%)	0	0	0	0	0	0	1	10	1	14

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	63 (1.4%)	0	0	0	1	0	0	2	13	10	37
胸部手術	男	19 (1.1%)	0	0	0	0	0	1	0	4	7	7
	女	18 (0.6%)	0	0	0	0	1	0	3	3	5	6
	計	37 (0.8%)	0	0	0	0	1	1	3	7	12	13
陳旧性肺結核の疑い	男	8 (0.5%)	0	1	0	0	0	1	0	2	3	1
	女	5 (0.2%)	0	0	0	0	0	0	0	1	1	3
	計	13 (0.3%)	0	1	0	0	0	1	0	3	4	4
肺気腫の疑い	男	48 (2.9%)	0	0	1	0	0	4	3	7	16	17
	女	10 (0.4%)	0	0	0	0	0	2	1	1	2	4
	計	58 (1.3%)	0	0	1	0	0	6	4	8	18	21
慢性気管支炎の疑い	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
気管支拡張症の疑い	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	5 (0.2%)	0	0	0	0	0	0	1	1	2	1
	計	5 (0.1%)	0	0	0	0	0	0	1	1	2	1
	男	35 (2.1%)	0	0	0	0	0	0	0	4	12	19

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
間質性肺炎の疑い	女	10 (0.4%)	0	0	0	0	0	0	0	1	2	7
	計	45 (1.0%)	0	0	0	0	0	0	0	5	14	26
胸椎側弯	男	51 (3.1%)	0	1	0	2	0	2	4	6	8	28
	女	154 (5.4%)	0	2	3	4	2	11	12	27	40	53
	計	205 (4.5%)	0	3	3	6	2	13	16	33	48	81
キライディン症候群	男	13 (0.8%)	0	0	0	0	0	1	2	4	3	3
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0
	計	14 (0.3%)	0	0	0	0	0	1	3	4	3	3
食道裂孔ヘルニア	男	4 (0.2%)	0	0	0	0	0	0	0	1	0	3
	女	25 (0.9%)	0	0	0	0	0	0	0	3	9	13
	計	29 (0.6%)	0	0	0	0	0	0	0	4	9	16
右大動脈弓	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	0	0	0	1	1	0	0
炎症後変化	男	12 (0.7%)	0	0	0	0	1	0	1	2	2	6
	女	24 (0.8%)	0	0	0	0	0	1	4	6	5	8
	計	36 (0.8%)	0	0	0	0	1	1	5	8	7	14

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
肋骨癒合	男	1 (0.1%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	1
すりガラス陰影	男	4 (0.2%)	0	0	0	0	0	0	0	0	0	4
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	5 (0.1%)	0	0	0	0	0	0	0	0	1	4
その他 (肺所見)	男	8 (0.5%)	0	0	0	0	0	0	1	1	2	4
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
その他 (肺所見)	男	8 (0.5%)	0	0	0	0	0	0	1	1	2	4
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
検診者 総数	男	1,667	0	11	15	34	36	44	115	386	443	583
	女	2,857	0	35	39	53	95	161	370	705	746	653
	計	4,524	0	46	54	87	131	205	485	1,091	1,189	1,236

表121 肺がん検診喀痰細胞診検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
B 1 (C I a s s I (異 常な し))	男	1 (4.8%)	0	0	0	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (4.5%)	0	0	0	0	0	1	0	0	0	0
B 2 (C I a s s II (悪 性所見 な し))	男	20 (95.2%)	0	0	0	0	0	0	2	4	7	7
	女	1 (100.0%)	0	0	0	0	0	0	1	0	0	0
	計	21 (95.5%)	0	0	0	0	0	0	3	4	7	7
検診者 総数	男	21	0	0	0	0	0	1	2	4	7	7
	女	1	0	0	0	0	0	0	1	0	0	0
	計	22	0	0	0	0	0	1	3	4	7	7

表122 前立腺がん検診判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	914	(92.0%)	0	0	0	17	20	27	74	225	260	291
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要精密検査	79	(8.0%)	0	0	0	0	0	3	2	18	22	34
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
合計	993		0	0	0	17	20	30	76	243	282	325

表123 前立腺がん検診P S A検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/ ml	993	1.89	0	0	0	0	0	0	17	0.94	20	0.99	30	1.95	76	1.3	243	1.69	282	1.83	325	2.32