

表9 上部消化管判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	11,242 (67.7%)	3	37	78	473	1,412	1,780	1,924	1,797	1,566	1,262	536	266	84	24
	女	6,619 (63.2%)	3	33	88	319	973	1,073	1,165	1,116	787	592	267	154	40	9
	計	17,861 (66.0%)	6	70	166	792	2,385	2,853	3,089	2,913	2,353	1,854	803	420	124	33
問題なし	男	2,389 (14.4%)	0	1	7	49	193	260	393	493	400	295	147	93	49	9
	女	1,931 (18.4%)	0	0	4	30	159	231	343	400	317	231	123	63	26	4
	計	4,320 (16.0%)	0	1	11	79	352	491	736	893	717	526	270	156	75	13
要経過観察	男	2,464 (14.8%)	0	0	5	36	145	219	330	430	421	371	249	158	82	18
	女	1,571 (15.0%)	0	0	1	22	105	166	258	307	239	232	132	69	34	6
	計	4,035 (14.9%)	0	0	6	58	250	385	588	737	660	603	381	227	116	24
要精密検査	男	456 (2.7%)	0	3	6	14	42	43	44	77	64	59	48	42	12	2
	女	323 (3.1%)	0	2	5	17	25	35	47	54	42	39	27	19	9	2
	計	779 (2.9%)	0	5	11	31	67	78	91	131	106	98	75	61	21	4
要治療	男	45 (0.3%)	0	0	0	1	3	7	5	10	5	9	4	1	0	0
	女	19 (0.2%)	0	0	0	0	1	3	1	4	4	1	2	1	1	1
	計	64 (0.2%)	0	0	0	1	4	10	6	14	9	10	6	2	1	1
治療中	男	12 (0.1%)	0	0	0	0	0	0	0	3	2	5	1	1	0	0
	女	4 (0.0%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
	計	16 (0.1%)	0	0	0	0	0	0	1	3	3	5	2	2	0	0
検診者総数	男	16,608	3	41	96	573	1,795	2,309	2,696	2,810	2,458	2,001	985	561	227	53
	女	10,467	3	35	98	388	1,263	1,508	1,815	1,881	1,390	1,095	552	307	110	22
	計	27,075	6	76	194	961	3,058	3,817	4,511	4,691	3,848	3,096	1,537	868	337	75

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
狭窄	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
食道裂孔ヘルニア	男	129 (1.3%)	0	0	0	1	3	5	10	17	20	21	17	20	13	2
	女	61 (1.1%)	0	0	0	0	0	1	2	4	3	11	11	17	12	0
	計	190 (1.2%)	0	0	0	1	3	6	12	21	23	32	28	37	25	2
食道炎の疑い	男	121 (1.2%)	0	0	1	6	6	9	8	21	22	16	13	9	9	1
	女	34 (0.6%)	0	0	1	2	1	3	3	4	5	3	5	3	3	1
	計	155 (1.0%)	0	0	2	8	7	12	11	25	27	19	18	12	12	2
その他(食道所見)	男	21 (0.2%)	0	0	0	0	1	1	2	4	2	3	2	1	5	0
	女	3 (0.1%)	0	0	0	0	0	0	0	0	0	1	2	0	0	0
	計	24 (0.2%)	0	0	0	0	1	1	2	4	2	4	4	1	5	0
伸展不良	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	1	0	0
辺縁不整	男	16 (0.2%)	0	0	0	0	0	1	1	1	2	5	3	2	1	0
	女	7 (0.1%)	0	0	0	0	0	0	0	1	2	0	0	2	1	1
	計	23 (0.1%)	0	0	0	0	0	1	1	2	4	5	3	4	2	1
壁硬化	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
変形	男	41 (0.4%)	0	1	0	1	4	3	5	5	3	10	2	4	2	1
	女	5 (0.1%)	0	0	0	0	1	1	0	1	0	1	0	1	0	0
	計	46 (0.3%)	0	1	0	1	5	4	5	6	3	11	2	5	2	1
粘膜不整	男	10 (0.1%)	0	0	0	0	1	0	0	1	0	2	1	2	3	0
	女	6 (0.1%)	0	0	0	0	0	0	0	0	1	0	2	1	2	0
	計	16 (0.1%)	0	0	0	0	1	0	0	1	1	2	3	3	5	0
レリーフ集中像	男	18 (0.2%)	0	0	0	0	1	0	3	1	2	3	4	4	0	0
	女	3 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	2	0	0
	計	21 (0.1%)	0	0	0	0	1	0	4	1	2	3	4	6	0	0
レリーフ異常	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3 (0.1%)	0	0	0	0	0	0	1	0	0	0	1	0	1	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	1	0
バリウム	男	10 (0.1%)	0	0	0	0	3	0	0	3	0	0	1	3	0	0

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)														
	計	3	(0.0%)	0	0	0	0	0	1	1	0	0	0	1	0	0
十二指腸潰瘍の疑い	男	8	(0.1%)	0	1	0	0	1	0	2	1	1	0	0	2	0
	女	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	9	(0.1%)	0	1	0	0	1	1	2	1	1	0	0	2	0
十二指腸潰瘍瘢痕の疑い	男	7	(0.1%)	0	0	0	0	1	1	1	1	1	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	0	0	0	1	1	1	1	1	0	1	0	0
十二指腸憩室の疑い	男	2	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	7	(0.1%)	0	0	0	0	0	0	1	2	1	0	1	1	1
	計	9	(0.1%)	0	0	0	0	0	0	1	2	3	0	1	1	1
隆起性病変の疑い	男	1,127	(11.5%)	0	0	7	26	100	134	179	188	180	149	74	54	31
	女	1,447	(24.9%)	0	0	2	28	126	180	257	285	207	192	109	38	19
	計	2,574	(16.5%)	0	0	9	54	226	314	436	473	387	341	183	92	50
造影不良	男	3	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	0	0
検診者総数	男	9,802		3	32	80	499	1,146	1,312	1,453	1,501	1,327	1,064	695	445	199
	女	5,801		2	13	57	261	645	790	931	974	723	637	403	251	98
	計	15,603		5	45	137	760	1,791	2,102	2,384	2,475	2,050	1,701	1,098	696	297

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
食道裂孔ヘルニア	男	656 (22.0%)	0	0	2	9	65	69	116	137	116	90	37	13	1	1
	女	172 (7.9%)	0	0	0	2	13	21	33	41	29	17	9	4	2	1
	計	828 (16.0%)	0	0	2	11	78	90	149	178	145	107	46	17	3	2
逆流性食道炎	男	446 (14.9%)	0	1	0	5	33	51	73	125	70	51	25	10	2	0
	女	105 (4.8%)	0	0	0	1	6	9	19	17	25	11	10	6	0	1
	計	551 (10.7%)	0	1	0	6	39	60	92	142	95	62	35	16	2	1
食道潰瘍癒痕	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
バレット食道	男	79 (2.6%)	0	0	0	1	3	5	16	19	18	15	2	0	0	0
	女	33 (1.5%)	0	0	0	0	3	3	3	12	8	1	1	2	0	0
	計	112 (2.2%)	0	0	0	1	6	8	19	31	26	16	3	2	0	0
胃食道逆流症 (GERD)	男	331 (11.1%)	0	0	0	5	23	30	57	67	76	51	13	8	0	1
	女	41 (1.9%)	0	0	0	0	4	2	8	15	5	5	2	0	0	0
	計	372 (7.2%)	0	0	0	5	27	32	65	82	81	56	15	8	0	1
その他 (食道所見)	男	112 (3.7%)	0	0	0	1	9	9	12	22	25	15	15	4	0	0
	女	56 (2.6%)	0	0	0	0	2	6	7	17	8	8	5	3	0	0
	計	168 (3.3%)	0	0	0	1	11	15	19	39	33	23	20	7	0	0
慢性胃炎	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	計	3 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	2	0	0
萎縮性胃炎	男	151 (5.1%)	0	0	0	0	7	18	14	42	21	18	24	6	1	0
	女	132 (6.1%)	0	0	0	0	7	13	24	23	25	21	13	4	2	0
	計	283 (5.5%)	0	0	0	0	14	31	38	65	46	39	37	10	3	0
びらん性胃炎	男	441 (14.8%)	0	0	0	4	30	52	70	110	81	53	33	5	2	1
	女	282 (13.0%)	0	0	0	5	26	38	54	53	39	44	17	5	1	0
	計	723 (14.0%)	0	0	0	9	56	90	124	163	120	97	50	10	3	1
タコイボびらん	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
胃潰瘍	男	6 (0.2%)	0	0	0	0	1	0	0	3	1	1	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7 (0.1%)	0	0	0	0	1	0	0	4	1	1	0	0	0	0
胃潰瘍癒痕	男	24 (0.8%)	0	0	0	0	1	1	1	8	4	5	3	1	0	0

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
胃頂部 癒痕	女	8	(0.4%)	0	0	0	0	0	3	0	0	2	1	1	0	1
	計	32	(0.6%)	0	0	0	0	1	4	8	4	7	4	2	0	1
胃底腺 ポリープ	男	843	(28.2%)	0	0	0	13	54	81	141	210	160	134	35	13	1
	女	841	(38.7%)	0	0	1	13	58	90	151	220	168	99	39	1	1
	計	1,684	(32.6%)	0	0	1	26	112	171	292	430	328	233	74	14	2
除菌後 胃炎	男	347	(11.6%)	0	0	0	2	8	25	42	72	74	61	46	13	3
	女	206	(9.5%)	0	0	0	1	7	13	38	43	44	33	16	8	2
	計	553	(10.7%)	0	0	0	3	15	38	80	115	118	94	62	21	5
表層性 胃炎	男	43	(1.4%)	0	0	0	0	2	4	6	8	12	7	4	0	0
	女	26	(1.2%)	0	0	0	0	3	5	4	3	8	2	1	0	0
	計	69	(1.3%)	0	0	0	0	5	9	10	11	20	9	5	0	0
胃術後	男	5	(0.2%)	0	0	0	0	0	0	0	1	1	2	0	0	1
	女	3	(0.1%)	0	0	0	0	0	0	0	0	2	0	0	0	1
	計	8	(0.2%)	0	0	0	0	0	0	0	1	3	2	0	0	2
慢性活 動性胃 炎	男	34	(1.1%)	0	0	0	2	4	2	5	4	11	3	1	2	0
	女	23	(1.1%)	0	0	0	0	2	1	4	8	3	3	1	0	1
	計	57	(1.1%)	0	0	0	2	6	3	9	12	14	6	2	2	1
慢性非 活動性 胃炎	男	274	(9.2%)	0	0	0	2	8	24	33	56	63	51	22	11	3
	女	119	(5.5%)	0	0	0	0	7	8	15	30	23	26	7	2	1
	計	393	(7.6%)	0	0	0	2	15	32	48	86	86	77	29	13	4
良性び らん	男	30	(1.0%)	0	0	0	1	2	1	9	10	4	3	0	0	0
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	0	0
	計	33	(0.6%)	0	0	0	1	2	1	9	12	5	3	0	0	0
過形成 性ポ リープ	男	22	(0.7%)	0	0	0	0	0	0	1	6	8	4	3	0	0
	女	8	(0.4%)	0	0	0	0	1	0	2	2	1	2	0	0	0
	計	30	(0.6%)	0	0	0	0	1	0	3	8	9	6	3	0	0
その他 (胃所 見)	男	117	(3.9%)	0	0	0	2	9	7	9	26	28	15	12	9	0
	女	76	(3.5%)	0	0	0	2	2	7	12	18	10	14	7	2	2
	計	193	(3.7%)	0	0	0	4	11	14	21	44	38	29	19	11	2
十二指 腸潰瘍	男	2	(0.1%)	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0
十二指 腸潰瘍	男	49	(1.6%)	0	0	0	0	1	4	9	6	9	7	10	3	0
	女	14	(0.6%)	0	0	0	0	0	0	2	1	6	4	0	0	1

表11 胃内視鏡検査所見

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計		(%)														
癒痕	計	63	(1.2%)	0	0	0	0	1	4	11	7	15	11	10	3	1	0
	男	126	(4.2%)	0	0	0	0	10	14	18	23	22	24	12	3	0	0
	女	171	(7.9%)	0	0	0	0	13	31	37	32	24	21	10	2	1	0
ポリープ	計	297	(5.8%)	0	0	0	0	23	45	55	55	46	45	22	5	1	0
	男	10	(0.3%)	0	0	0	0	0	0	2	1	2	3	2	0	0	0
	女	7	(0.3%)	0	0	0	0	0	1	0	1	2	2	1	0	0	0
憩室	計	17	(0.3%)	0	0	0	0	0	1	2	2	4	5	3	0	0	0
	男	93	(3.1%)	0	0	0	0	4	3	17	23	20	14	8	4	0	0
	女	51	(2.3%)	0	0	0	0	2	2	8	11	16	7	4	1	0	0
粘膜下腫瘍	計	144	(2.8%)	0	0	0	0	6	5	25	34	36	21	12	5	0	0
	男	71	(2.4%)	0	0	0	1	3	5	16	18	13	8	4	3	0	0
	女	11	(0.5%)	0	0	0	0	0	1	4	2	2	1	1	0	0	0
十二指腸炎	計	82	(1.6%)	0	0	0	1	3	6	20	20	15	9	5	3	0	0
	男	16	(0.5%)	0	0	0	0	1	0	2	3	2	3	2	3	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Brunner腺過形成	計	17	(0.3%)	0	0	0	0	1	0	2	3	2	4	2	3	0	0
	男	62	(2.1%)	0	0	0	0	1	5	9	13	14	13	5	1	1	0
	女	28	(1.3%)	0	0	0	0	2	2	5	5	7	3	2	2	0	0
その他(十二指腸所見)	計	90	(1.7%)	0	0	0	0	3	7	14	18	21	16	7	3	1	0
	男	2,988		0	1	6	54	255	339	497	681	513	385	179	64	11	3
	女	2,172		0	3	8	39	209	274	407	482	376	241	97	25	9	2
検診者総数	計	5,160		0	4	14	93	464	613	904	1,163	889	626	276	89	20	5