

表17 腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	840 (9.9%)	0	7	31	147	168	180	133	89	54	20	9	2	0	0
	女	1,791 (26.1%)	0	18	48	190	272	305	328	317	165	104	27	15	1	1
	計	2,631 (17.1%)	0	25	79	337	440	485	461	406	219	124	36	17	1	1
問題なし	男	436 (5.1%)	0	2	5	43	77	75	84	65	42	24	10	8	1	0
	女	929 (13.5%)	0	2	14	49	94	136	178	190	126	87	38	13	2	0
	計	1,365 (8.9%)	0	4	19	92	171	211	262	255	168	111	48	21	3	0
要経過観察	男	6,809 (80.0%)	0	5	29	277	449	648	972	1,244	1,242	902	589	285	115	52
	女	3,881 (56.5%)	0	7	21	74	209	340	491	710	699	598	387	225	101	19
	計	10,690 (69.5%)	0	12	50	351	658	988	1,463	1,954	1,941	1,500	976	510	216	71
要精密検査	男	408 (4.8%)	0	0	1	6	10	23	32	71	75	65	49	41	26	9
	女	262 (3.8%)	0	0	1	4	10	16	33	31	40	42	31	26	21	7
	計	670 (4.4%)	0	0	2	10	20	39	65	102	115	107	80	67	47	16
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	16 (0.2%)	0	0	0	0	0	1	0	1	6	2	4	1	1	0
	女	9 (0.1%)	0	0	0	0	0	1	0	0	2	5	0	0	1	0
	計	25 (0.2%)	0	0	0	0	0	2	0	1	8	7	4	1	2	0
検診者総数	男	8,509	0	14	66	473	704	927	1,221	1,470	1,419	1,013	661	337	143	61
	女	6,872	0	27	84	317	585	798	1,030	1,248	1,032	836	483	279	126	27
	計	15,381	0	41	150	790	1,289	1,725	2,251	2,718	2,451	1,849	1,144	616	269	88

表18 腹部超音波検査所見

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝	男	3,506	(41.2%)	0	4	12	123	234	329	513	665	656	481	300	135	44	10
	女	1,411	(20.5%)	0	2	4	20	71	113	178	284	265	227	137	81	23	6
	計	4,917	(32.0%)	0	6	16	143	305	442	691	949	921	708	437	216	67	16
肝血管腫	男	416	(4.9%)	0	1	1	16	25	43	60	76	89	57	25	12	9	2
	女	495	(7.2%)	0	0	5	23	52	65	90	98	72	47	26	11	6	0
	計	911	(5.9%)	0	1	6	39	77	108	150	174	161	104	51	23	15	2
肝嚢胞	男	1,641	(19.3%)	0	1	0	19	50	87	206	297	361	260	181	110	52	17
	女	1,503	(21.9%)	0	0	2	18	37	102	190	301	285	266	157	92	43	10
	計	3,144	(20.4%)	0	1	2	37	87	189	396	598	646	526	338	202	95	27
肝内石 灰化・ 肝内結 石	男	135	(1.6%)	0	0	0	1	3	6	8	24	32	18	19	12	4	8
	女	72	(1.0%)	0	0	0	0	0	5	10	9	15	13	8	5	4	3
	計	207	(1.3%)	0	0	0	1	3	11	18	33	47	31	27	17	8	11
肝内胆 管拡張	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	0	0	1	2	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	0	3	2	0	0	0
肝臓描 出不良	男	299	(3.5%)	0	0	0	3	11	14	36	38	60	49	39	29	9	11
	女	27	(0.4%)	0	0	0	0	1	2	3	3	8	4	2	2	1	1
	計	326	(2.1%)	0	0	0	3	12	16	39	41	68	53	41	31	10	12
肝臓部 分切除 後	男	8	(0.1%)	0	0	0	0	1	0	0	1	3	0	1	1	1	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	0	2	0	0	0	0
	計	11	(0.1%)	0	0	0	0	2	0	0	1	3	2	1	1	1	0
慢性肝 障害疑 い	男	10	(0.1%)	0	0	0	0	1	0	0	1	4	2	2	0	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	1	0
	計	13	(0.1%)	0	0	0	0	1	0	0	1	4	3	3	0	1	0
慢性肝 障害	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
肝腫瘍	男	8	(0.1%)	0	0	0	0	1	1	1	1	0	1	0	3	0	0
	女	11	(0.2%)	0	0	0	0	0	1	3	3	3	1	0	0	0	0
	計	19	(0.1%)	0	0	0	0	1	2	4	4	3	2	0	3	0	0
肝腫瘍 疑い	男	30	(0.4%)	0	0	0	3	0	3	4	8	5	4	3	0	0	0
	女	17	(0.2%)	0	0	0	0	0	5	4	2	4	0	1	0	0	1
	計	47	(0.3%)	0	0	0	3	0	8	8	10	9	4	4	0	0	1
肝嚢胞	男	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
性腫瘍 疑い	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0
	計	4 (0.0%)	0	0	0	0	0	0	0	2	0	1	0	0	1	0
胆道気腫	男	2 (0.0%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	1	2	0	0	0	0	0
肝血管異常	男	4 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	1	2	0
	女	5 (0.1%)	0	0	0	0	0	0	1	0	3	1	0	0	0	0
	計	9 (0.1%)	0	0	0	0	0	0	1	0	3	1	1	1	2	0
胆管過誤腫	男	10 (0.1%)	0	0	0	0	0	1	1	2	1	1	2	1	1	0
	女	23 (0.3%)	0	0	0	2	0	3	2	3	6	2	2	2	1	0
	計	33 (0.2%)	0	0	0	2	0	4	3	5	7	3	4	3	2	0
胆嚢切除後	男	279 (3.3%)	0	0	0	2	4	7	23	52	56	57	31	26	17	4
	女	183 (2.7%)	0	0	1	0	9	8	17	31	38	33	20	17	6	3
	計	462 (3.0%)	0	0	1	2	13	15	40	83	94	90	51	43	23	7
びまん性胆嚢壁肥厚	男	5 (0.1%)	0	0	0	0	0	0	0	2	1	0	1	1	0	0
	女	5 (0.1%)	0	0	0	0	1	0	2	1	0	1	0	0	0	0
	計	10 (0.1%)	0	0	0	0	1	0	2	3	1	1	1	1	0	0
胆嚢腺筋腫症	男	321 (3.8%)	0	0	1	2	9	14	30	50	74	67	37	23	12	2
	女	139 (2.0%)	0	0	0	1	5	6	15	20	23	34	17	14	3	1
	計	460 (3.0%)	0	0	1	3	14	20	45	70	97	101	54	37	15	3
胆嚢ポリープ	男	1,937 (22.8%)	0	1	8	78	150	209	273	377	369	233	135	71	24	9
	女	968 (14.1%)	0	0	8	23	70	125	164	180	162	110	71	34	20	1
	計	2,905 (18.9%)	0	1	16	101	220	334	437	557	531	343	206	105	44	10
胆嚢結石	男	571 (6.7%)	0	0	0	4	13	36	68	115	123	101	68	29	9	5
	女	335 (4.9%)	0	0	0	7	15	35	32	61	58	59	33	18	13	4
	計	906 (5.9%)	0	0	0	11	28	71	100	176	181	160	101	47	22	9
胆泥	男	52 (0.6%)	0	0	0	1	3	0	6	2	12	13	9	2	2	2
	女	51 (0.7%)	0	0	0	0	4	3	5	5	7	18	5	2	1	1
	計	103 (0.7%)	0	0	0	1	7	3	11	7	19	31	14	4	3	3
肝外胆管拡張	男	67 (0.8%)	0	0	0	0	0	0	1	6	17	10	15	12	5	1
	女	54 (0.8%)	0	0	0	0	0	1	3	3	5	8	10	14	8	2
	計	121 (0.8%)	0	0	0	0	0	1	4	9	22	18	25	26	13	3
胆嚢描出不良	男	92 (1.1%)	0	0	0	1	1	5	13	10	19	18	13	10	2	0
	女	15 (0.2%)	0	0	0	0	1	1	0	2	2	2	1	4	1	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
胆嚢描出不能	計	107	(0.7%)	0	0	0	1	2	6	13	12	21	20	14	14	3	1
	男	7	(0.1%)	0	0	0	0	1	0	0	1	3	1	0	0	1	0
	女	4	(0.1%)	0	0	0	0	0	0	0	0	1	1	1	1	0	0
胆嚢壁評価不良	計	11	(0.1%)	0	0	0	0	1	0	0	1	4	2	1	1	1	0
	男	36	(0.4%)	0	0	0	0	2	3	1	7	8	8	2	1	2	2
	女	25	(0.4%)	0	0	0	0	1	3	5	4	2	3	5	1	1	0
胆嚢腫大	計	61	(0.4%)	0	0	0	0	3	6	6	11	10	11	7	2	3	2
	男	13	(0.2%)	0	0	0	0	0	1	1	2	4	1	1	2	1	0
	女	9	(0.1%)	0	0	0	0	0	1	0	3	2	0	2	1	0	0
胆嚢腫瘍疑い	計	22	(0.1%)	0	0	0	0	0	2	1	5	6	1	3	3	1	0
	男	15	(0.2%)	0	0	1	1	0	2	1	1	4	3	1	1	0	0
	女	9	(0.1%)	0	0	0	0	1	0	1	3	0	3	0	0	1	0
膵管拡張	計	24	(0.2%)	0	0	1	1	1	2	2	4	4	6	1	1	1	0
	男	192	(2.3%)	0	0	0	2	1	3	9	28	40	36	30	25	10	8
	女	57	(0.8%)	0	0	0	0	0	0	1	7	9	10	5	12	9	4
膵嚢胞	計	249	(1.6%)	0	0	0	2	1	3	10	35	49	46	35	37	19	12
	男	17	(0.2%)	0	0	0	0	0	1	1	3	4	1	5	1	0	1
	女	43	(0.6%)	0	0	0	0	3	2	6	3	12	5	3	3	5	1
膵臓描出不良	計	60	(0.4%)	0	0	0	0	3	3	7	6	16	6	8	4	5	2
	男	5,734	(67.4%)	0	5	25	230	346	523	799	1,025	1,035	770	528	273	124	51
	女	2,005	(29.2%)	0	6	12	33	104	151	241	360	345	300	217	152	69	15
膵臓切除後	計	7,739	(50.3%)	0	11	37	263	450	674	1,040	1,385	1,380	1,070	745	425	193	66
	男	5	(0.1%)	0	0	0	0	0	0	1	0	0	1	2	1	0	0
	女	10	(0.1%)	0	0	0	0	0	0	1	2	1	3	2	1	0	0
膵腫瘍疑い	計	15	(0.1%)	0	0	0	0	0	0	2	2	1	4	4	2	0	0
	男	3	(0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
膵腫瘤	計	3	(0.0%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	男	4	(0.0%)	0	0	0	1	0	0	0	0	1	0	1	0	0	1
	女	8	(0.1%)	0	0	0	0	0	1	1	3	2	1	0	0	0	0
膵嚢胞性腫瘍疑い	計	12	(0.1%)	0	0	0	1	0	1	1	3	3	1	1	0	0	1
	男	8	(0.1%)	0	0	0	0	0	0	1	0	2	2	2	1	0	0
	女	30	(0.4%)	0	0	0	0	1	1	2	0	7	8	5	3	2	1
計	38	(0.2%)	0	0	0	0	1	1	3	0	9	10	7	4	2	1	

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
膵管内 乳頭粘 液性腫 瘍(1)	男	10 (0.1%)	0	0	0	0	0	0	2	2	1	0	2	2	0	1
	女	14 (0.2%)	0	0	0	0	0	0	3	2	0	5	1	2	1	0
	計	24 (0.2%)	0	0	0	0	0	0	5	4	1	5	3	4	1	1
膵管内 乳頭粘 液性腫 瘍(1)	男	12 (0.1%)	0	0	0	0	0	0	0	2	4	0	2	2	1	1
	女	17 (0.2%)	0	0	0	0	0	1	1	3	5	3	2	1	1	0
	計	29 (0.2%)	0	0	0	0	0	1	1	5	9	3	4	3	2	1
膵石ま たは膵 内石灰 化	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	7 (0.1%)	0	0	0	0	0	1	0	3	2	0	0	1	0	0
	計	8 (0.1%)	0	0	0	0	0	1	0	3	2	1	0	1	0	0
膵血管 異常	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
その他 (肝臓・ 胆嚢・ 膵臓所)	男	19 (0.2%)	0	0	0	0	0	2	0	4	5	5	1	2	0	0
	女	21 (0.3%)	0	0	0	0	3	1	3	3	4	3	1	3	0	0
	計	40 (0.3%)	0	0	0	0	3	3	3	7	9	8	2	5	0	0
腎臓の 変形	男	44 (0.5%)	0	0	0	1	2	0	6	7	11	11	2	2	1	1
	女	42 (0.6%)	0	0	0	1	1	2	6	5	6	10	4	4	3	0
	計	86 (0.6%)	0	0	0	2	3	2	12	12	17	21	6	6	4	1
腎血管 筋脂肪 腫	男	58 (0.7%)	0	0	0	2	3	6	5	14	12	9	4	2	1	0
	女	133 (1.9%)	0	0	0	1	5	6	23	28	32	18	10	8	1	1
	計	191 (1.2%)	0	0	0	3	8	12	28	42	44	27	14	10	2	1
腎嚢胞	男	2,122 (24.9%)	0	0	1	18	56	93	204	325	409	389	299	193	90	45
	女	829 (12.1%)	0	0	1	10	28	41	71	134	142	160	103	92	34	13
	計	2,951 (19.2%)	0	0	2	28	84	134	275	459	551	549	402	285	124	58
腎嚢胞 性腫瘍	男	413 (4.9%)	0	0	1	7	25	36	55	70	79	73	40	16	8	3
	女	189 (2.8%)	0	1	1	1	9	17	20	40	34	30	22	9	4	1
	計	602 (3.9%)	0	1	2	8	34	53	75	110	113	103	62	25	12	4
腎石灰 化又は 腎結石	男	1,238 (14.5%)	0	0	1	22	49	97	157	237	261	179	117	67	36	15
	女	546 (7.9%)	0	0	1	9	23	47	70	99	104	85	57	40	7	4
	計	1,784 (11.6%)	0	0	2	31	72	144	227	336	365	264	174	107	43	19
腎盂拡 張・水 腎症	男	35 (0.4%)	0	0	0	0	1	2	6	5	6	3	6	3	2	1
	女	24 (0.3%)	0	0	0	0	1	0	1	4	4	6	3	4	1	0
	計	59 (0.4%)	0	0	0	0	2	2	7	9	10	9	9	7	3	1
腎盂拡 張(腎	男	64 (0.8%)	0	0	0	1	2	4	2	10	11	15	12	3	3	1





表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
腹部大動脈治療後	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	1
腹部大動脈解離	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	1
貯留液	男	3 (0.0%)	0	0	0	0	0	0	0	0	2	0	1	0	0	0
	女	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	2	0
	計	6 (0.0%)	0	0	0	0	0	0	1	0	2	0	1	0	2	0
腹部腫瘍	男	3 (0.0%)	0	0	0	0	0	0	0	2	0	0	1	0	0	0
	女	28 (0.4%)	0	0	1	0	1	2	4	6	6	4	3	0	0	1
	計	31 (0.2%)	0	0	1	0	1	2	4	8	6	4	4	0	0	1
その他 (脾臓・腹部大動脈・)	男	18 (0.2%)	0	0	0	0	1	3	1	2	4	1	3	1	1	1
	女	6 (0.1%)	0	0	0	1	2	0	0	2	0	0	0	1	0	0
	計	24 (0.2%)	0	0	0	1	3	3	1	4	4	1	3	2	1	1
検診者 総数	男	8,509	0	14	66	473	704	927	1,221	1,470	1,419	1,013	661	337	143	61
	女	6,872	0	27	84	317	585	798	1,030	1,248	1,032	836	483	279	126	27
	計	15,381	0	41	150	790	1,289	1,725	2,251	2,718	2,451	1,849	1,144	616	269	88