

表68 動脈硬化検査判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	279 (21.0%)	0	0	4	49	16	74	41	56	26	8	4	1	0	0
	女	199 (21.3%)	0	0	1	20	13	33	32	43	33	14	9	0	1	0
	計	478 (21.1%)	0	0	5	69	29	107	73	99	59	22	13	1	1	0
問題なし	男	309 (23.2%)	0	0	0	4	4	34	35	99	74	37	15	3	4	0
	女	236 (25.2%)	0	0	0	0	0	8	33	63	64	37	19	9	3	0
	計	545 (24.1%)	0	0	0	4	4	42	68	162	138	74	34	12	7	0
要経過観察	男	661 (49.7%)	0	0	0	8	5	36	44	141	169	99	74	49	25	11
	女	451 (48.2%)	0	0	0	0	2	5	18	61	95	105	78	56	24	7
	計	1,112 (49.1%)	0	0	0	8	7	41	62	202	264	204	152	105	49	18
要精密検査	男	73 (5.5%)	0	0	0	0	0	2	1	7	19	8	13	9	9	5
	女	48 (5.1%)	0	0	0	0	0	0	1	1	3	6	8	13	11	5
	計	121 (5.3%)	0	0	0	0	0	2	2	8	22	14	21	22	20	10
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	8 (0.6%)	0	0	0	0	0	0	0	0	1	2	1	1	2	1
	女	2 (0.2%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	10 (0.4%)	0	0	0	0	0	0	0	0	2	2	1	1	3	1
検診者総数	男	1,330	0	0	4	61	25	146	121	303	289	154	107	63	40	17
	女	936	0	0	1	20	15	46	84	168	196	162	114	78	40	12
	計	2,266	0	0	5	81	40	192	205	471	485	316	221	141	80	29

表69 頸部動脈超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
頸動脈の内腔狭窄あり(面)	男	21 (1.6%)	0	0	0	0	0	1	0	2	5	5	4	2	0	2
	女	5 (0.5%)	0	0	0	0	0	0	0	0	2	0	0	1	2	0
	計	26 (1.1%)	0	0	0	0	0	1	0	2	7	5	4	3	2	2
頸動脈の高度狭窄あり(面)	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
総頸動脈内径拡大	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
頸動脈描出不良	男	32 (2.4%)	0	0	0	0	0	2	2	9	7	5	5	1	0	1
	女	17 (1.8%)	0	0	0	0	1	1	1	1	3	4	1	4	0	1
	計	49 (2.2%)	0	0	0	0	1	3	3	10	10	9	6	5	0	2
総頸動脈壁肥厚	男	30 (2.3%)	0	0	0	0	0	0	0	5	5	3	4	7	3	3
	女	11 (1.2%)	0	0	0	0	0	0	0	0	2	3	1	0	3	2
	計	41 (1.8%)	0	0	0	0	0	0	0	5	7	6	5	7	6	5
プラークを認めます	男	1,005 (75.6%)	0	0	0	8	8	66	77	234	252	140	103	60	40	17
	女	703 (75.1%)	0	0	0	0	2	10	49	121	155	142	98	75	39	12
	計	1,708 (75.4%)	0	0	0	8	10	76	126	355	407	282	201	135	79	29
その他(頸部超音波所見)	男	24 (1.8%)	0	0	0	0	0	1	0	3	6	5	4	2	0	3
	女	5 (0.5%)	0	0	0	0	0	0	0	0	2	0	0	1	2	0
	計	29 (1.3%)	0	0	0	0	0	1	0	3	8	5	4	3	2	3
検診者総数	男	1,330	0	0	4	61	25	146	121	303	289	154	107	63	40	17
	女	936	0	0	1	20	15	46	84	168	196	162	114	78	40	12
	計	2,266	0	0	5	81	40	192	205	471	485	316	221	141	80	29

表70 頸部動脈超音波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
頸部超音波計測最大IMT右	男	1330	1.4	0	0.0	0	0.0	4	0.8	61	0.9	25	1.0	146	1.1	121	1.2	303	1.3	289	1.4	154	1.6	107	1.8	63	1.8	40	1.8	17	2.1
	女	936	1.3	0	0.0	0	0.0	1	0.6	20	0.8	15	0.8	46	0.9	84	1.1	168	1.2	196	1.2	162	1.3	114	1.4	78	1.5	40	1.7	12	1.7
	計	2266	1.3	0	0.0	0	0.0	5	0.8	81	0.9	40	0.9	192	1.1	205	1.1	471	1.3	485	1.3	316	1.4	221	1.6	141	1.6	80	1.8	29	1.9
頸部超音波計測最大IMT左	男	1330	1.5	0	0.0	0	0.0	4	0.8	61	0.9	25	1.0	146	1.1	121	1.2	303	1.3	289	1.5	154	1.6	107	1.9	63	1.8	40	2.0	17	2.5
	女	936	1.3	0	0.0	0	0.0	1	0.7	20	0.8	15	0.9	46	0.9	84	1.1	168	1.3	196	1.3	162	1.4	114	1.5	78	1.5	40	1.7	12	1.6
	計	2266	1.4	0	0.0	0	0.0	5	0.8	81	0.9	40	1.0	192	1.1	205	1.2	471	1.3	485	1.4	316	1.5	221	1.7	141	1.6	80	1.8	29	2.1

表71 血圧脈波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI 検査 右	男	656	1.2	0	0.0	0	0.0	2	1.1	55	1.1	10	1.1	83	1.1	37	1.1	147	1.2	123	1.2	62	1.2	57	1.2	40	1.2	28	1.2	12	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	15	1.1	4	1.1	17	1.1	44	1.1	90	1.1	108	1.1	109	1.1	83	1.1	60	1.1	32	1.1	11	1.1
	計	1229	1.1	0	0.0	0	0.0	2	1.1	70	1.1	14	1.1	100	1.1	81	1.1	237	1.1	231	1.1	171	1.1	140	1.2	100	1.1	60	1.1	23	1.2
ABI 検査 左	男	656	1.1	0	0.0	0	0.0	2	1.1	55	1.1	10	1.1	83	1.1	37	1.1	147	1.1	123	1.2	62	1.2	57	1.1	40	1.2	28	1.2	12	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	15	1.1	4	1.1	17	1.1	44	1.1	90	1.1	108	1.1	109	1.1	83	1.1	60	1.1	32	1.1	11	1.1
	計	1229	1.1	0	0.0	0	0.0	2	1.1	70	1.1	14	1.1	100	1.1	81	1.1	237	1.1	231	1.1	171	1.1	140	1.1	100	1.1	60	1.1	23	1.1
PWV 検査 cm/s 右	男	656	1451.2	0	0.0	0	0.0	2	1042.5	55	1206.4	10	1299.6	83	1254.0	37	1355.3	147	1362.8	123	1482.3	62	1553.5	57	1637.4	40	1734.8	28	1828.0	12	1954.5
	女	571	1485.7	0	0.0	0	0.0	0	0.0	15	1058.9	4	1123.5	17	1226.1	43	1271.1	90	1335.5	108	1387.8	109	1492.6	83	1618.3	60	1729.6	32	1935.3	10	1964.9
	計	1227	1467.3	0	0.0	0	0.0	2	1042.5	70	1174.8	14	1249.3	100	1249.3	80	1310.1	237	1352.4	231	1438.1	171	1514.7	140	1626.1	100	1731.7	60	1885.2	22	1959.2
PWV 検査 cm/s 左	男	656	1443.4	0	0.0	0	0.0	2	1002.5	55	1179.6	10	1276.9	83	1238.0	37	1349.6	147	1353.1	123	1479.0	62	1559.1	57	1623.3	40	1745.0	28	1853.1	12	1904.8
	女	571	1482.8	0	0.0	0	0.0	0	0.0	15	1061.6	4	1069.5	17	1222.6	43	1254.9	90	1332.5	108	1375.2	109	1494.0	83	1620.5	60	1761.9	32	1899.4	10	1943.1
	計	1227	1461.7	0	0.0	0	0.0	2	1002.5	70	1154.3	14	1217.6	100	1235.4	80	1298.7	237	1345.3	231	1430.5	171	1517.6	140	1621.6	100	1755.2	60	1877.8	22	1922.2