

表72 脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	389 (58.0%)	0	0	2	5	13	16	63	104	106	45	22	10	2	1
	女	221 (62.3%)	0	0	1	4	9	14	33	52	59	29	14	6	0	0
	計	610 (59.5%)	0	0	3	9	22	30	96	156	165	74	36	16	2	1
問題なし	男	158 (23.5%)	0	0	0	0	2	6	15	31	40	26	18	10	7	3
	女	81 (22.8%)	0	0	0	0	1	1	5	10	17	18	14	8	6	1
	計	239 (23.3%)	0	0	0	0	3	7	20	41	57	44	32	18	13	4
要経過観察	男	81 (12.1%)	0	0	0	1	1	2	4	16	19	16	12	6	3	1
	女	33 (9.3%)	0	0	0	1	1	1	3	7	8	6	4	1	1	0
	計	114 (11.1%)	0	0	0	2	2	3	7	23	27	22	16	7	4	1
要精密検査	男	23 (3.4%)	0	0	0	0	0	2	1	6	5	7	2	0	0	0
	女	15 (4.2%)	0	0	0	0	0	0	1	7	4	1	0	2	0	0
	計	38 (3.7%)	0	0	0	0	0	2	2	13	9	8	2	2	0	0
要治療	男	17 (2.5%)	0	0	0	0	0	2	2	4	5	2	2	0	0	0
	女	5 (1.4%)	0	0	0	0	0	0	2	0	1	1	0	1	0	0
	計	22 (2.1%)	0	0	0	0	0	2	4	4	6	3	2	1	0	0
治療中	男	3 (0.4%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
検診者総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表73 頭部MRI検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
脳萎縮	男	48 (7.2%)	0	0	0	0	0	1	1	6	7	11	10	3	6	3
	女	12 (3.4%)	0	0	0	0	0	0	1	2	3	3	2	0	0	1
	計	60 (5.8%)	0	0	0	0	0	1	2	8	10	14	12	3	6	4
無症候性脳梗塞巣	男	107 (15.9%)	0	0	0	0	0	1	2	7	28	28	21	11	7	2
	女	62 (17.5%)	0	0	0	0	0	0	3	6	12	15	10	10	6	0
	計	169 (16.5%)	0	0	0	0	0	1	5	13	40	43	31	21	13	2
脳内異常陰影	男	2 (0.3%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	2	0	1	0	0	0	0
中耳炎症所見	男	5 (0.7%)	0	0	0	0	0	0	0	3	2	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	計	7 (0.7%)	0	0	0	0	0	0	0	4	2	1	0	0	0	0
副鼻腔炎	男	55 (8.2%)	0	0	0	0	1	5	4	14	18	3	7	2	0	1
	女	16 (4.5%)	0	0	0	0	0	0	4	4	5	1	0	0	2	0
	計	71 (6.9%)	0	0	0	0	1	5	8	18	23	4	7	2	2	1
くも膜嚢胞	男	9 (1.3%)	0	0	0	0	1	2	4	0	2	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	10 (1.0%)	0	0	0	0	1	3	4	0	2	0	0	0	0	0
海綿状血管腫	男	2 (0.3%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
微小脳出血	男	7 (1.0%)	0	0	0	0	0	0	0	1	0	2	0	3	1	0
	女	2 (0.6%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	計	9 (0.9%)	0	0	0	0	0	0	0	2	1	2	0	3	1	0
その他(頭部MRI所見)	男	27 (4.0%)	0	0	0	0	1	3	4	8	3	5	3	0	0	0
	女	12 (3.4%)	0	0	0	0	2	0	1	0	4	2	0	3	0	0
	計	39 (3.8%)	0	0	0	0	3	3	5	8	7	7	3	3	0	0
検診者総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表74 頭頸部MRA検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
脳動脈硬化	男	17 (2.5%)	0	0	0	0	0	0	1	2	1	4	5	2	0	2
	女	16 (4.5%)	0	0	0	0	0	0	1	1	2	4	3	1	3	1
	計	33 (3.2%)	0	0	0	0	0	0	2	3	3	8	8	3	3	3
脳動脈瘤	男	23 (3.4%)	0	0	0	0	0	2	1	4	7	6	2	0	1	0
	女	12 (3.4%)	0	0	0	0	0	0	1	4	3	0	1	2	1	0
	計	35 (3.4%)	0	0	0	0	0	2	2	8	10	6	3	2	2	0
脳動脈狭窄	男	14 (2.1%)	0	0	0	0	0	0	0	3	3	3	3	1	1	0
	女	11 (3.1%)	0	0	0	0	0	1	1	3	2	2	1	1	0	0
	計	25 (2.4%)	0	0	0	0	0	1	1	6	5	5	4	2	1	0
脳動脈閉塞	男	2 (0.3%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
内頸動脈蛇行	男	27 (4.0%)	0	0	0	0	0	1	4	6	5	5	2	3	1	0
	女	15 (4.2%)	0	0	0	0	0	0	0	4	2	1	3	4	1	0
	計	42 (4.1%)	0	0	0	0	0	1	4	10	7	6	5	7	2	0
脳底動脈蛇行	男	21 (3.1%)	0	0	0	0	0	0	1	3	6	6	2	2	0	1
	女	10 (2.8%)	0	0	0	0	0	0	0	1	2	2	2	2	1	0
	計	31 (3.0%)	0	0	0	0	0	0	1	4	8	8	4	4	1	1
遺残性三叉動脈	男	1 (0.1%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	1	0	0	0	2	0	0	0	0
頸部内頸動脈狭窄	男	16 (2.4%)	0	0	0	0	0	0	0	2	2	5	5	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	16 (1.6%)	0	0	0	0	0	0	0	2	2	5	5	2	0	0
硬膜動脈静脈瘻	男	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ウィリス輪動脈閉塞症	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
遺残性舌下神経動脈	男	2 (0.3%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
その他 (頭頸部)	男	7 (1.0%)	0	0	0	0	0	0	1	2	3	1	0	0	0	0

表74 頭頸部MRA検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	(頭頸部 MRA 所見)	女	8 (2.3%)	0	0	0	1	0	0	2	3	1	0	1	0	0
	計	15 (1.5%)	0	0	0	1	0	0	3	5	4	1	1	0	0	0
検診者 総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表77 心理検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
抑うつ 状態	男	12	(28.6%)	0	0	0	1	0	0	2	7	1	0	1	0	0	0
	女	1	(16.7%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	13	(27.1%)	0	0	0	1	0	0	2	7	2	0	1	0	0	0
検診者 総数	男	42		0	0	0	1	0	0	5	21	6	6	3	0	0	0
	女	6		0	0	0	0	0	0	1	2	2	1	0	0	0	0
	計	48		0	0	0	1	0	0	6	23	8	7	3	0	0	0