

表117 市民健診眼底写真判定結果

| 判 定 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 |
|-------|------|-------------|------------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | 異常なし | 男 | 27 (16.9%) | 0 | 1 | 1 | 2 | 3 | 3 | 12 | 5 | 0 |
| 女 | | 63 (20.9%) | 0 | 0 | 4 | 4 | 6 | 11 | 15 | 23 | 0 | 0 |
| 計 | | 90 (19.5%) | 0 | 1 | 5 | 6 | 9 | 14 | 27 | 28 | 0 | 0 |
| 問題なし | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 要経過観察 | 男 | 89 (55.6%) | 2 | 1 | 1 | 2 | 6 | 6 | 17 | 53 | 0 | 1 |
| | 女 | 156 (51.7%) | 0 | 0 | 2 | 0 | 4 | 22 | 43 | 85 | 0 | 0 |
| | 計 | 245 (53.0%) | 2 | 1 | 3 | 2 | 10 | 28 | 60 | 138 | 0 | 1 |
| 要精密検査 | 男 | 44 (27.5%) | 0 | 0 | 0 | 2 | 1 | 3 | 9 | 28 | 0 | 1 |
| | 女 | 79 (26.2%) | 0 | 0 | 0 | 1 | 0 | 4 | 20 | 52 | 2 | 0 |
| | 計 | 123 (26.6%) | 0 | 0 | 0 | 3 | 1 | 7 | 29 | 80 | 2 | 1 |
| 要治療 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 治療中 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 4 (1.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 |
| | 計 | 4 (0.9%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 |
| 検診者総数 | 男 | 160 | 2 | 2 | 2 | 6 | 10 | 12 | 38 | 86 | 0 | 2 |
| | 女 | 302 | 0 | 0 | 6 | 5 | 10 | 37 | 79 | 163 | 2 | 0 |
| | 計 | 462 | 2 | 2 | 8 | 11 | 20 | 49 | 117 | 249 | 2 | 2 |

表118 市民健診眼底検査所見

| 判定 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 |
|-------------|---------|-------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | 細動脈口径不同 | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 3 (1.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| | 計 | 3 (0.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| 網膜白斑 | 男 | 2 (1.3%) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 計 | 3 (0.6%) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 |
| 眼底出血 | 男 | 1 (0.6%) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 1 (0.2%) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 眼底出血の疑い | 男 | 1 (0.6%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 計 | 2 (0.4%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| 細動脈反射増強 | 男 | 24 (15.0%) | 0 | 0 | 0 | 2 | 3 | 2 | 7 | 10 | 0 | 0 |
| | 女 | 35 (11.6%) | 0 | 0 | 0 | 0 | 0 | 2 | 9 | 24 | 0 | 0 |
| | 計 | 59 (12.8%) | 0 | 0 | 0 | 2 | 3 | 4 | 16 | 34 | 0 | 0 |
| 動静脈交叉現象 | 男 | 69 (43.1%) | 1 | 1 | 1 | 3 | 4 | 7 | 14 | 37 | 0 | 1 |
| | 女 | 115 (38.1%) | 0 | 0 | 2 | 0 | 4 | 20 | 28 | 61 | 0 | 0 |
| | 計 | 184 (39.8%) | 1 | 1 | 3 | 3 | 8 | 27 | 42 | 98 | 0 | 1 |
| 斑状出血 | 男 | 1 (0.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 1 (0.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 白内障の疑い | 男 | 46 (28.8%) | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 35 | 0 | 1 |
| | 女 | 93 (30.8%) | 0 | 0 | 0 | 1 | 0 | 5 | 19 | 66 | 2 | 0 |
| | 計 | 139 (30.1%) | 0 | 0 | 0 | 1 | 0 | 6 | 28 | 101 | 2 | 1 |
| 視神経乳頭異常の疑い | 男 | 3 (1.9%) | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 |
| | 女 | 12 (4.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 7 | 1 | 0 |
| | 計 | 15 (3.2%) | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 7 | 1 | 1 |
| 網膜有髄神経線維の疑い | 男 | 1 (0.6%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 女 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 計 | 1 (0.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 網脈絡膜瘢痕疑い | 男 | 0 (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 1 (0.3%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | 計 | 1 (0.2%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 瞳孔の | 男 | 14 (8.8%) | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 10 | 0 | 0 |

表118 市民健診眼底検査所見

| 判 定 | 総数 | | 35-39歳 | 40-44歳 | 45-49歳 | 50-54歳 | 55-59歳 | 60-64歳 | 65-69歳 | 70-74歳 | 75-79歳 | 80歳以上 | |
|--------------------------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|---|
| | 女 | (%) | | | | | | | | | | | |
| 開き不 充分 | 女 | 19 | (6.3%) | 0 | 0 | 0 | 0 | 1 | 1 | 5 | 12 | 0 | 0 |
| | 計 | 33 | (7.1%) | 1 | 0 | 0 | 0 | 1 | 3 | 6 | 22 | 0 | 0 |
| 黄斑部 異常の 疑い | 男 | 6 | (3.8%) | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 | 0 |
| | 女 | 14 | (4.6%) | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 5 | 0 | 0 |
| 計 | 20 | (4.3%) | 0 | 0 | 0 | 0 | 0 | 1 | 9 | 10 | 0 | 0 | |
| 網膜神 経線維 層欠損 の疑い | 男 | 6 | (3.8%) | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 0 | 1 |
| | 女 | 2 | (0.7%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 計 | 8 | (1.7%) | 0 | 0 | 0 | 2 | 1 | 0 | 0 | 4 | 0 | 1 | |
| ドルー ゼン | 男 | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 2 | (0.7%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 計 | 2 | (0.4%) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | |
| その他 (眼底写 真所見) | 男 | 2 | (1.3%) | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| | 女 | 2 | (0.7%) | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| 計 | 4 | (0.9%) | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | |
| 検診者 総数 | 男 | 160 | | 2 | 2 | 2 | 6 | 10 | 12 | 38 | 86 | 0 | 2 |
| | 女 | 302 | | 0 | 0 | 6 | 5 | 10 | 37 | 79 | 163 | 2 | 0 |
| 計 | 462 | | 2 | 2 | 8 | 11 | 20 | 49 | 117 | 249 | 2 | 2 | |