

表119 結核・肺がん胸部X線判定結果

判定		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
異常なし	男	1,091	(66.4%)	1	14	17	19	28	36	103	207	325	341	
	女	2,204	(73.4%)	3	30	48	71	77	144	270	497	610	454	
	計	3,295	(70.9%)	4	44	65	90	105	180	373	704	935	795	
異常所見も精密検査不要	男	425	(25.9%)	0	1	2	5	4	6	28	58	108	213	
	女	663	(22.1%)	0	3	1	5	10	25	54	124	212	229	
	計	1,088	(23.4%)	0	4	3	10	14	31	82	182	320	442	
要精密検査	結核の疑い	男	1	(0.1%)	0	0	0	0	0	0	0	0	1	0
		女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
		計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1
	結核以外の疑い	男	43	(2.6%)	0	0	0	1	1	0	5	6	15	15
		女	39	(1.3%)	0	0	0	0	0	5	3	8	11	12
		計	82	(1.8%)	0	0	0	1	1	5	8	14	26	27
	肺がんの疑い	男	55	(3.3%)	0	1	0	0	3	1	2	8	18	22
		女	79	(2.6%)	0	1	0	2	1	6	8	15	16	30
計		134	(2.9%)	0	2	0	2	4	7	10	23	34	52	
定期的に健診を要す	男	26	(1.6%)	0	0	1	0	0	1	1	3	4	16	
	女	17	(0.6%)	0	0	0	0	0	0	0	3	6	8	
	計	43	(0.9%)	0	0	1	0	0	1	1	6	10	24	
治療中	男	2	(0.1%)	0	0	0	0	0	0	1	1	0	0	
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	
	計	3	(0.1%)	0	0	0	0	0	0	1	1	1	0	
合計	男	1,643		1	16	20	25	36	44	140	283	471	607	
	女	3,003		3	34	49	78	88	180	335	647	856	733	
	計	4,646		4	50	69	103	124	224	475	930	1,327	1,340	

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
心陰影 拡大	男	39 (2.4%)	0	0	0	1	1	0	4	5	7	21
	女	43 (1.4%)	0	0	1	0	0	1	0	8	15	18
	計	82 (1.8%)	0	0	1	1	1	1	4	13	22	39
肺門陰 影拡大	男	14 (0.9%)	0	0	0	0	1	0	0	4	3	6
	女	10 (0.3%)	0	0	0	0	1	0	0	1	3	5
	計	24 (0.5%)	0	0	0	0	2	0	0	5	6	11
肺紋理 増強	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	0	1	1
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1
線状陰 影	男	47 (2.9%)	0	0	0	1	0	0	2	13	15	16
	女	69 (2.3%)	0	0	0	0	0	1	7	18	25	18
	計	116 (2.5%)	0	0	0	1	0	1	9	31	40	34
带状陰 影	男	25 (1.5%)	0	0	0	1	0	0	1	5	5	13
	女	38 (1.3%)	0	0	0	1	0	2	4	6	12	13
	計	63 (1.4%)	0	0	0	2	0	2	5	11	17	26
大動脈 蛇行	男	14 (0.9%)	0	0	0	0	0	0	2	0	3	9
	女	30 (1.0%)	0	0	0	0	0	0	0	3	7	20

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)										
	計	44 (0.9%)	0	0	0	0	0	0	2	3	10	29
微細斑点状陰影	男	25 (1.5%)	0	0	0	0	0	0	1	4	8	12
	女	30 (1.0%)	0	0	0	2	0	2	4	4	9	9
	計	55 (1.2%)	0	0	0	2	0	2	5	8	17	21
粒状陰影	男	3 (0.2%)	0	0	0	0	0	0	0	2	0	1
	女	7 (0.2%)	0	0	0	0	0	0	0	1	3	3
	計	10 (0.2%)	0	0	0	0	0	0	0	3	3	4
結節陰影	男	79 (4.8%)	0	1	0	0	2	0	2	11	27	36
	女	99 (3.3%)	0	1	0	1	1	6	8	22	26	34
	計	178 (3.8%)	0	2	0	1	3	6	10	33	53	70
円形陰影	男	1 (0.1%)	0	0	0	0	0	1	0	0	0	0
	女	3 (0.1%)	0	0	0	0	0	1	0	1	1	0
	計	4 (0.1%)	0	0	0	0	0	2	0	1	1	0
塊状陰影	男	7 (0.4%)	0	0	0	0	0	1	1	1	1	3
	女	8 (0.3%)	0	0	0	0	0	0	1	3	0	4
	計	15 (0.3%)	0	0	0	0	0	1	2	4	1	7
	男	55 (3.3%)	0	0	1	1	0	1	4	6	21	21

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
浸潤陰影	女	48 (1.6%)	0	0	0	0	0	5	3	8	14	18
	計	103 (2.2%)	0	0	1	1	0	6	7	14	35	39
網目状陰影	男	16 (1.0%)	0	0	0	0	0	0	0	2	4	10
	女	8 (0.3%)	0	0	0	0	0	0	1	0	4	3
	計	24 (0.5%)	0	0	0	0	0	0	1	2	8	13
石灰化陰影	男	72 (4.4%)	0	0	0	0	0	1	2	6	24	39
	女	95 (3.2%)	0	0	0	2	1	3	7	13	21	48
	計	167 (3.6%)	0	0	0	2	1	4	9	19	45	87
空洞陰影	男	3 (0.2%)	0	0	0	0	0	0	0	1	1	1
	女	5 (0.2%)	0	0	0	0	0	0	2	1	2	0
	計	8 (0.2%)	0	0	0	0	0	0	2	2	3	1
嚢胞陰影	男	12 (0.7%)	0	0	0	0	0	2	2	1	6	1
	女	5 (0.2%)	0	0	0	0	0	0	0	2	2	1
	計	17 (0.4%)	0	0	0	0	0	2	2	3	8	2
無気肺陰影	男	3 (0.2%)	0	0	0	0	0	0	1	0	0	2
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	4 (0.1%)	0	0	0	0	0	0	1	0	1	2

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
気腫様陰影	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
胸膜肥厚	男	95 (5.8%)	0	0	1	0	2	2	3	12	30	45
	女	131 (4.4%)	0	0	0	2	2	8	16	29	43	31
	計	226 (4.9%)	0	0	1	2	4	10	19	41	73	76
胸膜癒着	男	49 (3.0%)	0	0	0	0	0	1	3	4	18	23
	女	42 (1.4%)	0	0	0	0	0	2	2	8	14	16
	計	91 (2.0%)	0	0	0	0	0	3	5	12	32	39
胸水陰影	男	7 (0.4%)	0	0	0	0	0	0	1	1	3	2
	女	4 (0.1%)	0	0	0	0	0	1	1	0	0	2
	計	11 (0.2%)	0	0	0	0	0	1	2	1	3	4
上葉縮小	男	7 (0.4%)	0	0	0	0	0	0	0	0	5	2
	女	3 (0.1%)	0	0	0	0	0	0	0	1	2	0
	計	10 (0.2%)	0	0	0	0	0	0	0	1	7	2
横隔膜高位	男	35 (2.1%)	0	1	1	1	0	0	4	3	7	18
	女	33 (1.1%)	0	0	1	0	0	1	2	7	6	16

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
気管支 拡張症 の疑い	女	6 (0.2%)	0	0	0	0	0	1	0	0	4	1
	計	10 (0.2%)	0	0	0	0	0	1	0	0	5	4
間質性 肺炎の 疑い	男	30 (1.8%)	0	0	0	0	0	0	0	3	3	24
	女	11 (0.4%)	0	0	0	0	0	0	0	0	2	9
	計	41 (0.9%)	0	0	0	0	0	0	0	3	5	33
胸椎側 弯	男	53 (3.2%)	0	0	0	2	0	1	6	5	5	34
	女	224 (7.5%)	0	3	0	1	5	11	17	41	66	80
	計	277 (6.0%)	0	3	0	3	5	12	23	46	71	114
クライ ディ ティ症 候群	男	16 (1.0%)	0	0	0	0	0	0	1	2	7	6
	女	2 (0.1%)	0	0	0	0	0	0	0	2	0	0
	計	18 (0.4%)	0	0	0	0	0	0	1	4	7	6
食道裂 孔ヘル ニア	男	3 (0.2%)	0	0	0	0	0	0	0	1	0	2
	女	31 (1.0%)	0	0	0	0	0	0	1	1	10	19
	計	34 (0.7%)	0	0	0	0	0	0	1	2	10	21
右大動 脈弓	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	0	0	0	1	1	0	0

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
炎症後 変化	男	12 (0.7%)	0	0	0	0	1	0	0	0	5	6
	女	16 (0.5%)	0	0	0	0	1	1	1	2	2	9
	計	28 (0.6%)	0	0	0	0	2	1	1	2	7	15
肋骨癒 合	男	3 (0.2%)	0	0	0	0	0	0	0	1	1	1
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	4 (0.1%)	0	0	0	0	0	0	0	1	1	2
すりガ ラス陰 影	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
その他 (肺所 見)	男	9 (0.5%)	0	0	0	0	0	0	1	0	2	6
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
その他 (肺所 見)	男	9 (0.5%)	0	0	0	0	0	0	1	0	2	6
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
検診者 総数	男	1,643	1	16	20	25	36	44	140	283	471	607
	女	3,003	3	34	49	78	88	180	335	647	856	733

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	4,646	4	50	69	103	124	224	475	930	1,327	1,340

表121 肺がん検診喀痰細胞診検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
B 1 (C I a s s I (異 常な し))	男	5 (17.9%)	0	0	0	0	0	0	1	1	2	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	5 (17.2%)	0	0	0	0	0	0	1	1	2	1
B 2 (C I a s s II (悪 性所見 な し))	男	23 (82.1%)	0	0	0	0	0	1	0	7	7	8
	女	1 (100.0%)	0	0	0	0	0	1	0	0	0	0
	計	24 (82.8%)	0	0	0	0	0	2	0	7	7	8
検診者 総数	男	28	0	0	0	0	0	1	1	8	9	9
	女	1	0	0	0	0	0	1	0	0	0	0
	計	29	0	0	0	0	0	2	1	8	9	9