

表3 総合判定結果

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
異常なし	男	2,443	(6.8%)	130	368	429	336	252	228	222	182	152	67	43	16	9	9
	女	3,595	(10.3%)	159	571	538	497	379	387	333	238	165	120	69	69	50	20
	計	6,038	(8.5%)	289	939	967	833	631	615	555	420	317	187	112	85	59	29
問題なし	男	3,543	(9.8%)	93	619	633	504	453	412	311	231	120	65	50	22	19	11
	女	4,751	(13.6%)	87	624	703	590	609	579	522	428	254	145	104	62	34	10
	計	8,294	(11.7%)	180	1,243	1,336	1,094	1,062	991	833	659	374	210	154	84	53	21
要経過観察	男	12,821	(35.5%)	96	759	1,056	1,192	1,502	1,566	1,799	1,591	1,214	870	476	346	242	112
	女	12,914	(36.9%)	77	656	909	937	1,189	1,503	1,751	1,843	1,449	1,103	690	424	284	99
	計	25,735	(36.2%)	173	1,415	1,965	2,129	2,691	3,069	3,550	3,434	2,663	1,973	1,166	770	526	211
要精密検査	男	5,907	(16.4%)	35	339	444	539	663	716	781	756	575	439	264	201	105	50
	女	5,438	(15.5%)	27	278	328	372	540	733	854	779	521	385	274	208	84	55
	計	11,345	(16.0%)	62	617	772	911	1,203	1,449	1,635	1,535	1,096	824	538	409	189	105
要治療	男	705	(2.0%)	1	29	43	49	63	83	117	102	76	66	31	22	17	6
	女	359	(1.0%)	0	7	7	16	19	33	62	67	56	31	30	14	10	7
	計	1,064	(1.5%)	1	36	50	65	82	116	179	169	132	97	61	36	27	13
治療中	男	10,694	(29.6%)	4	20	62	120	252	522	912	1,438	1,709	1,810	1,430	1,173	786	456
	女	7,921	(22.6%)	3	33	55	81	138	305	565	959	1,110	1,239	1,096	1,156	766	415
	計	18,615	(26.2%)	7	53	117	201	390	827	1,477	2,397	2,819	3,049	2,526	2,329	1,552	871
検診者総数	男	36,113		359	2,134	2,667	2,740	3,185	3,527	4,142	4,300	3,846	3,317	2,294	1,780	1,178	644
	女	34,978		353	2,169	2,540	2,493	2,874	3,540	4,087	4,314	3,555	3,023	2,263	1,933	1,228	606
	計	71,091		712	4,303	5,207	5,233	6,059	7,067	8,229	8,614	7,401	6,340	4,557	3,713	2,406	1,250

表4 人間ドックコース受診者の総合判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
問題なし	男	1 (0.8%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	4 (4.5%)	0	0	0	1	0	0	1	1	1	0	0	0	0	0
	計	5 (2.4%)	0	0	0	1	0	0	1	2	1	0	0	0	0	0
要経過観察	男	37 (30.1%)	0	0	1	1	1	4	1	15	11	2	0	0	1	0
	女	31 (35.2%)	0	0	0	0	0	6	5	13	3	4	0	0	0	0
	計	68 (32.2%)	0	0	1	1	1	10	6	28	14	6	0	0	1	0
要精密検査	男	23 (18.7%)	0	0	0	1	1	1	2	5	10	1	0	1	0	1
	女	31 (35.2%)	0	0	0	0	1	5	5	8	8	3	1	0	0	0
	計	54 (25.6%)	0	0	0	1	2	6	7	13	18	4	1	1	0	1
要治療	男	5 (4.1%)	0	0	0	0	0	0	3	1	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	5 (2.4%)	0	0	0	0	0	0	3	1	1	0	0	0	0	0
治療中	男	57 (46.3%)	0	0	0	0	0	4	3	14	17	13	3	0	2	1
	女	22 (25.0%)	0	0	0	0	0	2	1	4	7	6	1	1	0	0
	計	79 (37.4%)	0	0	0	0	0	6	4	18	24	19	4	1	2	1
検診者総数	男	123	0	0	1	2	2	9	9	36	39	16	3	1	3	2
	女	88	0	0	0	1	1	13	12	26	19	13	2	1	0	0
	計	211	0	0	1	3	3	22	21	62	58	29	5	2	3	2

表5 胸部検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	27,410 (89.8%)	227	1,606	2,025	2,090	2,494	2,885	3,320	3,308	2,841	2,439	1,778	1,293	740	364
	女	26,696 (91.1%)	209	1,665	1,875	1,769	2,134	2,889	3,336	3,533	2,812	2,325	1,728	1,393	772	256
	計	54,106 (90.5%)	436	3,271	3,900	3,859	4,628	5,774	6,656	6,841	5,653	4,764	3,506	2,686	1,512	620
問題なし	男	2,164 (7.1%)	2	19	22	46	68	129	188	255	277	273	244	256	238	147
	女	1,992 (6.8%)	3	36	63	57	62	102	132	191	218	260	248	257	231	132
	計	4,156 (7.0%)	5	55	85	103	130	231	320	446	495	533	492	513	469	279
要経過観察	男	627 (2.1%)	0	3	4	12	11	33	58	82	108	92	58	61	57	48
	女	370 (1.3%)	0	4	4	5	12	20	35	40	39	52	46	57	34	22
	計	997 (1.7%)	0	7	8	17	23	53	93	122	147	144	104	118	91	70
要精密検査	男	292 (1.0%)	0	4	8	7	9	9	16	39	36	40	30	50	26	18
	女	223 (0.8%)	1	2	3	8	10	13	19	25	27	27	25	27	20	16
	計	515 (0.9%)	1	6	11	15	19	22	35	64	63	67	55	77	46	34
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	16 (0.1%)	0	0	0	0	0	0	1	3	3	3	3	1	2	0
	女	8 (0.0%)	0	0	0	0	0	0	1	2	1	2	2	0	0	0
	計	24 (0.0%)	0	0	0	0	0	0	2	5	4	5	5	1	2	0
検診者総数	男	30,509	229	1,632	2,059	2,155	2,582	3,056	3,583	3,687	3,265	2,847	2,113	1,661	1,063	577
	女	29,289	213	1,707	1,945	1,839	2,218	3,024	3,523	3,791	3,097	2,666	2,049	1,734	1,057	426
	計	59,798	442	3,339	4,004	3,994	4,800	6,080	7,106	7,478	6,362	5,513	4,162	3,395	2,120	1,003

表6 胸部X線検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
肺門陰影拡大	男	12 (0.0%)	0	0	0	0	0	1	1	4	0	1	0	2	3	0
	女	6 (0.0%)	0	0	0	0	0	0	0	1	1	1	0	1	1	1
	計	18 (0.0%)	0	0	0	0	0	1	1	5	1	2	0	3	4	1
線状陰影	男	228 (0.7%)	0	0	1	4	4	11	17	25	29	36	28	28	27	18
	女	156 (0.5%)	0	1	2	4	3	0	8	19	18	21	20	23	22	15
	計	384 (0.6%)	0	1	3	8	7	11	25	44	47	57	48	51	49	33
带状陰影	男	191 (0.6%)	0	0	1	4	5	9	18	20	29	22	27	29	17	10
	女	123 (0.4%)	0	0	3	3	2	2	8	13	8	16	17	24	18	9
	計	314 (0.5%)	0	0	4	7	7	11	26	33	37	38	44	53	35	19
索状陰影	男	7 (0.0%)	0	0	0	0	0	0	0	0	1	6	0	0	0	0
	女	3 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	1	0
	計	10 (0.0%)	0	0	0	0	0	0	0	0	2	6	0	1	1	0
微細斑点状陰影	男	19 (0.1%)	0	0	0	0	0	0	0	1	1	1	2	2	5	7
	女	19 (0.1%)	0	0	0	0	1	0	0	0	3	2	1	5	3	4
	計	38 (0.1%)	0	0	0	0	1	0	0	1	4	3	3	7	8	11
粒状陰影	男	12 (0.0%)	0	0	0	2	0	0	0	2	2	2	1	2	1	0
	女	14 (0.0%)	0	0	0	0	0	1	0	1	4	0	3	3	1	1
	計	26 (0.0%)	0	0	0	2	0	1	0	3	6	2	4	5	2	1
結節陰影	男	243 (0.8%)	0	5	6	5	5	8	22	23	31	34	26	33	28	17
	女	217 (0.7%)	1	3	3	6	9	16	23	27	23	24	27	26	18	11
	計	460 (0.8%)	1	8	9	11	14	24	45	50	54	58	53	59	46	28
円形陰影	男	6 (0.0%)	0	0	1	0	1	0	0	1	1	1	0	0	1	0
	女	6 (0.0%)	0	0	0	0	1	0	1	0	0	1	1	0	1	1
	計	12 (0.0%)	0	0	1	0	2	0	1	1	1	2	1	0	2	1
塊状陰影	男	15 (0.0%)	0	0	0	0	0	2	1	2	2	1	3	2	0	2
	女	10 (0.0%)	0	0	0	0	1	0	1	2	2	2	0	1	0	1
	計	25 (0.0%)	0	0	0	0	1	2	2	4	4	3	3	3	0	3
浸潤陰影	男	116 (0.4%)	0	1	3	3	2	3	4	13	11	14	12	24	10	16
	女	104 (0.4%)	0	1	1	4	4	5	6	10	7	13	14	17	9	13
	計	220 (0.4%)	0	2	4	7	6	8	10	23	18	27	26	41	19	29
網目状陰影	男	10 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	2	5	3
	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	1	0
	計	12 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	3	6	3
石灰化	男	190 (0.6%)	0	0	2	3	2	10	16	14	12	18	22	31	29	31



表6 胸部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)														
胸椎異常	計	5 (0.0%)	0	0	2	0	0	0	0	0	0	2	0	1	0	0
	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
鎖骨異常	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	男	2 (0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	女	3 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0
漏斗胸	計	5 (0.0%)	0	0	0	0	1	0	0	0	1	0	0	0	2	1
	男	7 (0.0%)	0	0	0	1	0	1	0	1	0	1	2	0	1	0
	女	25 (0.1%)	0	1	3	2	4	2	2	3	7	0	0	1	0	0
胸部手術	計	32 (0.1%)	0	1	3	3	4	3	2	4	7	1	2	1	1	0
	男	277 (0.9%)	0	5	4	10	22	28	22	37	28	37	26	26	26	6
	女	114 (0.4%)	0	5	2	3	2	5	12	12	13	13	11	23	7	6
陳旧性肺結核の疑い	計	391 (0.7%)	0	10	6	13	24	33	34	49	41	50	37	49	33	12
	男	2 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	1
	女	2 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	1
肺気腫の疑い	計	4 (0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0	2
	男	74 (0.2%)	0	1	0	1	0	1	3	4	5	11	8	13	17	10
	女	12 (0.0%)	0	0	0	0	0	0	0	0	3	1	2	3	3	0
慢性気管支炎の疑い	計	86 (0.1%)	0	1	0	1	0	1	3	4	8	12	10	16	20	10
	男	3 (0.0%)	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
肺炎の疑い	計	3 (0.0%)	0	0	0	0	0	0	0	1	2	0	0	0	0	0
	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
気管支拡張症の疑い	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	男	9 (0.0%)	0	0	0	0	1	0	0	0	1	0	0	5	2	0
	女	14 (0.0%)	0	0	0	0	0	0	2	1	2	1	4	2	2	0
間質性肺炎の疑い	計	23 (0.0%)	0	0	0	0	1	0	2	1	3	1	4	7	4	0
	男	69 (0.2%)	0	0	0	0	0	0	2	2	2	7	5	18	19	14
	女	18 (0.1%)	0	0	0	0	0	0	1	0	1	2	4	3	4	3
胸椎側弯	計	87 (0.1%)	0	0	0	0	0	0	3	2	3	9	9	21	23	17
	男	384 (1.3%)	1	11	10	15	22	22	31	43	29	50	43	45	35	27
	女	882 (3.0%)	3	29	52	46	36	73	62	76	72	87	85	97	104	60
	計	1,266 (2.1%)	4	40	62	61	58	95	93	119	101	137	128	142	139	87

表6 胸部X線検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
その他 (肺所見)	男	143 (0.5%)	1	0	0	1	2	6	9	18	22	16	11	22	24	11
	女	116 (0.4%)	0	3	1	2	4	4	7	10	5	10	8	27	19	16
	計	259 (0.4%)	1	3	1	3	6	10	16	28	27	26	19	49	43	27
心陰影 拡大	男	39 (0.1%)	0	0	0	1	2	4	0	1	2	4	4	6	10	5
	女	23 (0.1%)	0	0	1	1	0	0	1	0	1	6	1	6	2	4
	計	62 (0.1%)	0	0	1	2	2	4	1	1	3	10	5	12	12	9
右胸心	男	1 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.0%)	0	1	0	0	1	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	1	1	0	1	0	0	0	0	0	0	0	0	0
右大動脈弓	男	20 (0.1%)	0	1	1	4	0	1	0	1	4	4	3	1	0	0
	女	9 (0.0%)	0	0	0	0	2	1	1	2	0	0	1	1	0	1
	計	29 (0.0%)	0	1	1	4	2	2	1	3	4	4	4	2	0	1
大動脈	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
石灰沈着	男	4 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	0	2
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	5 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	1	1	2
大動脈 蛇行	男	19 (0.1%)	0	0	0	0	0	0	0	1	0	3	1	3	4	7
	女	23 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	3	12	7
	計	42 (0.1%)	0	0	0	0	0	0	0	1	0	4	1	6	16	14
その他 (心所見)	男	6 (0.0%)	0	0	0	0	1	0	1	1	1	0	0	1	1	0
	女	5 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	1	1	1
	計	11 (0.0%)	0	0	0	0	1	0	2	1	1	0	1	2	2	1
検診者 総数	男	30,538	229	1,633	2,063	2,156	2,584	3,059	3,584	3,694	3,270	2,848	2,115	1,662	1,063	578
	女	29,289	213	1,707	1,945	1,839	2,218	3,024	3,523	3,791	3,097	2,666	2,049	1,734	1,057	426
	計	59,827	442	3,340	4,008	3,995	4,802	6,083	7,107	7,485	6,367	5,514	4,164	3,396	2,120	1,004

表7 胸部CT検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
線状陰影	男	40 (3.3%)	0	0	0	0	2	5	6	6	5	7	6	1	0	2
	女	12 (3.7%)	0	0	0	0	1	0	4	4	1	1	1	0	0	0
	計	52 (3.4%)	0	0	0	0	3	5	10	10	6	8	7	1	0	2
带状陰影	男	22 (1.8%)	0	0	0	0	1	2	2	1	7	5	4	0	0	0
	女	11 (3.4%)	0	0	0	0	0	2	1	0	2	3	2	1	0	0
	計	33 (2.2%)	0	0	0	0	1	4	3	1	9	8	6	1	0	0
結節陰影	男	190 (15.9%)	0	0	1	3	1	13	25	40	51	32	14	5	3	2
	女	42 (12.9%)	0	0	0	0	1	5	3	9	5	5	6	4	2	2
	計	232 (15.3%)	0	0	1	3	2	18	28	49	56	37	20	9	5	4
塊状陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
浸潤陰影	男	21 (1.8%)	0	0	0	0	2	0	0	3	7	6	2	1	0	0
	女	6 (1.8%)	0	0	0	0	0	1	0	0	2	1	1	1	0	0
	計	27 (1.8%)	0	0	0	0	2	1	0	3	9	7	3	2	0	0
網目状陰影	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
石灰化陰影	男	12 (1.0%)	0	0	0	0	0	0	0	2	2	2	1	2	2	1
	女	4 (1.2%)	0	0	0	0	0	1	0	1	0	0	0	1	0	1
	計	16 (1.1%)	0	0	0	0	0	1	0	3	2	2	1	3	2	2
空洞陰影	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
嚢胞陰影	男	143 (12.0%)	0	0	0	0	4	4	22	33	36	20	11	4	7	2
	女	10 (3.1%)	0	0	0	0	3	1	1	0	3	1	0	0	1	0
	計	153 (10.1%)	0	0	0	0	7	5	23	33	39	21	11	4	8	2
気腫性変化	男	16 (1.3%)	0	0	0	0	0	0	1	4	4	3	3	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	16 (1.1%)	0	0	0	0	0	0	1	4	4	3	3	1	0	0
すりガラス状陰影	男	43 (3.6%)	0	0	0	0	3	1	4	6	17	3	5	3	0	1
	女	19 (5.8%)	0	0	0	0	0	2	1	3	4	5	3	1	0	0
	計	62 (4.1%)	0	0	0	0	3	3	5	9	21	8	8	4	0	1
結核陰影	男	9 (0.8%)	0	0	0	0	0	0	2	0	2	1	2	1	1	0

表7 胸部CT検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
肋骨陰影	女	5 (1.5%)	0	0	0	0	0	2	2	1	0	0	0	0	0	0
	計	14 (0.9%)	0	0	0	0	0	2	4	1	2	1	2	1	1	0
胸膜肥厚	男	27 (2.3%)	0	0	0	0	0	0	5	3	5	4	6	1	3	0
	女	11 (3.4%)	0	0	0	0	0	0	2	3	4	2	0	0	0	0
	計	38 (2.5%)	0	0	0	0	0	0	7	6	9	6	6	1	3	0
胸膜癒着	男	9 (0.8%)	0	0	0	0	0	0	2	1	4	2	0	0	0	0
	女	7 (2.2%)	0	0	0	0	0	0	1	1	1	2	0	1	1	0
	計	16 (1.1%)	0	0	0	0	0	0	3	2	5	4	0	1	1	0
肺気腫	男	7 (0.6%)	0	0	0	0	0	0	0	0	3	1	1	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7 (0.5%)	0	0	0	0	0	0	0	0	3	1	1	2	0	0
その他 (胸部CT所見)	男	195 (16.3%)	0	0	0	0	3	4	19	45	52	28	12	26	2	4
	女	56 (17.2%)	0	0	0	0	2	0	12	13	14	6	2	5	2	0
	計	251 (16.5%)	0	0	0	0	5	4	31	58	66	34	14	31	4	4
検診者 総数	男	1,195	0	4	10	16	51	73	182	239	292	138	95	57	26	12
	女	325	0	0	1	0	24	39	47	67	63	30	27	17	6	4
	計	1,520	0	4	11	16	75	112	229	306	355	168	122	74	32	16

表8 喀痰細胞診検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	B1 (C I a s s I (異	男	9 (14.1%)	0	0	0	0	0	0	0	2	0	0	0	4	2
女		0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
計		9 (11.4%)	0	0	0	0	0	0	0	2	0	0	0	4	2	1
B2 (C I a s s II (悪	男	55 (85.9%)	0	0	0	0	2	1	1	7	8	6	6	13	8	3
	女	15 (100.0%)	0	0	0	0	0	1	1	4	1	4	1	1	1	1
	計	70 (88.6%)	0	0	0	0	2	2	2	11	9	10	7	14	9	4
検診者 総数	男	64	0	0	0	0	2	1	1	9	8	6	6	17	10	4
	女	15	0	0	0	0	0	1	1	4	1	4	1	1	1	1
	計	79	0	0	0	0	2	2	2	13	9	10	7	18	11	5

表9 上部消化管判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	11,242 (67.7%)	3	37	78	473	1,412	1,780	1,924	1,797	1,566	1,262	536	266	84	24
	女	6,619 (63.2%)	3	33	88	319	973	1,073	1,165	1,116	787	592	267	154	40	9
	計	17,861 (66.0%)	6	70	166	792	2,385	2,853	3,089	2,913	2,353	1,854	803	420	124	33
問題なし	男	2,389 (14.4%)	0	1	7	49	193	260	393	493	400	295	147	93	49	9
	女	1,931 (18.4%)	0	0	4	30	159	231	343	400	317	231	123	63	26	4
	計	4,320 (16.0%)	0	1	11	79	352	491	736	893	717	526	270	156	75	13
要経過観察	男	2,464 (14.8%)	0	0	5	36	145	219	330	430	421	371	249	158	82	18
	女	1,571 (15.0%)	0	0	1	22	105	166	258	307	239	232	132	69	34	6
	計	4,035 (14.9%)	0	0	6	58	250	385	588	737	660	603	381	227	116	24
要精密検査	男	456 (2.7%)	0	3	6	14	42	43	44	77	64	59	48	42	12	2
	女	323 (3.1%)	0	2	5	17	25	35	47	54	42	39	27	19	9	2
	計	779 (2.9%)	0	5	11	31	67	78	91	131	106	98	75	61	21	4
要治療	男	45 (0.3%)	0	0	0	1	3	7	5	10	5	9	4	1	0	0
	女	19 (0.2%)	0	0	0	0	1	3	1	4	4	1	2	1	1	1
	計	64 (0.2%)	0	0	0	1	4	10	6	14	9	10	6	2	1	1
治療中	男	12 (0.1%)	0	0	0	0	0	0	0	3	2	5	1	1	0	0
	女	4 (0.0%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
	計	16 (0.1%)	0	0	0	0	0	0	1	3	3	5	2	2	0	0
検診者総数	男	16,608	3	41	96	573	1,795	2,309	2,696	2,810	2,458	2,001	985	561	227	53
	女	10,467	3	35	98	388	1,263	1,508	1,815	1,881	1,390	1,095	552	307	110	22
	計	27,075	6	76	194	961	3,058	3,817	4,511	4,691	3,848	3,096	1,537	868	337	75

表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
狭窄	男	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	1	0	0	1	0	0	0
食道裂孔ヘルニア	男	129 (1.3%)	0	0	0	1	3	5	10	17	20	21	17	20	13	2
	女	61 (1.1%)	0	0	0	0	0	1	2	4	3	11	11	17	12	0
	計	190 (1.2%)	0	0	0	1	3	6	12	21	23	32	28	37	25	2
食道炎の疑い	男	121 (1.2%)	0	0	1	6	6	9	8	21	22	16	13	9	9	1
	女	34 (0.6%)	0	0	1	2	1	3	3	4	5	3	5	3	3	1
	計	155 (1.0%)	0	0	2	8	7	12	11	25	27	19	18	12	12	2
その他(食道所見)	男	21 (0.2%)	0	0	0	0	1	1	2	4	2	3	2	1	5	0
	女	3 (0.1%)	0	0	0	0	0	0	0	0	0	1	2	0	0	0
	計	24 (0.2%)	0	0	0	0	1	1	2	4	2	4	4	1	5	0
伸展不良	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	2	0	1	0	0
辺縁不整	男	16 (0.2%)	0	0	0	0	0	1	1	1	2	5	3	2	1	0
	女	7 (0.1%)	0	0	0	0	0	0	0	1	2	0	0	2	1	1
	計	23 (0.1%)	0	0	0	0	0	1	1	2	4	5	3	4	2	1
壁硬化	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	1	0
変形	男	41 (0.4%)	0	1	0	1	4	3	5	5	3	10	2	4	2	1
	女	5 (0.1%)	0	0	0	0	1	1	0	1	0	1	0	1	0	0
	計	46 (0.3%)	0	1	0	1	5	4	5	6	3	11	2	5	2	1
粘膜不整	男	10 (0.1%)	0	0	0	0	1	0	0	1	0	2	1	2	3	0
	女	6 (0.1%)	0	0	0	0	0	0	0	0	1	0	2	1	2	0
	計	16 (0.1%)	0	0	0	0	1	0	0	1	1	2	3	3	5	0
レリーフ集中像	男	18 (0.2%)	0	0	0	0	1	0	3	1	2	3	4	4	0	0
	女	3 (0.1%)	0	0	0	0	0	0	1	0	0	0	0	2	0	0
	計	21 (0.1%)	0	0	0	0	1	0	4	1	2	3	4	6	0	0
レリーフ異常	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3 (0.1%)	0	0	0	0	0	0	1	0	0	0	1	0	1	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	1	0
バリウム	男	10 (0.1%)	0	0	0	0	3	0	0	3	0	0	1	3	0	0



表10 胃部X線検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
	計	3	(0.0%)	0	0	0	0	0	1	1	0	0	0	1	0	0	
十二指腸潰瘍の疑い	男	8	(0.1%)	0	1	0	0	1	0	2	1	1	0	0	2	0	0
	女	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	9	(0.1%)	0	1	0	0	1	1	2	1	1	0	0	2	0	0
十二指腸潰瘍瘢痕の疑い	男	7	(0.1%)	0	0	0	0	1	1	1	1	1	1	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(0.0%)	0	0	0	0	1	1	1	1	1	1	0	1	0	0
十二指腸憩室の疑い	男	2	(0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	7	(0.1%)	0	0	0	0	0	0	1	2	1	0	1	1	1	1
	計	9	(0.1%)	0	0	0	0	0	0	1	2	3	0	1	1	1	1
隆起性病変の疑い	男	1,127	(11.5%)	0	0	7	26	100	134	179	188	180	149	74	54	31	5
	女	1,447	(24.9%)	0	0	2	28	126	180	257	285	207	192	109	38	19	4
	計	2,574	(16.5%)	0	0	9	54	226	314	436	473	387	341	183	92	50	9
造影不良	男	3	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.0%)	0	0	0	0	2	0	0	0	1	0	0	0	0	0
検診者総数	男	9,802		3	32	80	499	1,146	1,312	1,453	1,501	1,327	1,064	695	445	199	46
	女	5,801		2	13	57	261	645	790	931	974	723	637	403	251	98	16
	計	15,603		5	45	137	760	1,791	2,102	2,384	2,475	2,050	1,701	1,098	696	297	62

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
食道裂孔ヘルニア	男	656 (22.0%)	0	0	2	9	65	69	116	137	116	90	37	13	1	1
	女	172 (7.9%)	0	0	0	2	13	21	33	41	29	17	9	4	2	1
	計	828 (16.0%)	0	0	2	11	78	90	149	178	145	107	46	17	3	2
逆流性食道炎	男	446 (14.9%)	0	1	0	5	33	51	73	125	70	51	25	10	2	0
	女	105 (4.8%)	0	0	0	1	6	9	19	17	25	11	10	6	0	1
	計	551 (10.7%)	0	1	0	6	39	60	92	142	95	62	35	16	2	1
食道潰瘍痕	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
バレット食道	男	79 (2.6%)	0	0	0	1	3	5	16	19	18	15	2	0	0	0
	女	33 (1.5%)	0	0	0	0	3	3	3	12	8	1	1	2	0	0
	計	112 (2.2%)	0	0	0	1	6	8	19	31	26	16	3	2	0	0
胃食道逆流症 (GERD)	男	331 (11.1%)	0	0	0	5	23	30	57	67	76	51	13	8	0	1
	女	41 (1.9%)	0	0	0	0	4	2	8	15	5	5	2	0	0	0
	計	372 (7.2%)	0	0	0	5	27	32	65	82	81	56	15	8	0	1
その他 (食道所見)	男	112 (3.7%)	0	0	0	1	9	9	12	22	25	15	15	4	0	0
	女	56 (2.6%)	0	0	0	0	2	6	7	17	8	8	5	3	0	0
	計	168 (3.3%)	0	0	0	1	11	15	19	39	33	23	20	7	0	0
慢性胃炎	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	1	0	0
	計	3 (0.1%)	0	0	0	0	0	0	0	0	0	1	0	2	0	0
萎縮性胃炎	男	151 (5.1%)	0	0	0	0	7	18	14	42	21	18	24	6	1	0
	女	132 (6.1%)	0	0	0	0	7	13	24	23	25	21	13	4	2	0
	計	283 (5.5%)	0	0	0	0	14	31	38	65	46	39	37	10	3	0
びらん性胃炎	男	441 (14.8%)	0	0	0	4	30	52	70	110	81	53	33	5	2	1
	女	282 (13.0%)	0	0	0	5	26	38	54	53	39	44	17	5	1	0
	計	723 (14.0%)	0	0	0	9	56	90	124	163	120	97	50	10	3	1
タコイボびらん	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
胃潰瘍	男	6 (0.2%)	0	0	0	0	1	0	0	3	1	1	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	7 (0.1%)	0	0	0	0	1	0	0	4	1	1	0	0	0	0
胃潰瘍	男	24 (0.8%)	0	0	0	0	1	1	1	8	4	5	3	1	0	0

表11 胃内視鏡検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
胃頂部 癒痕	女	8	(0.4%)	0	0	0	0	0	3	0	0	2	1	1	0	1
	計	32	(0.6%)	0	0	0	0	1	4	8	4	7	4	2	0	1
胃底腺 ポリープ	男	843	(28.2%)	0	0	0	13	54	81	141	210	160	134	35	13	1
	女	841	(38.7%)	0	0	1	13	58	90	151	220	168	99	39	1	1
	計	1,684	(32.6%)	0	0	1	26	112	171	292	430	328	233	74	14	2
除菌後 胃炎	男	347	(11.6%)	0	0	0	2	8	25	42	72	74	61	46	13	3
	女	206	(9.5%)	0	0	0	1	7	13	38	43	44	33	16	8	2
	計	553	(10.7%)	0	0	0	3	15	38	80	115	118	94	62	21	5
表層性 胃炎	男	43	(1.4%)	0	0	0	0	2	4	6	8	12	7	4	0	0
	女	26	(1.2%)	0	0	0	0	3	5	4	3	8	2	1	0	0
	計	69	(1.3%)	0	0	0	0	5	9	10	11	20	9	5	0	0
胃術後	男	5	(0.2%)	0	0	0	0	0	0	1	1	2	0	0	1	0
	女	3	(0.1%)	0	0	0	0	0	0	0	2	0	0	0	1	0
	計	8	(0.2%)	0	0	0	0	0	0	1	3	2	0	0	2	0
慢性活 動性胃 炎	男	34	(1.1%)	0	0	0	2	4	2	5	4	11	3	1	2	0
	女	23	(1.1%)	0	0	0	0	2	1	4	8	3	3	1	0	1
	計	57	(1.1%)	0	0	0	2	6	3	9	12	14	6	2	2	1
慢性非 活動性 胃炎	男	274	(9.2%)	0	0	0	2	8	24	33	56	63	51	22	11	3
	女	119	(5.5%)	0	0	0	0	7	8	15	30	23	26	7	2	1
	計	393	(7.6%)	0	0	0	2	15	32	48	86	86	77	29	13	4
良性び らん	男	30	(1.0%)	0	0	0	1	2	1	9	10	4	3	0	0	0
	女	3	(0.1%)	0	0	0	0	0	0	0	2	1	0	0	0	0
	計	33	(0.6%)	0	0	0	1	2	1	9	12	5	3	0	0	0
過形成 性ポ リープ	男	22	(0.7%)	0	0	0	0	0	1	6	8	4	3	0	0	0
	女	8	(0.4%)	0	0	0	0	1	0	2	2	1	2	0	0	0
	計	30	(0.6%)	0	0	0	0	1	0	3	8	9	6	3	0	0
その他 (胃所 見)	男	117	(3.9%)	0	0	0	2	9	7	9	26	28	15	12	9	0
	女	76	(3.5%)	0	0	0	2	2	7	12	18	10	14	7	2	2
	計	193	(3.7%)	0	0	0	4	11	14	21	44	38	29	19	11	2
十二指 腸潰瘍	男	2	(0.1%)	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	1	1	0	0	0	0	0
十二指 腸潰瘍	男	49	(1.6%)	0	0	0	0	1	4	9	6	9	7	10	3	0
	女	14	(0.6%)	0	0	0	0	0	0	2	1	6	4	0	0	1

表11 胃内視鏡検査所見

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計		(%)														
癒痕	計	63	(1.2%)	0	0	0	0	1	4	11	7	15	11	10	3	1	0
	男	126	(4.2%)	0	0	0	0	10	14	18	23	22	24	12	3	0	0
	女	171	(7.9%)	0	0	0	0	13	31	37	32	24	21	10	2	1	0
ポリープ	計	297	(5.8%)	0	0	0	0	23	45	55	55	46	45	22	5	1	0
	男	10	(0.3%)	0	0	0	0	0	0	2	1	2	3	2	0	0	0
	女	7	(0.3%)	0	0	0	0	0	1	0	1	2	2	1	0	0	0
憩室	計	17	(0.3%)	0	0	0	0	0	1	2	2	4	5	3	0	0	0
	男	93	(3.1%)	0	0	0	0	4	3	17	23	20	14	8	4	0	0
	女	51	(2.3%)	0	0	0	0	2	2	8	11	16	7	4	1	0	0
粘膜下腫瘍	計	144	(2.8%)	0	0	0	0	6	5	25	34	36	21	12	5	0	0
	男	71	(2.4%)	0	0	0	1	3	5	16	18	13	8	4	3	0	0
	女	11	(0.5%)	0	0	0	0	0	1	4	2	2	1	1	0	0	0
十二指腸炎	計	82	(1.6%)	0	0	0	1	3	6	20	20	15	9	5	3	0	0
	男	16	(0.5%)	0	0	0	0	1	0	2	3	2	3	2	3	0	0
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Brunner腺過形成	計	17	(0.3%)	0	0	0	0	1	0	2	3	2	4	2	3	0	0
	男	62	(2.1%)	0	0	0	0	1	5	9	13	14	13	5	1	1	0
	女	28	(1.3%)	0	0	0	0	2	2	5	5	7	3	2	2	0	0
その他(十二指腸所見)	計	90	(1.7%)	0	0	0	0	3	7	14	18	21	16	7	3	1	0
	男	2,988		0	1	6	54	255	339	497	681	513	385	179	64	11	3
	女	2,172		0	3	8	39	209	274	407	482	376	241	97	25	9	2
検診者総数	計	5,160		0	4	14	93	464	613	904	1,163	889	626	276	89	20	5

表12-1 ペプシノゲン検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		男	4382	39	0.9	0	0	0.0	5	0	0.0	11	0	0.0	52	0	0.0	453	4	0.9	727	3	0.4	864	5	0.6	714	6	0.8	785	7	0.9	590	10	1.7	114	2	1.8	52	2	3.8	12	0	0.0	3	0
女	2623	37	1.4	1	0	0.0	9	0	0.0	20	1	5.0	82	1	1.2	434	1	0.2	474	8	1.7	533	4	0.8	460	6	1.3	320	4	1.3	218	9	4.1	45	1	2.2	22	2	9.1	3	0	0.0	2	0	0.0	
計	7005	76	1.1	1	0	0.0	14	0	0.0	31	1	3.2	134	1	0.7	887	5	0.6	1201	11	0.9	1397	9	0.6	1174	12	1.0	1105	11	1.0	808	19	2.4	159	3	1.9	74	4	5.4	15	0	0.0	5	0	0.0	

表12-2 ヘリコバクターピロリ抗体検査検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		男	536	92	17.2	0	0	0.0	6	2	33.3	11	2	18.2	59	10	16.9	46	8	17.4	113	16	14.2	85	10	11.8	68	16	23.5	48	6	12.5	34	6	17.6	34	9	26.5	19	4	21.1	11	2	18.2	2	1
女	659	122	18.5	2	0	0.0	18	1	5.6	33	5	15.2	96	9	9.4	105	17	16.2	104	16	15.4	92	15	16.3	66	14	21.2	58	13	22.4	41	12	29.3	21	10	47.6	17	7	41.2	3	2	66.7	3	1	33.3	
計	1195	214	17.9	2	0	0.0	24	3	12.5	44	7	15.9	155	19	12.3	151	25	16.6	217	32	14.7	177	25	14.1	134	30	22.4	106	19	17.9	75	18	24.0	55	19	34.5	36	11	30.6	14	4	28.6	5	2	40.0	

表13 心電図判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	20,311 (70.2%)	160	1,049	1,372	1,551	2,256	2,438	2,787	2,788	2,241	1,824	1,115	591	112	27
	女	19,435 (75.7%)	158	1,164	1,356	1,395	1,919	2,351	2,690	2,772	2,121	1,685	1,000	649	135	40
	計	39,746 (72.8%)	318	2,213	2,728	2,946	4,175	4,789	5,477	5,560	4,362	3,509	2,115	1,240	247	67
問題なし	男	3,825 (13.2%)	42	344	322	315	394	469	455	397	387	305	220	135	34	6
	女	2,536 (9.9%)	20	130	179	164	287	296	344	337	309	236	137	77	15	5
	計	6,361 (11.6%)	62	474	501	479	681	765	799	734	696	541	357	212	49	11
要経過観察	男	3,478 (12.0%)	3	67	90	119	158	256	381	489	556	576	367	300	73	43
	女	3,150 (12.3%)	5	49	63	102	165	259	429	498	477	442	312	220	58	71
	計	6,628 (12.1%)	8	116	153	221	323	515	810	987	1,033	1,018	679	520	131	114
要精密検査	男	339 (1.2%)	3	10	11	13	18	29	31	36	44	57	33	39	12	3
	女	184 (0.7%)	0	3	6	8	9	14	19	28	24	21	26	17	5	4
	計	523 (1.0%)	3	13	17	21	27	43	50	64	68	78	59	56	17	7
要治療	男	3 (0.0%)	0	0	0	0	0	1	1	0	0	0	1	0	0	0
	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	計	5 (0.0%)	0	0	0	0	0	1	1	0	0	0	2	0	0	1
治療中	男	993 (3.4%)	0	2	0	4	10	27	42	106	171	213	193	153	52	20
	女	374 (1.5%)	0	2	2	2	9	19	30	43	41	53	50	64	26	33
	計	1,367 (2.5%)	0	4	2	6	19	46	72	149	212	266	243	217	78	53
検診者総数	男	28,949	208	1,472	1,795	2,002	2,836	3,220	3,697	3,816	3,399	2,975	1,929	1,218	283	99
	女	25,681	183	1,348	1,606	1,671	2,389	2,939	3,512	3,678	2,972	2,437	1,526	1,027	239	154
	計	54,630	391	2,820	3,401	3,673	5,225	6,159	7,209	7,494	6,371	5,412	3,455	2,245	522	253

表14 安静心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
洞性徐脈	男	731 (2.5%)	8	68	70	53	65	102	73	75	66	45	46	43	12	5
	女	296 (1.2%)	3	17	15	13	18	24	32	41	55	42	22	14	0	0
	計	1,027 (1.9%)	11	85	85	66	83	126	105	116	121	87	68	57	12	5
洞性頻脈	男	225 (0.8%)	1	15	12	8	15	20	34	39	28	34	11	5	3	0
	女	145 (0.6%)	2	8	7	12	19	18	24	9	17	16	10	2	0	1
	計	370 (0.7%)	3	23	19	20	34	38	58	48	45	50	21	7	3	1
洞性不整脈	男	25 (0.1%)	1	3	3	4	2	2	0	3	2	2	2	1	0	0
	女	25 (0.1%)	3	3	2	5	0	0	0	6	1	3	1	1	0	0
	計	50 (0.1%)	4	6	5	9	2	2	0	9	3	5	3	2	0	0
移動性調律	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
右軸偏位(100°以上)	男	277 (1.0%)	8	33	33	27	36	26	28	21	26	17	13	7	2	0
	女	287 (1.1%)	3	33	28	16	40	33	43	38	30	13	9	0	0	1
	計	564 (1.0%)	11	66	61	43	76	59	71	59	56	30	22	7	2	1
左軸偏位(-30°以下)	男	564 (1.9%)	1	6	15	18	26	44	52	73	98	88	76	45	12	10
	女	274 (1.1%)	1	4	9	8	20	19	35	51	37	36	19	23	1	11
	計	838 (1.5%)	2	10	24	26	46	63	87	124	135	124	95	68	13	21
不定軸	男	63 (0.2%)	0	3	2	7	4	11	11	8	9	3	3	1	1	0
	女	60 (0.2%)	1	3	5	5	6	10	9	12	5	3	1	0	0	0
	計	123 (0.2%)	1	6	7	12	10	21	20	20	14	6	4	1	1	0
第一度房室ブロック	男	342 (1.2%)	0	7	7	7	15	19	22	23	46	46	53	63	25	9
	女	94 (0.4%)	0	3	4	0	0	4	10	16	13	11	8	9	4	12
	計	436 (0.8%)	0	10	11	7	15	23	32	39	59	57	61	72	29	21
第二度房室ブロック	男	11 (0.0%)	1	0	0	1	0	0	1	0	1	2	3	2	0	0
	女	5 (0.0%)	0	0	0	0	0	0	0	1	2	0	0	2	0	0
	計	16 (0.0%)	1	0	0	1	0	0	1	1	3	2	3	4	0	0
洞機能不全症候群疑い	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	1	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	1	0	0
WPW症候群	男	39 (0.1%)	0	4	4	3	3	3	7	4	5	5	0	1	0	0
	女	21 (0.1%)	0	2	2	3	1	0	2	3	3	2	3	0	0	0
	計	60 (0.1%)	0	6	6	6	4	3	9	7	8	7	3	1	0	0
その他	男	8 (0.0%)	1	1	1	0	1	0	1	0	1	1	1	0	0	0

表14 安静心電図検査所見

判 定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女		(%)														
P-Q短縮	女	24	(0.1%)	1	2	1	2	3	4	3	3	3	1	0	1	0	0
	計	32	(0.1%)	2	3	2	2	4	4	4	3	4	2	1	1	0	0
不完全 右脚ブ ロック	男	758	(2.6%)	3	47	60	61	82	105	102	75	75	58	50	32	6	2
	女	436	(1.7%)	0	9	20	19	37	43	47	61	86	48	29	26	7	4
	計	1,194	(2.2%)	3	56	80	80	119	148	149	136	161	106	79	58	13	6
完全右 脚ブ ロック	男	827	(2.9%)	0	14	13	16	31	40	74	106	99	160	116	110	26	22
	女	295	(1.1%)	0	5	1	5	11	19	29	43	40	50	35	30	9	18
	計	1,122	(2.1%)	0	19	14	21	42	59	103	149	139	210	151	140	35	40
完全左 脚ブ ロック	男	20	(0.1%)	0	0	0	0	0	0	2	1	5	5	2	3	1	1
	女	26	(0.1%)	0	0	0	0	0	0	1	3	3	2	7	5	1	4
	計	46	(0.1%)	0	0	0	0	0	0	3	4	8	7	9	8	2	5
上室性 期外収 縮	男	284	(1.0%)	0	7	7	5	8	20	21	27	53	41	39	40	12	4
	女	210	(0.8%)	1	7	5	5	6	11	21	23	29	27	27	24	7	17
	計	494	(0.9%)	1	14	12	10	14	31	42	50	82	68	66	64	19	21
心室性 期外収 縮	男	493	(1.7%)	0	13	10	10	20	21	37	66	83	92	63	61	9	8
	女	314	(1.2%)	0	6	11	5	24	27	43	52	42	43	28	19	5	9
	計	807	(1.5%)	0	19	21	15	44	48	80	118	125	135	91	80	14	17
心房細 動	男	138	(0.5%)	0	0	0	0	1	1	3	8	22	34	26	27	14	2
	女	27	(0.1%)	0	0	0	0	0	0	0	2	1	1	4	9	3	7
	計	165	(0.3%)	0	0	0	0	1	1	3	10	23	35	30	36	17	9
心房粗 動	男	4	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	1	1
	女	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	計	5	(0.0%)	0	0	0	0	0	0	1	0	0	0	1	0	1	2
ST低下	男	5	(0.0%)	0	0	0	0	0	1	0	1	0	0	1	2	0	0
	女	12	(0.0%)	0	0	0	0	1	0	0	1	4	1	4	0	0	1
	計	17	(0.0%)	0	0	0	0	1	1	0	2	4	1	5	2	0	1
ST異常	男	340	(1.2%)	1	2	6	7	6	17	22	37	57	68	59	33	19	6
	女	378	(1.5%)	0	4	3	9	10	32	40	52	55	52	48	39	13	21
	計	718	(1.3%)	1	6	9	16	16	49	62	89	112	120	107	72	32	27
異常Q波	男	695	(2.4%)	2	14	20	34	34	46	56	80	125	131	81	52	13	7
	女	423	(1.6%)	1	13	12	17	21	29	51	68	55	49	31	35	12	29
	計	1,118	(2.0%)	3	27	32	51	55	75	107	148	180	180	112	87	25	36
R波増 高不 良	男	244	(0.8%)	0	2	9	11	21	27	45	40	32	30	13	12	0	2
	女	744	(2.9%)	2	17	32	48	73	121	148	128	74	52	35	8	3	3

表14 安静心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
陰性T波	計	988	(1.8%)	2	19	41	59	94	148	193	168	106	82	48	20	3	5
	男	283	(1.0%)	1	2	2	12	7	22	31	43	40	45	33	36	5	4
	女	399	(1.6%)	1	10	21	22	33	37	38	43	55	59	31	26	11	12
平低T	計	682	(1.2%)	2	12	23	34	40	59	69	86	95	104	64	62	16	16
	男	811	(2.8%)	0	10	11	36	35	58	95	121	130	129	88	65	25	8
	女	1,247	(4.9%)	2	19	42	47	77	87	168	193	198	166	121	85	16	26
T波増高	計	2,058	(3.8%)	2	29	53	83	112	145	263	314	328	295	209	150	41	34
	男	253	(0.9%)	5	49	29	22	21	33	29	18	25	8	10	4	0	0
	女	2	(0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
ST上昇	計	255	(0.5%)	5	49	29	22	21	33	29	18	25	10	10	4	0	0
	男	33	(0.1%)	0	2	2	3	1	3	6	6	5	4	0	1	0	0
	女	5	(0.0%)	0	0	0	0	0	0	1	1	2	0	1	0	0	0
QT延長	計	38	(0.1%)	0	2	2	3	1	3	7	7	7	4	1	1	0	0
	男	158	(0.5%)	0	1	1	1	7	14	12	16	28	30	15	24	6	3
	女	131	(0.5%)	0	3	1	3	5	8	9	14	17	21	19	18	4	9
QT短縮	計	289	(0.5%)	0	4	2	4	12	22	21	30	45	51	34	42	10	12
	男	3	(0.0%)	0	0	1	1	0	0	0	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
低電位差	計	3	(0.0%)	0	0	1	1	0	0	0	1	0	0	0	0	0	0
	男	6	(0.0%)	0	0	0	0	0	0	0	1	0	3	0	1	1	0
	女	24	(0.1%)	0	0	2	3	4	1	5	2	1	0	3	2	1	0
右胸心	計	30	(0.1%)	0	0	2	3	4	1	5	3	1	3	3	3	2	0
	男	3	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	2	0
	女	5	(0.0%)	0	2	0	0	2	0	0	0	0	0	0	0	0	1
人工ペースメーカー調律	計	8	(0.0%)	0	2	0	0	2	0	0	0	1	0	0	2	0	1
	男	18	(0.1%)	0	0	0	1	0	1	1	0	1	6	1	4	0	3
	女	5	(0.0%)	0	0	0	0	1	0	0	0	0	1	0	0	2	1
III. a V f の Q波	計	23	(0.0%)	0	0	0	1	1	1	1	0	1	7	1	4	2	4
	男	118	(0.4%)	0	0	2	2	5	6	12	17	27	27	11	6	2	1
	女	49	(0.2%)	0	0	0	0	1	2	10	5	8	15	4	3	1	0
左室高電位	計	167	(0.3%)	0	0	2	2	6	8	22	22	35	42	15	9	3	1
	男	1,592	(5.5%)	14	150	116	102	123	162	177	173	187	160	115	81	25	7
	女	369	(1.4%)	1	6	5	4	16	17	34	46	59	48	52	50	23	8
計	1,961	(3.6%)	15	156	121	106	139	179	211	219	246	208	167	131	48	15	

表14 安静心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
右室高 電位	男	12 (0.0%)	0	0	1	2	1	3	1	1	2	1	0	0	0	0
	女	9 (0.0%)	0	0	1	0	0	2	1	2	0	2	1	0	0	0
	計	21 (0.0%)	0	0	2	2	1	5	2	3	2	3	1	0	0	0
ブルガ ダ型S T上昇 c o v	男	29 (0.1%)	0	0	0	4	4	6	3	7	2	2	0	1	0	0
	女	3 (0.0%)	0	0	0	0	0	0	1	2	0	0	0	0	0	0
	計	32 (0.1%)	0	0	0	4	4	6	4	9	2	2	0	1	0	0
ブルガ ダ型S T上昇 s a d	男	32 (0.1%)	0	2	3	1	4	5	6	4	3	3	0	0	1	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	32 (0.1%)	0	2	3	1	4	5	6	4	3	3	0	0	1	0
完全房 室ブ ロック	男	1 (0.0%)	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	女	4 (0.0%)	0	0	1	0	0	0	0	0	0	0	0	1	0	2
	計	5 (0.0%)	0	1	1	0	0	0	0	0	0	0	0	1	0	2
R S R パター ン	男	696 (2.4%)	7	28	44	51	73	77	91	92	76	71	52	29	5	0
	女	637 (2.5%)	2	14	28	36	77	69	95	88	71	82	51	21	2	1
	計	1,333 (2.4%)	9	42	72	87	150	146	186	180	147	153	103	50	7	1
左脚前 枝ブ ロック	男	145 (0.5%)	0	0	3	4	1	13	11	8	19	34	17	20	11	4
	女	109 (0.4%)	0	1	4	3	5	11	12	14	14	17	11	10	1	6
	計	254 (0.5%)	0	1	7	7	6	24	23	22	33	51	28	30	12	10
左脚後 枝ブ ロック	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	2 (0.0%)	0	0	1	0	0	0	0	1	0	0	0	0	0	0
	計	2 (0.0%)	0	0	1	0	0	0	0	1	0	0	0	0	0	0
冠状静 脈洞調 律	男	58 (0.2%)	2	9	7	2	4	6	4	8	7	4	3	2	0	0
	女	163 (0.6%)	2	16	14	13	19	18	31	14	19	12	3	1	1	0
	計	221 (0.4%)	4	25	21	15	23	24	35	22	26	16	6	3	1	0
確定で きない 不整脈	男	3 (0.0%)	0	0	0	0	0	1	0	0	1	0	0	0	1	0
	女	2 (0.0%)	0	0	0	0	0	0	0	0	1	1	0	0	0	0
	計	5 (0.0%)	0	0	0	0	0	1	0	0	2	1	0	0	1	0
右房性 P (拡 大)	男	113 (0.4%)	0	7	3	2	8	10	19	17	13	19	9	5	0	1
	女	157 (0.6%)	0	4	2	2	5	14	22	31	33	24	14	4	2	0
	計	270 (0.5%)	0	11	5	4	13	24	41	48	46	43	23	9	2	1
左房性 P (拡 大)	男	120 (0.4%)	0	3	3	11	11	10	22	18	14	13	4	9	1	1
	女	48 (0.2%)	0	1	5	1	7	1	8	5	7	6	3	1	2	1
	計	168 (0.3%)	0	4	8	12	18	11	30	23	21	19	7	10	3	2
その他 (不整脈)	男	437 (1.5%)	0	2	2	3	7	17	25	53	86	97	83	46	10	6

表14 安静心電図検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
(安静心電図所見)	女	201	(0.8%)	0	2	3	0	3	13	19	31	24	32	25	32	11	6
	計	638	(1.2%)	0	4	5	3	10	30	44	84	110	129	108	78	21	12
検診者総数	男	28,959		208	1,472	1,795	2,003	2,837	3,219	3,699	3,818	3,399	2,976	1,933	1,218	283	99
	女	25,692		183	1,348	1,606	1,672	2,389	2,939	3,515	3,679	2,974	2,438	1,527	1,029	239	154
	計	54,651		391	2,820	3,401	3,675	5,226	6,158	7,214	7,497	6,373	5,414	3,460	2,247	522	253

表15 マスター負荷心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
陽性S T-T の変化 (ダブル)	男	2	(1.2%)	0	0	0	0	0	0	2	0	0	0	0	0	0	
	女	1	(1.2%)	0	0	0	0	0	0	1	0	0	0	0	0	0	
	計	3	(1.2%)	0	0	0	0	0	0	3	0	0	0	0	0	0	
疑陽性 S-T Tの変化 (ダ ブル)	男	11	(6.7%)	0	1	0	1	0	0	3	5	0	0	0	1	0	
	女	10	(11.6%)	0	0	0	0	3	1	1	4	1	0	0	0	0	
	計	21	(8.4%)	0	1	0	1	3	1	4	9	1	0	0	1	0	
不整脈 の出現 (ダ ブル)	男	10	(6.1%)	0	1	0	0	1	0	0	5	2	1	0	0	0	
	女	6	(7.0%)	0	0	0	0	2	1	1	2	0	0	0	0	0	
	計	16	(6.4%)	0	1	0	0	3	1	1	7	2	1	0	0	0	
検診者 総数	男	163		0	29	15	3	3	10	8	33	40	14	3	1	3	1
	女	86		0	0	0	0	1	14	12	27	16	14	2	0	0	0
	計	249		0	29	15	3	4	24	20	60	56	28	5	1	3	1

表16 自転車エルゴメータ負荷心電図検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
不整脈 の出現	男	20	(5.1%)	0	0	1	1	0	2	0	2	10	3	1	0	0	0
	女	9	(4.0%)	0	0	0	1	0	1	0	2	1	1	2	1	0	0
	計	29	(4.7%)	0	0	1	2	0	3	0	4	11	4	3	1	0	0
S T - T の変 化	男	16	(4.1%)	0	2	1	3	0	2	1	1	2	4	0	0	0	0
	女	12	(5.3%)	0	0	0	4	0	1	1	1	2	1	1	1	0	0
	計	28	(4.5%)	0	2	1	7	0	3	2	2	4	5	1	1	0	0
血圧の 変化	男	166	(42.0%)	0	9	6	22	2	22	5	20	46	28	1	2	2	1
	女	42	(18.6%)	0	0	0	3	0	7	3	3	8	10	2	5	1	0
	計	208	(33.5%)	0	9	6	25	2	29	8	23	54	38	3	7	3	1
検診者 総数	男	395		0	29	14	79	4	73	10	32	94	45	5	3	6	1
	女	226		0	0	0	54	3	56	15	31	27	21	8	9	2	0
	計	621		0	29	14	133	7	129	25	63	121	66	13	12	8	1

表17 腹部超音波判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	840 (9.9%)	0	7	31	147	168	180	133	89	54	20	9	2	0	0
	女	1,791 (26.1%)	0	18	48	190	272	305	328	317	165	104	27	15	1	1
	計	2,631 (17.1%)	0	25	79	337	440	485	461	406	219	124	36	17	1	1
問題なし	男	436 (5.1%)	0	2	5	43	77	75	84	65	42	24	10	8	1	0
	女	929 (13.5%)	0	2	14	49	94	136	178	190	126	87	38	13	2	0
	計	1,365 (8.9%)	0	4	19	92	171	211	262	255	168	111	48	21	3	0
要経過観察	男	6,809 (80.0%)	0	5	29	277	449	648	972	1,244	1,242	902	589	285	115	52
	女	3,881 (56.5%)	0	7	21	74	209	340	491	710	699	598	387	225	101	19
	計	10,690 (69.5%)	0	12	50	351	658	988	1,463	1,954	1,941	1,500	976	510	216	71
要精密検査	男	408 (4.8%)	0	0	1	6	10	23	32	71	75	65	49	41	26	9
	女	262 (3.8%)	0	0	1	4	10	16	33	31	40	42	31	26	21	7
	計	670 (4.4%)	0	0	2	10	20	39	65	102	115	107	80	67	47	16
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	16 (0.2%)	0	0	0	0	0	1	0	1	6	2	4	1	1	0
	女	9 (0.1%)	0	0	0	0	0	1	0	0	2	5	0	0	1	0
	計	25 (0.2%)	0	0	0	0	0	2	0	1	8	7	4	1	2	0
検診者総数	男	8,509	0	14	66	473	704	927	1,221	1,470	1,419	1,013	661	337	143	61
	女	6,872	0	27	84	317	585	798	1,030	1,248	1,032	836	483	279	126	27
	計	15,381	0	41	150	790	1,289	1,725	2,251	2,718	2,451	1,849	1,144	616	269	88

表18 腹部超音波検査所見

判定	総数			19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女	計														
脂肪肝	男	3,506	(41.2%)	0	4	12	123	234	329	513	665	656	481	300	135	44	10
	女	1,411	(20.5%)	0	2	4	20	71	113	178	284	265	227	137	81	23	6
	計	4,917	(32.0%)	0	6	16	143	305	442	691	949	921	708	437	216	67	16
肝血管腫	男	416	(4.9%)	0	1	1	16	25	43	60	76	89	57	25	12	9	2
	女	495	(7.2%)	0	0	5	23	52	65	90	98	72	47	26	11	6	0
	計	911	(5.9%)	0	1	6	39	77	108	150	174	161	104	51	23	15	2
肝嚢胞	男	1,641	(19.3%)	0	1	0	19	50	87	206	297	361	260	181	110	52	17
	女	1,503	(21.9%)	0	0	2	18	37	102	190	301	285	266	157	92	43	10
	計	3,144	(20.4%)	0	1	2	37	87	189	396	598	646	526	338	202	95	27
肝内石 灰化・ 肝内結 石	男	135	(1.6%)	0	0	0	1	3	6	8	24	32	18	19	12	4	8
	女	72	(1.0%)	0	0	0	0	0	5	10	9	15	13	8	5	4	3
	計	207	(1.3%)	0	0	0	1	3	11	18	33	47	31	27	17	8	11
肝内胆 管拡張	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	0	0	1	2	0	0	0
	計	5	(0.0%)	0	0	0	0	0	0	0	0	0	3	2	0	0	0
肝臓描 出不良	男	299	(3.5%)	0	0	0	3	11	14	36	38	60	49	39	29	9	11
	女	27	(0.4%)	0	0	0	0	1	2	3	3	8	4	2	2	1	1
	計	326	(2.1%)	0	0	0	3	12	16	39	41	68	53	41	31	10	12
肝臓部 分切除 後	男	8	(0.1%)	0	0	0	0	1	0	0	1	3	0	1	1	1	0
	女	3	(0.0%)	0	0	0	0	1	0	0	0	0	2	0	0	0	0
	計	11	(0.1%)	0	0	0	0	2	0	0	1	3	2	1	1	1	0
慢性肝 障害疑 い	男	10	(0.1%)	0	0	0	0	1	0	0	1	4	2	2	0	0	0
	女	3	(0.0%)	0	0	0	0	0	0	0	0	0	1	1	0	1	0
	計	13	(0.1%)	0	0	0	0	1	0	0	1	4	3	3	0	1	0
慢性肝 障害	男	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2	(0.0%)	0	0	0	0	0	0	0	0	0	0	2	0	0	0
肝腫瘍	男	8	(0.1%)	0	0	0	0	1	1	1	1	0	1	0	3	0	0
	女	11	(0.2%)	0	0	0	0	0	1	3	3	3	1	0	0	0	0
	計	19	(0.1%)	0	0	0	0	1	2	4	4	3	2	0	3	0	0
肝腫瘍 疑い	男	30	(0.4%)	0	0	0	3	0	3	4	8	5	4	3	0	0	0
	女	17	(0.2%)	0	0	0	0	0	5	4	2	4	0	1	0	0	1
	計	47	(0.3%)	0	0	0	3	0	8	8	10	9	4	4	0	0	1
肝嚢胞	男	2	(0.0%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
性腫瘍 疑い	女	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	0
	計	4 (0.0%)	0	0	0	0	0	0	0	2	0	1	0	0	1	0
胆道気腫	男	2 (0.0%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	1	2	0	0	0	0	0
肝血管異常	男	4 (0.0%)	0	0	0	0	0	0	0	0	0	0	1	1	2	0
	女	5 (0.1%)	0	0	0	0	0	0	1	0	3	1	0	0	0	0
	計	9 (0.1%)	0	0	0	0	0	0	1	0	3	1	1	1	2	0
胆管過誤腫	男	10 (0.1%)	0	0	0	0	0	1	1	2	1	1	2	1	1	0
	女	23 (0.3%)	0	0	0	2	0	3	2	3	6	2	2	2	1	0
	計	33 (0.2%)	0	0	0	2	0	4	3	5	7	3	4	3	2	0
胆嚢切除後	男	279 (3.3%)	0	0	0	2	4	7	23	52	56	57	31	26	17	4
	女	183 (2.7%)	0	0	1	0	9	8	17	31	38	33	20	17	6	3
	計	462 (3.0%)	0	0	1	2	13	15	40	83	94	90	51	43	23	7
びまん性胆嚢壁肥厚	男	5 (0.1%)	0	0	0	0	0	0	0	2	1	0	1	1	0	0
	女	5 (0.1%)	0	0	0	0	1	0	2	1	0	1	0	0	0	0
	計	10 (0.1%)	0	0	0	0	1	0	2	3	1	1	1	1	0	0
胆嚢腺筋腫症	男	321 (3.8%)	0	0	1	2	9	14	30	50	74	67	37	23	12	2
	女	139 (2.0%)	0	0	0	1	5	6	15	20	23	34	17	14	3	1
	計	460 (3.0%)	0	0	1	3	14	20	45	70	97	101	54	37	15	3
胆嚢ポリープ	男	1,937 (22.8%)	0	1	8	78	150	209	273	377	369	233	135	71	24	9
	女	968 (14.1%)	0	0	8	23	70	125	164	180	162	110	71	34	20	1
	計	2,905 (18.9%)	0	1	16	101	220	334	437	557	531	343	206	105	44	10
胆嚢結石	男	571 (6.7%)	0	0	0	4	13	36	68	115	123	101	68	29	9	5
	女	335 (4.9%)	0	0	0	7	15	35	32	61	58	59	33	18	13	4
	計	906 (5.9%)	0	0	0	11	28	71	100	176	181	160	101	47	22	9
胆泥	男	52 (0.6%)	0	0	0	1	3	0	6	2	12	13	9	2	2	2
	女	51 (0.7%)	0	0	0	0	4	3	5	5	7	18	5	2	1	1
	計	103 (0.7%)	0	0	0	1	7	3	11	7	19	31	14	4	3	3
肝外胆管拡張	男	67 (0.8%)	0	0	0	0	0	0	1	6	17	10	15	12	5	1
	女	54 (0.8%)	0	0	0	0	0	1	3	3	5	8	10	14	8	2
	計	121 (0.8%)	0	0	0	0	0	1	4	9	22	18	25	26	13	3
胆嚢描出不良	男	92 (1.1%)	0	0	0	1	1	5	13	10	19	18	13	10	2	0
	女	15 (0.2%)	0	0	0	0	1	1	0	2	2	2	1	4	1	1

表18 腹部超音波検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)														
胆嚢描出不能	計	107 (0.7%)	0	0	0	1	2	6	13	12	21	20	14	14	3	1
	男	7 (0.1%)	0	0	0	0	1	0	0	1	3	1	0	0	1	0
	女	4 (0.1%)	0	0	0	0	0	0	0	0	1	1	1	1	0	0
胆嚢壁評価不良	計	11 (0.1%)	0	0	0	0	1	0	0	1	4	2	1	1	1	0
	男	36 (0.4%)	0	0	0	0	2	3	1	7	8	8	2	1	2	2
	女	25 (0.4%)	0	0	0	0	1	3	5	4	2	3	5	1	1	0
胆嚢腫大	計	61 (0.4%)	0	0	0	0	3	6	6	11	10	11	7	2	3	2
	男	13 (0.2%)	0	0	0	0	0	1	1	2	4	1	1	2	1	0
	女	9 (0.1%)	0	0	0	0	0	1	0	3	2	0	2	1	0	0
胆嚢腫瘍疑い	計	22 (0.1%)	0	0	0	0	0	2	1	5	6	1	3	3	1	0
	男	15 (0.2%)	0	0	1	1	0	2	1	1	4	3	1	1	0	0
	女	9 (0.1%)	0	0	0	0	1	0	1	3	0	3	0	0	1	0
膵管拡張	計	24 (0.2%)	0	0	1	1	1	2	2	4	4	6	1	1	1	0
	男	192 (2.3%)	0	0	0	2	1	3	9	28	40	36	30	25	10	8
	女	57 (0.8%)	0	0	0	0	0	0	1	7	9	10	5	12	9	4
膵嚢胞	計	249 (1.6%)	0	0	0	2	1	3	10	35	49	46	35	37	19	12
	男	17 (0.2%)	0	0	0	0	0	1	1	3	4	1	5	1	0	1
	女	43 (0.6%)	0	0	0	0	3	2	6	3	12	5	3	3	5	1
膵臓描出不良	計	60 (0.4%)	0	0	0	0	3	3	7	6	16	6	8	4	5	2
	男	5,734 (67.4%)	0	5	25	230	346	523	799	1,025	1,035	770	528	273	124	51
	女	2,005 (29.2%)	0	6	12	33	104	151	241	360	345	300	217	152	69	15
膵臓切除後	計	7,739 (50.3%)	0	11	37	263	450	674	1,040	1,385	1,380	1,070	745	425	193	66
	男	5 (0.1%)	0	0	0	0	0	0	1	0	0	1	2	1	0	0
	女	10 (0.1%)	0	0	0	0	0	0	1	2	1	3	2	1	0	0
膵腫瘍疑い	計	15 (0.1%)	0	0	0	0	0	0	2	2	1	4	4	2	0	0
	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
膵腫瘤	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	3	0	0	0	0
	男	4 (0.0%)	0	0	0	1	0	0	0	0	1	0	1	0	0	1
	女	8 (0.1%)	0	0	0	0	0	1	1	3	2	1	0	0	0	0
膵嚢胞性腫瘍疑い	計	12 (0.1%)	0	0	0	1	0	1	1	3	3	1	1	0	0	1
	男	8 (0.1%)	0	0	0	0	0	0	1	0	2	2	2	1	0	0
	女	30 (0.4%)	0	0	0	0	1	1	2	0	7	8	5	3	2	1
計	38 (0.2%)	0	0	0	0	1	1	3	0	9	10	7	4	2	1	

表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
膵管内 乳頭粘 液性腫 瘍(Ⅰ)	男	10 (0.1%)	0	0	0	0	0	0	2	2	1	0	2	2	0	1
	女	14 (0.2%)	0	0	0	0	0	0	3	2	0	5	1	2	1	0
	計	24 (0.2%)	0	0	0	0	0	0	5	4	1	5	3	4	1	1
膵管内 乳頭粘 液性腫 瘍(Ⅱ)	男	12 (0.1%)	0	0	0	0	0	0	0	2	4	0	2	2	1	1
	女	17 (0.2%)	0	0	0	0	0	1	1	3	5	3	2	1	1	0
	計	29 (0.2%)	0	0	0	0	0	1	1	5	9	3	4	3	2	1
膵石ま たは膵 内石灰 化	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	7 (0.1%)	0	0	0	0	0	1	0	3	2	0	0	1	0	0
	計	8 (0.1%)	0	0	0	0	0	1	0	3	2	1	0	1	0	0
膵血管 異常	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
その他 (肝臓・ 胆嚢・ 膵臓所)	男	19 (0.2%)	0	0	0	0	0	2	0	4	5	5	1	2	0	0
	女	21 (0.3%)	0	0	0	0	3	1	3	3	4	3	1	3	0	0
	計	40 (0.3%)	0	0	0	0	3	3	3	7	9	8	2	5	0	0
腎臓の 変形	男	44 (0.5%)	0	0	0	1	2	0	6	7	11	11	2	2	1	1
	女	42 (0.6%)	0	0	0	1	1	2	6	5	6	10	4	4	3	0
	計	86 (0.6%)	0	0	0	2	3	2	12	12	17	21	6	6	4	1
腎血管 筋脂肪 腫	男	58 (0.7%)	0	0	0	2	3	6	5	14	12	9	4	2	1	0
	女	133 (1.9%)	0	0	0	1	5	6	23	28	32	18	10	8	1	1
	計	191 (1.2%)	0	0	0	3	8	12	28	42	44	27	14	10	2	1
腎嚢胞	男	2,122 (24.9%)	0	0	1	18	56	93	204	325	409	389	299	193	90	45
	女	829 (12.1%)	0	0	1	10	28	41	71	134	142	160	103	92	34	13
	計	2,951 (19.2%)	0	0	2	28	84	134	275	459	551	549	402	285	124	58
腎嚢胞 性腫瘍	男	413 (4.9%)	0	0	1	7	25	36	55	70	79	73	40	16	8	3
	女	189 (2.8%)	0	1	1	1	9	17	20	40	34	30	22	9	4	1
	計	602 (3.9%)	0	1	2	8	34	53	75	110	113	103	62	25	12	4
腎石灰 化又は 腎結石	男	1,238 (14.5%)	0	0	1	22	49	97	157	237	261	179	117	67	36	15
	女	546 (7.9%)	0	0	1	9	23	47	70	99	104	85	57	40	7	4
	計	1,784 (11.6%)	0	0	2	31	72	144	227	336	365	264	174	107	43	19
腎盂拡 張・水 腎症	男	35 (0.4%)	0	0	0	0	1	2	6	5	6	3	6	3	2	1
	女	24 (0.3%)	0	0	0	0	1	0	1	4	4	6	3	4	1	0
	計	59 (0.4%)	0	0	0	0	2	2	7	9	10	9	9	7	3	1
腎盂拡 張(腎	男	64 (0.8%)	0	0	0	1	2	4	2	10	11	15	12	3	3	1





表18 腹部超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
腹部大動脈治療後	男	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	1
腹部大動脈解離	男	3 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	1	1
貯留液	男	3 (0.0%)	0	0	0	0	0	0	0	0	2	0	1	0	0	0
	女	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	2	0
	計	6 (0.0%)	0	0	0	0	0	0	1	0	2	0	1	0	2	0
腹部腫瘍	男	3 (0.0%)	0	0	0	0	0	0	0	2	0	0	1	0	0	0
	女	28 (0.4%)	0	0	1	0	1	2	4	6	6	4	3	0	0	1
	計	31 (0.2%)	0	0	1	0	1	2	4	8	6	4	4	0	0	1
その他 (脾臓・腹部大動脈・)	男	18 (0.2%)	0	0	0	0	1	3	1	2	4	1	3	1	1	1
	女	6 (0.1%)	0	0	0	1	2	0	0	2	0	0	0	1	0	0
	計	24 (0.2%)	0	0	0	1	3	3	1	4	4	1	3	2	1	1
検診者 総数	男	8,509	0	14	66	473	704	927	1,221	1,470	1,419	1,013	661	337	143	61
	女	6,872	0	27	84	317	585	798	1,030	1,248	1,032	836	483	279	126	27
	計	15,381	0	41	150	790	1,289	1,725	2,251	2,718	2,451	1,849	1,144	616	269	88

表19 眼底写真判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	5,903 (53.2%)	2	18	78	518	775	935	1,078	1,053	785	459	159	41	2	0
	女	4,933 (60.1%)	1	14	71	345	600	784	946	1,019	648	368	102	32	3	0
	計	10,836 (56.1%)	3	32	149	863	1,375	1,719	2,024	2,072	1,433	827	261	73	5	0
問題なし	男	64 (0.6%)	0	0	0	0	2	14	10	10	14	6	8	0	0	0
	女	35 (0.4%)	0	0	0	0	1	5	6	7	11	2	0	3	0	0
	計	99 (0.5%)	0	0	0	0	3	19	16	17	25	8	8	3	0	0
要経過観察	男	3,521 (31.7%)	0	1	0	9	47	126	303	607	771	782	487	319	42	27
	女	2,208 (26.9%)	0	0	0	6	26	77	192	361	407	475	353	257	45	9
	計	5,729 (29.7%)	0	1	0	15	73	203	495	968	1,178	1,257	840	576	87	36
要精密検査	男	1,069 (9.6%)	0	1	0	11	24	59	74	120	167	203	207	180	19	4
	女	708 (8.6%)	0	1	0	6	15	30	40	75	95	128	153	145	16	4
	計	1,777 (9.2%)	0	2	0	17	39	89	114	195	262	331	360	325	35	8
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
治療中	男	539 (4.9%)	0	0	0	1	5	21	47	74	128	118	75	39	22	9
	女	320 (3.9%)	0	0	0	0	3	14	16	41	69	77	43	40	15	2
	計	859 (4.5%)	0	0	0	1	8	35	63	115	197	195	118	79	37	11
検診者総数	男	11,096	2	20	78	539	853	1,155	1,512	1,864	1,865	1,568	936	579	85	40
	女	8,205	1	15	71	357	645	910	1,200	1,503	1,231	1,050	651	477	79	15
	計	19,301	3	35	149	896	1,498	2,065	2,712	3,367	3,096	2,618	1,587	1,056	164	55

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
細動脈 狭細化	男	20 (0.2%)	0	0	0	0	0	1	3	2	3	6	3	2	0	0
	女	17 (0.2%)	0	0	0	0	0	1	2	3	5	2	0	4	0	0
	計	37 (0.2%)	0	0	0	0	0	2	5	5	8	8	3	6	0	0
細動脈 口径不 同	男	30 (0.3%)	0	0	0	0	0	1	4	8	4	5	4	4	0	0
	女	26 (0.3%)	0	0	0	0	0	0	4	5	3	7	2	4	0	1
	計	56 (0.3%)	0	0	0	0	0	1	8	13	7	12	6	8	0	1
眼底出 血	男	33 (0.3%)	0	0	0	2	0	3	5	6	6	6	3	2	0	0
	女	20 (0.2%)	0	0	0	0	1	1	0	4	1	4	4	5	0	0
	計	53 (0.3%)	0	0	0	2	1	4	5	10	7	10	7	7	0	0
眼底出 血の疑 い	男	69 (0.6%)	0	0	0	0	3	2	4	11	23	9	10	5	1	1
	女	47 (0.6%)	0	0	0	0	0	3	6	11	7	9	6	4	0	1
	計	116 (0.6%)	0	0	0	0	3	5	10	22	30	18	16	9	1	2
細動脈 反射増 強	男	789 (7.1%)	0	0	0	2	6	21	76	137	174	184	107	70	8	4
	女	613 (7.5%)	0	0	0	1	6	17	51	95	107	161	91	71	13	0
	計	1,402 (7.3%)	0	0	0	3	12	38	127	232	281	345	198	141	21	4
動静脈 交叉現 象	男	2,328 (21.0%)	0	0	0	5	16	68	186	404	542	566	323	178	29	11
	女	1,426 (17.4%)	0	0	0	2	18	37	105	243	274	333	236	155	20	3
	計	3,754 (19.4%)	0	0	0	7	34	105	291	647	816	899	559	333	49	14
毛細血 管瘤 (赤色 点)	男	10 (0.1%)	0	0	0	1	0	0	1	3	2	1	1	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	10 (0.1%)	0	0	0	1	0	0	1	3	2	1	1	1	0	0
新生血 管	男	2 (0.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	1	0	2	0	0	0	0	0
静脈拡 張	男	2 (0.0%)	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	3 (0.0%)	0	0	0	0	0	0	2	0	1	0	0	0	0	0
点状出 血	男	68 (0.6%)	0	0	0	0	3	6	8	16	16	5	11	3	0	0
	女	9 (0.1%)	0	0	0	0	0	0	3	0	5	1	0	0	0	0
	計	77 (0.4%)	0	0	0	0	3	6	11	16	21	6	11	3	0	0
斑状出 血	男	36 (0.3%)	0	0	0	0	0	1	7	5	6	8	7	1	1	0
	女	11 (0.1%)	0	0	0	0	0	0	1	2	3	2	1	2	0	0
	計	47 (0.2%)	0	0	0	0	0	1	8	7	9	10	8	3	1	0
網膜白	男	66 (0.6%)	0	0	0	0	1	4	8	11	17	12	8	5	0	0

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	計														
網膜白 斑	女	28 (0.3%)	0	0	0	0	0	5	2	4	3	6	5	2	1	0
	計	94 (0.5%)	0	0	0	0	1	9	10	15	20	18	13	7	1	0
白内障 の疑い	男	1,009 (9.1%)	0	0	0	0	3	4	12	15	74	192	304	329	53	23
	女	701 (8.5%)	0	0	0	0	0	0	5	14	53	108	218	253	38	12
	計	1,710 (8.9%)	0	0	0	0	3	4	17	29	127	300	522	582	91	35
視神経 乳頭異 常	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
視神経 乳頭異 常の疑 い	男	639 (5.8%)	0	0	0	4	17	37	67	116	135	131	73	42	11	6
	女	289 (3.5%)	0	1	0	0	5	22	22	44	63	63	36	27	6	0
	計	928 (4.8%)	0	1	0	4	22	59	89	160	198	194	109	69	17	6
光凝固 後	男	18 (0.2%)	0	0	0	0	0	1	0	3	3	5	5	1	0	0
	女	5 (0.1%)	0	0	0	0	0	0	2	2	1	0	0	0	0	0
	計	23 (0.1%)	0	0	0	0	0	1	2	5	4	5	5	1	0	0
網膜有 髄神経 線維の 疑い	男	60 (0.5%)	0	0	0	0	2	7	8	8	15	7	7	5	1	0
	女	29 (0.4%)	0	0	0	1	1	2	4	3	8	3	3	4	0	0
	計	89 (0.5%)	0	0	0	1	3	9	12	11	23	10	10	9	1	0
網脈絡 膜痕 巣の疑 い	男	58 (0.5%)	0	0	0	0	1	6	3	13	10	14	9	1	0	1
	女	24 (0.3%)	0	0	0	0	0	1	1	6	8	4	3	1	0	0
	計	82 (0.4%)	0	0	0	0	1	7	4	19	18	18	12	2	0	1
瞳孔の 開き不 充分	男	347 (3.1%)	0	0	0	1	6	5	8	29	62	82	87	53	10	4
	女	167 (2.0%)	0	0	0	1	2	3	9	12	31	38	35	27	6	3
	計	514 (2.7%)	0	0	0	2	8	8	17	41	93	120	122	80	16	7
黄斑部 異常の 疑い	男	545 (4.9%)	0	0	0	2	12	27	41	79	117	104	89	60	11	3
	女	289 (3.5%)	0	0	0	1	3	14	12	34	53	74	45	42	11	0
	計	834 (4.3%)	0	0	0	3	15	41	53	113	170	178	134	102	22	3
右眼の み撮影	男	33 (0.3%)	0	0	0	0	0	0	4	8	5	6	4	4	2	0
	女	13 (0.2%)	0	0	0	0	2	0	1	0	0	3	6	1	0	0
	計	46 (0.2%)	0	0	0	0	2	0	5	8	5	9	10	5	2	0
左眼の み撮影	男	24 (0.2%)	0	0	0	0	1	1	0	2	7	5	4	2	2	0
	女	11 (0.1%)	0	0	0	0	0	0	0	0	0	3	6	2	0	0
	計	35 (0.2%)	0	0	0	0	1	1	0	2	7	8	10	4	2	0
硝子体 閃輝融 解の疑	男	41 (0.4%)	0	0	0	0	0	1	3	2	9	10	8	8	0	0
	女	20 (0.2%)	0	0	0	0	0	1	3	4	3	4	1	2	2	0

表20 眼底検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
網膜神経線維層欠損の疑い	計	61 (0.3%)	0	0	0	0	0	2	6	6	12	14	9	10	2	0
	男	623 (5.6%)	0	2	0	5	12	46	66	98	159	129	66	28	6	6
	女	337 (4.1%)	0	0	0	5	11	29	43	64	65	60	31	23	4	2
ドルーゼン	計	960 (5.0%)	0	2	0	10	23	75	109	162	224	189	97	51	10	8
	男	5 (0.0%)	0	0	0	0	0	0	0	0	1	1	1	1	0	1
	女	21 (0.3%)	0	0	0	0	0	0	0	1	2	2	4	6	6	0
その他 (眼底写真所見)	計	26 (0.1%)	0	0	0	0	0	0	0	1	3	3	5	7	6	1
	男	213 (1.9%)	0	0	0	1	4	12	22	50	49	44	17	8	4	2
	女	161 (2.0%)	0	0	0	1	4	7	18	27	42	33	13	11	5	0
検診者 総数	計	374 (1.9%)	0	0	0	2	8	19	40	77	91	77	30	19	9	2
	男	11,103	2	20	80	542	853	1,155	1,512	1,864	1,867	1,568	936	579	85	40
	女	8,206	1	15	71	357	645	910	1,200	1,504	1,231	1,050	651	477	79	15
	計	19,309	3	35	151	899	1,498	2,065	2,712	3,368	3,098	2,618	1,587	1,056	164	55

表21 肺機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	5,327 (93.9%)	8	95	144	337	470	611	787	947	897	507	285	152	61	26
	女	3,613 (94.6%)	1	19	72	195	324	451	548	683	532	363	218	134	63	10
	計	8,940 (94.2%)	9	114	216	532	794	1,062	1,335	1,630	1,429	870	503	286	124	36
問題なし	男	280 (4.9%)	1	1	5	3	17	16	40	43	52	43	25	14	11	9
	女	180 (4.7%)	0	3	4	6	10	22	19	40	24	20	13	7	10	2
	計	460 (4.8%)	1	4	9	9	27	38	59	83	76	63	38	21	21	11
要経過観察	男	55 (1.0%)	0	0	1	1	0	2	5	1	12	8	11	5	4	5
	女	16 (0.4%)	0	0	0	1	0	1	2	0	3	3	1	3	2	0
	計	71 (0.7%)	0	0	1	2	0	3	7	1	15	11	12	8	6	5
要精密検査	男	11 (0.2%)	0	0	0	0	1	1	1	2	1	2	1	1	0	1
	女	10 (0.3%)	0	0	0	0	2	1	0	2	3	1	0	1	0	0
	計	21 (0.2%)	0	0	0	0	3	2	1	4	4	3	1	2	0	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	5,673	9	96	150	341	488	630	833	993	962	560	322	172	76	41
	女	3,819	1	22	76	202	336	475	569	725	562	387	232	145	75	12
	計	9,492	10	118	226	543	824	1,105	1,402	1,718	1,524	947	554	317	151	53

表22 肺機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
肺機能検査 肺活量%	5566	105.5	9	108.0	97	105.3	161	105.1	345	106.7	480	107.0	611	108.9	811	107.3	973	106.9	944	105.6	536	102.2	313	101.0	169	97.8	76	91.0	41	88.3
	3666	104.4	1	96.0	22	91.7	76	99.5	201	103.5	323	105.5	452	106.4	542	107.1	688	105.3	536	104.0	371	102.7	224	103.4	143	99.7	75	97.2	12	91.7
	計	9232	105.0	10	106.8	119	102.8	237	103.3	546	105.5	803	106.4	1063	107.9	1353	107.2	1661	106.3	1480	105.0	907	102.4	537	102.0	312	98.7	151	94.1	53
肺機能検査 一秒率%	5566	80.9	9	84.4	97	85.6	161	84.2	345	83.8	480	82.7	611	82.0	811	81.4	973	80.7	944	79.7	536	79.0	313	78.4	169	78.4	76	78.5	41	76.2
	3666	81.9	1	92.8	22	84.9	76	84.7	201	85.4	323	84.3	452	83.0	542	82.2	688	81.5	536	81.2	371	80.3	224	79.7	143	80.1	75	78.5	12	77.3
	計	9232	81.3	10	85.2	119	85.5	237	84.3	546	84.4	803	83.4	1063	82.4	1353	81.7	1661	81.1	1480	80.3	907	79.5	537	78.9	312	79.2	151	78.5	53

表23 聴力判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	25,630 (85.6%)	212	1,764	2,226	2,363	2,731	3,170	3,444	3,358	2,779	2,099	1,015	379	78	12
	女	23,876 (94.0%)	165	1,696	2,060	1,982	2,262	2,859	3,340	3,422	2,638	1,975	970	406	95	6
	計	49,506 (89.5%)	377	3,460	4,286	4,345	4,993	6,029	6,784	6,780	5,417	4,074	1,985	785	173	18
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	4,322 (14.4%)	3	29	34	42	98	147	337	499	648	858	804	562	190	71
	女	1,515 (6.0%)	1	18	31	25	47	67	95	151	184	267	263	238	102	26
	計	5,837 (10.5%)	4	47	65	67	145	214	432	650	832	1,125	1,067	800	292	97
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
検診者総数	男	29,953	215	1,793	2,260	2,405	2,829	3,317	3,782	3,857	3,427	2,957	1,819	941	268	83
	女	25,391	166	1,714	2,091	2,007	2,309	2,926	3,435	3,573	2,822	2,242	1,233	644	197	32
	計	55,344	381	3,507	4,351	4,412	5,138	6,243	7,217	7,430	6,249	5,199	3,052	1,585	465	115

表24 聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
聴力 5 O O H z d B	男	123	24.1	0	0.0	0	0.0	1	20.0	2	20.0	2	20.0	9	23.9	9	20.0	36	23.2	39	25.3	16	24.1	3	18.3	1	15.0	3	46.7	2	25.0
	女	88	22.5	0	0.0	0	0.0	0	0.0	1	25.0	1	20.0	13	21.2	12	22.1	26	21.7	19	22.9	13	24.2	2	30.0	1	20.0	0	0.0	0	0.0
	計	211	23.4	0	0.0	0	0.0	1	20.0	3	21.7	3	20.0	22	22.3	21	21.2	62	22.6	58	24.5	29	24.1	5	23.0	2	17.5	3	46.7	2	25.0
聴力 1 K H z d B	男	123	17.0	0	0.0	0	0.0	1	5.0	2	10.0	2	12.5	9	13.9	9	13.3	36	16.0	39	18.6	16	17.8	3	15.0	1	10.0	3	40.0	2	20.0
	女	88	15.1	0	0.0	0	0.0	0	0.0	1	10.0	1	25.0	13	10.8	12	12.9	26	16.4	19	16.6	13	15.8	2	17.5	1	20.0	0	0.0	0	0.0
	計	211	16.2	0	0.0	0	0.0	1	5.0	3	10.0	3	16.7	22	12.1	21	13.1	62	16.1	58	17.9	29	16.9	5	16.0	2	15.0	3	40.0	2	20.0
聴力 2 K H z d B	男	123	20.9	0	0.0	0	0.0	1	10.0	2	12.5	2	10.0	9	14.4	9	17.2	36	20.0	39	20.4	16	26.6	3	21.7	1	15.0	3	46.7	2	32.5
	女	88	15.9	0	0.0	0	0.0	0	0.0	1	5.0	1	15.0	13	11.9	12	10.4	26	17.5	19	17.9	13	16.9	2	30.0	1	25.0	0	0.0	0	0.0
	計	211	18.8	0	0.0	0	0.0	1	10.0	3	10.0	3	11.7	22	13.0	21	13.3	62	19.0	58	19.6	29	22.2	5	25.0	2	20.0	3	46.7	2	32.5
聴力 4 K H z d B	男	123	23.8	0	0.0	0	0.0	1	20.0	2	10.0	2	10.0	9	13.9	9	17.8	36	21.8	39	25.4	16	31.3	3	23.3	1	25.0	3	50.0	2	30.0
	女	88	11.7	0	0.0	0	0.0	0	0.0	1	10.0	1	5.0	13	8.1	12	5.8	26	11.4	19	15.0	13	14.6	2	22.5	1	25.0	0	0.0	0	0.0
	計	211	18.7	0	0.0	0	0.0	1	20.0	3	10.0	3	8.3	22	10.5	21	11.0	62	17.4	58	22.0	29	23.8	5	23.0	2	25.0	3	50.0	2	30.0
聴力 5 O O H z d B	男	123	21.9	0	0.0	0	0.0	1	25.0	2	15.0	2	12.5	9	19.4	9	18.3	36	21.3	39	23.6	16	23.1	3	18.3	1	10.0	3	35.0	2	25.0
	女	88	20.1	0	0.0	0	0.0	0	0.0	1	15.0	1	25.0	13	16.5	12	18.8	26	21.0	19	22.9	13	20.0	2	17.5	1	15.0	0	0.0	0	0.0
	計	211	21.2	0	0.0	0	0.0	1	25.0	3	15.0	3	16.7	22	17.7	21	18.6	62	21.1	58	23.4	29	21.7	5	18.0	2	12.5	3	35.0	2	25.0
聴力 1 K H z d B	男	123	14.9	0	0.0	0	0.0	1	5.0	2	5.0	2	12.5	9	11.7	9	10.0	36	14.6	39	17.4	16	14.7	3	15.0	1	5.0	3	23.3	2	17.5
	女	88	11.9	0	0.0	0	0.0	0	0.0	1	5.0	1	10.0	13	8.9	12	10.4	26	12.9	19	13.4	13	13.5	2	10.0	1	10.0	0	0.0	0	0.0
	計	211	13.7	0	0.0	0	0.0	1	5.0	3	5.0	3	11.7	22	10.0	21	10.2	62	13.9	58	16.1	29	14.1	5	13.0	2	7.5	3	23.3	2	17.5
聴力 2 K H z d B	男	123	17.3	0	0.0	0	0.0	1	0.0	2	5.0	2	7.5	9	12.8	9	11.1	36	17.1	39	17.6	16	23.1	3	23.3	1	10.0	3	26.7	2	30.0
	女	88	15.0	0	0.0	0	0.0	0	0.0	1	10.0	1	15.0	13	11.9	12	10.0	26	16.4	19	16.8	13	17.7	2	17.5	1	10.0	0	0.0	0	0.0
	計	211	16.4	0	0.0	0	0.0	1	0.0	3	6.7	3	10.0	22	12.3	21	10.5	62	16.8	58	17.3	29	20.7	5	21.0	2	10.0	3	26.7	2	30.0
聴力 4 K H z d B	男	123	23.8	0	0.0	0	0.0	1	5.0	2	10.0	2	12.5	9	13.3	9	15.0	36	22.1	39	26.0	16	33.1	3	25.0	1	20.0	3	45.0	2	27.5
	女	88	13.9	0	0.0	0	0.0	0	0.0	1	10.0	1	0.0	13	10.0	12	8.3	26	15.0	19	16.6	13	17.3	2	20.0	1	15.0	0	0.0	0	0.0
	計	211	19.7	0	0.0	0	0.0	1	5.0	3	10.0	3	8.3	22	11.4	21	11.2	62	19.1	58	22.9	29	26.0	5	23.0	2	17.5	3	45.0	2	27.5

表24-1 精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計
精密聴力 250Hz dB	333	30.1	22	31.6	53	29.7	65	28.3	49	30.5	36	29.4	13	29.2	26	31.2	55	31.8	8	26.9	3	36.7	3	28.3	0	0.0	0	0.0	0	0.0
	5	28.0	0	0.0	1	15.0	2	25.0	0	0.0	0	0.0	0	0.0	1	35.0	1	40.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	30.0	22	31.6	54	29.4	67	28.2	49	30.5	36	29.4	13	29.2	27	31.3	56	32.0	8	26.9	3	36.7	3	28.3	0	0.0	0	0.0	0	0.0
精密聴力 500Hz dB	333	28.1	22	29.6	53	26.4	65	26.9	49	29.1	36	28.3	13	30.0	26	28.7	55	29.5	8	24.4	3	35.0	3	23.3	0	0.0	0	0.0	0	0.0
	5	29.0	0	0.0	1	10.0	2	25.0	0	0.0	0	0.0	0	0.0	1	40.0	1	45.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	28.2	22	29.6	54	26.1	67	26.9	49	29.1	36	28.3	13	30.0	27	29.1	56	29.7	8	24.4	3	35.0	3	23.3	0	0.0	0	0.0	0	0.0
精密聴力 1Kd B	333	15.8	22	12.1	53	13.0	65	13.7	49	15.3	36	14.9	13	17.7	26	19.0	55	20.6	8	16.3	3	21.7	3	23.3	0	0.0	0	0.0	0	0.0
	5	22.0	0	0.0	1	10.0	2	15.0	0	0.0	0	0.0	0	0.0	1	15.0	1	55.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	15.9	22	12.1	54	13.0	67	13.7	49	15.3	36	14.9	13	17.7	27	18.9	56	21.3	8	16.3	3	21.7	3	23.3	0	0.0	0	0.0	0	0.0
精密聴力 2Kd B	333	15.4	22	10.2	53	13.3	65	11.5	49	14.7	36	13.5	13	16.2	26	17.7	55	23.8	8	18.1	3	20.0	3	23.3	0	0.0	0	0.0	0	0.0
	5	21.0	0	0.0	1	5.0	2	17.5	0	0.0	0	0.0	0	0.0	1	15.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	15.5	22	10.2	54	13.2	67	11.7	49	14.7	36	13.5	13	16.2	27	17.6	56	24.3	8	18.1	3	20.0	3	23.3	0	0.0	0	0.0	0	0.0
精密聴力 4Kd B	333	14.0	22	6.6	53	7.6	65	6.9	49	9.7	36	12.8	13	13.1	26	21.4	55	30.4	8	23.1	3	18.3	3	33.3	0	0.0	0	0.0	0	0.0
	5	14.0	0	0.0	1	5.0	2	10.0	0	0.0	0	0.0	0	0.0	1	5.0	1	40.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	14.0	22	6.6	54	7.6	67	6.9	49	9.7	36	12.8	13	13.1	27	20.7	56	30.5	8	23.1	3	18.3	3	33.3	0	0.0	0	0.0	0	0.0
精密聴力 8Kd B	333	15.8	22	6.4	53	10.9	65	10.1	49	11.1	36	13.8	13	15.4	26	16.0	55	31.2	8	25.0	3	46.7	3	61.7	0	0.0	0	0.0	0	0.0
	5	24.0	0	0.0	1	10.0	2	15.0	0	0.0	0	0.0	0	0.0	1	20.0	1	60.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	16.0	22	6.4	54	10.9	67	10.2	49	11.1	36	13.8	13	15.4	27	16.1	56	31.7	8	25.0	3	46.7	3	61.7	0	0.0	0	0.0	0	0.0
精密聴力 250Hz dB	333	30.2	22	30.7	53	29.2	65	28.5	49	31.1	36	29.3	13	30.0	26	31.2	55	32.6	8	28.1	3	36.7	3	30.0	0	0.0	0	0.0	0	0.0
	5	25.0	0	0.0	1	15.0	2	22.5	0	0.0	0	0.0	0	0.0	1	35.0	1	30.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	30.2	22	30.7	54	28.9	67	28.4	49	31.1	36	29.3	13	30.0	27	31.3	56	32.5	8	28.1	3	36.7	3	30.0	0	0.0	0	0.0	0	0.0
精密聴力 500Hz dB	333	28.4	22	28.9	53	26.4	65	27.2	49	29.6	36	26.8	13	31.5	26	29.0	55	30.5	8	26.3	3	36.7	3	28.3	0	0.0	0	0.0	0	0.0
	5	24.0	0	0.0	1	10.0	2	17.5	0	0.0	0	0.0	0	0.0	1	35.0	1	40.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	28.4	22	28.9	54	26.1	67	26.9	49	29.6	36	26.8	13	31.5	27	29.3	56	30.6	8	26.3	3	36.7	3	28.3	0	0.0	0	0.0	0	0.0
精密聴力 1Kd B	333	14.7	22	11.1	53	11.8	65	12.9	49	14.2	36	13.8	13	15.0	26	18.1	55	19.2	8	17.5	3	18.3	3	25.0	0	0.0	0	0.0	0	0.0
	5	14.0	0	0.0	1	-5.0	2	7.5	0	0.0	0	0.0	0	0.0	1	15.0	1	45.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	338	14.7	22	11.1	54	11.5	67	12.8	49	14.2	36	13.8	13	15.0	27	18.0	56	19.6	8	17.5	3	18.3	3	25.0	0	0.0	0	0.0	0	0.0
精密聴	333	14.5	22	11.1	53	11.0	65	11.5	49	13.6	36	11.7	13	12.3	26	20.0	55	22.5	8	16.9	3	13.3	3	28.3	0	0.0	0	0.0	0	0.0

表24-1 精密聴力検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
カ H z B 2Kd	女	5	14.0	0	0.0	1	10.0	2	0.0	0	0.0	0	0.0	0	0.0	1	10.0	1	50.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	338	14.5	22	11.1	54	11.0	67	11.1	49	13.6	36	11.7	13	12.3	27	19.6	56	23.0	8	16.9	3	13.3	3	28.3	0	0.0	0	0.0	0	0.0
精密 カ H z B 4Kd	男	333	15.6	22	8.0	53	6.7	65	9.3	49	12.5	36	12.5	13	18.1	26	26.0	55	30.0	8	33.1	3	11.7	3	43.3	0	0.0	0	0.0	0	0.0
	女	5	12.0	0	0.0	1	0.0	2	5.0	0	0.0	0	0.0	0	0.0	1	10.0	1	40.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	338	15.5	22	8.0	54	6.6	67	9.2	49	12.5	36	12.5	13	18.1	27	25.4	56	30.2	8	33.1	3	11.7	3	43.3	0	0.0	0	0.0	0	0.0
精密 カ H z B 8Kd	男	333	16.0	22	5.7	53	7.9	65	11.1	49	13.3	36	11.5	13	16.2	26	20.0	55	32.2	8	25.0	3	25.0	3	70.0	0	0.0	0	0.0	0	0.0
	女	5	20.0	0	0.0	1	15.0	2	7.5	0	0.0	0	0.0	0	0.0	1	5.0	1	65.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	338	16.0	22	5.7	54	8.1	67	11.0	49	13.3	36	11.5	13	16.2	27	19.4	56	32.8	8	25.0	3	25.0	3	70.0	0	0.0	0	0.0	0	0.0

表25 血圧判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	18,808 (54.6%)	222	1,887	2,296	2,190	2,339	2,263	2,162	1,807	1,305	981	579	412	232	133
	女	22,616 (68.8%)	200	1,991	2,316	2,145	2,400	2,746	2,851	2,636	1,977	1,454	905	576	292	127
	計	41,424 (61.5%)	422	3,878	4,612	4,335	4,739	5,009	5,013	4,443	3,282	2,435	1,484	988	524	260
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	7,874 (22.8%)	20	221	323	439	631	784	1,104	1,146	1,000	800	539	428	292	147
	女	5,324 (16.2%)	7	48	79	115	213	431	665	804	740	679	580	514	333	116
	計	13,198 (19.6%)	27	269	402	554	844	1,215	1,769	1,950	1,740	1,479	1,119	942	625	263
要精密検査	男	782 (2.3%)	0	2	13	26	43	74	127	137	117	101	64	39	26	13
	女	457 (1.4%)	0	1	1	8	12	37	66	62	64	55	49	51	31	20
	計	1,239 (1.8%)	0	3	14	34	55	111	193	199	181	156	113	90	57	33
要治療	男	150 (0.4%)	0	0	2	6	8	21	22	33	21	16	9	7	5	0
	女	80 (0.2%)	0	0	1	2	5	5	11	20	11	6	5	7	4	3
	計	230 (0.3%)	0	0	3	8	13	26	33	53	32	22	14	14	9	3
治療中	男	6,856 (19.9%)	1	2	7	30	100	235	475	850	1,096	1,224	1,025	865	606	340
	女	4,387 (13.3%)	0	3	3	12	29	87	271	548	578	681	641	707	510	317
	計	11,243 (16.7%)	1	5	10	42	129	322	746	1,398	1,674	1,905	1,666	1,572	1,116	657
検診者総数	男	34,470	243	2,112	2,641	2,691	3,121	3,377	3,890	3,973	3,539	3,122	2,216	1,751	1,161	633
	女	32,864	207	2,043	2,400	2,282	2,659	3,306	3,864	4,070	3,370	2,875	2,180	1,855	1,170	583
	計	67,334	450	4,155	5,041	4,973	5,780	6,683	7,754	8,043	6,909	5,997	4,396	3,606	2,331	1,216

表26 血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
安静時 血圧最大 mmHg	34883	126.1	264	119.4	2171	120.0	2712	120.3	2754	121.3	3158	122.2	3396	123.3	3920	125.7	4030	127.3	3550	128.9	3133	130.2	2239	132.2	1759	133.3	1164	133.7	633	133.1
	33016	119.9	208	113.8	2069	110.7	2407	109.8	2296	110.9	2675	112.6	3319	116.0	3892	119.0	4087	121.6	3379	123.0	2883	125.8	2187	128.6	1860	131.8	1171	133.6	583	134.5
	計	67899	123.1	472	116.9	4240	115.4	5119	115.3	5050	116.6	5833	117.8	6715	119.7	7812	122.4	8117	124.4	6929	126.0	6016	128.1	4426	130.4	3619	132.5	2335	133.7	1216
安静時 血圧最小 mmHg	34883	78.1	264	66.7	2171	68.8	2712	71.1	2754	73.6	3158	76.0	3396	78.2	3920	80.7	4030	82.3	3550	82.4	3133	81.6	2239	81.0	1759	79.6	1164	77.6	633	74.7
	33016	73.1	208	66.8	2069	67.0	2407	67.4	2296	68.7	2675	69.8	3319	72.2	3892	74.0	4087	75.5	3379	76.1	2883	76.4	2187	76.4	1860	76.2	1171	75.3	583	73.2
	計	67899	75.6	472	66.7	4240	67.9	5119	69.4	5050	71.4	5833	73.2	6715	75.2	7812	77.4	8117	78.9	6929	79.4	6016	79.1	4426	78.7	3619	77.9	2335	76.5	1216

表27 眼圧検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
眼圧 右 mmHg	男	4168	15.3	2	15.0	4	17.0	36	15.8	383	15.7	474	15.6	481	15.4	573	15.5	703	15.3	736	15.2	445	15.2	245	14.8	76	14.1	6	14.2	4	14.3
	女	3248	15.5	1	19.0	2	16.0	47	16.0	250	15.2	344	15.7	390	15.8	459	15.6	626	15.5	494	15.5	412	15.2	163	15.5	49	14.9	9	15.9	2	13.0
	計	7416	15.4	3	16.3	6	16.7	83	15.9	633	15.5	818	15.7	871	15.6	1032	15.5	1329	15.4	1230	15.3	857	15.2	408	15.0	125	14.4	15	15.2	6	13.8
眼圧 左 mmHg	男	4169	15.5	2	16.5	4	16.5	36	16.0	383	15.6	475	15.6	481	15.5	573	15.6	703	15.5	737	15.4	444	15.4	246	15.1	75	14.4	6	16.5	4	13.0
	女	3248	15.7	1	20.0	2	16.0	47	15.9	250	15.3	343	15.8	390	15.9	459	15.8	626	15.7	495	15.8	412	15.6	163	15.7	49	15.1	9	16.6	2	14.0
	計	7417	15.6	3	17.7	6	16.3	83	15.9	633	15.5	818	15.7	871	15.7	1032	15.7	1329	15.6	1232	15.5	856	15.5	409	15.3	124	14.7	15	16.5	6	13.3

表28 内科診察判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	32,608 (98.3%)	226	1,871	2,299	2,400	2,877	3,255	3,765	3,902	3,504	3,068	2,144	1,677	1,071	549
	女	30,438 (97.5%)	157	1,722	2,072	1,963	2,382	3,082	3,650	3,910	3,262	2,794	2,114	1,789	1,110	431
	計	63,046 (97.9%)	383	3,593	4,371	4,363	5,259	6,337	7,415	7,812	6,766	5,862	4,258	3,466	2,181	980
問題なし	男	18 (0.1%)	0	0	0	3	0	2	1	2	5	2	1	1	0	1
	女	28 (0.1%)	0	0	1	1	3	2	8	6	2	2	1	1	0	1
	計	46 (0.1%)	0	0	1	4	3	4	9	8	7	4	2	2	0	2
要経過観察	男	293 (0.9%)	0	2	3	8	17	20	21	34	36	25	35	31	32	29
	女	534 (1.7%)	0	8	17	17	36	57	81	78	66	56	40	39	23	16
	計	827 (1.3%)	0	10	20	25	53	77	102	112	102	81	75	70	55	45
要精密検査	男	116 (0.3%)	0	3	0	4	1	6	12	7	10	6	13	10	23	21
	女	133 (0.4%)	0	8	9	5	10	11	9	8	8	13	11	8	21	12
	計	249 (0.4%)	0	11	9	9	11	17	21	15	18	19	24	18	44	33
要治療	男	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
治療中	男	139 (0.4%)	0	1	2	2	0	4	1	5	10	20	13	26	33	22
	女	82 (0.3%)	0	2	2	5	4	6	7	9	8	7	7	11	7	7
	計	221 (0.3%)	0	3	4	7	4	10	8	14	18	27	20	37	40	29
検診者総数	男	33,175	226	1,877	2,304	2,417	2,895	3,287	3,801	3,950	3,565	3,121	2,206	1,745	1,159	622
	女	31,215	157	1,740	2,101	1,991	2,435	3,158	3,755	4,011	3,346	2,872	2,173	1,848	1,161	467
	計	64,390	383	3,617	4,405	4,408	5,330	6,445	7,556	7,961	6,911	5,993	4,379	3,593	2,320	1,089

表29 内科診察検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
眼瞼結膜貧血あり	男	3 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	1	1	0
	女	16 (0.1%)	0	0	1	0	1	4	2	3	1	0	0	3	0	1
	計	19 (0.0%)	0	0	1	0	1	4	3	3	1	0	0	4	1	1
眼球結膜黄疸あり	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
頸部リンパ節腫脹	男	5 (0.0%)	0	0	0	1	0	1	1	1	0	0	1	0	0	0
	女	8 (0.0%)	0	0	1	0	1	0	2	0	1	2	0	1	0	0
	計	13 (0.0%)	0	0	1	1	1	1	3	1	1	2	1	1	0	0
甲状腺腫大	男	18 (0.1%)	0	1	4	1	2	4	3	2	0	0	0	1	0	0
	女	224 (0.7%)	0	13	19	18	21	40	26	23	25	16	9	10	4	0
	計	242 (0.4%)	0	14	23	19	23	44	29	25	25	16	9	11	4	0
心拍不整	男	215 (0.6%)	0	1	1	2	3	8	9	9	20	24	24	33	43	38
	女	68 (0.2%)	0	0	1	1	2	2	3	5	8	9	9	10	11	7
	計	283 (0.4%)	0	1	2	3	5	10	12	14	28	33	33	43	54	45
収縮期雑音	男	58 (0.2%)	0	1	0	2	2	1	5	3	2	7	9	8	10	8
	女	43 (0.1%)	0	0	0	0	0	0	2	2	2	5	7	6	11	8
	計	101 (0.2%)	0	1	0	2	2	1	7	5	4	12	16	14	21	16
拡張期雑音	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
腹部圧痛	男	90 (0.3%)	0	0	0	5	10	11	11	17	15	6	8	5	1	1
	女	216 (0.7%)	0	0	1	4	19	21	49	53	31	21	14	3	0	0
	計	306 (0.5%)	0	0	1	9	29	32	60	70	46	27	22	8	1	1
腹部腫瘤触知	男	5 (0.0%)	0	0	0	0	0	0	0	1	1	0	1	0	0	2
	女	22 (0.1%)	0	0	0	0	2	2	9	5	1	3	0	0	0	0
	計	27 (0.0%)	0	0	0	0	2	2	9	6	2	3	1	0	0	2
下肢静脈瘤	男	6 (0.0%)	0	0	0	1	0	0	0	2	1	0	1	1	0	0
	女	16 (0.1%)	0	0	0	0	0	1	0	1	2	1	4	1	3	3
	計	22 (0.0%)	0	0	0	1	0	1	0	3	3	1	5	2	3	3
関節腫脹	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	男	23 (0.1%)	0	0	0	0	1	1	0	3	5	4	2	4	2	1

表29 内科診察検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)														
浮腫	女	14 (0.0%)	0	0	0	0	0	0	3	2	1	2	2	2	2	0
	計	37 (0.1%)	0	0	0	0	1	1	3	5	6	6	4	6	4	1
黄色腫	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
術創あり	男	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
心雑音あり	男	107 (0.3%)	0	3	0	3	0	6	4	3	13	10	12	13	24	16
	女	102 (0.3%)	0	1	4	2	4	6	5	3	7	16	11	14	13	16
	計	209 (0.3%)	0	4	4	5	4	12	9	6	20	26	23	27	37	32
肺雑音あり	男	23 (0.1%)	0	0	0	1	0	0	0	2	0	2	3	3	6	6
	女	23 (0.1%)	0	0	0	1	1	0	1	3	1	1	3	6	5	1
	計	46 (0.1%)	0	0	0	2	1	0	1	5	1	3	6	9	11	7
振戦	男	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
皮膚の異常	男	2 (0.0%)	0	0	0	0	0	0	2	0	0	0	0	0	0	0
	女	2 (0.0%)	0	0	0	2	0	0	0	0	0	0	0	0	0	0
	計	4 (0.0%)	0	0	0	2	0	0	2	0	0	0	0	0	0	0
爪の異常	男	2 (0.0%)	0	0	2	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.0%)	0	0	2	0	0	0	0	0	0	0	0	0	0	0
結膜・角膜の異常	男	1 (0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
軽度の腰痛症状	男	9 (0.0%)	1	0	0	0	2	2	1	1	1	1	0	0	0	0
	女	36 (0.1%)	1	0	4	3	3	2	5	4	5	6	2	1	0	0
	計	45 (0.1%)	2	0	4	3	5	4	6	5	6	7	2	1	0	0
中等度の腰痛症状	男	4 (0.0%)	0	0	0	0	0	0	1	2	1	0	0	0	0	0
	女	21 (0.1%)	0	1	0	2	3	4	4	3	2	0	0	2	0	0
	計	25 (0.0%)	0	1	0	2	3	4	5	5	3	0	0	2	0	0
姿勢異常・脊	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0

表29 内科診察検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	計	(%)															
柱変形	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
前屈制限・前屈時疼痛	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
後屈制限・後屈時疼痛	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0	
腰部圧痛・叩打痛	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	女	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
	計	1 (0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0	
下肢しびれ・知覚異常	男	2 (0.0%)	0	0	0	0	0	1	1	0	0	0	0	0	0	0	
	女	2 (0.0%)	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
	計	4 (0.0%)	0	0	0	0	0	2	1	0	1	0	0	0	0	0	
その他 (内科診察所見)	男	30 (0.1%)	0	0	0	1	0	2	2	9	4	3	2	3	2	2	
	女	36 (0.1%)	0	4	2	2	2	2	2	3	4	4	3	3	3	2	
	計	68 (0.1%)	0	4	2	3	2	6	4	12	8	7	5	6	5	4	
検診者 総数	男	33,175		226	1,877	2,304	2,417	2,895	3,287	3,801	3,950	3,565	3,121	2,206	1,745	1,159	622
	女	31,215		157	1,740	2,101	1,991	2,435	3,158	3,755	4,011	3,346	2,872	2,173	1,848	1,161	467
	計	64,390		383	3,617	4,405	4,408	5,330	6,445	7,556	7,961	6,911	5,993	4,379	3,593	2,320	1,089

表32 乳房判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	11,850	(81.2%)	16	247	415	579	898	1,332	1,550	1,787	1,499	1,294	941	768	392	132
問題なし	2,083	(14.3%)	1	58	156	206	293	274	313	321	192	129	62	47	25	6
要経過観察	39	(0.3%)	0	0	2	3	3	2	6	3	6	2	7	3	2	0
要精密検査	601	(4.1%)	1	7	13	16	41	111	124	92	64	46	32	25	19	10
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	20	(0.1%)	0	0	0	0	1	1	1	7	5	2	0	0	2	1
合計	14593		18	312	586	804	1236	1720	1994	2210	1766	1473	1042	843	440	149

表33 乳房触診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
乳腺症の疑い	5	(2.7%)	0	0	0	0	2	0	1	1	1	0	0	0	0	0
良性乳腺腫瘍の疑い	3	(1.6%)	0	0	0	0	0	1	2	0	0	0	0	0	0	0
術創あり	2	(1.1%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
その他(乳房触診所見)	1	(0.5%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
検診者総数	187		0	0	6	9	17	27	27	27	32	19	10	10	3	0

表34-1 マンモグラフィー検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
カテゴリー1	10,094	(91.8%)	0	12	40	150	377	1,250	1,557	1,811	1,455	1,255	901	756	398	132
カテゴリー2	360	(3.3%)	0	0	2	3	15	35	54	75	54	51	31	20	16	4
カテゴリー3	520	(4.7%)	0	0	2	9	22	99	113	83	60	42	35	26	19	10
カテゴリー4	16	(0.1%)	0	0	0	0	0	2	4	2	3	3	1	1	0	0
腫瘍	238	(2.2%)	0	0	2	4	9	33	43	47	35	24	19	11	9	2
石灰化	295	(2.7%)	0	0	2	4	14	38	46	49	38	39	27	19	14	5
非対称性	377	(3.4%)	0	0	0	4	11	65	82	73	49	32	19	19	14	9
構築の乱れ	32	(0.3%)	0	0	0	0	2	5	8	4	4	4	2	2	1	0
その他 (マンモグラ)	15	(0.1%)	0	0	0	0	1	3	3	1	0	3	2	0	2	0
検診者 総数	10990		0	12	44	162	414	1386	1728	1971	1572	1351	968	803	433	146

表34-2 乳房超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
カテゴリー1	3,391	(64.3%)	16	237	382	456	602	293	344	345	277	203	124	81	26	5
カテゴリー2	1,797	(34.1%)	1	58	156	204	283	245	288	260	147	78	37	28	11	1
カテゴリー3	81	(1.5%)	1	7	12	8	19	11	9	7	5	1	1	0	0	0
カテゴリー4	2	(0.0%)	0	0	0	0	1	0	1	0	0	0	0	0	0	0
嚢胞	1,587	(30.1%)	0	56	148	179	248	230	263	232	118	57	26	20	9	1
濃縮嚢胞	38	(0.7%)	0	0	0	1	4	4	6	7	7	6	3	0	0	0
混合性病変	26	(0.5%)	0	1	0	2	5	3	6	3	4	2	0	0	0	0
充実性病変	77	(1.5%)	0	8	13	10	18	8	7	8	4	1	0	0	0	0
乳腺内低エコー域	16	(0.3%)	1	1	1	0	3	2	1	3	3	0	1	0	0	0
乳管拡張	84	(1.6%)	0	2	6	17	16	9	10	9	7	4	1	1	2	0
粗大高エコー	32	(0.6%)	0	0	0	0	5	5	2	6	2	4	4	4	0	0
線維腺腫	304	(5.8%)	1	6	27	39	56	49	52	35	23	8	7	0	1	0
過誤腫	3	(0.1%)	0	0	0	0	1	1	1	0	0	0	0	0	0	0
脂肪腫	7	(0.1%)	0	0	2	0	0	0	2	0	2	1	0	0	0	0
乳管内病変	3	(0.1%)	0	0	0	1	1	0	0	1	0	0	0	0	0	0
乳房手術後	45	(0.9%)	0	0	0	1	5	3	1	12	9	5	4	3	2	0
その他(乳房超音波検査)	18	(0.3%)	0	0	2	1	1	1	4	3	2	1	1	2	0	0

表34-2 乳房超音波検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
検診者 総数	5272		18	302	550	669	905	549	642	612	429	282	162	109	37	6

表35 婦人科判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	12,015	(89.3%)	19	412	635	785	1,087	1,297	1,573	1,723	1,471	1,227	812	595	297	82
問題なし	508	(3.8%)	0	1	6	8	14	38	61	85	89	67	57	43	29	10
要経過観察	388	(2.9%)	1	26	18	33	34	61	77	65	39	17	8	4	5	0
要精密検査	523	(3.9%)	2	21	54	38	56	85	91	97	31	15	16	10	6	1
要治療	4	(0.0%)	0	0	0	0	0	0	1	0	1	0	1	1	0	0
治療中	10	(0.1%)	0	0	0	1	2	2	1	4	0	0	0	0	0	0
合計	13448		22	460	713	865	1193	1483	1804	1974	1631	1326	894	653	337	93

表36 婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
膣炎	2	(0.0%)	0	0	0	0	0	0	0	0	1	0	1	0	0	0
膣炎疑い	1	(0.0%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
萎縮性膣炎	13	(0.1%)	0	0	0	0	0	0	0	1	1	1	4	3	1	2
カンジダ	2	(0.0%)	0	0	0	1	1	0	0	0	0	0	0	0	0	0
バルトリン腺異常	3	(0.0%)	0	0	0	0	0	0	1	1	1	0	0	0	0	0
バルトリン腺異常疑い	5	(0.0%)	0	0	0	0	0	1	2	2	0	0	0	0	0	0
子宮頸部びらん	95	(0.7%)	0	1	5	6	12	19	24	16	4	5	2	0	1	0
子宮頸部びらん(軽微)	1	(0.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
頸管粘膜ポリープ	73	(0.5%)	0	0	0	0	4	15	21	17	8	2	3	2	1	0
頸管粘膜ポリープ	65	(0.5%)	0	0	2	0	4	10	9	21	10	4	4	1	0	0
子宮体部腫瘍	141	(1.0%)	0	0	0	2	7	22	36	47	17	7	1	2	0	0
子宮体部腫瘍疑い	183	(1.4%)	0	2	5	9	14	32	48	36	18	11	5	1	2	0
長性卵巣腫瘍疑い	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
卵巣腫瘍疑い	2	(0.0%)	0	0	0	0	0	0	0	0	0	1	0	1	0	0
子宮下垂	17	(0.1%)	0	0	0	0	0	0	0	2	2	4	4	3	2	0
子宮下垂疑い	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	1	0	0	0
子宮全摘後	3	(0.0%)	0	0	0	0	1	0	0	0	1	0	1	0	0	0

表36 婦人科診察検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
子宮術後	364	(2.7%)	0	0	0	0	3	11	31	67	75	56	47	39	28	7
その他 (婦人科 診察所)	18	(0.1%)	0	0	0	1	0	1	2	0	2	4	2	1	3	2
検診者 総数	13448		22	460	713	865	1193	1483	1804	1974	1631	1326	894	653	337	93

表37 子宮頸部細胞診検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
NILM (異 常か)	13,183	(98.0%)	20	444	665	837	1,160	1,444	1,772	1,941	1,614	1,322	889	648	335	92
トリコ モナス	7	(0.1%)	0	0	1	2	0	2	1	1	0	0	0	0	0	0
カンジ ダ	207	(1.5%)	1	31	19	31	33	37	32	14	2	4	2	0	1	0
ASC -US	188	(1.4%)	1	13	35	21	25	28	20	22	12	2	4	2	2	1
ASC -H	27	(0.2%)	0	1	4	2	2	4	3	5	3	1	1	1	0	0
LSIL	26	(0.2%)	1	2	8	1	2	2	5	4	1	0	0	0	0	0
HSIL	20	(0.1%)	0	0	1	4	3	4	3	2	1	1	0	1	0	0
SCC	1	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	1	0	0
AGC	3	(0.0%)	0	0	0	0	1	1	1	0	0	0	0	0	0	0
その他 (子宮頸 部細胞 診者 総数)	5	(0.0%)	0	0	0	0	0	1	0	1	1	2	0	0	0	0
検診者 総数	13448		22	460	713	865	1193	1483	1804	1974	1631	1326	894	653	337	93

表37-1 HPV検査所見

所見	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
陰性	169	(93.9%)	0	2	3	54	52	16	18	12	6	4	1	1	0	0
陽性	11	(6.1%)	0	0	0	5	3	1	0	0	1	0	1	0	0	0
16型 陰性	177	(98.3%)	0	2	3	58	54	17	18	12	6	4	2	1	0	0
16型 陽性	3	(1.7%)	0	0	0	1	1	0	0	0	1	0	0	0	0	0
18型 陰性	180	(100.0%)	0	2	3	59	55	17	18	12	7	4	2	1	0	0
その他 のハイ リスク	171	(95.0%)	0	2	3	55	52	16	18	12	7	4	1	1	0	0
その他 のハイ リスク	9	(5.0%)	0	0	0	4	3	1	0	0	0	0	1	0	0	0
検診者 総数	180		0	2	3	59	55	17	18	12	7	4	2	1	0	0

表38 便潜血判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	20,918 (95.6%)	5	50	114	615	2,085	2,611	3,114	3,239	2,963	2,542	1,615	1,116	562	287
	女	18,512 (96.6%)	6	51	137	463	1,728	2,350	2,812	3,043	2,442	2,091	1,449	1,092	618	230
	計	39,430 (96.1%)	11	101	251	1,078	3,813	4,961	5,926	6,282	5,405	4,633	3,064	2,208	1,180	517
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	男	12 (0.1%)	0	0	0	1	1	3	1	2	0	0	1	1	0	2
	女	5 (0.0%)	0	0	0	0	0	1	2	0	0	2	0	0	0	0
	計	17 (0.0%)	0	0	0	1	1	4	3	2	0	2	1	1	0	2
要精密検査	男	933 (4.3%)	0	4	4	22	60	81	113	139	123	123	100	87	47	30
	女	633 (3.3%)	0	3	5	27	68	82	71	91	85	63	51	54	25	8
	計	1,566 (3.8%)	0	7	9	49	128	163	184	230	208	186	151	141	72	38
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	22 (0.1%)	0	0	0	0	1	2	5	5	6	3	0	0	0	0
	女	9 (0.0%)	0	0	0	1	0	2	2	1	2	0	0	1	0	0
	計	31 (0.1%)	0	0	0	1	1	4	7	6	8	3	0	1	0	0
検診者総数	男	21,885	5	54	118	638	2,147	2,697	3,233	3,385	3,092	2,668	1,716	1,204	609	319
	女	19,159	6	54	142	491	1,796	2,435	2,887	3,135	2,529	2,156	1,500	1,147	643	238
	計	41,044	11	108	260	1,129	3,943	5,132	6,120	6,520	5,621	4,824	3,216	2,351	1,252	557

表39 便潜血検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		便潜血(一日法)	男	151	5	3.3	1	0	0.0	7	1	14.3	12	0	0.0	13	0	0.0	11	0	0.0	17	0	0.0	15	0	0.0	19	1	5.3	10	0	0.0	12	1	8.3	20	2	10.0	14	0	0.0	0	0	0.0	0
	女	101	1	1.0	0	0	0.0	2	0	0.0	2	0	0.0	2	0	0.0	12	0	0.0	12	0	0.0	11	0	0.0	16	1	6.3	10	0	0.0	17	0	0.0	9	0	0.0	8	0	0.0	0	0	0.0	0	0	0.0
	計	252	6	2.4	1	0	0.0	9	1	11.1	14	0	0.0	15	0	0.0	23	0	0.0	29	0	0.0	26	0	0.0	35	2	5.7	20	0	0.0	29	1	3.4	29	2	6.9	22	0	0.0	0	0	0.0	0	0	0.0
便潜血(二日法)	男	21734	962	4.4	4	0	0.0	47	3	6.4	106	4	3.8	625	23	3.7	2136	62	2.9	2680	86	3.2	3218	119	3.7	3366	145	4.3	3082	129	4.2	2656	125	4.7	1696	99	5.8	1190	88	7.4	609	47	7.7	319	32	10.0
	女	19058	646	3.4	6	0	0.0	52	3	5.8	140	5	3.6	489	28	5.7	1784	68	3.8	2423	85	3.5	2876	75	2.6	3119	91	2.9	2519	87	3.5	2139	65	3.0	1491	51	3.4	1139	55	4.8	643	25	3.9	238	8	3.4
	計	40792	1608	3.9	10	0	0.0	99	6	6.1	246	9	3.7	1114	51	4.6	3920	130	3.3	5103	171	3.4	6094	194	3.2	6485	236	3.6	5601	216	3.9	4795	190	4.0	3187	150	4.7	2329	143	6.1	1252	72	5.8	557	40	7.2

表40 脂質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	12,731 (38.3%)	142	1,231	1,307	1,182	1,227	1,227	1,219	1,171	1,062	948	705	638	412	260
	女	15,220 (47.6%)	125	1,361	1,557	1,428	1,687	1,994	2,055	1,655	1,014	818	546	445	319	216
	計	27,951 (42.8%)	267	2,592	2,864	2,610	2,914	3,221	3,274	2,826	2,076	1,766	1,251	1,083	731	476
問題なし	男	7,608 (22.9%)	34	303	474	578	744	865	971	980	800	711	475	342	228	103
	女	6,268 (19.6%)	22	257	323	364	414	615	830	1,022	752	573	446	364	204	82
	計	13,876 (21.3%)	56	560	797	942	1,158	1,480	1,801	2,002	1,552	1,284	921	706	432	185
要経過観察	男	7,949 (23.9%)	33	309	532	613	837	892	1,090	1,064	865	654	444	302	214	100
	女	5,862 (18.3%)	20	189	277	272	368	472	685	889	894	700	473	331	194	98
	計	13,811 (21.2%)	53	498	809	885	1,205	1,364	1,775	1,953	1,759	1,354	917	633	408	198
要精密検査	男	1,015 (3.1%)	11	69	79	93	90	117	133	135	108	79	36	35	20	10
	女	910 (2.8%)	14	103	106	83	84	79	72	93	94	77	50	27	21	7
	計	1,925 (2.9%)	25	172	185	176	174	196	205	228	202	156	86	62	41	17
要治療	男	184 (0.6%)	0	12	11	15	21	23	37	17	18	17	5	4	2	2
	女	167 (0.5%)	0	2	3	7	5	4	22	34	33	21	22	8	2	4
	計	351 (0.5%)	0	14	14	22	26	27	59	51	51	38	27	12	4	6
治療中	男	3,782 (11.4%)	0	3	16	36	65	148	320	518	625	668	527	420	279	157
	女	3,578 (11.2%)	0	3	5	11	23	58	129	299	528	641	618	661	426	176
	計	7,360 (11.3%)	0	6	21	47	88	206	449	817	1,153	1,309	1,145	1,081	705	333
検診者総数	男	33,269	220	1,927	2,419	2,517	2,984	3,272	3,770	3,885	3,478	3,077	2,192	1,741	1,155	632
	女	32,005	181	1,915	2,271	2,165	2,581	3,222	3,793	3,992	3,315	2,830	2,155	1,836	1,166	583
	計	65,274	401	3,842	4,690	4,682	5,565	6,494	7,563	7,877	6,793	5,907	4,347	3,577	2,321	1,215

表41 脂質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総コレステロールmg/dL	男	22270	197.0	106	161.9	911	175.8	1226	186.5	1376	192.0	2311	197.0	2582	200.5	3012	202.8	3166	202.4	2726	199.5	2399	197.8	1452	194.8	756	191.9	176	185.7	71	180.5
	女	18147	202.2	89	174.6	773	179.7	932	185.7	1094	186.4	1859	187.4	2287	191.5	2748	202.0	2868	212.9	2246	218.3	1700	217.4	888	215.7	451	207.4	128	203.8	84	175.2
	計	40417	199.3	195	167.7	1684	177.6	2158	186.1	2470	189.5	4170	192.8	4869	196.3	5760	202.4	6034	207.4	4972	208.0	4099	205.9	2340	202.7	1207	197.7	304	193.4	155	177.6
中性脂肪mg/dL	男	33287	110.6	221	70.5	1928	80.2	2420	94.2	2521	102.7	2986	109.4	3272	114.7	3772	120.8	3887	121.1	3478	120.7	3078	115.1	2196	117.8	1741	105.9	1155	103.2	632	96.3
	女	32015	81.2	181	58.5	1915	65.1	2270	66.8	2166	72.5	2581	72.5	3222	73.3	3796	77.0	3993	85.2	3317	90.7	2831	90.8	2156	92.7	1838	96.3	1166	94.3	583	96.3
	計	65302	96.2	402	65.1	3843	72.7	4690	80.9	4687	88.7	5567	92.3	6494	94.1	7568	98.8	7880	102.9	6795	106.1	5909	103.5	4352	105.4	3579	101.0	2321	98.7	1215	96.3
HDLコレステロールmg/dL	男	33286	56.5	220	52.9	1928	54.9	2420	54.8	2521	54.4	2986	55.2	3272	56.4	3772	56.2	3887	57.0	3478	57.5	3078	58.4	2196	58.1	1741	57.5	1155	57.4	632	57.2
	女	32015	67.5	181	63.7	1915	64.5	2271	66.0	2165	65.2	2581	65.4	3222	66.1	3796	68.0	3993	69.4	3317	70.1	2831	70.4	2156	68.9	1838	66.8	1166	66.6	583	61.8
	計	65301	61.9	401	57.8	3843	59.7	4691	60.2	4686	59.4	5567	59.9	6494	61.2	7568	62.1	7880	63.3	6795	63.6	5909	64.2	4352	63.4	3579	62.3	2321	62.1	1215	59.4
LDLコレステロールmg/dL	男	33283	115.7	220	95.6	1926	104.3	2420	111.6	2521	116.4	2986	119.4	3271	120.4	3772	122.2	3887	120.6	3478	117.3	3078	114.8	2196	110.8	1741	109.5	1155	107.2	632	102.5
	女	32012	113.3	181	97.5	1915	98.6	2270	99.6	2164	103.3	2581	104.4	3221	107.5	3796	114.0	3993	121.2	3317	124.9	2831	123.4	2156	122.1	1838	117.1	1166	114.5	583	106.0
	計	65295	114.5	401	96.4	3841	101.5	4690	105.8	4685	110.4	5567	112.5	6492	114.0	7568	118.1	7880	120.9	6795	121.0	5909	118.9	4352	116.4	3579	113.4	2321	110.9	1215	104.2

表42 糖尿病判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	21,785 (63.0%)	324	1,927	2,364	2,322	2,492	2,460	2,595	2,285	1,764	1,360	806	602	311	173
	女	24,538 (74.5%)	299	1,956	2,315	2,139	2,376	2,862	3,163	3,025	2,219	1,668	1,149	768	405	194
	計	46,323 (68.6%)	623	3,883	4,679	4,461	4,868	5,322	5,758	5,310	3,983	3,028	1,955	1,370	716	367
問題なし	男	6,813 (19.7%)	19	161	225	283	441	633	744	963	877	808	601	463	375	220
	女	5,505 (16.7%)	10	72	68	107	199	305	510	729	782	778	622	658	443	222
	計	12,318 (18.2%)	29	233	293	390	640	938	1,254	1,692	1,659	1,586	1,223	1,121	818	442
要経過観察	男	2,573 (7.4%)	0	17	32	43	99	132	259	340	403	381	325	255	192	95
	女	1,444 (4.4%)	0	9	9	15	43	84	104	166	160	203	189	199	165	98
	計	4,017 (6.0%)	0	26	41	58	142	216	363	506	563	584	514	454	357	193
要精密検査	男	370 (1.1%)	0	1	1	10	15	17	33	50	55	56	41	48	26	17
	女	138 (0.4%)	0	0	3	1	7	5	9	14	18	22	10	24	16	9
	計	508 (0.8%)	0	1	4	11	22	22	42	64	73	78	51	72	42	26
要治療	男	377 (1.1%)	0	4	12	12	20	32	54	51	40	56	28	32	25	11
	女	129 (0.4%)	0	2	2	6	8	5	17	12	16	21	10	15	8	7
	計	506 (0.7%)	0	6	14	18	28	37	71	63	56	77	38	47	33	18
治療中	男	2,646 (7.7%)	1	2	5	20	54	104	206	285	400	460	413	350	230	116
	女	1,193 (3.6%)	0	4	6	16	25	45	62	119	173	179	195	183	133	53
	計	3,839 (5.7%)	1	6	11	36	79	149	268	404	573	639	608	533	363	169
検診者総数	男	34,564	344	2,112	2,639	2,690	3,121	3,378	3,891	3,974	3,539	3,121	2,214	1,750	1,159	632
	女	32,947	309	2,043	2,403	2,284	2,658	3,306	3,865	4,065	3,368	2,871	2,175	1,847	1,170	583
	計	67,511	653	4,155	5,042	4,974	5,779	6,684	7,756	8,039	6,907	5,992	4,389	3,597	2,329	1,215

表43 糖尿病検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血糖 mg/ dL	男	33286	99.4	220	90.8	1927	90.5	2419	91.4	2521	92.7	2986	94.9	3273	96.4	3773	98.9	3887	101.1	3478	103.3	3078	104.8	2196	107.1	1741	107.6	1155	107.4	632	105.6
	女	32017	93.6	181	88.9	1916	87.8	2270	87.5	2165	88.4	2581	90.1	3222	91.2	3797	92.3	3994	93.6	3317	96.0	2831	97.4	2156	99.1	1838	100.5	1166	101.5	583	103.2
	計	65303	96.6	401	89.9	3843	89.1	4689	89.5	4686	90.7	5567	92.7	6495	93.8	7570	95.6	7881	97.3	6795	99.7	5909	101.3	4352	103.1	3579	104.0	2321	104.4	1215	104.5
HbA 1c (NG SP) %	男	18417	5.4	72	5.1	713	5.0	1075	5.1	1234	5.1	1364	5.2	1735	5.3	2078	5.4	2212	5.4	2136	5.5	1741	5.6	1213	5.7	1186	5.8	1050	5.8	608	5.8
	女	17527	5.4	47	5.1	542	5.0	814	5.0	852	5.1	1095	5.2	1711	5.2	2030	5.3	2273	5.4	1894	5.5	1743	5.5	1465	5.6	1479	5.6	1078	5.7	504	5.7
	計	35944	5.4	119	5.1	1255	5.0	1889	5.0	2086	5.1	2459	5.2	3446	5.2	4108	5.3	4485	5.4	4030	5.5	3484	5.6	2678	5.6	2665	5.7	2128	5.7	1112	5.7

表44 糖負荷試験判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	70-79歳	80歳以上
	男	女														
正常型	男	69 (62.7%)	0	0	1	1	1	6	5	24	17	7	2	2	2	1
	女	66 (76.7%)	0	0	0	1	0	7	10	23	13	10	2	0	0	0
	計	135 (68.9%)	0	0	1	2	1	13	15	47	30	17	4	2	2	1
境界型	男	39 (35.5%)	0	0	0	1	1	2	2	11	16	3	1	0	1	1
	女	20 (23.3%)	0	0	0	0	1	6	1	3	6	2	0	1	0	0
	計	59 (30.1%)	0	0	0	1	2	8	3	14	22	5	1	1	1	1
糖尿病型	男	2 (1.8%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (1.0%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
合計	男	110	0	0	1	2	2	8	7	35	35	10	3	2	3	2
	女	86	0	0	0	1	1	13	11	26	19	12	2	1	0	0
	計	196	0	0	1	3	3	21	18	61	54	22	5	3	3	2

表45 尿糖検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
尿糖定性	男	34948	2146	6.1	365	0	0.0	2171	11	0.5	2709	25	0.9	2753	35	1.3	3158	59	1.9	3394	115	3.4	3915	213	5.4	4028	294	7.3	3543	344	9.7	3129	321	10.3	2235	298	13.3	1756	212	12.1	1161	153	13.2	631	66	10.5
	女	33081	735	2.2	310	1	0.3	2068	3	0.1	2408	7	0.3	2297	14	0.6	2673	26	1.0	3317	36	1.1	3891	63	1.6	4081	94	2.3	3375	115	3.4	2878	113	3.9	2182	108	4.9	1852	83	4.5	1169	46	3.9	580	26	4.5
	計	68029	2881	4.2	675	1	0.1	4239	14	0.3	5117	32	0.6	5050	49	1.0	5831	85	1.5	6711	151	2.3	7806	276	3.5	8109	388	4.8	6918	459	6.6	6007	434	7.2	4417	406	9.2	3608	295	8.2	2330	199	8.5	1211	92	7.6

表46 痛風判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	17,808 (70.1%)	86	818	1,132	1,177	1,841	2,003	2,293	2,456	2,152	1,895	1,195	593	117	50
	女	20,860 (97.3%)	94	1,095	1,343	1,335	2,144	2,564	3,067	3,184	2,474	1,944	953	467	119	77
	計	38,668 (82.6%)	180	1,913	2,475	2,512	3,985	4,567	5,360	5,640	4,626	3,839	2,148	1,060	236	127
問題なし	男	3,704 (14.6%)	23	154	251	277	451	482	580	504	396	321	170	70	20	5
	女	356 (1.7%)	0	11	9	20	29	25	38	64	66	47	27	15	1	4
	計	4,060 (8.7%)	23	165	260	297	480	507	618	568	462	368	197	85	21	9
要経過観察	男	1,513 (6.0%)	8	77	117	127	191	205	219	198	170	107	50	35	6	3
	女	146 (0.7%)	0	4	7	15	22	13	19	19	17	14	11	3	0	2
	計	1,659 (3.5%)	8	81	124	142	213	218	238	217	187	121	61	38	6	5
要精密検査	男	347 (1.4%)	0	11	18	48	57	37	56	56	34	18	8	4	0	0
	女	11 (0.1%)	0	0	1	0	0	1	4	0	2	2	0	0	1	0
	計	358 (0.8%)	0	11	19	48	57	38	60	56	36	20	8	4	1	0
要治療	男	88 (0.3%)	0	6	10	13	16	10	8	12	7	5	1	0	0	0
	女	5 (0.0%)	0	1	0	0	0	0	0	1	2	1	0	0	0	0
	計	93 (0.2%)	0	7	10	13	16	10	8	13	9	6	1	0	0	0
治療中	男	1,943 (7.6%)	0	4	20	35	83	118	212	298	381	378	250	132	21	11
	女	52 (0.2%)	0	0	0	2	3	4	2	9	13	7	8	2	1	1
	計	1,995 (4.3%)	0	4	20	37	86	122	214	307	394	385	258	134	22	12
検診者総数	男	25,403	117	1,070	1,548	1,677	2,639	2,855	3,368	3,524	3,140	2,724	1,674	834	164	69
	女	21,430	94	1,111	1,360	1,372	2,198	2,607	3,130	3,277	2,574	2,015	999	487	122	84
	計	46,833	211	2,181	2,908	3,049	4,837	5,462	6,498	6,801	5,714	4,739	2,673	1,321	286	153

表47 尿酸検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
尿酸 mg/ dL	25403	6.2	117	6.4	1070	6.3	1548	6.4	1677	6.4	2639	6.4	2855	6.3	3368	6.3	3524	6.2	3140	6.1	2724	6.0	1674	5.9	834	5.9	164	5.7	69	5.7
	21430	4.6	94	4.6	1111	4.5	1360	4.4	1372	4.5	2198	4.5	2607	4.5	3130	4.6	3277	4.8	2574	4.9	2015	4.9	999	4.9	487	4.9	122	4.9	84	4.8
	46833	5.5	211	5.6	2181	5.4	2908	5.5	3049	5.6	4837	5.5	5462	5.4	6498	5.5	6801	5.5	5714	5.6	4739	5.5	2673	5.5	1321	5.5	286	5.4	153	5.2

表48 肝機能・血清蛋白判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	16,773 (49.5%)	132	1,157	1,328	1,260	1,455	1,561	1,724	1,755	1,571	1,400	1,155	1,068	788	419
	女	23,497 (72.9%)	151	1,565	1,806	1,681	1,967	2,481	2,796	2,668	2,187	1,850	1,612	1,436	925	372
	計	40,270 (60.9%)	283	2,722	3,134	2,941	3,422	4,042	4,520	4,423	3,758	3,250	2,767	2,504	1,713	791
問題なし	男	7,808 (23.0%)	49	419	553	603	721	748	927	981	877	801	526	349	174	80
	女	4,862 (15.1%)	28	264	301	300	407	486	606	699	595	564	274	207	101	30
	計	12,670 (19.2%)	77	683	854	903	1,128	1,234	1,533	1,680	1,472	1,365	800	556	275	110
要経過観察	男	4,412 (13.0%)	28	179	275	297	381	430	530	565	523	488	277	195	135	109
	女	2,464 (7.6%)	4	72	136	140	154	183	235	368	339	268	172	119	111	163
	計	6,876 (10.4%)	32	251	411	437	535	613	765	933	862	756	449	314	246	272
要精密検査	男	4,054 (12.0%)	13	234	344	412	471	520	555	520	411	269	159	92	42	12
	女	1,073 (3.3%)	0	43	56	65	74	90	147	228	148	102	57	36	14	13
	計	5,127 (7.7%)	13	277	400	477	545	610	702	748	559	371	216	128	56	25
要治療	男	61 (0.2%)	1	11	10	13	8	4	2	2	5	3	1	0	1	0
	女	12 (0.0%)	0	2	0	1	0	3	1	2	0	2	0	1	0	0
	計	73 (0.1%)	1	13	10	14	8	7	3	4	5	5	1	1	1	0
治療中	男	799 (2.4%)	0	5	11	25	43	62	104	131	133	135	82	41	15	12
	女	343 (1.1%)	0	3	6	8	10	17	40	53	59	48	40	38	16	5
	計	1,142 (1.7%)	0	8	17	33	53	79	144	184	192	183	122	79	31	17
検診者総数	男	33,907	223	2,005	2,521	2,610	3,079	3,325	3,842	3,954	3,520	3,096	2,200	1,745	1,155	632
	女	32,251	183	1,949	2,305	2,195	2,612	3,260	3,825	4,018	3,328	2,834	2,155	1,837	1,167	583
	計	66,158	406	3,954	4,826	4,805	5,691	6,585	7,667	7,972	6,848	5,930	4,355	3,582	2,322	1,215

表49 肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
総ビリルビン mg/dL	男	14703	1.1	69	1.2	825	1.1	1217	1.1	1260	1.1	1395	1.1	1569	1.1	1812	1.0	1978	1.0	1861	1.0	1509	1.1	772	1.0	304	1.0	91	1.0	41	0.9
	女	11135	0.9	45	1.0	789	0.9	983	0.9	928	0.9	1021	0.9	1268	0.9	1492	0.9	1647	0.9	1257	0.9	984	0.9	431	0.9	195	0.9	81	0.9	14	1.0
	計	25838	1.0	114	1.1	1614	1.0	2200	1.0	2188	1.0	2416	1.0	2837	1.0	3304	1.0	3625	1.0	3118	1.0	2493	1.0	1203	1.0	499	1.0	172	1.0	55	1.0
AST (GOT) U/L	男	33391	24.9	221	22.0	1957	24.0	2437	25.0	2531	25.2	3000	25.1	3276	24.7	3784	25.0	3898	24.8	3482	25.5	3078	25.0	2199	24.6	1741	24.8	1155	24.5	632	24.1
	女	32039	20.8	181	18.0	1918	18.1	2274	18.2	2169	18.4	2584	18.7	3226	19.3	3796	19.9	3994	22.1	3322	22.6	2833	22.8	2156	22.8	1838	23.3	1165	23.5	583	23.7
	計	65430	22.9	402	20.2	3875	21.1	4711	21.7	4700	22.1	5584	22.1	6502	22.0	7580	22.4	7892	23.4	6804	24.1	5911	24.0	4355	23.7	3579	24.0	2320	24.0	1215	23.9
ALT (GPT) U/L	男	33391	28.6	221	24.6	1957	29.6	2437	32.2	2531	33.6	3000	33.0	3276	30.9	3784	30.5	3898	28.5	3482	27.2	3078	26.0	2199	23.8	1741	23.0	1155	20.8	632	18.3
	女	32039	18.1	181	14.1	1918	14.9	2274	15.1	2169	16.2	2584	16.6	3226	17.0	3796	17.7	3994	20.6	3322	20.7	2833	20.1	2156	19.4	1838	19.1	1165	17.8	583	16.2
	計	65430	23.5	402	19.9	3875	22.3	4711	24.0	4700	25.6	5584	25.4	6502	24.0	7580	24.1	7892	24.5	6804	24.0	5911	23.2	4355	21.6	3579	21.0	2320	19.3	1215	17.3
アルブミン U/L	男	23360	71.5	94	93.3	920	74.4	1351	69.9	1479	70.6	2474	71.1	2672	71.8	3114	71.7	3275	72.1	2862	70.9	2551	71.3	1575	70.3	775	72.3	150	71.1	68	78.1
	女	18636	66.3	50	65.2	834	57.7	1050	56.9	1099	59.4	1908	57.7	2310	57.0	2767	60.8	2934	71.5	2279	76.9	1795	76.7	915	76.3	446	78.5	113	76.7	136	92.0
	計	41996	69.2	144	83.5	1754	66.5	2401	64.2	2578	65.8	4382	65.2	4982	64.9	5881	66.6	6209	71.8	5141	73.6	4346	73.5	2490	72.5	1221	74.6	263	73.5	204	87.3
コリンエステラーゼ U/L	男	5265	360.7	11	367.2	299	365.3	522	364.2	497	368.4	498	371.5	459	366.3	587	368.4	679	363.0	749	358.5	581	346.8	279	336.3	93	316.5	9	330.2	2	346.5
	女	4374	318.8	10	324.0	286	289.2	486	285.4	407	298.4	430	298.9	439	299.1	553	313.4	633	336.9	505	356.1	425	358.9	148	350.0	49	345.8	2	323.5	1	331.0
	計	9639	341.7	21	346.6	585	328.1	1008	326.2	904	336.9	928	337.9	898	333.5	1140	341.7	1312	350.4	1254	357.6	1006	351.9	427	341.1	142	326.6	11	329.0	3	341.3
LDH U/L	男	14036	181.9	62	183.9	759	181.5	1153	180.9	1177	178.2	1334	177.2	1502	177.9	1744	181.1	1895	183.0	1810	184.0	1454	187.0	738	184.4	286	192.1	82	191.6	40	194.4
	女	10427	176.7	39	188.0	702	165.3	931	161.1	864	162.6	982	162.2	1208	166.4	1401	173.9	1535	185.1	1162	192.7	926	196.2	407	195.6	183	203.8	74	208.1	13	220.2
	計	24463	179.7	101	185.4	1461	173.7	2084	172.1	2041	171.6	2316	170.9	2710	172.8	3145	177.9	3430	184.0	2972	187.4	2380	190.6	1145	188.4	469	196.7	156	199.4	53	200.7
γ-GT (γ-GTP) U/L	男	33354	44.4	221	23.5	1936	29.1	2433	34.1	2525	39.6	2997	42.3	3274	47.6	3783	49.4	3898	52.0	3482	51.6	3078	48.8	2199	46.8	1741	40.8	1155	35.9	632	29.3
	女	31939	25.1	181	15.9	1874	17.4	2263	18.1	2160	20.1	2568	21.2	3214	24.2	3789	25.9	3993	30.1	3322	31.0	2833	29.1	2156	27.7	1838	25.6	1165	22.9	583	23.0
	計	65293	35.0	402	20.0	3810	23.4	4696	26.4	4685	30.6	5565	32.6	6488	36.0	7572	37.7	7891	40.9	6804	41.5	5911	39.4	4355	37.4	3579	33.0	2320	29.4	1215	26.3
LAP U/L	男	3264	53.0	0	0.0	0	0.0	38	55.2	237	54.9	311	54.2	363	53.3	493	53.8	624	53.2	658	52.1	334	51.3	132	50.7	48	50.7	12	49.5	14	46.6
	女	2225	48.1	0	0.0	1	44.0	48	49.5	148	48.3	250	47.9	266	45.0	331	44.4	449	48.5	372	51.8	246	49.7	78	48.6	25	49.9	7	49.6	4	51.0
	計	5489	51.0	0	0.0	1	44.0	86	52.0	385	52.3	561	51.4	629	49.8	824	50.0	1073	51.2	1030	52.0	580	50.6	210	49.9	73	50.4	19	49.5	18	47.6
総蛋白 g/dL	男	15445	7.3	97	7.5	895	7.5	1319	7.5	1377	7.4	1483	7.4	1621	7.3	1893	7.2	2080	7.2	1900	7.2	1522	7.2	794	7.2	321	7.1	90	7.1	53	6.9
	女	11822	7.2	81	7.5	814	7.5	998	7.3	971	7.3	1073	7.2	1338	7.2	1582	7.2	1725	7.2	1323	7.2	1039	7.2	452	7.2	207	7.1	89	7.0	130	6.6
	計	27267	7.3	178	7.5	1709	7.5	2317	7.4	2348	7.4	2556	7.3	2959	7.2	3475	7.2	3805	7.2	3223	7.2	2561	7.2	1246	7.2	528	7.1	179	7.1	183	6.7
アルブ	男	16092	4.5	73	4.9	817	4.9	1207	4.8	1256	4.7	1386	4.6	1559	4.6	1785	4.5	1961	4.4	1848	4.4	1493	4.4	756	4.3	294	4.3	1047	4.3	610	4.2

表49 肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上			
	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計	女	計		
ミン g/d L	12818	4.3	81	4.7	806	4.6	993	4.5	948	4.4	1038	4.3	1272	4.3	1502	4.3	1652	4.3	1259	4.3	986	4.3	437	4.3	194	4.3	1077	4.2	573	4.0		
	28910	4.4	154	4.8	1623	4.7	2200	4.7	2204	4.6	2424	4.5	2831	4.5	3287	4.4	3613	4.4	3107	4.4	2479	4.4	1193	4.3	488	4.3	2124	4.2	1183	4.1		
A/G 比	男	4936	1.7	17	1.9	216	1.8	302	1.8	362	1.8	415	1.7	462	1.7	672	1.7	792	1.6	797	1.6	554	1.6	224	1.5	87	1.5	21	1.5	15	1.3	
	女	4163	1.5	43	1.7	197	1.6	254	1.6	316	1.6	400	1.5	459	1.5	609	1.5	712	1.5	577	1.6	399	1.6	132	1.5	48	1.5	12	1.5	5	1.4	
	計	9099	1.6	60	1.7	413	1.7	556	1.7	678	1.7	815	1.7	921	1.6	1281	1.6	1504	1.6	1374	1.6	953	1.6	356	1.5	135	1.5	33	1.5	20	1.3	
蛋白分 画アル ブミン %	男	16	62.1	0	0.0	0	0.0	0	0.0	0	0.0	2	59.7	5	63.4	2	63.7	2	64.0	4	60.7	1	59.7	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	56.5	0	0.0	0	0.0	0	0.0	1	57.4	0	0.0	0	0.0	0	0.0	1	55.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	61.5	0	0.0	0	0.0	0	0.0	1	57.4	2	59.7	5	63.4	2	63.7	3	61.2	4	60.7	1	59.7	0	0.0	0	0.0	0	0.0	0	0.0	0
蛋白分 画α1 グロ ブリン %	男	16	3.3	0	0.0	0	0.0	0	0.0	0	0.0	2	3.5	5	3.3	2	3.3	2	3.1	4	3.3	1	3.5	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	4.7	0	0.0	0	0.0	0	0.0	1	5.2	0	0.0	0	0.0	0	0.0	1	4.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	3.5	0	0.0	0	0.0	0	0.0	1	5.2	2	3.5	5	3.3	2	3.3	3	3.4	4	3.3	1	3.5	0	0.0	0	0.0	0	0.0	0	0.0	0
蛋白分 画α2 グロ ブリン %	男	16	7.8	0	0.0	0	0.0	0	0.0	0	0.0	2	7.6	5	7.6	2	8.3	2	7.5	4	8.2	1	7.0	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	11.3	0	0.0	0	0.0	0	0.0	1	12.1	0	0.0	0	0.0	0	0.0	1	10.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	8.2	0	0.0	0	0.0	0	0.0	1	12.1	2	7.6	5	7.6	2	8.3	3	8.5	4	8.2	1	7.0	0	0.0	0	0.0	0	0.0	0	0.0	0
蛋白分 画γ グロ ブリン %	男	16	15.1	0	0.0	0	0.0	0	0.0	0	0.0	2	16.4	5	14.2	2	13.2	2	14.1	4	16.5	1	17.5	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	15.9	0	0.0	0	0.0	0	0.0	1	13.7	0	0.0	0	0.0	0	0.0	1	18.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	15.2	0	0.0	0	0.0	0	0.0	1	13.7	2	16.4	5	14.2	2	13.2	3	15.4	4	16.5	1	17.5	0	0.0	0	0.0	0	0.0	0	0.0	0
蛋白分 画β1 グロ ブリン %	男	16	6.2	0	0.0	0	0.0	0	0.0	0	0.0	2	6.7	5	6.3	2	5.9	2	6.0	4	6.1	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	6.5	0	0.0	0	0.0	0	0.0	1	7.1	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	6.3	0	0.0	0	0.0	0	0.0	1	7.1	2	6.7	5	6.3	2	5.9	3	5.9	4	6.1	1	6.7	0	0.0	0	0.0	0	0.0	0	0.0	0
蛋白分 画β2 グロ ブリン %	男	16	5.5	0	0.0	0	0.0	0	0.0	0	0.0	2	6.2	5	5.2	2	5.7	2	5.4	4	5.4	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	
	女	2	5.3	0	0.0	0	0.0	0	0.0	1	4.5	0	0.0	0	0.0	0	0.0	1	6.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	計	18	5.4	0	0.0	0	0.0	0	0.0	1	4.5	2	6.2	5	5.2	2	5.7	3	5.6	4	5.4	1	5.6	0	0.0	0	0.0	0	0.0	0	0.0	0
αフェ ト ブ ロ ン テ イ ン 定 量 ng/ mL	男	1276	3.3	0	0.0	1	1.4	8	2.0	74	3.0	102	3.0	120	2.9	200	3.2	219	3.3	226	3.5	132	3.7	96	3.6	65	3.3	25	3.3	8	2.7	
	女	514	3.8	0	0.0	1	1.7	2	2.2	20	5.6	37	2.5	54	2.8	70	3.2	95	3.6	91	4.6	61	4.7	40	4.0	29	3.9	10	3.5	4	3.4	
	計	1790	3.4	0	0.0	2	1.6	10	2.0	94	3.5	139	2.9	174	2.8	270	3.2	314	3.4	317	3.8	193	4.0	136	3.7	94	3.5	35	3.4	12	2.9	

表50 肝炎ウイルス検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		H B s 抗原	男	2908	11	0.4	21	0	0.0	88	0	0.0	134	0	0.0	254	0	0.0	329	1	0.3	295	0	0.0	428	4	0.9	412	0	0.0	529	4	0.8	255	2	0.8	117	0	0.0	37	0	0.0	7	0	0.0	2
	女	2336	8	0.3	52	0	0.0	106	0	0.0	151	0	0.0	192	0	0.0	271	0	0.0	292	2	0.7	330	0	0.0	376	2	0.5	301	1	0.3	165	3	1.8	64	0	0.0	27	0	0.0	7	0	0.0	2	0	0.0
	計	5244	19	0.4	73	0	0.0	194	0	0.0	285	0	0.0	446	0	0.0	600	1	0.2	587	2	0.3	758	4	0.5	788	2	0.3	830	5	0.6	420	5	1.2	181	0	0.0	64	0	0.0	14	0	0.0	4	0	0.0
H C V 抗体の検出	男	1293	6	0.5	8	0	0.0	78	0	0.0	111	0	0.0	64	0	0.0	199	0	0.0	84	2	2.4	158	1	0.6	152	1	0.7	210	2	1.0	136	0	0.0	61	0	0.0	25	0	0.0	5	0	0.0	2	0	0.0
	女	1194	3	0.3	9	0	0.0	89	0	0.0	124	1	0.8	68	0	0.0	170	0	0.0	130	0	0.0	137	0	0.0	201	0	0.0	147	1	0.7	76	1	1.3	20	0	0.0	17	0	0.0	5	0	0.0	1	0	0.0
	計	2487	9	0.4	17	0	0.0	167	0	0.0	235	1	0.4	132	0	0.0	369	0	0.0	214	2	0.9	295	1	0.3	353	1	0.3	357	3	0.8	212	1	0.5	81	0	0.0	42	0	0.0	10	0	0.0	3	0	0.0

表51 貧血・血球数判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	23,260 (77.1%)	172	1,503	1,987	2,031	2,343	2,530	2,833	2,852	2,491	2,195	1,371	724	180	48
	女	19,204 (70.7%)	141	1,492	1,633	1,522	1,647	1,906	2,260	2,607	2,274	1,833	1,064	616	147	62
	計	42,464 (74.1%)	313	2,995	3,620	3,553	3,990	4,436	5,093	5,459	4,765	4,028	2,435	1,340	327	110
問題なし	男	4,481 (14.9%)	36	342	338	377	447	498	568	600	536	387	238	89	19	6
	女	2,442 (9.0%)	18	123	171	131	170	225	297	462	371	255	133	64	16	6
	計	6,923 (12.1%)	54	465	509	508	617	723	865	1,062	907	642	371	153	35	12
要経過観察	男	1,541 (5.1%)	5	49	54	64	94	116	168	213	229	221	153	107	39	29
	女	3,545 (13.0%)	13	215	346	361	451	495	509	358	235	230	155	105	28	44
	計	5,086 (8.9%)	18	264	400	425	545	611	677	571	464	451	308	212	67	73
要精密検査	男	762 (2.5%)	6	32	39	43	78	68	95	111	91	100	50	33	11	5
	女	1,454 (5.4%)	6	78	96	124	185	255	339	169	70	54	25	20	5	28
	計	2,216 (3.9%)	12	110	135	167	263	323	434	280	161	154	75	53	16	33
要治療	男	16 (0.1%)	0	0	0	1	0	1	2	1	3	3	1	2	1	1
	女	46 (0.2%)	0	0	1	3	3	18	14	6	0	0	0	0	0	1
	計	62 (0.1%)	0	0	1	4	3	19	16	7	3	3	1	2	1	2
治療中	男	105 (0.3%)	0	0	1	1	4	6	9	10	20	20	14	10	9	1
	女	484 (1.8%)	3	12	26	24	46	84	115	103	25	21	10	4	4	7
	計	589 (1.0%)	3	12	27	25	50	90	124	113	45	41	24	14	13	8
検診者総数	男	30,165	219	1,926	2,419	2,517	2,966	3,219	3,675	3,787	3,370	2,926	1,827	965	259	90
	女	27,175	181	1,920	2,273	2,165	2,502	2,983	3,534	3,705	2,975	2,393	1,387	809	200	148
	計	57,340	400	3,846	4,692	4,682	5,468	6,202	7,209	7,492	6,345	5,319	3,214	1,774	459	238

表52 貧血・血球数検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 方 /μL	男	30219	493.7	220	522.5	1933	520.3	2427	514.6	2532	510.4	2971	504.4	3221	497.5	3683	494.5	3790	488.3	3371	482.6	2927	477.1	1831	469.7	964	462.3	259	451.4	90	430.2
	女	27186	440.4	181	452.3	1921	446.2	2273	442.3	2168	441.0	2501	437.4	2983	438.3	3537	438.7	3706	444.2	2977	443.8	2393	440.4	1387	436.3	811	432.4	200	427.4	148	391.2
	計	57405	468.5	401	490.8	3854	483.4	4700	479.6	4700	478.4	5472	473.8	6204	469.0	7220	467.2	7496	466.5	6348	464.4	5320	460.6	3218	455.3	1775	448.7	459	440.9	238	406.0
ヘモグロビン d /L	男	30219	15.0	220	15.4	1933	15.4	2427	15.3	2532	15.2	2971	15.1	3221	15.1	3683	15.1	3790	15.0	3371	14.9	2927	14.8	1831	14.7	964	14.4	259	14.1	90	13.4
	女	27186	13.0	181	13.3	1921	13.1	2273	12.9	2168	12.9	2501	12.8	2983	12.8	3537	12.8	3706	13.2	2977	13.3	2393	13.3	1387	13.2	811	13.1	200	13.0	148	12.1
	計	57405	14.1	401	14.5	3854	14.3	4700	14.2	4700	14.1	5472	14.1	6204	14.0	7220	14.0	7496	14.1	6348	14.2	5320	14.1	3218	14.0	1775	13.8	459	13.6	238	12.6
ヘマトクリット %	男	28440	45.0	176	45.9	1637	46.0	2202	45.7	2330	45.5	2839	45.3	3077	45.1	3493	45.1	3627	45.0	3173	44.7	2827	44.5	1785	44.1	944	43.6	242	42.6	88	40.5
	女	25764	39.9	155	40.1	1563	39.8	2044	39.5	1978	39.4	2379	39.1	2875	39.2	3401	39.4	3597	40.4	2902	40.8	2349	40.6	1378	40.5	798	40.2	197	39.9	148	37.3
	計	54204	42.6	331	43.2	3200	43.0	4246	42.7	4308	42.7	5218	42.5	5952	42.3	6894	42.3	7224	42.7	6075	42.8	5176	42.7	3163	42.5	1742	42.1	439	41.4	236	38.5
MCV fL	男	3885	91.6	8	89.1	60	89.4	98	89.0	297	89.0	377	89.6	437	91.0	564	91.2	706	92.0	711	92.8	379	92.9	156	93.8	66	94.2	12	95.6	14	94.1
	女	3146	90.9	1	87.1	30	90.6	87	89.5	204	89.7	338	90.1	358	89.8	501	89.9	614	91.2	511	91.9	331	92.6	117	92.8	41	93.0	8	92.5	5	95.8
	計	7031	91.3	9	88.9	90	89.8	185	89.2	501	89.3	715	89.9	795	90.5	1065	90.6	1320	91.6	1222	92.4	710	92.8	273	93.4	107	93.8	20	94.4	19	94.5
MCH pg	男	3874	30.5	8	30.0	60	30.0	96	29.9	294	29.8	376	30.0	435	30.4	563	30.5	705	30.6	710	30.9	379	30.9	156	31.1	66	31.2	12	31.4	14	30.6
	女	3131	29.6	1	28.7	28	29.8	84	29.4	203	29.4	335	29.4	357	29.2	501	29.3	611	29.7	510	30.0	330	30.2	117	30.3	41	30.2	8	29.8	5	31.0
	計	7005	30.1	9	29.9	88	29.9	180	29.7	497	29.7	711	29.7	792	29.9	1064	29.9	1316	30.2	1220	30.5	709	30.5	273	30.7	107	30.8	20	30.8	19	30.7
MCH C%	男	3873	33.3	8	33.7	60	33.5	96	33.6	294	33.5	376	33.4	435	33.4	563	33.4	704	33.3	710	33.3	379	33.2	156	33.1	66	33.1	12	32.8	14	32.6
	女	3131	32.6	1	33.0	28	32.8	84	32.8	203	32.7	335	32.6	357	32.5	501	32.5	611	32.6	510	32.6	330	32.6	117	32.6	41	32.5	8	32.2	5	32.3
	計	7004	33.0	9	33.6	88	33.3	180	33.2	497	33.2	711	33.1	792	33.0	1064	33.0	1315	33.0	1220	33.0	709	32.9	273	32.9	107	32.9	20	32.6	19	32.5
血清鉄 μg /dL	男	4139	113.1	33	113.5	121	107.5	175	117.4	370	117.3	413	114.0	425	112.1	582	113.2	728	111.7	700	112.7	355	112.4	148	112.7	58	115.7	17	107.2	14	103.4
	女	2695	101.5	1	57.0	16	100.3	72	108.5	189	99.3	291	102.9	325	102.7	415	99.5	534	102.5	436	101.1	270	100.5	90	101.4	36	99.4	16	103.9	4	97.0
	計	6834	108.5	34	111.8	137	106.6	247	114.8	559	111.2	704	109.4	750	108.0	997	107.5	1262	107.8	1136	108.3	625	107.3	238	108.4	94	109.4	33	105.6	18	101.9
白血球 数 千 /μL	男	25470	5.8	123	6.4	1088	5.9	1567	5.8	1688	5.8	2647	5.9	2842	5.8	3365	5.9	3523	5.9	3135	5.9	2726	5.8	1676	5.7	840	5.8	175	5.5	75	6.2
	女	21584	5.6	97	6.4	1127	6.3	1376	6.2	1394	6.1	2204	5.9	2604	5.7	3113	5.6	3265	5.3	2566	5.2	2011	5.2	1035	5.2	518	5.4	136	5.4	138	5.9
	計	47054	5.7	220	6.4	2215	6.1	2943	6.0	3082	6.0	4851	5.9	5446	5.8	6478	5.8	6788	5.6	5701	5.6	4737	5.5	2711	5.5	1358	5.6	311	5.5	213	6.0
血小板 数 万 /μL	男	8957	24.5	35	25.8	296	24.9	495	25.0	658	25.7	806	25.2	923	25.2	1190	25.2	1358	25.0	1352	24.1	903	23.0	550	22.3	252	22.1	84	20.3	55	21.0
	女	7784	25.5	15	26.1	256	26.2	430	26.4	485	25.6	709	25.8	868	26.4	1055	26.5	1254	25.8	1057	25.1	827	24.4	416	23.7	197	23.0	84	22.5	131	21.4
	計	16741	24.9	50	25.9	552	25.5	925	25.6	1143	25.7	1515	25.5	1791	25.8	2245	25.8	2612	25.4	2409	24.5	1730	23.7	966	22.9	449	22.5	168	21.4	186	21.3

表53 炎症反応判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	3,179 (92.5%)	7	34	56	231	296	345	477	607	624	313	119	46	13	11
	女	2,012 (91.5%)	0	1	44	144	229	246	325	397	326	198	69	22	7	4
	計	5,191 (92.1%)	7	35	100	375	525	591	802	1,004	950	511	188	68	20	15
問題なし	男	198 (5.8%)	1	0	3	16	29	27	29	27	40	18	4	2	0	2
	女	147 (6.7%)	0	0	3	8	22	17	16	39	21	14	3	4	0	0
	計	345 (6.1%)	1	0	6	24	51	44	45	66	61	32	7	6	0	2
要経過観察	男	2 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	1	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	3 (0.1%)	0	0	0	0	0	0	0	1	1	0	0	1	0	0
要精密検査	男	57 (1.7%)	0	0	1	6	5	10	8	8	10	6	2	0	0	1
	女	40 (1.8%)	0	0	1	1	8	8	1	6	7	5	3	0	0	0
	計	97 (1.7%)	0	0	2	7	13	18	9	14	17	11	5	0	0	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	3,436	8	34	60	253	330	382	514	642	675	337	125	49	13	14
	女	2,200	0	1	48	153	259	271	342	443	354	217	75	26	7	4
	計	5,636	8	35	108	406	589	653	856	1,085	1,029	554	200	75	20	18



表55 腎機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	24,086 (69.7%)	280	1,798	2,270	2,289	2,623	2,686	2,889	2,728	2,140	1,728	1,151	800	513	191
	女	22,809 (69.2%)	248	1,587	1,927	1,843	1,983	2,386	2,701	2,747	2,235	1,780	1,409	1,099	638	226
	計	46,895 (69.5%)	528	3,385	4,197	4,132	4,606	5,072	5,590	5,475	4,375	3,508	2,560	1,899	1,151	417
問題なし	男	2,902 (8.4%)	46	242	264	270	300	317	335	313	280	244	144	90	38	19
	女	3,379 (10.3%)	47	351	353	312	393	456	479	371	228	184	91	48	31	35
	計	6,281 (9.3%)	93	593	617	582	693	773	814	684	508	428	235	138	69	54
要経過観察	男	6,284 (18.2%)	12	58	84	102	165	328	581	816	948	973	749	688	480	300
	女	5,828 (17.7%)	10	81	91	98	230	399	596	837	817	808	595	597	431	238
	計	12,112 (17.9%)	22	139	175	200	395	727	1,177	1,653	1,765	1,781	1,344	1,285	911	538
要精密検査	男	573 (1.7%)	4	11	11	19	14	22	40	55	73	82	76	66	52	48
	女	531 (1.6%)	4	19	23	20	34	47	60	71	40	50	41	44	27	51
	計	1,104 (1.6%)	8	30	34	39	48	69	100	126	113	132	117	110	79	99
要治療	男	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	2 (0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	1
	計	3 (0.0%)	0	0	0	0	1	0	0	0	0	0	0	0	0	2
治療中	男	712 (2.1%)	2	3	9	10	19	24	44	62	97	94	94	105	76	73
	女	391 (1.2%)	0	4	7	11	17	17	28	38	48	49	39	59	42	32
	計	1,103 (1.6%)	2	7	16	21	36	41	72	100	145	143	133	164	118	105
検診者総数	男	34,558	344	2,112	2,638	2,690	3,121	3,377	3,889	3,974	3,538	3,121	2,214	1,749	1,159	632
	女	32,940	309	2,042	2,401	2,284	2,658	3,305	3,864	4,064	3,368	2,871	2,175	1,847	1,169	583
	計	67,498	653	4,154	5,039	4,974	5,779	6,682	7,753	8,038	6,906	5,992	4,389	3,596	2,328	1,215

表56 腎機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
尿素窒 g/dL	男	23587	14.1	102	12.7	942	13.3	1376	13.1	1501	13.1	2480	13.2	2700	13.6	3125	13.8	3304	14.0	2882	14.6	2572	15.1	1604	15.8	783	16.6	148	17.3	68	20.6
	女	18807	12.4	83	10.6	843	10.8	1050	10.6	1119	10.7	1942	11.0	2318	11.3	2790	11.7	2930	12.9	2288	13.6	1824	14.1	922	14.6	449	15.5	114	15.5	135	18.6
	計	42394	13.4	185	11.8	1785	12.1	2426	12.1	2620	12.1	4422	12.2	5018	12.5	5915	12.8	6234	13.5	5170	14.2	4396	14.7	2526	15.3	1232	16.2	262	16.5	203	19.2
クレア チニン mg/dL	男	28699	1.0	111	0.9	1050	0.9	1524	0.9	1667	0.9	2656	0.9	2945	0.9	3491	0.9	3645	1.0	3280	1.0	2909	1.0	2077	1.0	1650	1.0	1076	1.0	618	1.1
	女	27189	0.7	91	0.7	1023	0.7	1268	0.7	1334	0.6	2255	0.7	2952	0.7	3495	0.7	3728	0.7	3072	0.7	2623	0.7	1962	0.7	1706	0.7	1104	0.7	576	0.8
	計	55888	0.8	202	0.8	2073	0.8	2792	0.8	3001	0.8	4911	0.8	5897	0.8	6986	0.8	7373	0.8	6352	0.9	5532	0.8	4039	0.8	3356	0.8	2180	0.9	1194	0.9

表57 尿検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		尿蛋白定性	男	35133	3405	9.7	367	54	14.7	2180	249	11.4	2726	251	9.2	2778	243	8.7	3183	263	8.3	3416	291	8.5	3942	326	8.3	4053	376	9.3	3554	344	9.7	3138	315	10.0	2246	239	10.6	1758	211	12.0	1161	143	12.3	631
尿蛋白定性	女	33115	1722	5.2	310	38	12.3	2070	214	10.3	2412	226	9.4	2303	155	6.7	2681	169	6.3	3321	192	5.8	3894	147	3.8	4083	163	4.0	3379	97	2.9	2879	90	3.1	2182	55	2.5	1852	59	3.2	1169	45	3.8	580	72	12.4
尿蛋白定性	計	68248	5127	7.5	677	92	13.6	4250	463	10.9	5138	477	9.3	5081	398	7.8	5864	432	7.4	6737	483	7.2	7836	473	6.0	8136	539	6.6	6933	441	6.4	6017	405	6.7	4428	294	6.6	3610	270	7.5	2330	188	8.1	1211	172	14.2
尿潜血	男	25598	1773	6.9	222	7	3.2	1077	42	3.9	1577	68	4.3	1726	100	5.8	2713	145	5.3	2880	190	6.6	3377	247	7.3	3532	238	6.7	3112	226	7.3	2692	257	9.5	1651	146	8.8	810	85	10.5	160	15	9.4	69	7	10.1
尿潜血	女	21325	3888	18.2	201	25	12.4	1100	210	19.1	1351	222	16.4	1371	248	18.1	2208	408	18.5	2586	515	19.9	3090	633	20.5	3238	576	17.8	2509	398	15.9	1945	332	17.1	987	166	16.8	480	85	17.7	124	21	16.9	135	49	36.3
尿潜血	計	46923	5661	12.1	423	32	7.6	2177	252	11.6	2928	290	9.9	3097	348	11.2	4921	553	11.2	5466	705	12.9	6467	880	13.6	6770	814	12.0	5621	624	11.1	4637	589	12.7	2638	312	11.8	1290	170	13.2	284	36	12.7	204	56	27.5

表58 脾機能判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	13,652 (90.7%)	72	749	1,146	1,224	1,313	1,455	1,725	1,893	1,763	1,347	628	237	67	33
	女	9,318 (89.4%)	36	641	859	799	892	1,097	1,272	1,350	1,007	790	354	156	55	10
	計	22,970 (90.1%)	108	1,390	2,005	2,023	2,205	2,552	2,997	3,243	2,770	2,137	982	393	122	43
問題なし	男	332 (2.2%)	4	17	29	28	31	40	45	45	50	28	12	3	0	0
	女	206 (2.0%)	1	13	17	16	20	26	21	35	28	17	6	4	2	0
	計	538 (2.1%)	5	30	46	44	51	66	66	80	78	45	18	7	2	0
要経過観察	男	1,026 (6.8%)	3	36	61	66	78	88	118	145	143	126	95	44	16	7
	女	870 (8.3%)	2	51	61	47	49	79	111	147	123	113	42	23	19	3
	計	1,896 (7.4%)	5	87	122	113	127	167	229	292	266	239	137	67	35	10
要精密検査	男	38 (0.3%)	0	0	0	3	0	2	2	7	8	8	6	1	1	0
	女	29 (0.3%)	0	4	0	1	5	0	2	10	2	3	1	1	0	0
	計	67 (0.3%)	0	4	0	4	5	2	4	17	10	11	7	2	1	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	7 (0.0%)	0	0	0	0	0	1	1	0	2	1	2	0	0	0
	女	5 (0.0%)	0	0	0	0	1	1	0	1	2	0	0	0	0	0
	計	12 (0.0%)	0	0	0	0	1	2	1	1	4	1	2	0	0	0
検診者総数	男	15,055	79	802	1,236	1,321	1,422	1,586	1,891	2,090	1,966	1,510	743	285	84	40
	女	10,428	39	709	937	863	967	1,203	1,406	1,543	1,162	923	403	184	76	13
	計	25,483	118	1,511	2,173	2,184	2,389	2,789	3,297	3,633	3,128	2,433	1,146	469	160	53

表59 肺機能検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
血清アミラーゼ／L	男	15056	76.7	79	74.6	802	74.2	1236	74.0	1321	74.0	1422	74.0	1586	75.5	1891	74.8	2090	77.0	1966	77.1	1510	81.0	744	83.8	285	86.7	84	96.2	40	96.1
	女	10428	79.9	39	71.7	709	78.9	937	78.3	863	77.7	967	78.1	1203	77.7	1406	79.1	1543	81.2	1162	80.7	923	83.3	403	83.4	184	84.5	76	95.5	13	93.5
	計	25484	78.0	118	73.6	1511	76.4	2173	75.9	2184	75.5	2389	75.6	2789	76.5	3297	76.6	3633	78.8	3128	78.4	2433	81.8	1147	83.7	469	85.8	160	95.9	53	95.4

表60 電解質判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	2,258 (87.5%)	4	29	25	151	187	254	352	437	430	239	94	36	9	11
	女	1,312 (82.7%)	0	1	5	81	159	183	204	235	199	125	45	19	9	47
	計	3,570 (85.7%)	4	30	30	232	346	437	556	672	629	364	139	55	18	58
問題なし	男	234 (9.1%)	3	5	6	16	14	23	33	36	47	28	12	4	2	5
	女	211 (13.3%)	0	0	1	12	11	10	36	45	40	35	13	1	1	6
	計	445 (10.7%)	3	5	7	28	25	33	69	81	87	63	25	5	3	11
要経過観察	男	86 (3.3%)	0	0	0	2	1	8	10	17	24	11	4	2	1	6
	女	59 (3.7%)	0	0	1	4	5	5	7	9	8	7	1	1	1	10
	計	145 (3.5%)	0	0	1	6	6	13	17	26	32	18	5	3	2	16
要精密検査	男	4 (0.2%)	0	0	0	0	0	0	0	0	4	0	0	0	0	0
	女	3 (0.2%)	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	計	7 (0.2%)	0	0	0	0	0	0	0	0	4	0	0	0	0	3
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
検診者総数	男	2,582	7	34	31	169	202	285	395	490	505	278	110	42	12	22
	女	1,586	0	1	7	97	175	198	247	290	247	167	59	21	11	66
	計	4,168	7	35	38	266	377	483	642	780	752	445	169	63	23	88

表61 電解質検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ナトリウムEq/L	男	2578	141.9	7	141.3	34	140.7	31	141.1	169	141.8	202	141.7	285	141.9	395	142.0	490	142.1	505	142.0	276	142.0	109	141.9	41	141.9	12	142.2	22	139.2
	女	1583	141.4	0	0.0	1	141.0	6	140.5	97	140.8	174	140.3	198	140.5	246	140.9	290	141.8	247	142.5	167	142.8	59	142.4	21	141.9	11	141.4	66	139.7
	計	4161	141.7	7	141.3	35	140.7	37	141.0	266	141.4	376	141.0	483	141.3	641	141.6	780	142.0	752	142.2	443	142.3	168	142.1	62	141.9	23	141.8	88	139.6
カリウムEq/L	男	2580	4.2	7	4.3	34	4.3	31	4.3	169	4.1	202	4.2	285	4.2	395	4.2	490	4.2	505	4.2	277	4.3	109	4.3	42	4.4	12	4.4	22	4.6
	女	1584	4.2	0	0.0	1	4.0	6	4.3	97	4.1	174	4.2	198	4.2	247	4.1	290	4.2	247	4.2	167	4.2	59	4.2	21	4.2	11	4.1	66	4.5
	計	4164	4.2	7	4.3	35	4.3	37	4.3	266	4.1	376	4.2	483	4.2	642	4.2	780	4.2	752	4.2	444	4.2	168	4.3	63	4.3	23	4.2	88	4.5
クロームEq/L	男	2578	105.4	7	103.9	34	103.5	31	103.8	169	104.8	202	105.1	285	105.2	395	105.3	490	105.5	505	105.6	276	105.7	109	105.7	41	105.6	12	106.5	22	103.7
	女	1582	105.8	0	0.0	1	106.0	6	105.3	97	105.9	174	105.6	198	105.8	246	106.0	290	105.7	247	106.1	167	106.5	59	105.9	20	105.8	11	104.6	66	103.6
	計	4160	105.5	7	103.9	35	103.5	37	104.1	266	105.2	376	105.3	483	105.5	641	105.6	780	105.6	752	105.7	443	106.0	168	105.7	61	105.6	23	105.6	88	103.7
無機リンmg/L	男	2520	3.2	7	3.5	34	3.4	30	3.4	168	3.3	199	3.2	280	3.2	386	3.2	476	3.1	497	3.1	270	3.1	106	3.1	41	3.0	12	3.2	14	3.2
	女	1504	3.5	0	0.0	1	3.3	6	3.7	97	3.6	174	3.4	198	3.4	241	3.4	288	3.6	244	3.6	166	3.6	58	3.7	20	3.5	7	3.8	4	3.6
	計	4024	3.3	7	3.5	35	3.4	36	3.4	265	3.4	373	3.3	478	3.3	627	3.3	764	3.3	741	3.3	436	3.3	164	3.3	61	3.1	19	3.4	18	3.3
カルシウムmg/dL	男	2528	9.5	7	10.0	34	9.7	31	9.8	168	9.6	200	9.5	280	9.5	387	9.4	477	9.4	498	9.4	273	9.4	106	9.4	41	9.5	12	9.4	14	9.3
	女	1510	9.4	0	0.0	1	9.1	6	9.4	97	9.3	174	9.3	198	9.2	245	9.3	288	9.5	245	9.5	166	9.5	58	9.5	21	9.4	7	9.6	4	9.7
	計	4038	9.4	7	10.0	35	9.7	37	9.7	265	9.5	374	9.4	478	9.4	632	9.4	765	9.4	743	9.4	439	9.4	164	9.5	62	9.5	19	9.5	18	9.4
マグネシウムmg/dL	男	1	2.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0
	女	3	2.1	0	0.0	0	0.0	1	2.0	1	2.3	1	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	4	2.2	0	0.0	0	0.0	1	2.0	1	2.3	1	1.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.5	0	0.0	0	0.0	0	0.0

表62 その他の血液検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	4,453 (92.0%)	14	72	116	250	342	395	570	738	894	578	272	143	48	21
	女	3,291 (91.8%)	42	100	118	175	294	357	439	589	508	340	180	106	35	8
	計	7,744 (91.9%)	56	172	234	425	636	752	1,009	1,327	1,402	918	452	249	83	29
問題なし	男	70 (1.4%)	1	4	5	1	5	7	4	7	14	11	5	6	0	0
	女	68 (1.9%)	0	3	1	7	5	4	6	20	5	9	7	1	0	0
	計	138 (1.6%)	1	7	6	8	10	11	10	27	19	20	12	7	0	0
要経過観察	男	202 (4.2%)	2	10	10	4	6	2	7	16	57	50	18	14	4	2
	女	154 (4.3%)	0	1	2	1	8	10	11	17	31	35	19	12	6	1
	計	356 (4.2%)	2	11	12	5	14	12	18	33	88	85	37	26	10	3
要精密検査	男	112 (2.3%)	0	0	1	0	8	4	6	15	23	24	7	12	8	4
	女	70 (2.0%)	0	1	0	2	4	7	6	13	15	7	7	3	3	2
	計	182 (2.2%)	0	1	1	2	12	11	12	28	38	31	14	15	11	6
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	3 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	2
	女	2 (0.1%)	0	0	0	0	0	0	1	0	0	1	0	0	0	0
	計	5 (0.1%)	0	0	0	0	0	0	1	0	1	1	0	0	0	2
検診者総数	男	4,840	17	86	132	255	361	408	587	776	989	663	302	175	60	29
	女	3,585	42	105	121	185	311	378	463	639	559	392	213	122	44	11
	計	8,425	59	191	253	440	672	786	1,050	1,415	1,548	1,055	515	297	104	40

表63 その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
		CEA	男	1184	37	3.1	0	0	0.0	0	0	0.0	38	0	0.0	54	0	0.0	74	2	2.7	80	0	0.0	143	4	2.8	234	6	2.6	223	7	3.1	154	6	3.9	90	6	6.7	58	4	6.9	24	2	8.3	12
CEA	女	968	7	0.7	0	0	0.0	1	0	0.0	45	0	0.0	43	0	0.0	76	0	0.0	105	1	1.0	119	0	0.0	215	1	0.5	156	2	1.3	95	0	0.0	57	1	1.8	41	0	0.0	11	0	0.0	4	2	50.0
CEA	計	2152	44	2.0	0	0	0.0	1	0	0.0	83	0	0.0	97	0	0.0	150	2	1.3	185	1	0.5	262	4	1.5	449	7	1.6	379	9	2.4	249	6	2.4	147	7	4.8	99	4	4.0	35	2	5.7	16	2	12.5
RF	男	2427	128	5.3	10	1	10.0	50	0	0.0	70	4	5.7	138	2	1.4	198	7	3.5	261	13	5.0	351	7	2.0	442	19	4.3	367	28	7.6	280	25	8.9	154	11	7.1	71	9	12.7	20	2	10.0	15	0	0.0
RF	女	1985	140	7.1	42	0	0.0	102	4	3.9	68	1	1.5	119	8	6.7	198	12	6.1	222	8	3.6	273	10	3.7	330	39	11.8	267	16	6.0	213	25	11.7	90	10	11.1	43	5	11.6	13	1	7.7	5	1	20.0
RF	計	4412	268	6.1	52	1	1.9	152	4	2.6	138	5	3.6	257	10	3.9	396	19	4.8	483	21	4.3	624	17	2.7	772	58	7.5	634	44	6.9	493	50	10.1	244	21	8.6	114	14	12.3	33	3	9.1	20	1	5.0
CPK	男	109	38	34.9	7	2	28.6	34	14	41.2	22	12	54.5	14	3	21.4	8	4	50.0	6	0	0.0	4	1	25.0	7	0	0.0	5	2	40.0	2	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
CPK	女	4	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	2	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
CPK	計	113	38	33.6	7	2	28.6	34	14	41.2	22	12	54.5	14	3	21.4	8	4	50.0	6	0	0.0	5	1	20.0	9	0	0.0	5	2	40.0	3	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
CA19-9	男	1520	13	0.9	0	0	0.0	1	0	0.0	10	0	0.0	76	0	0.0	117	4	3.4	129	0	0.0	221	1	0.5	266	1	0.4	261	2	0.8	169	0	0.0	132	1	0.8	96	3	3.1	34	1	2.9	8	0	0.0
CA19-9	女	768	7	0.9	0	0	0.0	1	0	0.0	3	0	0.0	26	0	0.0	43	0	0.0	73	0	0.0	104	0	0.0	139	1	0.7	122	2	1.6	101	1	1.0	79	2	2.5	54	1	1.9	18	0	0.0	5	0	0.0
CA19-9	計	2288	20	0.9	0	0	0.0	2	0	0.0	13	0	0.0	102	0	0.0	160	4	2.5	202	0	0.0	325	1	0.3	405	2	0.5	383	4	1.0	270	1	0.4	211	3	1.4	150	4	2.7	52	1	1.9	13	0	0.0
CA125	男	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
CA125	女	799	11	1.4	0	0	0.0	3	0	0.0	7	0	0.0	20	1	5.0	44	1	2.3	85	4	4.7	120	4	3.3	161	0	0.0	128	0	0.0	99	0	0.0	71	0	0.0	45	0	0.0	12	1	8.3	4	0	0.0
CA125	計	799	11	1.4	0	0	0.0	3	0	0.0	7	0	0.0	20	1	5.0	44	1	2.3	85	4	4.7	120	4	3.3	161	0	0.0	128	0	0.0	99	0	0.0	71	0	0.0	45	0	0.0	12	1	8.3	4	0	0.0
シフラ	男	368	3	0.8	0	0	0.0	0	0	0.0	2	0	0.0	8	0	0.0	14	0	0.0	17	0	0.0	40	1	2.5	76	1	1.3	54	1	1.9	57	0	0.0	48	0	0.0	30	0	0.0	16	0	0.0	6	0	0.0
シフラ	女	122	1	0.8	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	5	0	0.0	8	0	0.0	20	0	0.0	20	0	0.0	20	0	0.0	18	1	5.6	16	0	0.0	12	0	0.0	2	0	0.0	0	0	0.0
シフラ	計	490	4	0.8	0	0	0.0	0	0	0.0	3	0	0.0	8	0	0.0	19	0	0.0	25	0	0.0	60	1	1.7	96	1	1.0	74	1	1.4	75	1	1.3	64	0	0.0	42	0	0.0	18	0	0.0	6	0	0.0
PROGRP	男	369	6	1.6	0	0	0.0	0	0	0.0	2	0	0.0	8	0	0.0	14	0	0.0	17	0	0.0	41	0	0.0	76	1	1.3	54	0	0.0	57	0	0.0	47	0	0.0	30	2	6.7	16	1	6.3	7	2	28.6
PROGRP	女	120	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0	5	0	0.0	6	0	0.0	20	0	0.0	20	0	0.0	20	0	0.0	18	0	0.0	16	0	0.0	12	0	0.0	2	0	0.0	0	0	0.0

表63 その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
HP	計	489	6	1.2	0	0	0.0	0	0	0.0	3	0	0.0	8	0	0.0	19	0	0.0	23	0	0.0	61	0	0.0	96	1	1.0	74	0	0.0	75	0	0.0	63	0	0.0	42	2	4.8	18	1	5.6	7	2	28.6

表63 (2) その他の血液検査の性年齢別陽性率

検査項目	性別	総数			19歳以下			20-24歳			25-29歳			30-34歳			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率						
NT- pr oB NP	男	708	163	###	0	0	0.0	0	0	0.0	0	0	0.0	4	0	0.0	9	2	###	22	0	0.0	28	3	###	44	8	###	313	55	###	207	53	###	30	12	###	30	14	###	12	9	###	9	7	###
	女	277	114	###	0	0	0.0	0	0	0.0	0	0	0.0	2	1	###	8	2	###	18	6	###	25	7	###	30	7	###	84	30	###	53	24	###	26	18	###	19	10	###	10	8	###	2	1	###
	計	985	277	###	0	0	0.0	0	0	0.0	0	0	0.0	6	1	###	17	4	###	40	6	###	53	10	###	74	15	###	397	85	###	260	77	###	56	30	###	49	24	###	22	17	###	11	8	###

表95 その他の血液検査検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
CEAng/mL	男	1184	2.0	0	0.0	0	0.0	38	1.5	54	1.7	74	2.0	80	1.6	143	1.8	234	1.9	223	2.1	154	2.0	90	2.5	58	2.6	24	2.5	12	2.3
	女	968	1.5	0	0.0	1	0.4	45	1.0	43	1.0	76	1.1	105	1.3	119	1.2	215	1.6	156	1.6	95	1.7	57	2.0	41	1.7	11	2.1	4	4.2
	計	2152	1.8	0	0.0	1	0.4	83	1.2	97	1.4	150	1.5	185	1.4	262	1.5	449	1.8	379	1.9	249	1.9	147	2.3	99	2.2	35	2.4	16	2.8
RFIU/mL	男	2427	14.2	10	12.7	50	10.1	70	15.6	138	11.0	198	13.6	261	14.0	351	11.7	442	14.7	367	15.0	280	16.5	154	14.8	71	16.3	20	22.4	15	10.4
	女	1985	15.2	42	10.8	102	11.7	68	10.5	119	12.6	198	13.7	222	13.2	273	14.0	330	17.8	267	14.6	213	20.7	90	16.9	43	21.9	13	15.2	5	19.8
	計	4412	14.6	52	11.2	152	11.2	138	13.1	257	11.7	396	13.7	483	13.6	624	12.7	772	16.0	634	14.8	493	18.3	244	15.5	114	18.4	33	19.6	20	12.8
CPKU/L	男	109	253.6	7	225.6	34	285.8	22	357.6	14	241.4	8	246.6	6	91.5	4	173.8	7	141.9	5	144.2	2	84.5	0	0.0	0	0.0	0	0.0	0	0.0
	女	4	87.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	62.0	2	62.5	0	0.0	1	162.0	0	0.0	0	0.0	0	0.0	0	0.0
	計	113	247.7	7	225.6	34	285.8	22	357.6	14	241.4	8	246.6	6	91.5	5	151.4	9	124.2	5	144.2	3	110.3	0	0.0	0	0.0	0	0.0	0	0.0
CA19-9/mL	男	1520	9.1	0	0.0	1	10.0	10	6.5	76	7.0	117	9.1	129	7.6	221	7.7	266	8.5	261	9.3	169	9.7	132	10.7	96	13.1	34	11.9	8	13.3
	女	768	10.5	0	0.0	1	10.0	3	22.7	26	12.2	43	8.7	73	8.9	104	10.8	139	9.7	122	9.3	101	11.2	79	12.2	54	12.2	18	12.9	5	7.2
	計	2288	9.6	0	0.0	2	10.0	13	10.2	102	8.3	160	9.0	202	8.1	325	8.7	405	8.9	383	9.3	270	10.2	211	11.2	150	12.8	52	12.2	13	10.9
CA125/mL	男	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女	799	11.4	0	0.0	3	18.0	7	14.0	20	15.3	44	15.4	85	15.2	120	13.7	161	9.5	128	9.3	99	9.3	71	9.9	45	10.2	12	16.1	4	13.0
	計	799	11.4	0	0.0	3	18.0	7	14.0	20	15.3	44	15.4	85	15.2	120	13.7	161	9.5	128	9.3	99	9.3	71	9.9	45	10.2	12	16.1	4	13.0
シフラng/mL	男	368	1.3	0	0.0	0	0.0	2	0.9	8	0.9	14	0.9	17	0.9	40	1.2	76	1.1	54	1.1	57	1.5	48	1.2	30	1.5	16	1.7	6	1.8
	女	122	1.1	0	0.0	0	0.0	1	1.0	0	0.0	5	0.6	8	0.8	20	0.8	20	0.8	20	1.1	18	1.4	16	1.1	12	1.2	2	1.5	0	0.0
	計	490	1.2	0	0.0	0	0.0	3	0.9	8	0.9	19	0.8	25	0.9	60	1.1	96	1.1	74	1.1	75	1.5	64	1.2	42	1.5	18	1.7	6	1.8
ProGRPng/mL	男	369	40.4	0	0.0	0	0.0	2	32.7	8	32.6	14	33.7	17	34.5	41	34.5	76	38.7	54	38.0	57	42.2	47	42.1	30	46.8	16	48.8	7	77.3
	女	120	40.5	0	0.0	0	0.0	1	31.8	0	0.0	5	35.6	6	33.9	20	36.0	20	42.1	20	39.5	18	45.6	16	40.8	12	44.9	2	39.9	0	0.0
	計	489	40.4	0	0.0	0	0.0	3	32.4	8	32.6	19	34.2	23	34.3	61	35.0	96	39.4	74	38.4	75	43.0	63	41.8	42	46.3	18	47.8	7	77.3
NT-proBNPpg/mL	男	708	63.0	0	0.0	0	0.0	0	0.0	4	17.0	9	32.0	22	19.5	28	22.9	44	42.9	313	67.1	207	58.2	30	65.2	30	99.7	12	112.3	9	215.1
	女	277	59.9	0	0.0	0	0.0	0	0.0	2	59.5	8	55.3	18	46.9	25	51.4	30	40.7	84	57.7	53	54.1	26	85.7	19	77.4	10	111.8	2	76.5
	計	985	62.1	0	0.0	0	0.0	0	0.0	6	31.2	17	42.9	40	31.8	53	36.3	74	42.0	397	65.1	260	57.3	56	74.7	49	91.0	22	112.1	11	189.9

表64 前立腺検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	6,840	(93.3%)	0	1	14	32	47	107	263	1,352	1,355	1,164	839	795	584	287
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要経過観察	32	(0.4%)	0	0	0	0	0	0	1	3	1	5	5	7	7	3
要精密検査	312	(4.3%)	0	0	0	0	0	1	4	23	45	52	57	55	47	28
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	144	(2.0%)	0	0	0	1	0	0	0	8	19	30	36	28	16	6
合計	7328		0	1	14	33	47	108	268	1386	1420	1251	937	885	654	324

表65 P S A検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/ ml	7328	1.55	0	0	1	0.7	14	0.83	33	1.08	47	1	108	1.03	268	1.06	1386	1.15	1420	1.33	1251	1.65	937	1.81	885	1.87	654	1.97	324	2.11

表66 骨密度検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	166 (46.0%)	0	0	2	3	5	3	8	8	12	10	32	40	34	9
	女	967 (39.7%)	0	4	34	47	57	60	103	212	174	122	65	65	19	5
	計	1,133 (40.5%)	0	4	36	50	62	63	111	220	186	132	97	105	53	14
問題なし	男	34 (9.4%)	0	0	0	1	8	6	4	8	2	5	0	0	0	0
	女	277 (11.4%)	0	3	19	28	45	74	65	43	0	0	0	0	0	0
	計	311 (11.1%)	0	3	19	29	53	80	69	51	2	5	0	0	0	0
要経過観察	男	118 (32.7%)	0	0	0	1	3	2	8	6	4	9	22	26	22	15
	女	851 (35.0%)	0	1	4	7	24	41	47	100	162	127	134	133	60	11
	計	969 (34.7%)	0	1	4	8	27	43	55	106	166	136	156	159	82	26
要精密検査	男	38 (10.5%)	0	0	0	0	0	1	2	2	4	3	3	7	7	9
	女	218 (9.0%)	0	0	0	0	2	3	3	18	29	45	37	54	22	5
	計	256 (9.2%)	0	0	0	0	2	4	5	20	33	48	40	61	29	14
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	5 (1.4%)	0	0	0	0	0	0	0	0	0	1	1	1	2	0
	女	121 (5.0%)	0	0	0	1	0	2	2	2	11	20	25	28	23	7
	計	126 (4.5%)	0	0	0	1	0	2	2	2	11	21	26	29	25	7
検診者総数	男	361	0	0	2	5	16	12	22	24	22	28	58	74	65	33
	女	2,434	0	8	57	83	128	180	220	375	376	314	261	280	124	28
	計	2,795	0	8	59	88	144	192	242	399	398	342	319	354	189	61

表67 超音波骨密度検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
超音波骨密度若年比較%	男	361	92.8	0	0.0	0	0.0	2	122.0	5	98.6	16	98.2	12	94.5	22	92.3	24	95.3	22	93.4	28	89.9	58	93.2	74	92.5	65	92.0	33	88.9
	女	2434	92.0	0	0.0	8	101.1	57	105.3	83	101.7	128	100.0	180	97.4	220	97.9	375	96.0	376	90.5	314	88.7	261	85.8	280	85.0	124	84.2	28	82.9
	計	2795	92.1	0	0.0	8	101.1	59	105.9	88	101.5	144	99.8	192	97.2	242	97.4	399	96.0	398	90.6	342	88.8	319	87.1	354	86.6	189	86.9	61	86.1
超音波骨密度同年比較%	男	361	102.1	0	0.0	0	0.0	2	118.5	5	98.6	16	99.4	12	97.3	22	95.4	24	99.8	22	99.6	28	97.4	58	103.0	74	103.5	65	106.1	33	104.2
	女	2434	102.2	0	0.0	8	101.4	57	105.1	83	102.1	128	100.0	180	97.4	220	99.6	375	103.1	376	102.0	314	103.3	261	102.2	280	103.6	124	106.4	28	107.0
	計	2795	102.2	0	0.0	8	101.4	59	105.6	88	101.9	144	100.0	192	97.4	242	99.2	399	102.9	398	101.9	342	102.8	319	102.4	354	103.6	189	106.2	61	105.5
超音波骨密度OSI×10 <sup>0</sup> 万	男	361	2.7	0	0.0	0	0.0	2	3.6	5	2.9	16	2.9	12	2.8	22	2.7	24	2.8	22	2.7	28	2.6	58	2.7	74	2.7	65	2.7	33	2.6
	女	2434	2.5	0	0.0	8	2.7	57	2.8	83	2.7	128	2.7	180	2.6	220	2.6	375	2.6	376	2.4	314	2.4	261	2.3	280	2.3	124	2.3	28	2.2
	計	2795	2.5	0	0.0	8	2.7	59	2.9	88	2.8	144	2.7	192	2.6	242	2.6	399	2.6	398	2.5	342	2.4	319	2.4	354	2.4	189	2.4	61	2.4

表68 動脈硬化検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	279 (21.0%)	0	0	4	49	16	74	41	56	26	8	4	1	0	0
	女	199 (21.3%)	0	0	1	20	13	33	32	43	33	14	9	0	1	0
	計	478 (21.1%)	0	0	5	69	29	107	73	99	59	22	13	1	1	0
問題なし	男	309 (23.2%)	0	0	0	4	4	34	35	99	74	37	15	3	4	0
	女	236 (25.2%)	0	0	0	0	0	8	33	63	64	37	19	9	3	0
	計	545 (24.1%)	0	0	0	4	4	42	68	162	138	74	34	12	7	0
要経過観察	男	661 (49.7%)	0	0	0	8	5	36	44	141	169	99	74	49	25	11
	女	451 (48.2%)	0	0	0	0	2	5	18	61	95	105	78	56	24	7
	計	1,112 (49.1%)	0	0	0	8	7	41	62	202	264	204	152	105	49	18
要精密検査	男	73 (5.5%)	0	0	0	0	0	2	1	7	19	8	13	9	9	5
	女	48 (5.1%)	0	0	0	0	0	0	1	1	3	6	8	13	11	5
	計	121 (5.3%)	0	0	0	0	0	2	2	8	22	14	21	22	20	10
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	8 (0.6%)	0	0	0	0	0	0	0	0	1	2	1	1	2	1
	女	2 (0.2%)	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	計	10 (0.4%)	0	0	0	0	0	0	0	0	2	2	1	1	3	1
検診者総数	男	1,330	0	0	4	61	25	146	121	303	289	154	107	63	40	17
	女	936	0	0	1	20	15	46	84	168	196	162	114	78	40	12
	計	2,266	0	0	5	81	40	192	205	471	485	316	221	141	80	29

表69 頸部動脈超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
頸動脈の内腔狭窄あり(面)	男	21 (1.6%)	0	0	0	0	0	1	0	2	5	5	4	2	0	2
	女	5 (0.5%)	0	0	0	0	0	0	0	0	2	0	0	1	2	0
	計	26 (1.1%)	0	0	0	0	0	1	0	2	7	5	4	3	2	2
頸動脈の高度狭窄あり(面)	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
総頸動脈内径拡大	男	1 (0.1%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	1
頸動脈描出不良	男	32 (2.4%)	0	0	0	0	0	2	2	9	7	5	5	1	0	1
	女	17 (1.8%)	0	0	0	0	1	1	1	1	3	4	1	4	0	1
	計	49 (2.2%)	0	0	0	0	1	3	3	10	10	9	6	5	0	2
総頸動脈壁肥厚	男	30 (2.3%)	0	0	0	0	0	0	0	5	5	3	4	7	3	3
	女	11 (1.2%)	0	0	0	0	0	0	0	0	2	3	1	0	3	2
	計	41 (1.8%)	0	0	0	0	0	0	0	5	7	6	5	7	6	5
プラークを認めます	男	1,005 (75.6%)	0	0	0	8	8	66	77	234	252	140	103	60	40	17
	女	703 (75.1%)	0	0	0	0	2	10	49	121	155	142	98	75	39	12
	計	1,708 (75.4%)	0	0	0	8	10	76	126	355	407	282	201	135	79	29
その他(頸部超音波所見)	男	24 (1.8%)	0	0	0	0	0	1	0	3	6	5	4	2	0	3
	女	5 (0.5%)	0	0	0	0	0	0	0	0	2	0	0	1	2	0
	計	29 (1.3%)	0	0	0	0	0	1	0	3	8	5	4	3	2	3
検診者総数	男	1,330	0	0	4	61	25	146	121	303	289	154	107	63	40	17
	女	936	0	0	1	20	15	46	84	168	196	162	114	78	40	12
	計	2,266	0	0	5	81	40	192	205	471	485	316	221	141	80	29

表70 頸部動脈超音波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
頸部超音波計測最大IMT右	男	1330	1.4	0	0.0	0	0.0	4	0.8	61	0.9	25	1.0	146	1.1	121	1.2	303	1.3	289	1.4	154	1.6	107	1.8	63	1.8	40	1.8	17	2.1
	女	936	1.3	0	0.0	0	0.0	1	0.6	20	0.8	15	0.8	46	0.9	84	1.1	168	1.2	196	1.2	162	1.3	114	1.4	78	1.5	40	1.7	12	1.7
	計	2266	1.3	0	0.0	0	0.0	5	0.8	81	0.9	40	0.9	192	1.1	205	1.1	471	1.3	485	1.3	316	1.4	221	1.6	141	1.6	80	1.8	29	1.9
頸部超音波計測最大IMT左	男	1330	1.5	0	0.0	0	0.0	4	0.8	61	0.9	25	1.0	146	1.1	121	1.2	303	1.3	289	1.5	154	1.6	107	1.9	63	1.8	40	2.0	17	2.5
	女	936	1.3	0	0.0	0	0.0	1	0.7	20	0.8	15	0.9	46	0.9	84	1.1	168	1.3	196	1.3	162	1.4	114	1.5	78	1.5	40	1.7	12	1.6
	計	2266	1.4	0	0.0	0	0.0	5	0.8	81	0.9	40	1.0	192	1.1	205	1.2	471	1.3	485	1.4	316	1.5	221	1.7	141	1.6	80	1.8	29	2.1

表71 血圧脈波検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
ABI 検査 右	男	656	1.2	0	0.0	0	0.0	2	1.1	55	1.1	10	1.1	83	1.1	37	1.1	147	1.2	123	1.2	62	1.2	57	1.2	40	1.2	28	1.2	12	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	15	1.1	4	1.1	17	1.1	44	1.1	90	1.1	108	1.1	109	1.1	83	1.1	60	1.1	32	1.1	11	1.1
	計	1229	1.1	0	0.0	0	0.0	2	1.1	70	1.1	14	1.1	100	1.1	81	1.1	237	1.1	231	1.1	171	1.1	140	1.2	100	1.1	60	1.1	23	1.2
ABI 検査 左	男	656	1.1	0	0.0	0	0.0	2	1.1	55	1.1	10	1.1	83	1.1	37	1.1	147	1.1	123	1.2	62	1.2	57	1.1	40	1.2	28	1.2	12	1.2
	女	573	1.1	0	0.0	0	0.0	0	0.0	15	1.1	4	1.1	17	1.1	44	1.1	90	1.1	108	1.1	109	1.1	83	1.1	60	1.1	32	1.1	11	1.1
	計	1229	1.1	0	0.0	0	0.0	2	1.1	70	1.1	14	1.1	100	1.1	81	1.1	237	1.1	231	1.1	171	1.1	140	1.1	100	1.1	60	1.1	23	1.1
PWV 検査 cm/s 右	男	656	1451.2	0	0.0	0	0.0	2	1042.5	55	1206.4	10	1299.6	83	1254.0	37	1355.3	147	1362.8	123	1482.3	62	1553.5	57	1637.4	40	1734.8	28	1828.0	12	1954.5
	女	571	1485.7	0	0.0	0	0.0	0	0.0	15	1058.9	4	1123.5	17	1226.1	43	1271.1	90	1335.5	108	1387.8	109	1492.6	83	1618.3	60	1729.6	32	1935.3	10	1964.9
	計	1227	1467.3	0	0.0	0	0.0	2	1042.5	70	1174.8	14	1249.3	100	1249.3	80	1310.1	237	1352.4	231	1438.1	171	1514.7	140	1626.1	100	1731.7	60	1885.2	22	1959.2
PWV 検査 cm/s 左	男	656	1443.4	0	0.0	0	0.0	2	1002.5	55	1179.6	10	1276.9	83	1238.0	37	1349.6	147	1353.1	123	1479.0	62	1559.1	57	1623.3	40	1745.0	28	1853.1	12	1904.8
	女	571	1482.8	0	0.0	0	0.0	0	0.0	15	1061.6	4	1069.5	17	1222.6	43	1254.9	90	1332.5	108	1375.2	109	1494.0	83	1620.5	60	1761.9	32	1899.4	10	1943.1
	計	1227	1461.7	0	0.0	0	0.0	2	1002.5	70	1154.3	14	1217.6	100	1235.4	80	1298.7	237	1345.3	231	1430.5	171	1517.6	140	1621.6	100	1755.2	60	1877.8	22	1922.2

表92 甲状腺判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	161 (55.1%)	0	0	1	33	4	49	6	43	10	6	6	1	1	1
	女	158 (30.1%)	0	0	3	14	19	18	27	23	27	14	8	3	2	0
	計	319 (39.0%)	0	0	4	47	23	67	33	66	37	20	14	4	3	1
問題なし	男	2 (0.7%)	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	女	4 (0.8%)	0	0	0	0	0	0	1	2	0	0	1	0	0	0
	計	6 (0.7%)	0	0	0	0	0	1	1	3	0	0	1	0	0	0
要経過観察	男	100 (34.2%)	0	0	1	17	1	13	7	24	10	7	7	6	4	3
	女	248 (47.2%)	0	1	1	16	13	21	36	49	36	31	20	13	9	2
	計	348 (42.6%)	0	1	2	33	14	34	43	73	46	38	27	19	13	5
要精密検査	男	26 (8.9%)	0	0	0	5	0	3	1	10	1	3	1	0	2	0
	女	107 (20.4%)	0	1	0	3	6	10	15	28	19	17	2	3	2	1
	計	133 (16.3%)	0	1	0	8	6	13	16	38	20	20	3	3	4	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	3 (1.0%)	0	0	0	0	0	1	1	0	0	1	0	0	0	0
	女	8 (1.5%)	0	0	0	2	1	0	1	1	3	0	0	0	0	0
	計	11 (1.3%)	0	0	0	2	1	1	2	1	3	1	0	0	0	0
検診者総数	男	292	0	0	2	55	5	67	15	78	21	17	14	7	7	4
	女	525	0	2	4	35	39	49	80	103	85	62	31	19	13	3
	計	817	0	2	6	90	44	116	95	181	106	79	45	26	20	7

表93 甲状腺超音波検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
甲状腺腫大あり	男	6 (2.3%)	0	0	0	1	0	0	1	1	1	1	0	0	0	1
	女	15 (3.3%)	0	0	0	1	1	1	0	4	2	3	1	2	0	0
	計	21 (3.0%)	0	0	0	2	1	1	1	5	3	4	1	2	0	1
充実性腫瘍あり	男	31 (12.0%)	0	0	0	3	0	3	1	7	6	2	3	3	1	2
	女	144 (32.0%)	0	1	0	3	7	9	12	38	27	23	11	7	4	2
	計	175 (24.7%)	0	1	0	6	7	12	13	45	33	25	14	10	5	4
嚢胞性病変あり	男	102 (39.4%)	0	0	1	17	1	16	4	27	9	8	8	5	3	3
	女	283 (62.9%)	0	1	1	17	13	23	41	61	50	32	20	13	9	2
	計	385 (54.3%)	0	1	2	34	14	39	45	88	59	40	28	18	12	5
嚢胞性病変あり(充実部あり)	男	7 (2.7%)	0	0	0	0	0	0	1	3	0	0	1	1	1	0
	女	14 (3.1%)	0	0	0	0	0	1	3	4	2	3	0	1	0	0
	計	21 (3.0%)	0	0	0	0	0	1	4	7	2	3	1	2	1	0
甲状腺実質粗雑	男	5 (1.9%)	0	0	0	2	0	1	2	0	0	0	0	0	0	0
	女	38 (8.4%)	0	0	0	3	3	3	4	6	3	8	4	2	2	0
	計	43 (6.1%)	0	0	0	5	3	4	6	6	3	8	4	2	2	0
頸部リンパ節腫大あり	男	1 (0.4%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	1	0	0	0	0	0	0	0	0	0	0
その他(甲状腺超音波所見)	男	39 (15.1%)	0	0	0	3	0	3	2	10	6	2	5	4	2	2
	女	166 (36.9%)	0	1	0	4	7	10	15	45	31	28	11	8	4	2
	計	205 (28.9%)	0	1	0	7	7	13	17	55	37	30	16	12	6	4
検診者総数	男	259	0	0	2	53	4	64	12	69	15	12	13	7	4	4
	女	450	0	1	2	32	30	38	67	90	77	55	27	17	11	3
	計	709	0	1	4	85	34	102	79	159	92	67	40	24	15	7

表94 甲状腺機能検査検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
TSH μIU /mL	男	69	2.0	0	0.0	0	0.0	1	2.5	2	1.0	2	1.7	6	1.8	7	2.0	13	1.7	15	1.6	10	1.4	6	2.3	2	2.6	4	4.8	1	5.5
	女	242	1.8	0	0.0	1	0.4	3	1.6	16	1.6	21	1.6	26	2.1	48	2.0	41	1.7	36	1.7	21	1.6	14	2.3	7	2.1	6	2.5	2	1.7
	計	311	1.9	0	0.0	1	0.4	4	1.8	18	1.6	23	1.6	32	2.1	55	2.0	54	1.7	51	1.7	31	1.6	20	2.3	9	2.2	10	3.5	3	3.0
FT3 pg /mL	男	67	3.2	0	0.0	0	0.0	1	3.0	2	3.6	1	2.9	6	3.4	7	3.5	13	3.3	15	3.3	9	3.1	6	3.1	2	3.0	4	2.7	1	2.5
	女	239	2.9	0	0.0	1	3.0	2	3.1	15	3.0	21	3.0	26	2.9	47	2.8	41	3.2	36	3.0	21	2.8	14	2.8	7	3.0	6	2.8	2	2.8
	計	306	3.0	0	0.0	1	3.0	3	3.1	17	3.1	22	3.0	32	3.0	54	2.9	54	3.2	51	3.1	30	2.9	20	2.9	9	3.0	10	2.8	3	2.7
FT4 ng /dL	男	68	1.3	0	0.0	0	0.0	1	1.4	2	1.6	1	1.3	6	1.4	7	1.4	13	1.3	15	1.3	10	1.3	6	1.2	2	1.2	4	1.0	1	1.3
	女	239	1.2	0	0.0	1	1.2	2	1.4	15	1.2	21	1.3	26	1.2	47	1.2	41	1.3	36	1.2	21	1.2	14	1.3	7	1.2	6	1.2	2	1.1
	計	307	1.2	0	0.0	1	1.2	3	1.4	17	1.3	22	1.3	32	1.2	54	1.2	54	1.3	51	1.2	31	1.2	20	1.2	9	1.2	10	1.1	3	1.1

表72 脳検査判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	389 (58.0%)	0	0	2	5	13	16	63	104	106	45	22	10	2	1
	女	221 (62.3%)	0	0	1	4	9	14	33	52	59	29	14	6	0	0
	計	610 (59.5%)	0	0	3	9	22	30	96	156	165	74	36	16	2	1
問題なし	男	158 (23.5%)	0	0	0	0	2	6	15	31	40	26	18	10	7	3
	女	81 (22.8%)	0	0	0	0	1	1	5	10	17	18	14	8	6	1
	計	239 (23.3%)	0	0	0	0	3	7	20	41	57	44	32	18	13	4
要経過観察	男	81 (12.1%)	0	0	0	1	1	2	4	16	19	16	12	6	3	1
	女	33 (9.3%)	0	0	0	1	1	1	3	7	8	6	4	1	1	0
	計	114 (11.1%)	0	0	0	2	2	3	7	23	27	22	16	7	4	1
要精密検査	男	23 (3.4%)	0	0	0	0	0	2	1	6	5	7	2	0	0	0
	女	15 (4.2%)	0	0	0	0	0	0	1	7	4	1	0	2	0	0
	計	38 (3.7%)	0	0	0	0	0	2	2	13	9	8	2	2	0	0
要治療	男	17 (2.5%)	0	0	0	0	0	2	2	4	5	2	2	0	0	0
	女	5 (1.4%)	0	0	0	0	0	0	2	0	1	1	0	1	0	0
	計	22 (2.1%)	0	0	0	0	0	2	4	4	6	3	2	1	0	0
治療中	男	3 (0.4%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	0	3	0	0	0	0	0
検診者総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表73 頭部MRI検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
脳萎縮	男	48 (7.2%)	0	0	0	0	0	1	1	6	7	11	10	3	6	3
	女	12 (3.4%)	0	0	0	0	0	0	1	2	3	3	2	0	0	1
	計	60 (5.8%)	0	0	0	0	0	1	2	8	10	14	12	3	6	4
無症候性脳梗塞巣	男	107 (15.9%)	0	0	0	0	0	1	2	7	28	28	21	11	7	2
	女	62 (17.5%)	0	0	0	0	0	0	3	6	12	15	10	10	6	0
	計	169 (16.5%)	0	0	0	0	0	1	5	13	40	43	31	21	13	2
脳内異常陰影	男	2 (0.3%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	0	0	2	0	1	0	0	0	0
中耳炎症所見	男	5 (0.7%)	0	0	0	0	0	0	0	3	2	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	1	0	1	0	0	0	0
	計	7 (0.7%)	0	0	0	0	0	0	0	4	2	1	0	0	0	0
副鼻腔炎	男	55 (8.2%)	0	0	0	0	1	5	4	14	18	3	7	2	0	1
	女	16 (4.5%)	0	0	0	0	0	0	4	4	5	1	0	0	2	0
	計	71 (6.9%)	0	0	0	0	1	5	8	18	23	4	7	2	2	1
くも膜嚢胞	男	9 (1.3%)	0	0	0	0	1	2	4	0	2	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	計	10 (1.0%)	0	0	0	0	1	3	4	0	2	0	0	0	0	0
海綿状血管腫	男	2 (0.3%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
微小脳出血	男	7 (1.0%)	0	0	0	0	0	0	0	1	0	2	0	3	1	0
	女	2 (0.6%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	計	9 (0.9%)	0	0	0	0	0	0	0	2	1	2	0	3	1	0
その他(頭部MRI所見)	男	27 (4.0%)	0	0	0	0	1	3	4	8	3	5	3	0	0	0
	女	12 (3.4%)	0	0	0	0	2	0	1	0	4	2	0	3	0	0
	計	39 (3.8%)	0	0	0	0	3	3	5	8	7	7	3	3	0	0
検診者総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表74 頭頸部MRA検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
脳動脈硬化	男	17 (2.5%)	0	0	0	0	0	0	1	2	1	4	5	2	0	2
	女	16 (4.5%)	0	0	0	0	0	0	1	1	2	4	3	1	3	1
	計	33 (3.2%)	0	0	0	0	0	0	2	3	3	8	8	3	3	3
脳動脈瘤	男	23 (3.4%)	0	0	0	0	0	2	1	4	7	6	2	0	1	0
	女	12 (3.4%)	0	0	0	0	0	0	1	4	3	0	1	2	1	0
	計	35 (3.4%)	0	0	0	0	0	2	2	8	10	6	3	2	2	0
脳動脈狭窄	男	14 (2.1%)	0	0	0	0	0	0	0	3	3	3	3	1	1	0
	女	11 (3.1%)	0	0	0	0	0	1	1	3	2	2	1	1	0	0
	計	25 (2.4%)	0	0	0	0	0	1	1	6	5	5	4	2	1	0
脳動脈閉塞	男	2 (0.3%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
内頸動脈蛇行	男	27 (4.0%)	0	0	0	0	0	1	4	6	5	5	2	3	1	0
	女	15 (4.2%)	0	0	0	0	0	0	0	4	2	1	3	4	1	0
	計	42 (4.1%)	0	0	0	0	0	1	4	10	7	6	5	7	2	0
脳底動脈蛇行	男	21 (3.1%)	0	0	0	0	0	0	1	3	6	6	2	2	0	1
	女	10 (2.8%)	0	0	0	0	0	0	0	1	2	2	2	2	1	0
	計	31 (3.0%)	0	0	0	0	0	0	1	4	8	8	4	4	1	1
遺残性三叉動脈	男	1 (0.1%)	0	0	0	0	0	1	0	0	0	0	0	0	0	0
	女	2 (0.6%)	0	0	0	0	0	0	0	0	0	2	0	0	0	0
	計	3 (0.3%)	0	0	0	0	0	1	0	0	0	2	0	0	0	0
頸部内頸動脈狭窄	男	16 (2.4%)	0	0	0	0	0	0	0	2	2	5	5	2	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	16 (1.6%)	0	0	0	0	0	0	0	2	2	5	5	2	0	0
硬膜動脈静脈瘻	男	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.1%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
ウィリス輪動脈閉塞症	男	1 (0.1%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	1	1	0	0	0	0	0
遺残性舌下神経動脈	男	2 (0.3%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.2%)	0	0	0	0	0	0	0	2	0	0	0	0	0	0
その他 (頭頸部)	男	7 (1.0%)	0	0	0	0	0	0	1	2	3	1	0	0	0	0

表74 頭頸部MRA検査所見

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
(頭頸部 MRA 所見)	女	8 (2.3%)	0	0	0	1	0	0	2	3	1	0	1	0	0	0
	計	15 (1.5%)	0	0	0	1	0	0	3	5	4	1	1	0	0	0
検診者 総数	男	671	0	0	2	6	16	28	85	161	178	96	56	26	12	5
	女	355	0	0	1	5	11	16	44	76	89	55	32	18	7	1
	計	1,026	0	0	3	11	27	44	129	237	267	151	88	44	19	6

表77 心理検査所見

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
抑うつ 状態	男	12	(28.6%)	0	0	0	1	0	0	2	7	1	0	1	0	0	0
	女	1	(16.7%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	計	13	(27.1%)	0	0	0	1	0	0	2	7	2	0	1	0	0	0
検診者 総数	男	42		0	0	0	1	0	0	5	21	6	6	3	0	0	0
	女	6		0	0	0	0	0	0	1	2	2	1	0	0	0	0
	計	48		0	0	0	1	0	0	6	23	8	7	3	0	0	0

表79 肥満やせ判定結果

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	18,109 (52.6%)	172	1,410	1,616	1,518	1,682	1,774	1,904	1,850	1,644	1,437	1,086	813	767	436
	女	20,432 (62.4%)	128	1,452	1,566	1,464	1,617	2,066	2,373	2,351	1,943	1,750	1,345	1,251	810	316
	計	38,541 (57.4%)	300	2,862	3,182	2,982	3,299	3,840	4,277	4,201	3,587	3,187	2,431	2,064	1,577	752
問題なし	男	1,262 (3.7%)	25	169	159	106	117	130	88	105	74	100	56	58	41	34
	女	5,188 (15.8%)	38	345	519	418	489	507	532	651	581	448	289	186	130	55
	計	6,450 (9.6%)	63	514	678	524	606	637	620	756	655	548	345	244	171	89
要経過観察	男	15,082 (43.8%)	45	532	865	1,066	1,321	1,474	1,898	2,018	1,821	1,585	1,073	880	353	151
	女	7,119 (21.7%)	41	247	315	402	552	733	959	1,068	846	677	544	416	223	96
	計	22,201 (33.0%)	86	779	1,180	1,468	1,873	2,207	2,857	3,086	2,667	2,262	1,617	1,296	576	247
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
検診者総数	男	34,453	242	2,111	2,640	2,690	3,120	3,378	3,890	3,973	3,539	3,122	2,215	1,751	1,161	621
	女	32,739	207	2,044	2,400	2,284	2,658	3,306	3,864	4,070	3,370	2,875	2,178	1,853	1,163	467
	計	67,192	449	4,155	5,040	4,974	5,778	6,684	7,754	8,043	6,909	5,997	4,393	3,604	2,324	1,088

表80 身体計測検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
身長 c m	男	34841	170.2	263	170.2	2169	171.1	2699	171.4	2745	171.9	3155	171.8	3396	171.8	3919	171.5	4030	170.9	3550	170.3	3133	169.2	2238	167.9	1759	166.2	1164	164.7	621	162.1
	女	32891	157.2	208	157.9	2070	158.0	2407	158.4	2298	158.7	2674	158.6	3319	158.7	3892	158.6	4087	158.2	3379	157.4	2883	156.2	2185	154.8	1858	153.0	1164	151.3	467	148.7
	計	67732	163.9	471	164.8	4239	164.7	5106	165.3	5043	165.9	5829	165.7	6715	165.3	7811	165.0	8117	164.5	6929	164.0	6016	163.0	4423	161.4	3617	159.4	2328	158.0	1088	156.3
体重 k g	男	35024	70.2	265	65.3	2178	67.2	2716	69.7	2770	71.7	3180	72.0	3418	71.9	3946	73.0	4055	72.2	3559	71.6	3142	69.6	2249	67.4	1761	65.7	1164	63.4	621	60.3
	女	32923	55.3	208	54.8	2072	53.2	2411	53.4	2304	55.3	2682	56.2	3323	56.8	3893	57.4	4089	57.3	3383	56.0	2884	55.0	2185	53.9	1858	52.8	1164	51.1	467	49.5
	計	67947	63.0	473	60.7	4250	60.4	5127	62.0	5074	64.2	5862	64.8	6741	64.5	7839	65.2	8144	64.7	6942	64.0	6026	62.6	4434	60.7	3619	59.1	2328	57.2	1088	55.7
体重 B M I (体格 指数)	男	34841	24.2	263	22.6	2169	23.0	2699	23.7	2745	24.2	3155	24.4	3396	24.4	3919	24.8	4030	24.7	3550	24.7	3133	24.3	2238	23.9	1759	23.8	1164	23.3	621	23.0
	女	32891	22.4	208	21.9	2070	21.3	2407	21.3	2298	22.0	2674	22.3	3319	22.6	3892	22.8	4087	22.9	3379	22.6	2883	22.6	2185	22.5	1858	22.5	1164	22.3	467	22.4
	計	67732	23.3	471	22.3	4239	22.1	5106	22.5	5043	23.2	5829	23.4	6715	23.5	7811	23.8	8117	23.8	6929	23.7	6016	23.5	4423	23.2	3617	23.1	2328	22.8	1088	22.7
体脂肪 率 %	男	3619	22.2	7	12.9	71	15.8	89	18.2	274	21.5	334	21.6	385	21.7	519	22.5	670	23.0	666	22.8	340	23.0	154	22.7	77	22.8	19	21.6	14	22.2
	女	2790	31.1	1	24.7	9	25.2	70	29.6	200	28.9	282	30.1	327	30.0	429	31.0	565	32.2	453	31.6	268	31.6	106	31.8	62	33.6	15	33.4	3	33.3
	計	6409	26.1	8	14.4	80	16.8	159	23.2	474	24.6	616	25.4	712	25.5	948	26.3	1235	27.2	1119	26.4	608	26.8	260	26.4	139	27.6	34	26.8	17	24.1
腹囲 c m	男	31450	83.9	200	75.2	1768	77.9	2269	80.5	2395	83.0	2967	83.6	3294	83.8	3806	85.3	3942	85.3	3469	85.8	3062	85.3	2203	84.5	1743	85.0	254	84.5	78	83.6
	女	28366	77.9	136	70.9	1431	71.3	1673	72.5	1730	75.0	2263	76.2	3140	77.1	3734	78.1	3944	79.3	3286	79.8	2810	80.2	2153	80.4	1841	81.2	191	81.6	34	84.2
	計	59816	81.1	336	73.5	3199	75.0	3942	77.1	4125	79.6	5230	80.4	6434	80.5	7540	81.7	7886	82.3	6755	82.9	5872	82.9	4356	82.5	3584	83.0	445	83.2	112	83.8

表81 特定健診判定結果

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
該当	男	4,365 (17.2%)	1	13	36	63	206	336	544	661	699	751	543	463	42	7
	女	995 (4.3%)	0	1	4	7	27	66	87	159	170	164	162	137	5	6
	計	5,360 (11.0%)	1	14	40	70	233	402	631	820	869	915	705	600	47	13
予備群 該当	男	3,704 (14.6%)	2	38	95	147	355	426	545	567	508	412	305	260	31	13
	女	1,055 (4.5%)	0	6	2	14	72	113	157	222	153	139	100	70	5	2
	計	4,759 (9.8%)	2	44	97	161	427	539	702	789	661	551	405	330	36	15
非該当	男	15,527 (61.0%)	69	575	762	846	1,675	2,021	2,083	2,020	1,731	1,566	1,174	890	77	38
	女	19,131 (81.9%)	29	374	450	597	1,536	2,424	2,860	3,012	2,498	2,157	1,636	1,450	93	15
	計	34,658 (71.0%)	98	949	1,212	1,443	3,211	4,445	4,943	5,032	4,229	3,723	2,810	2,340	170	53
判定不能	男	1,840 (7.2%)	4	52	66	53	49	40	30	30	27	25	13	7	902	542
	女	2,170 (9.3%)	1	126	148	115	107	80	64	54	28	31	12	3	968	433
	計	4,010 (8.2%)	5	178	214	168	156	120	94	84	55	56	25	10	1,870	975
合計	男	25,436	76	678	959	1,109	2,285	2,823	3,202	3,278	2,965	2,754	2,035	1,620	1,052	600
	女	23,351	30	507	604	733	1,742	2,683	3,168	3,447	2,849	2,491	1,910	1,660	1,071	456
	計	48,787	106	1,185	1,563	1,842	4,027	5,506	6,370	6,725	5,814	5,245	3,945	3,280	2,123	1,056

表82 体力測定検査の性年齢別平均値

検査項目	総数		19歳以下		20-24歳		25-29歳		30-34歳		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
全身反応時間 m秒	男	410	355.5	0	0.0	29	374.5	14	341.0	81	356.4	4	342.5	74	349.3	11	348.8	33	354.9	102	349.1	46	367.1	5	348.2	4	406.0	6	373.7	1	403.0
	女	233	399.8	0	0.0	0	0.0	0	0.0	54	410.6	3	323.3	58	391.4	15	393.7	33	396.9	29	388.7	23	405.7	7	411.3	9	443.7	2	415.0	0	0.0
	計	643	371.6	0	0.0	29	374.5	14	341.0	135	378.1	7	334.3	132	367.8	26	374.7	66	375.9	131	357.8	69	380.0	12	385.0	13	432.1	8	384.0	1	403.0
立位体前屈 cm	男	411	-0.8	0	0.0	29	2.2	14	2.6	81	0.7	4	-6.0	75	0.2	11	-1.4	33	-1.8	102	-2.4	46	-4.0	5	2.6	4	1.9	6	0.7	1	13.5
	女	233	5.3	0	0.0	0	0.0	0	0.0	53	4.7	3	13.8	58	4.6	15	7.6	33	4.1	29	5.6	23	5.5	8	7.1	9	6.6	2	11.0	0	0.0
	計	644	1.4	0	0.0	29	2.2	14	2.6	134	2.3	7	2.5	133	2.1	26	3.8	66	1.2	131	-0.6	69	-0.8	13	5.4	13	5.2	8	3.3	1	13.5
上体おこし 回	男	402	17.1	0	0.0	29	24.3	14	24.7	80	19.4	4	19.5	74	17.8	11	16.9	33	15.1	98	14.5	43	14.6	5	9.4	4	10.8	6	8.8	1	0.0
	女	229	9.7	0	0.0	0	0.0	0	0.0	52	12.4	3	21.7	58	11.5	15	10.8	33	9.9	28	6.3	21	5.6	8	4.9	9	2.0	2	4.5	0	0.0
	計	631	14.4	0	0.0	29	24.3	14	24.7	132	16.7	7	20.4	132	15.1	26	13.4	66	12.5	126	12.7	64	11.6	13	6.6	13	4.7	8	7.8	1	0.0
閉眼片足立ち 秒	男	410	38.3	0	0.0	29	64.1	14	74.1	81	64.6	4	20.0	74	50.0	11	33.3	33	34.9	102	14.7	46	14.3	5	12.8	4	6.0	6	5.0	1	2.0
	女	232	42.1	0	0.0	0	0.0	0	0.0	53	73.5	3	116.0	58	47.4	15	45.8	33	34.4	29	15.7	23	16.8	7	5.9	9	6.8	2	5.5	0	0.0
	計	642	39.7	0	0.0	29	64.1	14	74.1	134	68.1	7	61.1	132	48.9	26	40.5	66	34.6	131	14.9	69	15.1	12	8.8	13	6.5	8	5.1	1	2.0
最大酸素摂取量 L/kg	男	379	32.1	0	0.0	29	39.8	14	38.3	79	33.8	4	24.4	71	32.2	10	29.3	28	32.8	90	29.2	40	29.8	5	26.6	2	22.1	6	30.6	1	19.4
	女	222	28.2	0	0.0	0	0.0	0	0.0	54	33.1	3	32.5	55	28.1	15	27.9	31	27.3	26	26.4	20	22.7	8	24.2	8	21.4	2	28.4	0	0.0
	計	601	30.6	0	0.0	29	39.8	14	38.3	133	33.5	7	27.9	126	30.4	25	28.4	59	29.9	116	28.6	60	27.4	13	25.1	10	21.5	8	30.1	1	19.4

表83 V D T 健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	1,479	(74.8%)	10	126	147	161	162	198	205	205	151	86	20	8	0	0
	女	1,055	(77.5%)	5	118	110	113	108	147	154	155	77	53	13	2	0	0
	計	2,534	(75.9%)	15	244	257	274	270	345	359	360	228	139	33	10	0	0
要経過観察	男	255	(12.9%)	2	19	22	30	13	14	22	54	49	22	7	1	0	0
	女	139	(10.2%)	0	13	14	12	13	14	16	23	18	13	3	0	0	0
	計	394	(11.8%)	2	32	36	42	26	28	38	77	67	35	10	1	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	196	(9.9%)	0	7	10	16	13	17	30	34	35	25	7	2	0	0
	女	144	(10.6%)	0	10	9	10	16	15	18	27	22	10	6	0	1	0
	計	340	(10.2%)	0	17	19	26	29	32	48	61	57	35	13	2	1	0
要二次検査	男	46	(2.3%)	3	8	8	6	8	3	4	3	1	2	0	0	0	0
	女	24	(1.8%)	0	8	1	3	1	2	2	4	0	3	0	0	0	0
	計	70	(2.1%)	3	16	9	9	9	5	6	7	1	5	0	0	0	0
合計	男	1,976		15	160	187	213	196	232	261	296	236	135	34	11	0	0
	女	1,362		5	149	134	138	138	178	190	209	117	79	22	2	1	0
	計	3,338		20	309	321	351	334	410	451	505	353	214	56	13	1	0

表84 有機溶剤健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	449 (89.8%)	4	44	53	67	55	51	66	54	25	19	8	2	1	0
	女	74 (91.4%)	0	8	6	10	17	11	8	1	6	5	0	2	0	0
	計	523 (90.0%)	4	52	59	77	72	62	74	55	31	24	8	4	1	0
要経過観察	男	48 (9.6%)	0	6	4	8	8	6	4	4	1	0	6	1	0	0
	女	7 (8.6%)	0	0	0	2	0	0	0	1	4	0	0	0	0	0
	計	55 (9.5%)	0	6	4	10	8	6	4	5	5	0	6	1	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	2 (0.4%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	2 (0.3%)	0	0	0	0	0	0	0	0	2	0	0	0	0	0
要二次検査	男	1 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	0	0	1	0	0	0	0
合計	男	500	4	50	57	75	63	57	70	58	28	20	14	3	1	0
	女	81	0	8	6	12	17	11	8	2	10	5	0	2	0	0
	計	581	4	58	63	87	80	68	78	60	38	25	14	5	1	0

表85 特定化学物質管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	1,169 (95.5%)	27	123	159	163	131	113	156	163	58	38	25	13	0	0
	女	46 (93.9%)	0	5	7	4	7	4	7	2	6	4	0	0	0	0
	計	1,215 (95.4%)	27	128	166	167	138	117	163	165	64	42	25	13	0	0
要経過観察	男	45 (3.7%)	1	5	4	8	9	4	6	2	3	0	3	0	0	0
	女	3 (6.1%)	0	0	0	0	2	0	0	1	0	0	0	0	0	0
	計	48 (3.8%)	1	5	4	8	11	4	6	3	3	0	3	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	7 (0.6%)	0	1	0	0	0	0	2	0	2	2	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7 (0.5%)	0	1	0	0	0	0	2	0	2	2	0	0	0	0
要二次検査	男	3 (0.2%)	0	0	1	0	1	0	0	1	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3 (0.2%)	0	0	1	0	1	0	0	1	0	0	0	0	0	0
合計	男	1,224	28	129	164	171	141	117	164	166	63	40	28	13	0	0
	女	49	0	5	7	4	9	4	7	3	6	4	0	0	0	0
	計	1,273	28	134	171	175	150	121	171	169	69	44	28	13	0	0

表86 じん肺・アスベスト健診管理区分

判 定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	352	(97.2%)	7	30	40	49	41	46	42	42	26	12	7	7	2	1
	女	11	(100.0%)	0	0	2	1	3	0	1	0	4	0	0	0	0	0
	計	363	(97.3%)	7	30	42	50	44	46	43	42	30	12	7	7	2	1
要経過観察	男	7	(1.9%)	0	0	0	1	0	0	1	3	0	0	0	0	0	2
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	7	(1.9%)	0	0	0	1	0	0	1	3	0	0	0	0	0	2
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要二次検査	男	3	(0.8%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	3	(0.8%)	0	0	0	1	0	0	1	1	0	0	0	0	0	0
合計	男	362		7	30	40	51	41	46	44	46	26	12	7	7	2	3
	女	11		0	0	2	1	3	0	1	0	4	0	0	0	0	0
	計	373		7	30	42	52	44	46	45	46	30	12	7	7	2	3

表87 騒音・高気圧業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女														
異常なし	男	475 (84.2%)	28	101	101	85	52	16	34	47	4	5	2	0	0	0
	女	4 (100.0%)	0	0	2	0	0	0	2	0	0	0	0	0	0	0
	計	479 (84.3%)	28	101	103	85	52	16	36	47	4	5	2	0	0	0
要経過観察	男	88 (15.6%)	0	3	6	9	6	5	14	35	7	1	2	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	88 (15.5%)	0	3	6	9	6	5	14	35	7	1	2	0	0	0
二次検査後要経過観察	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	1 (0.2%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	1	0	0	0	0	0	0	0	0	0
要二次検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
合計	男	564	28	104	107	94	59	21	48	82	11	6	4	0	0	0
	女	4	0	0	2	0	0	0	2	0	0	0	0	0	0	0
	計	568	28	104	109	94	59	21	50	82	11	6	4	0	0	0

表88 有害光線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	261	(91.6%)	19	41	44	41	29	11	20	45	4	5	2	0	0	0
	女	1	(100.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	262	(91.6%)	19	41	44	41	29	11	21	45	4	5	2	0	0	0
要経過観察	男	19	(6.7%)	1	2	6	2	1	2	2	2	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	19	(6.6%)	1	2	6	2	1	2	2	2	1	0	0	0	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4	(1.4%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(1.4%)	0	1	0	0	0	0	0	2	1	0	0	0	0	0
要二次検査	男	1	(0.4%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	1	(0.3%)	0	0	0	0	0	0	0	0	1	0	0	0	0	0
合計	男	285		20	44	50	43	30	13	22	49	7	5	2	0	0	0
	女	1		0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	286		20	44	50	43	30	13	23	49	7	5	2	0	0	0

表89 電離放射線健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	130	(86.7%)	0	12	17	16	17	8	19	13	13	11	4	0	0	0
	女	98	(80.3%)	0	6	6	10	14	11	13	15	11	12	0	0	0	0
	計	228	(83.8%)	0	18	23	26	31	19	32	28	24	23	4	0	0	0
要経過観察	男	14	(9.3%)	0	1	3	2	2	1	0	0	4	0	0	1	0	0
	女	19	(15.6%)	0	1	2	5	1	1	6	2	0	1	0	0	0	0
	計	33	(12.1%)	0	2	5	7	3	2	6	2	4	1	0	1	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	4	(2.7%)	0	0	0	0	0	1	1	0	2	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(1.5%)	0	0	0	0	0	1	1	0	2	0	0	0	0	0
要二次検査	男	2	(1.3%)	0	0	0	0	0	1	0	0	1	0	0	0	0	0
	女	5	(4.1%)	0	0	0	1	1	1	1	0	1	0	0	0	0	0
	計	7	(2.6%)	0	0	0	1	1	2	1	0	2	0	0	0	0	0
合計	男	150		0	13	20	18	19	11	20	13	20	11	4	1	0	0
	女	122		0	7	8	16	16	13	20	17	12	13	0	0	0	0
	計	272		0	20	28	34	35	24	40	30	32	24	4	1	0	0

表90 深夜業務健診管理区分

判定	総数		19歳以下	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女															
異常なし	男	168	(60.6%)	17	36	37	30	19	6	5	14	0	1	3	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	168	(60.4%)	17	36	37	30	19	6	5	14	0	1	3	0	0	0
要経過観察	男	77	(27.8%)	3	8	11	10	7	4	7	23	2	0	1	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	77	(27.7%)	3	8	11	10	7	4	7	23	2	0	1	1	0	0
二次検査後要経過観察	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
要就労制限	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労により悪化の可能性あり	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
就労以外の原因による異常	男	28	(10.1%)	0	0	1	1	2	0	5	6	3	4	4	1	1	0
	女	1	(100.0%)	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	29	(10.4%)	0	0	1	1	2	0	6	6	3	4	4	1	1	0
要二次検査	男	4	(1.4%)	0	0	0	0	1	0	0	3	0	0	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	計	4	(1.4%)	0	0	0	0	1	0	0	3	0	0	0	0	0	0
合計	男	277		20	44	49	41	29	10	17	46	5	5	8	2	1	0
	女	1		0	0	0	0	0	0	1	0	0	0	0	0	0	0
	計	278		20	44	49	41	29	10	18	46	5	5	8	2	1	0

表91 精密検査判定者の他医療機関からの回答状況

精査項目	対象者	回答数	回答率	回答結果				
				異常なし	問題なし	経過観察	治療中	要治療
視 機 能	150	112	74.7%	33 29.5%	33 29.5%	36 32.1%	1 0.9%	9 8.0%
肺 機 能	21	9	42.9%	2 22.2%	1 11.1%	2 22.2%	2 22.2%	2 22.2%
血 圧	1,469	670	45.6%	44 6.6%	46 6.9%	226 33.7%	24 3.6%	330 49.3%
脂 質	2,276	1,106	48.6%	162 14.6%	162 14.6%	373 33.7%	59 5.3%	350 31.6%
糖 尿 病	1,014	537	53.0%	35 6.5%	18 3.4%	201 37.4%	73 13.6%	210 39.1%
痛 風	451	238	52.8%	9 3.8%	14 5.9%	84 35.3%	12 5.0%	119 50.0%
肝機能・血清蛋白	5,200	2,902	55.8%	281 9.7%	426 14.7%	1,855 63.9%	149 5.1%	191 6.6%
甲 状 腺 検 査	133	117	88.0%	4 3.4%	22 18.8%	74 63.2%	1 0.9%	16 13.7%
膵 機 能	67	54	80.6%	26 48.1%	12 22.2%	15 27.8%	0 0.0%	1 1.9%
腎 機 能	1,107	718	64.9%	127 17.7%	162 22.6%	234 32.6%	123 17.1%	72 10.0%
貧血・血球数	2,278	1,271	55.8%	421 33.1%	215 16.9%	277 21.8%	44 3.5%	314 24.7%
炎症反応	97	65	67.0%	37 56.9%	12 18.5%	9 13.8%	2 3.1%	5 7.7%
電 解 質	7	6	85.7%	2 33.3%	1 16.7%	2 33.3%	0 0.0%	1 16.7%
そ の 他	182	130	71.4%	30 23.1%	34 26.2%	43 33.1%	11 8.5%	12 9.2%
便 潜 血	1,566	979	62.5%	177 18.1%	193 19.7%	183 18.7%	9 0.9%	417 42.6%
眼 底 検 査	1,778	1,267	71.3%	167 13.2%	425 33.5%	491 38.8%	27 2.1%	157 12.4%
胸 部 検 査	515	412	80.0%	136 33.0%	70 17.0%	141 34.2%	18 4.4%	47 11.4%
心 電 図	528	330	62.5%	47 14.2%	119 36.1%	95 28.8%	16 4.8%	53 16.1%
上 部 消 化 管	843	648	76.9%	60 9.3%	107 16.5%	198 30.6%	2 0.3%	281 43.4%
腹 部 超 音 波	670	511	76.3%	82 16.0%	132 25.8%	252 49.3%	7 1.4%	38 7.4%
内 科 診 察	250	160	64.0%	37 23.1%	29 18.1%	59 36.9%	6 3.8%	29 18.1%
乳 房 検 査	601	544	90.5%	201 36.9%	168 30.9%	132 24.3%	7 1.3%	36 6.6%
婦 人 科 検 査	527	422	80.1%	50 11.8%	34 8.1%	237 56.2%	4 0.9%	97 23.0%
前 立 腺 検 査	312	229	73.4%	17 7.4%	9 3.9%	146 63.8%	13 5.7%	44 19.2%
骨 密 度	256	140	54.7%	29 20.7%	13 9.3%	31 22.1%	5 3.6%	62 44.3%
動 脈 硬 化 検 査	121	86	71.1%	8 9.3%	14 16.3%	30 34.9%	13 15.1%	21 24.4%
脳 検 査	60	51	85.0%	10 19.6%	9 17.6%	20 39.2%	1 2.0%	11 21.6%
睡眠時無呼吸検査	21	10	47.6%	0 0.0%	0 0.0%	2 20.0%	0 0.0%	8 80.0%

腹部検査	2	2	100.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 50.0%
けんぼ肝炎検査	2	2	100.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%



表95 総合判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	59 (3.1%)	2	7	1	2	0	3	8	8	16	12
	女	82 (2.4%)	7	10	11	12	5	8	5	7	10	7
	計	141 (2.7%)	9	17	12	14	5	11	13	15	26	19
問題なし	男	59 (3.1%)	1	2	3	0	5	6	4	15	12	11
	女	236 (6.9%)	12	10	4	18	21	34	32	40	50	15
	計	295 (5.6%)	13	12	7	18	26	40	36	55	62	26
要経過観察	男	427 (22.7%)	6	6	12	12	13	19	38	74	115	132
	女	1,043 (30.6%)	11	11	23	31	43	78	148	233	275	190
	計	1,470 (27.8%)	17	17	35	43	56	97	186	307	390	322
要精密検査	男	193 (10.2%)	2	2	3	3	5	4	20	42	46	66
	女	304 (8.9%)	3	7	8	6	11	22	33	71	58	85
	計	497 (9.4%)	5	9	11	9	16	26	53	113	104	151
要治療	男	31 (1.6%)	1	0	1	0	1	0	5	3	9	11
	女	63 (1.8%)	0	1	3	2	2	4	5	11	19	16
	計	94 (1.8%)	1	1	4	2	3	4	10	14	28	27
治療中	男	1,114 (59.2%)	1	0	1	12	17	18	76	186	339	464
	女	1,685 (49.4%)	0	4	4	17	22	56	154	370	531	527
	計	2,799 (52.9%)	1	4	5	29	39	74	230	556	870	991
検診者総数	男	1,883	13	17	21	29	41	50	151	328	537	696
	女	3,413	33	43	53	86	104	202	377	732	943	840
	計	5,296	46	60	74	115	145	252	528	1,060	1,480	1,536

表98 市民健診メタボ判定結果

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
該当	男	136 (7.4%)	3	1	1	5	10	9	29	74	3	1
	女	88 (2.6%)	0	1	2	5	4	7	18	47	3	1
	計	224 (4.3%)	3	2	3	10	14	16	47	121	6	2
予備群 該当	男	103 (5.6%)	3	4	5	5	10	11	22	41	1	1
	女	71 (2.1%)	1	2	3	6	5	7	20	27	0	0
	計	174 (3.3%)	4	6	8	11	15	18	42	68	1	1
非該当	男	407 (22.1%)	7	12	15	18	21	28	95	204	3	4
	女	1,489 (43.7%)	32	40	47	75	95	187	339	656	11	7
	計	1,896 (36.1%)	39	52	62	93	116	215	434	860	14	11
判定不能	男	1,195 (64.9%)	0	0	0	0	0	0	1	2	517	675
	女	1,763 (51.7%)	0	0	0	0	0	0	0	2	929	832
	計	2,958 (56.3%)	0	0	0	0	0	0	1	4	1,446	1,507
合計	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表96 市民健診肥満判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,189 (64.6%)	5	10	7	12	18	23	81	176	365	492
	女	2,330 (68.3%)	23	24	32	52	62	134	254	498	654	597
	計	3,519 (67.0%)	28	34	39	64	80	157	335	674	1,019	1,089
問題なし	男	100 (5.4%)	0	0	2	1	1	4	5	14	27	46
	女	478 (14.0%)	7	9	5	14	27	37	48	95	137	99
	計	578 (11.0%)	7	9	7	15	28	41	53	109	164	145
要経過観察	男	552 (30.0%)	8	7	12	15	22	21	61	131	132	143
	女	603 (17.7%)	3	10	15	20	15	30	75	139	152	144
	計	1,155 (22.0%)	11	17	27	35	37	51	136	270	284	287
要精密検査	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
検診者総数	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表97 市民健診身体計測検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	計	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数
身長 c m	男	1841	164.1	13	172.6	17	169.9	21	170.0	28	169.0	41	168.2	48	168.3	147	166.8	321	165.4	524	164.1	681	161.7
	女	3411	151.7	33	156.9	43	157.4	52	158.5	86	157.9	104	156.1	201	156.0	377	154.0	732	152.4	943	150.7	840	148.1
	計	5252	156.1	46	161.3	60	161.0	73	161.8	114	160.6	145	159.5	249	158.4	524	157.6	1053	156.4	1467	155.5	1521	154.2
体重 k g	男	1841	62.7	13	81.5	17	67.8	21	68.6	28	72.8	41	70.7	48	65.7	147	66.0	321	63.9	524	62.3	681	59.8
	女	3411	50.4	33	52.0	43	54.7	52	58.4	86	55.7	104	50.8	201	52.6	377	52.2	732	51.0	943	49.6	840	48.3
	計	5252	54.7	46	60.3	60	58.4	73	61.3	114	59.9	145	56.4	249	55.1	524	56.0	1053	55.0	1467	54.1	1521	53.4
体重 B M I (体格 指数)	男	1841	23.2	13	27.2	17	23.5	21	23.7	28	25.5	41	24.9	48	23.2	147	23.7	321	23.4	524	23.1	681	22.9
	女	3411	21.9	33	21.1	43	22.1	52	23.2	86	22.4	104	20.9	201	21.6	377	22.0	732	22.0	943	21.8	840	22.0
	計	5252	22.4	46	22.8	60	22.5	73	23.4	114	23.1	145	22.0	249	21.9	524	22.5	1053	22.4	1467	22.3	1521	22.4
腹囲 c m	男	646	84.1	13	91.8	17	81.3	21	83.3	28	87.0	41	87.3	48	83.7	146	84.2	319	83.3	7	83.4	6	82.8
	女	1648	79.1	33	74.9	43	76.2	52	79.6	86	78.3	104	75.4	201	78.3	377	79.7	730	79.8	14	79.9	8	79.6
	計	2294	80.5	46	79.7	60	77.6	73	80.7	114	80.5	145	78.8	249	79.3	523	81.0	1049	80.9	21	81.1	14	81.0

表99 市民健診血圧判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	367 (19.9%)	6	15	16	10	18	20	32	64	83	103
	女	1,034 (30.3%)	31	38	31	61	67	107	139	204	225	131
	計	1,401 (26.7%)	37	53	47	71	85	127	171	268	308	234
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	男	479 (26.0%)	6	1	4	9	9	12	47	85	148	158
	女	978 (28.7%)	2	4	16	15	23	49	125	243	264	237
	計	1,457 (27.7%)	8	5	20	24	32	61	172	328	412	395
要精密検査	男	80 (4.3%)	0	1	1	1	2	0	9	20	19	27
	女	147 (4.3%)	0	0	2	0	3	11	16	34	33	48
	計	227 (4.3%)	0	1	3	1	5	11	25	54	52	75
要治療	男	16 (0.9%)	1	0	0	0	0	0	1	2	5	7
	女	23 (0.7%)	0	0	1	0	0	1	0	4	11	6
	計	39 (0.7%)	1	0	1	0	0	1	1	6	16	13
治療中	男	899 (48.8%)	0	0	0	8	12	16	58	150	269	386
	女	1,229 (36.0%)	0	1	2	10	11	33	97	247	410	418
	計	2,128 (40.5%)	0	1	2	18	23	49	155	397	679	804
検診者総数	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表100 市民健診血圧（安静時・負荷時）検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
安静時 血圧最大 mmHg	男	1841	138.1	13	128.9	17	119.8	21	121.6	28	128.4	41	129.4	48	133.0	147	134.8	321	137.9	524	139.2	681	140.5
	女	3411	134.5	33	109.9	43	115.2	52	123.2	86	120.2	104	123.0	201	128.3	377	133.6	732	136.0	943	135.9	840	139.0
	計	5252	135.8	46	115.3	60	116.5	73	122.7	114	122.2	145	124.8	249	129.2	524	133.9	1053	136.6	1467	137.1	1521	139.7
安静時 血圧最小 mmHg	男	1841	73.7	13	78.9	17	72.7	21	74.3	28	79.9	41	79.7	48	79.2	147	77.3	321	76.1	524	74.0	681	70.5
	女	3411	72.8	33	69.1	43	71.5	52	76.8	86	73.2	104	73.6	201	74.9	377	75.1	732	73.8	943	72.1	840	70.9
	計	5252	73.1	46	71.9	60	71.8	73	76.1	114	74.9	145	75.3	249	75.7	524	75.7	1053	74.5	1467	72.8	1521	70.8

表101 市民健診肝機能・血清蛋白判定結果

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	1,251 (67.9%)	7	14	10	14	22	32	98	213	366	475
	女	2,821 (82.7%)	30	35	45	71	83	167	317	612	789	672
	計	4,072 (77.5%)	37	49	55	85	105	199	415	825	1,155	1,147
問題なし	男	253 (13.7%)	3	2	5	5	7	4	23	60	65	79
	女	281 (8.2%)	1	6	4	7	11	19	33	65	76	59
	計	534 (10.2%)	4	8	9	12	18	23	56	125	141	138
要経過観察	男	207 (11.2%)	0	1	4	5	4	8	13	20	64	88
	女	207 (6.1%)	1	0	0	5	3	9	14	25	55	95
	計	414 (7.9%)	1	1	4	10	7	17	27	45	119	183
要精密検査	男	106 (5.8%)	3	0	2	5	6	4	11	24	21	30
	女	67 (2.0%)	1	2	4	2	4	6	9	18	14	7
	計	173 (3.3%)	4	2	6	7	10	10	20	42	35	37
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
治療中	男	25 (1.4%)	0	0	0	0	2	0	2	4	8	9
	女	36 (1.1%)	0	0	0	1	3	1	4	12	8	7
	計	61 (1.2%)	0	0	0	1	5	1	6	16	16	16
検診者総数	男	1,842	13	17	21	29	41	48	147	321	524	681
	女	3,413	33	43	53	86	104	202	377	732	943	840
	計	5,255	46	60	74	115	145	250	524	1,053	1,467	1,521

表102 市民健診肝機能・血清蛋白検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
AST (GOT) U/L	男	1841	24.5	13	24.5	17	21.4	21	23.8	28	25.6	41	23.9	48	23.8	147	25.0	321	24.1	524	24.6	681	24.6
	女	3411	23.2	33	19.6	43	20.6	52	20.3	86	21.7	104	21.8	201	23.1	377	22.6	732	23.6	943	23.8	840	23.2
	計	5252	23.6	46	21.0	60	20.9	73	21.3	114	22.7	145	22.4	249	23.2	524	23.3	1053	23.8	1467	24.1	1521	23.8
ALT (GPT) U/L	男	1841	20.7	13	31.9	17	23.1	21	27.1	28	28.3	41	24.7	48	23.7	147	23.6	321	21.6	524	20.6	681	18.4
	女	3411	17.7	33	18.8	43	17.4	52	18.2	86	19.4	104	18.8	201	20.0	377	18.3	732	18.5	943	17.7	840	15.8
	計	5252	18.7	46	22.5	60	19.0	73	20.8	114	21.6	145	20.5	249	20.8	524	19.8	1053	19.5	1467	18.7	1521	16.9
γ-GT (γ-GTP) U/L	男	1841	36.8	13	39.1	17	24.6	21	36.4	28	52.3	41	46.0	48	39.8	147	46.4	321	42.1	524	34.7	681	32.7
	女	3411	24.0	33	18.2	43	24.8	52	23.3	86	26.9	104	29.9	201	26.0	377	26.2	732	25.8	943	23.3	840	20.9
	計	5252	28.5	46	24.1	60	24.8	73	27.1	114	33.1	145	34.5	249	28.6	524	31.9	1053	30.8	1467	27.4	1521	26.2
アルブミン g/dL	男	1208	4.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.4	2	4.3	524	4.3	681	4.2
	女	1783	4.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.7	943	4.3	838	4.2
	計	2991	4.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	4.4	4	4.5	1467	4.3	1519	4.2

表103 市民健診腎機能判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	781 (42.4%)	8	15	21	21	27	30	81	161	216	201
	女	1,883 (55.2%)	32	40	50	68	82	145	242	435	497	292
	計	2,664 (50.7%)	40	55	71	89	109	175	323	596	713	493
問題なし	男	54 (2.9%)	3	1	0	1	0	2	3	8	16	20
	女	53 (1.6%)	0	1	0	2	1	5	4	12	16	12
	計	107 (2.0%)	3	2	0	3	1	7	7	20	32	32
要経過観察	男	717 (38.9%)	1	1	0	4	12	12	51	116	222	298
	女	1,219 (35.7%)	1	1	2	13	20	47	121	256	357	401
	計	1,936 (36.9%)	2	2	2	17	32	59	172	372	579	699
要精密検査	男	197 (10.7%)	0	0	0	1	2	0	3	22	48	121
	女	200 (5.9%)	0	1	0	2	0	2	7	22	52	114
	計	397 (7.6%)	0	1	0	3	2	2	10	44	100	235
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	92 (5.0%)	1	0	0	1	0	4	9	14	22	41
	女	56 (1.6%)	0	0	0	1	1	2	3	7	21	21
	計	148 (2.8%)	1	0	0	2	1	6	12	21	43	62
検診者総数	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表104 市民健診尿検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿蛋白定性	男	1840	273	14.8	13	3	23.1	17	1	5.9	21	0	0.0	28	3	10.7	41	3	7.3	48	6	12.5	147	17	11.6	321	45	14.0	523	70	13.4	681	125	18.4
	女	3410	166	4.9	33	0	0.0	43	3	7.0	52	0	0.0	86	3	3.5	104	2	1.9	201	7	3.5	377	13	3.4	732	30	4.1	943	43	4.6	839	65	7.7
	計	5250	439	8.4	46	3	6.5	60	4	6.7	73	0	0.0	114	6	5.3	145	5	3.4	249	13	5.2	524	30	5.7	1053	75	7.1	1466	113	7.7	1520	190	12.5

表105 市民健診腎機能検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	
クレアチニン mg/dL	男	1841	1.0	13	0.9	17	0.9	21	0.8	28	0.9	41	1.0	48	1.1	147	1.0	321	1.0	524	1.0	681	1.1
	女	3411	0.7	33	0.6	43	0.7	52	0.7	86	0.7	104	0.7	201	0.7	377	0.7	732	0.7	943	0.7	840	0.8
	計	5252	0.8	46	0.7	60	0.7	73	0.7	114	0.8	145	0.8	249	0.8	524	0.8	1053	0.8	1467	0.8	1521	0.9

表106 市民健診脂質判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	733 (39.8%)	5	10	6	6	13	18	43	122	193	317
	女	1,028 (30.1%)	17	21	30	34	35	57	105	179	258	292
	計	1,761 (33.5%)	22	31	36	40	48	75	148	301	451	609
問題なし	男	368 (20.0%)	3	4	5	5	11	13	25	71	115	116
	女	754 (22.1%)	9	8	7	26	26	52	91	164	205	166
	計	1,122 (21.4%)	12	12	12	31	37	65	116	235	320	282
要経過観察	男	350 (19.0%)	3	2	9	12	11	9	36	63	91	114
	女	676 (19.8%)	5	7	12	16	26	52	87	163	166	142
	計	1,026 (19.5%)	8	9	21	28	37	61	123	226	257	256
要精密検査	男	68 (3.7%)	2	1	0	0	0	2	8	12	17	26
	女	78 (2.3%)	2	4	0	2	6	6	6	18	19	15
	計	146 (2.8%)	4	5	0	2	6	8	14	30	36	41
要治療	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	女	33 (1.0%)	0	0	1	2	2	3	4	7	7	7
	計	34 (0.6%)	0	0	1	2	2	3	5	7	7	7
治療中	男	321 (17.4%)	0	0	1	5	6	6	34	53	108	108
	女	842 (24.7%)	0	3	2	6	9	31	84	201	288	218
	計	1,163 (22.1%)	0	3	3	11	15	37	118	254	396	326
検診者総数	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表107 市民健診脂質検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
中性脂 肪 g/d L	男	1841	105.8	13	118.5	17	90.7	21	111.2	28	127.4	41	129.0	48	121.3	147	107.6	321	114.4	524	106.7	681	97.2
	女	3411	94.3	33	88.4	43	72.7	52	83.3	86	83.4	104	82.6	201	88.0	377	90.8	732	98.8	943	95.5	840	96.9
	計	5252	98.4	46	96.9	60	77.8	73	91.3	114	94.2	145	95.7	249	94.5	524	95.5	1053	103.5	1467	99.5	1521	97.1
HDL コレス テロ ル g/d L	男	1841	57.0	13	50.9	17	53.9	21	55.7	28	56.1	41	56.2	48	58.8	147	58.5	321	57.3	524	57.0	681	56.9
	女	3411	67.9	33	64.1	43	66.4	52	68.3	86	69.9	104	75.8	201	72.6	377	70.4	732	68.1	943	67.3	840	65.1
	計	5252	64.1	46	60.4	60	62.9	73	64.7	114	66.5	145	70.2	249	70.0	524	67.1	1053	64.8	1467	63.6	1521	61.4
LDL コレス テロ ル g/d L	男	1841	108.3	13	130.8	17	107.5	21	116.4	28	127.4	41	119.2	48	113.2	147	116.8	321	110.0	524	109.7	681	102.2
	女	3411	119.7	33	107.9	43	111.5	52	117.8	86	123.1	104	123.9	201	127.0	377	125.1	732	123.2	943	118.1	840	114.2
	計	5252	115.7	46	114.4	60	110.4	73	117.4	114	124.2	145	122.6	249	124.3	524	122.8	1053	119.2	1467	115.1	1521	108.8

表108 市民健診糖尿病判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	701 (38.1%)	9	13	15	15	19	27	64	135	180	224
	女	1,621 (47.5%)	30	41	45	68	72	116	176	352	395	326
	計	2,322 (44.2%)	39	54	60	83	91	143	240	487	575	550
問題なし	男	516 (28.0%)	3	3	4	9	11	11	41	77	160	197
	女	1,091 (32.0%)	3	2	5	15	21	66	127	233	324	295
	計	1,607 (30.6%)	6	5	9	24	32	77	168	310	484	492
要経過観察	男	255 (13.9%)	1	1	1	2	6	7	21	44	65	107
	女	349 (10.2%)	0	0	1	0	5	12	41	70	114	106
	計	604 (11.5%)	1	1	2	2	11	19	62	114	179	213
要精密検査	男	38 (2.1%)	0	0	0	0	0	0	2	6	9	21
	女	44 (1.3%)	0	0	0	0	0	1	3	9	11	20
	計	82 (1.6%)	0	0	0	0	0	1	5	15	20	41
要治療	男	44 (2.4%)	0	0	1	1	1	0	6	4	11	20
	女	31 (0.9%)	0	0	1	0	0	0	1	7	5	17
	計	75 (1.4%)	0	0	2	1	1	0	7	11	16	37
治療中	男	287 (15.6%)	0	0	0	1	4	3	13	55	99	112
	女	275 (8.1%)	0	0	0	3	6	6	29	61	94	76
	計	562 (10.7%)	0	0	0	4	10	9	42	116	193	188
検診者総数	男	1,841	13	17	21	28	41	48	147	321	524	681
	女	3,411	33	43	52	86	104	201	377	732	943	840
	計	5,252	46	60	73	114	145	249	524	1,053	1,467	1,521

表109 市民健診糖尿病検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
血糖 mg/dL	男	1841	106.3	13	91.9	17	91.1	21	99.9	28	98.2	41	105.1	48	100.6	147	101.9	321	105.2	524	106.2	681	109.7
	女	3411	99.4	33	86.9	43	89.5	52	93.3	86	91.3	104	95.7	201	95.2	377	98.9	732	98.8	943	100.5	840	102.6
	計	5252	101.8	46	88.3	60	90.0	73	95.2	114	93.0	145	98.3	249	96.3	524	99.7	1053	100.7	1467	102.5	1521	105.7
HbA 1c (NG SP) %	男	1841	5.6	13	5.2	17	5.2	21	5.4	28	5.3	41	5.5	48	5.4	147	5.6	321	5.6	524	5.7	681	5.7
	女	3411	5.5	33	5.1	43	5.2	52	5.3	86	5.3	104	5.4	201	5.4	377	5.5	732	5.5	943	5.6	840	5.6
	計	5252	5.6	46	5.1	60	5.2	73	5.3	114	5.3	145	5.4	249	5.4	524	5.5	1053	5.6	1467	5.6	1521	5.7

表110 市民健診尿糖検査の性年齢別陽性率

検査項目	性別	総数			35-39歳			40-44歳			45-49歳			50-54歳			55-59歳			60-64歳			65-69歳			70-74歳			75-79歳			80歳以上		
		受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率	受診者数	陽性者数	陽性率			
尿糖定性	男	1840	181	9.8	13	0	0.0	17	0	0.0	21	1	4.8	28	1	3.6	41	4	9.8	48	4	8.3	147	13	8.8	321	34	10.6	523	50	9.6	681	74	10.9
	女	3410	112	3.3	33	0	0.0	43	0	0.0	52	1	1.9	86	0	0.0	104	1	1.0	201	3	1.5	377	17	4.5	732	27	3.7	943	38	4.0	839	25	3.0
	計	5250	293	5.6	46	0	0.0	60	0	0.0	73	2	2.7	114	1	0.9	145	5	3.4	249	7	2.8	524	30	5.7	1053	61	5.8	1466	88	6.0	1520	99	6.5

表113 市民健診貧血・血球数判定結果

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	10 (52.6%)	0	1	1	0	2	1	0	5	0	0
	女	104 (76.5%)	4	4	7	14	18	11	17	28	1	0
	計	114 (73.5%)	4	5	8	14	20	12	17	33	1	0
問題なし	男	3 (15.8%)	0	0	0	0	0	0	0	2	1	0
	女	5 (3.7%)	0	0	0	0	3	1	0	1	0	0
	計	8 (5.2%)	0	0	0	0	3	1	0	3	1	0
要経過観察	男	4 (21.1%)	0	0	0	0	1	0	1	1	0	1
	女	17 (12.5%)	0	1	2	1	1	3	3	6	0	0
	計	21 (13.5%)	0	1	2	1	2	3	4	7	0	1
要精密検査	男	2 (10.5%)	0	0	0	0	0	0	1	1	0	0
	女	8 (5.9%)	0	2	3	1	0	0	0	2	0	0
	計	10 (6.5%)	0	2	3	1	0	0	1	3	0	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.7%)	0	1	0	0	0	0	0	0	0	0
	計	1 (0.6%)	0	1	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.7%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.6%)	0	0	0	0	0	0	0	1	0	0
検診者 総数	男	19	0	1	1	0	3	1	2	9	1	1
	女	136	4	8	12	16	22	15	20	38	1	0
	計	155	4	9	13	16	25	16	22	47	2	1

表114 市民健診貧血・血球数検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上		
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
赤血球数 万/ $\mu$ L	男	19	459.2	0	0.0	1	526.0	1	447.0	0	0.0	3	434.0	1	438.0	2	332.0	9	489.8	1	527.0	1	412.0
	女	136	430.6	4	472.5	8	448.0	12	409.2	16	439.0	22	454.1	15	421.9	20	426.1	38	418.1	1	419.0	0	0.0
	計	155	434.1	4	472.5	9	456.7	13	412.1	16	439.0	25	451.7	16	422.9	22	417.6	47	431.9	2	473.0	1	412.0
ヘモグロビン g/dL	男	19	14.2	0	0.0	1	14.6	1	13.5	0	0.0	3	13.2	1	14.8	2	11.5	9	14.9	1	16.5	1	12.7
	女	136	12.9	4	13.4	8	11.6	12	11.8	16	13.1	22	13.7	15	12.9	20	12.9	38	12.8	1	12.7	0	0.0
	計	155	13.0	4	13.4	9	11.9	13	12.0	16	13.1	25	13.7	16	13.0	22	12.8	47	13.2	2	14.6	1	12.7
ヘマトクリット %	男	19	42.9	0	0.0	1	45.8	1	40.4	0	0.0	3	40.7	1	42.0	2	33.9	9	45.3	1	50.2	1	39.3
	女	136	39.4	4	41.0	8	36.8	12	36.4	16	39.6	22	41.7	15	39.4	20	39.5	38	39.3	1	39.9	0	0.0
	計	155	39.8	4	41.0	9	37.8	13	36.7	16	39.6	25	41.6	16	39.5	22	38.9	47	40.4	2	45.1	1	39.3

表115 市民健診心電図判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
異常なし	男	91 (52.3%)	2	1	0	3	9	9	19	48	0	0
	女	243 (65.3%)	2	1	6	7	11	30	62	122	2	0
	計	334 (61.2%)	4	2	6	10	20	39	81	170	2	0
問題なし	男	22 (12.6%)	0	0	2	2	2	0	5	10	0	1
	女	34 (9.1%)	0	1	1	1	1	4	6	20	0	0
	計	56 (10.3%)	0	1	3	3	3	4	11	30	0	1
要経過観察	男	39 (22.4%)	0	0	0	0	0	3	11	22	1	2
	女	76 (20.4%)	1	1	1	2	3	13	12	43	0	0
	計	115 (21.1%)	1	1	1	2	3	16	23	65	1	2
要精密検査	男	15 (8.6%)	0	1	0	0	0	2	4	8	0	0
	女	10 (2.7%)	0	0	0	0	0	0	5	4	1	0
	計	25 (4.6%)	0	1	0	0	0	2	9	12	1	0
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	7 (4.0%)	0	0	0	0	0	0	3	3	1	0
	女	9 (2.4%)	0	0	0	0	1	1	3	4	0	0
	計	16 (2.9%)	0	0	0	0	1	1	6	7	1	0
検診者総数	男	174	2	2	2	5	11	14	42	91	2	3
	女	372	3	3	8	10	16	48	88	193	3	0
	計	546	5	5	10	15	27	62	130	284	5	3

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
洞性徐脈	男	5 (2.9%)	0	0	0	0	0	0	3	2	0	0
	女	3 (0.8%)	0	0	0	0	0	1	1	1	0	0
	計	8 (1.5%)	0	0	0	0	0	1	4	3	0	0
洞性頻脈	男	3 (1.7%)	0	0	0	1	0	0	2	0	0	0
	女	5 (1.3%)	0	0	0	0	0	0	1	4	0	0
	計	8 (1.5%)	0	0	0	1	0	0	3	4	0	0
洞性不整脈	男	1 (0.6%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
右軸偏位(100°以上)	男	2 (1.1%)	0	0	0	1	0	0	0	1	0	0
	女	4 (1.1%)	1	0	0	0	0	1	2	0	0	0
	計	6 (1.1%)	1	0	0	1	0	1	2	1	0	0
左軸偏位(-30°以下)	男	12 (6.9%)	0	0	0	0	1	0	2	7	1	1
	女	14 (3.8%)	0	0	0	1	1	0	2	10	0	0
	計	26 (4.8%)	0	0	0	1	2	0	4	17	1	1
不定軸	男	1 (0.6%)	0	0	0	0	0	0	0	1	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
第一度房室ブロック	男	5 (2.9%)	0	0	0	0	0	0	0	4	1	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	6 (1.1%)	0	0	0	0	0	0	0	5	1	0
第二度房室ブロック	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	1 (0.2%)	0	0	0	0	0	0	0	1	0	0
不完全右脚ブロック	男	6 (3.4%)	0	0	1	0	1	0	0	3	0	1
	女	3 (0.8%)	0	0	0	0	0	0	0	3	0	0
	計	9 (1.6%)	0	0	1	0	1	0	0	6	0	1
完全右脚ブロック	男	15 (8.6%)	0	0	0	0	0	2	3	8	1	1
	女	10 (2.7%)	0	0	0	0	0	1	2	7	0	0
	計	25 (4.6%)	0	0	0	0	0	3	5	15	1	1
完全左脚ブロック	男	2 (1.1%)	0	0	0	0	0	0	1	1	0	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	3 (0.5%)	0	0	0	0	0	0	1	2	0	0
上室性	男	4 (2.3%)	0	0	0	0	0	0	1	3	0	0

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
期外収縮	女	14 (3.8%)	0	1	0	0	0	1	2	9	1	0
	計	18 (3.3%)	0	1	0	0	0	1	3	12	1	0
心室性期外収縮	男	12 (6.9%)	0	1	0	0	0	0	5	5	1	0
	女	5 (1.3%)	0	0	0	0	0	0	1	4	0	0
	計	17 (3.1%)	0	1	0	0	0	0	6	9	1	0
心房細動	男	3 (1.7%)	0	0	0	0	0	0	1	1	1	0
	女	1 (0.3%)	0	0	0	0	0	0	0	1	0	0
	計	4 (0.7%)	0	0	0	0	0	0	1	2	1	0
ST低下	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	0	0	0	1	0	0	0
	計	1 (0.2%)	0	0	0	0	0	0	1	0	0	0
ST異常	男	12 (6.9%)	0	0	0	0	0	2	5	5	0	0
	女	20 (5.4%)	0	1	0	0	1	4	4	10	0	0
	計	32 (5.9%)	0	1	0	0	1	6	9	15	0	0
異常Q波	男	4 (2.3%)	0	0	0	0	0	1	2	1	0	0
	女	7 (1.9%)	0	0	0	0	0	2	1	4	0	0
	計	11 (2.0%)	0	0	0	0	0	3	3	5	0	0
R波増高不良	男	4 (2.3%)	0	0	0	0	0	0	2	2	0	0
	女	3 (0.8%)	1	0	0	0	0	0	1	1	0	0
	計	7 (1.3%)	1	0	0	0	0	0	3	3	0	0
陰性T波	男	4 (2.3%)	0	0	0	0	0	1	1	2	0	0
	女	10 (2.7%)	0	0	0	0	0	2	5	3	0	0
	計	14 (2.6%)	0	0	0	0	0	3	6	5	0	0
平低T	男	9 (5.2%)	0	0	0	0	0	2	1	6	0	0
	女	34 (9.1%)	0	0	1	1	1	4	9	18	0	0
	計	43 (7.9%)	0	0	1	1	1	6	10	24	0	0
QT延長	男	5 (2.9%)	0	0	0	0	0	2	1	2	0	0
	女	8 (2.2%)	0	0	0	0	0	3	2	3	0	0
	計	13 (2.4%)	0	0	0	0	0	5	3	5	0	0
III、aVfのQ波	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	0	1	0	0	0	0	0	0
	計	1 (0.2%)	0	0	0	1	0	0	0	0	0	0
左室高電位	男	13 (7.5%)	0	0	0	0	0	0	5	7	0	1
	女	13 (3.5%)	0	0	0	0	0	3	2	8	0	0

表116 市民健診安静心電図検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)										
心電図	計	26 (4.8%)	0	0	0	0	0	3	7	15	0	1
RSRパターン	男	2 (1.1%)	0	0	1	0	0	0	1	0	0	0
	女	9 (2.4%)	0	0	0	0	2	3	0	4	0	0
	計	11 (2.0%)	0	0	1	0	2	3	1	4	0	0
左脚前枝ブロック	男	2 (1.1%)	0	0	0	0	0	0	0	2	0	0
	女	4 (1.1%)	0	0	0	0	0	0	1	3	0	0
	計	6 (1.1%)	0	0	0	0	0	0	1	5	0	0
冠状静脈洞調律	男	1 (0.6%)	0	0	1	0	0	0	0	0	0	0
	女	1 (0.3%)	0	0	1	0	0	0	0	0	0	0
	計	2 (0.4%)	0	0	2	0	0	0	0	0	0	0
右房性P(拡大)	男	2 (1.1%)	0	0	0	0	0	0	1	1	0	0
	女	2 (0.5%)	0	0	0	0	1	0	1	0	0	0
	計	4 (0.7%)	0	0	0	0	1	0	2	1	0	0
左房性P(拡大)	男	4 (2.3%)	0	0	0	0	0	0	2	1	1	0
	女	2 (0.5%)	0	0	0	0	0	1	1	0	0	0
	計	6 (1.1%)	0	0	0	0	0	1	3	1	1	0
その他(安静心電図所見)	男	1 (0.6%)	0	0	0	0	0	0	0	1	0	0
	女	1 (0.3%)	0	0	0	0	0	1	0	0	0	0
	計	2 (0.4%)	0	0	0	0	0	1	0	1	0	0
検診者総数	男	174	2	2	2	5	11	14	42	91	2	3
	女	372	3	3	8	10	16	48	88	193	3	0
	計	546	5	5	10	15	27	62	130	284	5	3

表117 市民健診眼底写真判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	異常なし	男	27 (16.9%)	0	1	1	2	3	3	12	5	0
女		63 (20.9%)	0	0	4	4	6	11	15	23	0	0
計		90 (19.5%)	0	1	5	6	9	14	27	28	0	0
問題なし	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	男	89 (55.6%)	2	1	1	2	6	6	17	53	0	1
	女	156 (51.7%)	0	0	2	0	4	22	43	85	0	0
	計	245 (53.0%)	2	1	3	2	10	28	60	138	0	1
要精密検査	男	44 (27.5%)	0	0	0	2	1	3	9	28	0	1
	女	79 (26.2%)	0	0	0	1	0	4	20	52	2	0
	計	123 (26.6%)	0	0	0	3	1	7	29	80	2	1
要治療	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	4 (1.3%)	0	0	0	0	0	0	1	3	0	0
	計	4 (0.9%)	0	0	0	0	0	0	1	3	0	0
検診者総数	男	160	2	2	2	6	10	12	38	86	0	2
	女	302	0	0	6	5	10	37	79	163	2	0
	計	462	2	2	8	11	20	49	117	249	2	2

表118 市民健診眼底検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
細動脈口径不同	男	0	(0.0%)	0	0	0	0	0	0	0	0	0
	女	3	(1.0%)	0	0	0	0	0	0	3	0	0
	計	3	(0.6%)	0	0	0	0	0	0	3	0	0
網膜白斑	男	2	(1.3%)	0	0	0	0	1	0	0	1	0
	女	1	(0.3%)	0	0	0	0	0	0	1	0	0
	計	3	(0.6%)	0	0	0	0	1	0	2	0	0
眼底出血	男	1	(0.6%)	0	0	0	0	1	0	0	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	1	0	0	0	0
眼底出血の疑い	男	1	(0.6%)	0	0	0	0	1	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	0	1	0	0
	計	2	(0.4%)	0	0	0	0	1	0	1	0	0
細動脈反射増強	男	24	(15.0%)	0	0	0	2	3	2	7	10	0
	女	35	(11.6%)	0	0	0	0	2	9	24	0	0
	計	59	(12.8%)	0	0	0	2	3	4	16	34	0
動静脈交叉現象	男	69	(43.1%)	1	1	1	3	4	7	14	37	0
	女	115	(38.1%)	0	0	2	0	4	20	28	61	0
	計	184	(39.8%)	1	1	3	3	8	27	42	98	0
斑状出血	男	1	(0.6%)	0	0	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	0	0	1	0	0
白内障の疑い	男	46	(28.8%)	0	0	0	0	1	9	35	0	1
	女	93	(30.8%)	0	0	0	1	0	5	19	66	2
	計	139	(30.1%)	0	0	0	1	0	6	28	101	2
視神経乳頭異常の疑い	男	3	(1.9%)	0	0	0	1	0	1	0	0	1
	女	12	(4.0%)	0	0	0	0	0	4	7	1	0
	計	15	(3.2%)	0	0	0	1	0	1	4	7	1
網膜有髄神経線維の疑い	男	1	(0.6%)	0	0	0	0	0	0	1	0	0
	女	0	(0.0%)	0	0	0	0	0	0	0	0	0
	計	1	(0.2%)	0	0	0	0	0	0	1	0	0
網脈絡膜瘢痕疑い	男	0	(0.0%)	0	0	0	0	0	0	0	0	0
	女	1	(0.3%)	0	0	0	0	0	1	0	0	0
	計	1	(0.2%)	0	0	0	0	0	1	0	0	0
瞳孔の	男	14	(8.8%)	1	0	0	0	0	2	1	10	0

表118 市民健診眼底検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	女	(%)											
開き不 充分	女	19	(6.3%)	0	0	0	0	1	1	5	12	0	0
	計	33	(7.1%)	1	0	0	0	1	3	6	22	0	0
黄斑部 異常の 疑い	男	6	(3.8%)	0	0	0	0	0	0	1	5	0	0
	女	14	(4.6%)	0	0	0	0	0	1	8	5	0	0
計	20	(4.3%)	0	0	0	0	0	1	9	10	0	0	
網膜神 経線維 層欠損 の疑い	男	6	(3.8%)	0	0	0	2	1	0	0	2	0	1
	女	2	(0.7%)	0	0	0	0	0	0	0	2	0	0
計	8	(1.7%)	0	0	0	2	1	0	0	4	0	1	
ドルー ゼン	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2	(0.7%)	0	0	0	0	0	0	0	2	0	0
計	2	(0.4%)	0	0	0	0	0	0	0	2	0	0	
その他 (眼底写 真所見)	男	2	(1.3%)	0	0	0	0	0	1	0	1	0	0
	女	2	(0.7%)	0	0	0	0	0	0	2	0	0	0
計	4	(0.9%)	0	0	0	0	0	1	2	1	0	0	
検診者 総数	男	160		2	2	2	6	10	12	38	86	0	2
	女	302		0	0	6	5	10	37	79	163	2	0
計	462		2	2	8	11	20	49	117	249	2	2	

表119 結核・肺がん胸部X線判定結果

判定		総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
異常なし	男	1,091	(66.4%)	1	14	17	19	28	36	103	207	325	341	
	女	2,204	(73.4%)	3	30	48	71	77	144	270	497	610	454	
	計	3,295	(70.9%)	4	44	65	90	105	180	373	704	935	795	
異常所見も精密検査不要	男	425	(25.9%)	0	1	2	5	4	6	28	58	108	213	
	女	663	(22.1%)	0	3	1	5	10	25	54	124	212	229	
	計	1,088	(23.4%)	0	4	3	10	14	31	82	182	320	442	
要精密検査	結核の疑い	男	1	(0.1%)	0	0	0	0	0	0	0	0	1	0
		女	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
		計	1	(0.0%)	0	0	0	0	0	0	0	0	0	1
	結核以外の疑い	男	43	(2.6%)	0	0	0	1	1	0	5	6	15	15
		女	39	(1.3%)	0	0	0	0	0	5	3	8	11	12
		計	82	(1.8%)	0	0	0	1	1	5	8	14	26	27
	肺がんの疑い	男	55	(3.3%)	0	1	0	0	3	1	2	8	18	22
		女	79	(2.6%)	0	1	0	2	1	6	8	15	16	30
計		134	(2.9%)	0	2	0	2	4	7	10	23	34	52	
定期的に健診を要す	男	26	(1.6%)	0	0	1	0	0	1	1	3	4	16	
	女	17	(0.6%)	0	0	0	0	0	0	0	3	6	8	
	計	43	(0.9%)	0	0	1	0	0	1	1	6	10	24	
治療中	男	2	(0.1%)	0	0	0	0	0	0	1	1	0	0	
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0	
	計	3	(0.1%)	0	0	0	0	0	0	1	1	1	0	
合計	男	1,643		1	16	20	25	36	44	140	283	471	607	
	女	3,003		3	34	49	78	88	180	335	647	856	733	
	計	4,646		4	50	69	103	124	224	475	930	1,327	1,340	

表120 結核・肺がん胸部X線検査所見

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
心陰影 拡大	男	39 (2.4%)	0	0	0	1	1	0	4	5	7	21
	女	43 (1.4%)	0	0	1	0	0	1	0	8	15	18
	計	82 (1.8%)	0	0	1	1	1	1	4	13	22	39
肺門陰 影拡大	男	14 (0.9%)	0	0	0	0	1	0	0	4	3	6
	女	10 (0.3%)	0	0	0	0	1	0	0	1	3	5
	計	24 (0.5%)	0	0	0	0	2	0	0	5	6	11
肺紋理 増強	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	2 (0.1%)	0	0	0	0	0	0	0	0	1	1
	計	2 (0.0%)	0	0	0	0	0	0	0	0	1	1
線状陰 影	男	47 (2.9%)	0	0	0	1	0	0	2	13	15	16
	女	69 (2.3%)	0	0	0	0	0	1	7	18	25	18
	計	116 (2.5%)	0	0	0	1	0	1	9	31	40	34
带状陰 影	男	25 (1.5%)	0	0	0	1	0	0	1	5	5	13
	女	38 (1.3%)	0	0	0	1	0	2	4	6	12	13
	計	63 (1.4%)	0	0	0	2	0	2	5	11	17	26
大動脈 蛇行	男	14 (0.9%)	0	0	0	0	0	0	2	0	3	9
	女	30 (1.0%)	0	0	0	0	0	0	0	3	7	20

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	(%)										
	計	44	(0.9%)	0	0	0	0	0	2	3	10	29
微細斑 点状陰 影	男	25	(1.5%)	0	0	0	0	0	1	4	8	12
	女	30	(1.0%)	0	0	0	2	0	2	4	9	9
	計	55	(1.2%)	0	0	0	2	0	2	5	8	17
粒状陰 影	男	3	(0.2%)	0	0	0	0	0	0	2	0	1
	女	7	(0.2%)	0	0	0	0	0	0	1	3	3
	計	10	(0.2%)	0	0	0	0	0	0	3	3	4
結節陰 影	男	79	(4.8%)	0	1	0	0	2	0	2	11	27
	女	99	(3.3%)	0	1	0	1	1	6	8	22	26
	計	178	(3.8%)	0	2	0	1	3	6	10	33	53
円形陰 影	男	1	(0.1%)	0	0	0	0	0	1	0	0	0
	女	3	(0.1%)	0	0	0	0	0	1	0	1	1
	計	4	(0.1%)	0	0	0	0	0	2	0	1	1
塊状陰 影	男	7	(0.4%)	0	0	0	0	0	1	1	1	3
	女	8	(0.3%)	0	0	0	0	0	0	1	3	0
	計	15	(0.3%)	0	0	0	0	0	1	2	4	1
	男	55	(3.3%)	0	0	1	1	0	1	4	6	21

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	性別	人数	(%)										
浸潤陰影	女	48	(1.6%)	0	0	0	0	0	5	3	8	14	18
	計	103	(2.2%)	0	0	1	1	0	6	7	14	35	39
網目状陰影	男	16	(1.0%)	0	0	0	0	0	0	0	2	4	10
	女	8	(0.3%)	0	0	0	0	0	0	1	0	4	3
	計	24	(0.5%)	0	0	0	0	0	0	1	2	8	13
石灰化陰影	男	72	(4.4%)	0	0	0	0	0	1	2	6	24	39
	女	95	(3.2%)	0	0	0	2	1	3	7	13	21	48
	計	167	(3.6%)	0	0	0	2	1	4	9	19	45	87
空洞陰影	男	3	(0.2%)	0	0	0	0	0	0	0	1	1	1
	女	5	(0.2%)	0	0	0	0	0	0	2	1	2	0
	計	8	(0.2%)	0	0	0	0	0	0	2	2	3	1
嚢胞陰影	男	12	(0.7%)	0	0	0	0	0	2	2	1	6	1
	女	5	(0.2%)	0	0	0	0	0	0	0	2	2	1
	計	17	(0.4%)	0	0	0	0	0	2	2	3	8	2
無気肺陰影	男	3	(0.2%)	0	0	0	0	0	0	1	0	0	2
	女	1	(0.0%)	0	0	0	0	0	0	0	0	1	0
	計	4	(0.1%)	0	0	0	0	0	0	1	0	1	2

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上	
	男	女											
気腫様陰影	男	0	(0.0%)	0	0	0	0	0	0	0	0	0	
	女	1	(0.0%)	0	0	0	0	0	0	0	1	0	
	計	1	(0.0%)	0	0	0	0	0	0	0	1	0	
胸膜肥厚	男	95	(5.8%)	0	0	1	0	2	2	3	12	30	45
	女	131	(4.4%)	0	0	0	2	2	8	16	29	43	31
	計	226	(4.9%)	0	0	1	2	4	10	19	41	73	76
胸膜癒着	男	49	(3.0%)	0	0	0	0	0	1	3	4	18	23
	女	42	(1.4%)	0	0	0	0	0	2	2	8	14	16
	計	91	(2.0%)	0	0	0	0	0	3	5	12	32	39
胸水陰影	男	7	(0.4%)	0	0	0	0	0	0	1	1	3	2
	女	4	(0.1%)	0	0	0	0	0	1	1	0	0	2
	計	11	(0.2%)	0	0	0	0	0	1	2	1	3	4
上葉縮小	男	7	(0.4%)	0	0	0	0	0	0	0	0	5	2
	女	3	(0.1%)	0	0	0	0	0	0	0	1	2	0
	計	10	(0.2%)	0	0	0	0	0	0	0	1	7	2
横隔膜高位	男	35	(2.1%)	0	1	1	1	0	0	4	3	7	18
	女	33	(1.1%)	0	0	1	0	0	1	2	7	6	16



表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	女	(%)										
気管支 拡張症 の疑い	女	6 (0.2%)	0	0	0	0	0	1	0	0	4	1
	計	10 (0.2%)	0	0	0	0	0	1	0	0	5	4
間質性 肺炎の 疑い	男	30 (1.8%)	0	0	0	0	0	0	0	3	3	24
	女	11 (0.4%)	0	0	0	0	0	0	0	0	2	9
	計	41 (0.9%)	0	0	0	0	0	0	0	3	5	33
胸椎側 弯	男	53 (3.2%)	0	0	0	2	0	1	6	5	5	34
	女	224 (7.5%)	0	3	0	1	5	11	17	41	66	80
	計	277 (6.0%)	0	3	0	3	5	12	23	46	71	114
キライ ディ ティ症 候群	男	16 (1.0%)	0	0	0	0	0	0	1	2	7	6
	女	2 (0.1%)	0	0	0	0	0	0	0	2	0	0
	計	18 (0.4%)	0	0	0	0	0	0	1	4	7	6
食道裂 孔ヘル ニア	男	3 (0.2%)	0	0	0	0	0	0	0	1	0	2
	女	31 (1.0%)	0	0	0	0	0	0	1	1	10	19
	計	34 (0.7%)	0	0	0	0	0	0	1	2	10	21
右大動 脈弓	男	1 (0.1%)	0	0	0	0	0	0	1	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	1	0	0
	計	2 (0.0%)	0	0	0	0	0	0	1	1	0	0

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
炎症後 変化	男	12 (0.7%)	0	0	0	0	1	0	0	0	5	6
	女	16 (0.5%)	0	0	0	0	1	1	1	2	2	9
	計	28 (0.6%)	0	0	0	0	2	1	1	2	7	15
肋骨癒 合	男	3 (0.2%)	0	0	0	0	0	0	0	1	1	1
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	4 (0.1%)	0	0	0	0	0	0	0	1	1	2
すりガ ラス陰 影	男	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	女	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
	計	1 (0.0%)	0	0	0	0	0	0	0	0	1	0
その他 (肺所 見)	男	9 (0.5%)	0	0	0	0	0	0	1	0	2	6
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
その他 (肺所 見)	男	9 (0.5%)	0	0	0	0	0	0	1	0	2	6
	女	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
	計	1 (0.0%)	0	0	0	0	0	0	0	0	0	1
検診者 総数	男	1,643	1	16	20	25	36	44	140	283	471	607
	女	3,003	3	34	49	78	88	180	335	647	856	733

表120 結核・肺がん胸部X線検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	計	4,646	4	50	69	103	124	224	475	930	1,327	1,340

表121 肺がん検診喀痰細胞診検査所見

判 定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
	男	女										
B 1 (C I a s s I (異 常な し))	男	5 (17.9%)	0	0	0	0	0	0	1	1	2	1
	女	0 (0.0%)	0	0	0	0	0	0	0	0	0	0
	計	5 (17.2%)	0	0	0	0	0	0	1	1	2	1
B 2 (C I a s s II (悪 性所見 な し))	男	23 (82.1%)	0	0	0	0	0	1	0	7	7	8
	女	1 (100.0%)	0	0	0	0	0	1	0	0	0	0
	計	24 (82.8%)	0	0	0	0	0	2	0	7	7	8
検診者 総数	男	28	0	0	0	0	0	1	1	8	9	9
	女	1	0	0	0	0	0	1	0	0	0	0
	計	29	0	0	0	0	0	2	1	8	9	9

表122 前立腺がん検診判定結果

判定	総数		35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80歳以上
異常なし	860	(91.4%)	0	0	0	9	17	21	72	183	265	293
問題なし	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要経過観察	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
要精密検査	81	(8.6%)	0	0	0	0	0	0	6	11	29	35
要治療	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
治療中	0	(0.0%)	0	0	0	0	0	0	0	0	0	0
合計	941		0	0	0	9	17	21	78	194	294	328

表123 前立腺がん検診P S A検査の性年齢別平均値

検査項目	総数		35-39歳		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		75-79歳		80歳以上	
	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値	人数	平均値
PSA ng/ ml	941	1.9	0	0	0	0	0	0	9	1	17	1.12	21	1.19	78	1.38	194	1.54	294	1.93	328	2.32